

HPV Vaccine and Peripheral Nerve Damage

By Craig Paardekooper

PRR Scores

The PRR values show that the HPV vaccine has an excessive incidence for these symptoms. The PRR is the ratio of the percentage of reports with this symptom for HPV vaccine compared to the % of reports with this symptom for all other drugs. If the PRR is greater than 2, then the incidence is regarded as excessive.

Lower Confidence Intervals Needed

I will need to calculate the lower confidence interval for each of these PRR scores to know for sure that the PRR is greater than 2, however the current calculations provide a strong indication of the incidence of serious adverse events.

Absolute Incidence Rates for Symptoms

Column 3 is the % of reports for each vaccine with that symptom. An incidence of 0.2 % means 2 in 1000. Many symptoms occur with a frequency in this range.

Absolute Incidence Rate for People

However, it would be good to know what % of people suffer from one or more of these symptoms, rather than just the incidence of a symptom, so I will have to repeat this study.

Does a High PRR mean Causation ?

A drug may be strongly associated with a symptom because it causes that symptom, or because it treats a pathology with that symptom. For all the symptoms shown below, HPV vaccine does not treat the symptom, but rather appears to be associated as a cause.

Cause for Alarm ?

An excessive incidence of a symptom is cause for investigation, and cause for caution in taking that medication until an investigation is complete. Caution and investigation are what are called for rather than alarm.

Intention and Trust

Given the consistent occurrence of symptoms, and the reluctance of pharma to admit this, there is cause for not trusting pharma. So we should exercise caution and investigation towards the drug, AND ALSO towards those pushing it.

When “experts” and regulatory authorities cannot be trusted, then we can only fall back to what is tried and true – to more traditional medicines used for generations by our fathers and grandfathers. I would recommend purchasing a natural medicines book online, and learning about such simple cures. Such skills may be something you can barter with later on...everyone needs healing at one time or another.

About the Data

Drug names have been combined if the DRUG column contained the same drug name but had varying additional text. After combining drug names the dataset had 4110 unique drugs.

A sample of each drug needs to be of sufficient size to enable statistical conclusions regarding the ranking of its effects. I set a minimum threshold of 100 symptom reports for each drug. Only 1514 drugs met this criteria. So the analysis is based on data for 1514 drugs. All data is publicly available for download – [here](#). Please download the dataset for analysis (it can be found in the numbered list below the red button).

GUILLAIN BARRE SYNDROME

Guillain-Barré syndrome (GBS) (pronounced Ghee-yan Bah-ray) is a rare neurological disorder in which a person's immune system mistakenly attacks part of their peripheral nervous system—the network of nerves that carries signals from the brain and spinal cord to the rest of the body.

GBS begins suddenly and can increase in intensity over a period of hours, days, or weeks until certain muscles cannot be used at all. Some cases of GBS are very mild and only marked by brief weakness. Others cause nearly devastating paralysis, leaving the person unable to breathe on their own. In these cases, the disorder is life-threatening—potentially interfering with breathing, blood pressure, or heart rate.

Reference

There are 259 instances of Guillain Barre associated with Gardasil vaccine, out of 95,990 symptom instances. This is 0.27% of all reported symptom instances (1 in 400) with Gardasil. This is 9 x more than the % incidence of Guillain Barre for all other drugs (0.03% or 1 in 30,000). So this qualifies as a safety signal. This suggests that HPV vaccine may be causing the immune system to attack peripheral nerves.

This is confirmed by the high incidence of Guillain Barre with Gardasil 9, which is a different HPV vaccine. Records for Gardasil 9 show a separate population of 87 instances of Guillain Barre in 41,282 total symptom instances.

Cervarix also appears near in rank, confirming that these three HPV vaccines each have an association with Guillain Barre Syndrome.

A safety signal is declared when PRR (last column) > 2.

DRUG	guillain-barre syndrome	DRUG-TOTA	%	OTHER-TOT	OTHER-SY	% OTHE	PRR
ABRYSVO	29	709	4.09	21752063	6934	0.03	128.31
AREXVY	11	797	1.38	21751975	6952	0.03	43.18
AREPANRIX	39	3853	1.01	21748919	6924	0.03	31.79
TWINRIX	61	13417	0.45	21739355	6902	0.03	14.32
SHINGRIX	248	61107	0.41	21691665	6715	0.03	13.11
FLUCELVAX	11	2849	0.39	21749923	6952	0.03	12.08
FOCETRIA	25	7862	0.32	21744910	6938	0.03	9.97
GARDASIL	259	95990	0.27	21656782	6704	0.03	8.72
IPILIMUMAB	43	16144	0.27	21736628	6920	0.03	8.37
YERVOY	21	9754	0.22	21743018	6942	0.03	6.74
GARDASIL9	87	41282	0.21	21711490	6876	0.03	6.65
PANDEMRIX	101	50551	0.2	21702221	6862	0.03	6.32
MENVEO	11	7210	0.15	21745562	6952	0.03	4.77
OPDIVO	47	32011	0.15	21720761	6916	0.03	4.61
PEMBROLIZUMAB	26	18920	0.14	21733852	6937	0.03	4.31
VAXZEVRIA	838	746718	0.11	21006054	6125	0.03	3.85
CERVARIX	48	41519	0.12	21711253	6915	0.03	3.63
HUMAN	15	12962	0.12	21739810	6948	0.03	3.62
PREVENAR	14	12728	0.11	21740044	6949	0.03	3.44
KEYTRUDA	111	107405	0.1	21645367	6852	0.03	3.26
ZOSTAVAX	75	73453	0.1	21679319	6888	0.03	3.21
BUSULFAN	11	11966	0.09	21740806	6952	0.03	2.87
VFEND	13	15741	0.08	21737031	6950	0.03	2.58
TOZINAMERAN	384	534703	0.07	21218069	6579	0.03	2.32
COVID-19	873	1412803	0.06	20339969	6090	0.03	2.06

COMPOUNDING EFFECTS

Notice that the Covid jabs TOZINAMERAN and VAXZEVRIA also have safety signals for this symptom, so COVID jabs may also trigger the immune system to attack peripheral nerves, though to a much lesser extent than the HPV vaccine.

So you can see that someone who takes a HPV vaccine such as CERVARIX or GARDASIL, and also takes a COVID jab, may suffer a **compounding effect**.

COVID jabs are associated with Herpes outbreak – an effect due to suppression of the immune system. Sufferers of herpes will then take a herpes vaccine such as ZOSTAVAX or SHINGRIX, both of which are also associated with Guillain Barre. This will compound the Guillain Barre Syndrome, intensifying it yet again.

CHILDHOOD VACCINES

These include -

- FLU vaccine (such as AREPANRIX, FLUCELVAX, FOCETRIA, PANDEMRIX)
- HEP A and HEP B vaccine (such as TWINRIX)
- RSV vaccine (such as ABRYSVO, AREXVY)
- Pneumococcal vaccine (such as PREVENAR)

Note that ABRYSVO is the only vaccine given during 32 through 36 weeks of pregnancy to prevent RSV, and it has a huge 4% incidence of Guillain Barre.

Note that FOCETRIA is the Bird Flu (H1N1) vaccine.

EVERYONE HAS HEARD THAT HPV VAXES ARE BAD

HPV vaccines have a reputation for causing severe effects, but you can see that, as far as Guilain Barre effects are concerned, many vaccines are worse – including many administered to infants and children.

NERVE AGENT

Exposure to several different vaccines each of which is strongly associated with Guillain Barre, **is highly likely** to produce a compounding effect **far greater than the magnitude of the individual vaccine effects** shown in the table above. This compounding effect will be further intensified by early exposure of infants to these vaccines.

The combined effect of all of these vaccines would constitute a **nerve agent**, able to produce significant degradation of the peripheral nervous system.

The incremental approach achieved through a step by step administration of each vaccine means that the compounding effect is less noticeable, and less likely to be attributed to the vaccines.

The association of the vaccines with such injuries will become obvious to all given enough time. However with repeated administration, the time for people to become aware is limited by accumulation of peripheral nerve damage which may reduce their ability to exercise informed consent.

LEARNING ABOUT CURES

When “experts” and regulatory authorities cannot be trusted, then we can only fall back to what is tried and true – to more traditional medicines used for generations by our fathers and grandfathers. I would recommend purchasing a natural medicines book online, and learning about such simple cures. Such skills may be

something you can barter with later on...everyone needs healing at one time or another.

ABRYSVO

So, I was curious about **Abrysvo**, since it was the only vaccine given to inoculate babies against RSV while they were still in the womb, AND because it was associated with the highest incidence of Guillain Barre Syndrome. So, I decided to look at the frequency of all symptoms associated with this vaccine –

SYMPTOM of ABRYSVO	FREQ	TOTAL	%
maternal exposure during pregcy	35	709	4.94
guillain-barre syndrome	29	709	4.09
premature baby	27	709	3.81
premature delivery	19	709	2.68
pyrexia	15	709	2.12
headache	13	709	1.83
atrial fibrillation	12	709	1.69
dyspnoea	11	709	1.55
respiratory syncytial virus infection	11	709	1.55
arthralgia	9	709	1.27
pain in extremity	9	709	1.27
fatigue	9	709	1.27
premature labour	8	709	1.13
cough	8	709	1.13
condition aggravated	8	709	1.13
pain	7	709	0.99
myalgia	7	709	0.99
vaccination site erythema	7	709	0.99
drug ineffective	7	709	0.99
hypoesthesia	7	709	0.99
dizziness	7	709	0.99
confusional state	6	709	0.85
malaise	6	709	0.85
gait disturbance	6	709	0.85
preterm premature rupture of membranes	6	709	0.85
vaccination site pain	5	709	0.71

As you can see, **Abrysvo** is associated with a high incidence rate of premature delivery.

Next, I wanted to find out how this compares with other drugs – is the incidence of premature birth after taking **Abrysvo** excessive compared to other drugs ?

DRUG	premature baby	DRUG-TOTAL	%	OTHER-TOT	OTHER-SYM	% OTHER	PRR
ATOSIBAN	49	679	7.22	21752093	6964	0.03	225.41
TRACTOCILE	21	422	4.98	21752350	6992	0.03	154.81
ABRYSVO	27	709	3.81	21752063	6986	0.03	118.57
IRON	24	2197	1.09	21750575	6989	0.03	34
CINACALCET	13	1289	1.01	21751483	7000	0.03	31.34
COMBIVIR	40	5212	0.77	21747560	6973	0.03	23.94
KUVAN	13	1884	0.69	21750888	7000	0.03	21.44
CHLORHEXIDINE	26	4131	0.63	21748641	6987	0.03	19.59
LEVEMIR	107	19301	0.55	21733471	6906	0.03	17.45
ISENTRESS	29	5310	0.55	21747462	6984	0.03	17.01
INSULATARD	10	1872	0.53	21750900	7003	0.03	16.59
SUBOXONE	113	22773	0.5	21729999	6900	0.03	15.63
CRIVAN	22	4484	0.49	21748288	6991	0.03	15.26
BUPRENORPHINE	73	16446	0.44	21736326	6940	0.03	13.9
EPIVIR	17	3842	0.44	21748930	6996	0.03	13.76
EMTRICITABINE,	10	2335	0.43	21750437	7003	0.03	13.3
DARUNAVIR	12	2811	0.43	21749961	7001	0.03	13.26
SILDENAFIL	38	9167	0.41	21743605	6975	0.03	12.92
DEXAMETHASONE	134	34771	0.39	21718001	6879	0.03	12.17
BUPIVACAINE	21	5783	0.36	21746989	6992	0.03	11.29
ACTRAPID	13	3688	0.35	21749084	7000	0.03	10.95
NORVIR	14	3981	0.35	21748791	6999	0.03	10.93
TACROLIMUS	19	5548	0.34	21747224	6994	0.03	10.65
FENTANYL	106	31702	0.33	21721070	6907	0.03	10.52
AZATHIOPRINE	42	12526	0.34	21740246	6971	0.03	10.46

Atosiban and **Tractocile** are different names for the same drug used to TREAT premature labour. And iron is used to TREAT premature babies, who typically require iron supplements.

However, **Abrysvo** does not treat premature labour – rather, it CAUSES it. So you can see that it is the drug with the highest incidence of premature labour, AND the highest incidence of peripheral nerve damage (Guillain Barre).

The **Abrysvo** vaccine induces a toxic environment for the baby, since it causes peripheral nerve damage (hence the Guillain Barre). If premature labour ensues, then this suggests that a toxic environment somehow triggers the premature labour. This is analogous to swallowing a toxin, which results in nausea and vomiting. Perhaps nature has provided a reproductive mechanism that delivers a baby prematurely if the baby’s environment becomes so toxic as to endanger it.