

# Radco Industries, LLC Military Products

## Aviation Application Products

| MIL SPEC  | NSN              | PACKAGE  | QPL #                                     | SL           | PRODUCT NAME  |
|---|------------------|----------|---|--------------|---|
| MIL-PRF-83282D(1)<br>NATO: H-537                    | 9150-00-149-7431 | QT       | NAWCADPAX ltr 4123<br>Ser 434200A/10.0040 | 24<br>MONTHS | <b>RADCOLUBE® FR282</b><br>FIRE RESISTANT<br>HYDRAULIC FLUID                      |
|   | 9150-00-149-7432 | GL       |   |              |   |
|   | 9150-01-009-7709 | 10 GL DR |   |              |   |
|   | 9150-00-180-6290 | 55 GL DR |   |              |   |
| MIL-PRF-87257F<br>NATO: H-538                       | 9150-01-388-7769 | QT       | AFPET/PTPS 21-008<br>AFPET/PTPS 24-009    | 24<br>MONTHS | <b>RADCOLUBE® FR257</b><br>FIRE RESISTANT<br>HYDRAULIC FLUID                      |
|   | 9150-01-386-6687 | GL       |   |              |   |
|   | 9150-01-391-2087 | 5 GL PL  |   |              |   |
|   | 9150-01-387-4577 | 55 GL DR |   |              |   |
| MIL-PRF-5606K<br>NATO: H-515<br>MS: OHA             | 9150-00-252-6383 | QT       | AFPET/PTPS 23-002                         | 24<br>MONTHS | <b>RADCOLUBE® RHP5606</b><br>PETROLEUM BASE<br>HYDRAULIC FLUID                    |
|   | 9150-00-223-4134 | GL       |   |              |   |
|   | 9150-00-082-7524 | 10 GL DR |   |              |   |
|   | 9150-00-265-9408 | 55 GL DR |   |              |   |
| MIL-PRF-6083G<br>NATO: C-635<br>MS: OHT             | 9150-00-935-9807 | QT       | H-6068<br>H-6072                          | 24<br>MONTHS | <b>RADCOLUBE® RHP6083</b><br>PETROLEUM BASE<br>HYDRAULIC FLUID                    |
|   | 9150-00-935-9808 | GL       |   |              |   |
|   | 9150-00-935-9809 | 5 GL PL  |   |              |   |
|   | 9150-00-935-9810 | 55 GL DR |   |              |   |
| MIL-PRF-6081E<br>Grade 1010<br>NATO: O-133          | 9150-00-273-2388 | QT       | 95B<br>102B<br>103B                       | 36<br>MONTHS | <b>RADCOLUBE® 6081 (GR 1010)</b><br>LUBRICATING OIL, JET ENGINE                   |
|   | 9150-00-273-8807 | GL       |   |              |   |
|   | 9150-00-231-6676 | 55 GL DR |   |              |   |
|   | 9150-00-985-7031 | BULK     |   |              |   |
| MIL-PRF-6081E<br>Grade 1010N                        | 9150-01-573-8945 | QT       | 16C                                       | 36<br>MONTHS | <b>RADCOLUBE® 6081N (GR 1010N)</b><br>LUBRICATING OIL, JET ENGINE                 |
|   | 9150-01-573-9003 | GL       |   |              |   |
|   | 9150-01-570-1493 | 55 GL DR |   |              |   |
| MIL-PRF-6085F<br>NATO: O-147<br>MS: OAI             | 9150-00-223-4129 | QT       | AFPET/PTPS 24-015<br>AFPET/PTPS 25-002    | 24<br>MONTHS | <b>RADCOLUBE® 6085</b><br>LUBRICATING OIL, INSTRUMENT<br>AIRCRAFT, LOW VOLATILITY |
|   | 9150-01-311-5640 | GLOB     |   |              |   |
|   | 9150-01-018-8959 | 5 GL PL  |   |              |   |
| MIL-PRF-7870E<br>NATO: O-142                        | 9150-00-263-3490 | QT       | AFPET/PTPS 25-006                         | 36<br>MONTHS | <b>RADCOLUBE® 7870</b><br>LUBRICATING OIL; GENERAL<br>PURPOSE, LOW TEMPERATURE    |
|   | 9150-00-273-2397 | GLOB     |   |              |   |
|   | 9150-00-281-9438 | 55 GL DR |   |              |   |
| MIL-PRF-87252F<br>NATO: S-1748                      | 9150-01-306-2475 | QT       | AFPET/PTPS 24-013                         | 24<br>MONTHS | <b>RADCOLUBE® 500M</b><br>COOLANT FLUID<br>HYDROLYTICALLY STABLE, DIELECTRIC      |
|   | 9150-01-336-7174 | GLOB     |   |              |   |
|   | 9150-01-304-0885 | GL       |   |              |   |
|   | 9150-01-306-2470 | 55 GL DR |   |              |   |
|   | 9150-01-538-9109 | QT       | N/A                                       | 24<br>MONTHS | <b>RADCOLUBE® NLT</b><br>HYDRAULIC FLUID, PETROLEUM BASE                          |
| MIL-PRF-6086G<br>GRADE: L<br>NATO: O-153<br>MS: OGL | 9150-00-265-9417 | GLOB     | AFPET/PTPS 22-011                         | 36<br>MONTHS | <b>RADCOLUBE® 6086L</b><br>LUBRICATING OIL, GEAR,<br>PETROLEUM BASE               |
|   | 9150-00-223-4116 | 5 GL PL  |   |              |   |
|   |                  |          |   |              |   |
| MIL-PRF-14107D<br>NATO: O-157<br>MS: LAW            | 9150-00-292-9689 | QT       | AR 22-01                                  | 24<br>MONTHS | <b>RADCOLUBE® LTGO</b><br>LUBRICATING OIL, WEAPONS,<br>LOW TEMPERATURE            |
|   | 9150-00-292-9687 | 5 GL PL  |   |              |   |
|   |                  |          |   |              |   |

# Radco Industries, LLC Military Products

## Surface Vessel & Submarine Application Products

| MIL SPEC   | NSN              | PACKAGE  | QPL #            | SL           | PRODUCT NAME   |
|--|------------------|----------|------------------|--------------|--|
| MIL-PRF-17331L(2)<br>NATO: O-250<br>MS: 2190 TEP | 9150-01-368-7076 | GLOB     | Ser 05S/2019-028 | 24           | <b>RADCOLUBE® 17331 (2190 TEP)</b><br>LUBRICATING OIL, STEAM TURBINE AND GEAR,<br>MODERATE SERVICE |
|  | 9150-01-370-2583 | 5 GL PL  | Ser 05S/2020-160 | MONTHS       |  |
|  | 9150-01-368-7075 | 55 GL DR |                  |              |  |
|  | 9150-01-372-6915 | BULK     |                  |              |  |
| MIL-PRF-17672F<br>ISO GRADE 32/GR: A             | 9150-00-985-7232 | 5 GL PL  | Ser 05S/2016-001 | 36<br>MONTHS | <b>RADCOLUBE® 2075 (SYMBOL OIL 2075-T-H)</b><br>HYDRAULIC FLUID, PETROLEUM, INHIBITED              |
|  | 9150-00-985-7233 | 55 GL DR | Ser 05S/2021-289 |              |  |
| MIL-PRF-17672F<br>ISO GRADE 46/GR: B<br>H-573    | 9150-00-753-4799 | GLOB     | Ser 05S/2015-250 |              |  |
|  | 9150-00-985-7234 | 5 GL PL  | Ser 05S/2021-289 |              |  |
|  | 9150-00-582-5480 | 55 GL DR |                  |              |  |
| MIL-PRF-17672F<br>ISO GRADE 68/GR: C             | 9150-00-985-7237 | 5 GL PL  | Ser 05S/2016-001 |              | 36<br>MONTHS   |
|  | 9150-00-584-2560 | 55 GL DR |                  |              |  |
| MIL-H-19457D                                     | 9150-01-113-2045 | GLOB     | N/A              | 24<br>MONTHS |  |
|  | 9150-01-113-2046 | 5 GL PL  |                  |              |  |
|  | 9150-01-113-2047 | 55 GL DR |                  |              |  |
| MIL-PRF-17111F<br>NATO: H-575                    | 9150-00-261-8317 | 5 GL PL  | N/A              | 24<br>MONTHS | <b>RADCOLUBE® 17111</b><br>FLUID, POWER TRANSMISSION   |
|  | 9150-00-261-8318 | 55 GL DR |                  |              |  |
| A-A-59290  | 9150-00-224-8729 | 5 GL PL  | N/A              | 24<br>MONTHS | <b>RADCOLUBE® AAG</b><br>HYDRAULIC FLUID, ARRESTING GEAR   |
|  | 9150-00-243-1987 | 55 GL DR |                  |              |  |

## Cleaner Application Products

| MIL SPEC  | NSN              | PACKAGE  | QPL #   | SL           | PRODUCT NAME  |
|---|------------------|----------|---------|--------------|---|
| MIL-PRF-680C TYPE II<br>NATO: S-753<br>MS: SD-2 | 9850-01-474-2317 | 5 GL PL  | DS-0054 | 36<br>MONTHS | <b>RADCOLUBE® 680 TYPE 2</b><br>DEGREASING SOLVENT, HIGH FLASH POINT<br>LOW ODOR    |
|   | 6850-01-474-2316 | 55 GL DR | DS-0062 |              |   |
|   |                  |          |         |              |   |
| MIL-PRF-680C TYPE IV<br>MS: SD-4                | 6850-01-472-2717 | 5 GL PL  | DS-0049 | 36<br>MONTHS | <b>RADCOLUBE® 680 TYPE 4</b><br>DEGREASING SOLVENT, HIGH FLASH POINT<br>CITRUS ODOR |
|   | 6850-01-472-2719 | 55 GL DR |         |              |   |
|   |                  |          |         |              |   |

# Radco Industries, LLC Military Products

## Land Application Products

| MIL SPEC                                      | NSN              | PACKAGE  | QPL #    | SL     | PRODUCT NAME   |
|---|------------------|----------|----------|--------|--|
| MIL-PRF-46170E<br>TYPE I<br>NATO: H-544       | 9150-01-332-7819 | PT       | HF-79    | 24     | <b>RADCOLUBE® FR170</b><br>FIRE RESISTANT<br>HYDRAULIC FLUID                       |
|   | 9150-00-111-6256 | QT       | HF-80    | MONTHS |  |
|   | 9150-00-111-6254 | GL       | HF-82    |        |  |
|   | 9150-00-111-6255 | 5 GL PL  | HF-83    |        |  |
|   | 9150-01-158-0462 | 55 GL DR | HF-88    |        |  |
| MIL-PRF-63460F TY:A<br>NATO: S-758<br>MS: CLP | 9150-01-102-1473 | 0.5 OZ   | AR-16-10 | 36     | <b>RADCOLUBE® CLP</b><br>CLEANER, LUBRICANT, AND PRESERVATIVE                      |
|   | 9150-01-079-6124 | 4 OZ     |          | MONTHS |  |
|   | 9150-01-054-6453 | PINT     |          |        |  |
|   | 9150-01-327-9631 | LITER    |          |        |  |
|   | 9150-01-053-6688 | GALLON   |          |        |  |
| MIL-PRF-63460G<br>NATO: S-758<br>MS: CLP      | 9150-01-663-4635 | 0.5 OZ   | AR-22-02 | 36     | <b>RADCOLUBE® BIOBASED CLP</b><br>BIOBASED CLEANER, LUBRICANT,<br>AND PRESERVATIVE |
|   | 9150-01-663-3879 | 4 OZ     |          | MONTHS |  |
|   | 9150-01-663-4643 | PINT     |          |        |  |
|   | 9150-01-663-4623 | LITER    |          |        |  |
|   | 9150-01-663-4610 | GALLON   |          |        |  |
| MIL-PRF-12070E(1)<br>NATO: F-62<br>MS: SGF-2  | 9150-00-261-7895 | 55 GL DR | N/A      | 36     | <b>RADCOLUBE® FOG OIL</b><br>FOG OIL   |
| MIL-PRF-46176B<br>NATO: H-547<br>MS: BFS      | 9150-01-102-9455 | GLOB     | SBF-1034 | 24     | <b>RADCOLUBE® SBR-1</b><br>SILICONE BRAKE FLUID<br>DOT 5                           |
|   | 9150-01-123-3152 | 5 GL PL  | SBF-1036 | MONTHS |  |
|   | 9150-01-072-8379 | 55 GL DR | SBF-1037 |        |  |
|   |                  |          | SBF-1038 |        |  |
| ASTM D3487-09                                 | 9160-00-685-0913 | 5 GL PL  | N/A      | 24     | <b>XCEL THERM® EIO</b><br>TYPE I   |
|   | 9160-00-685-0914 | 55 GL DR |          | MONTHS |  |
| ASTM D3487-09                                 | 9160-01-419-0888 | GLOB     | N/A      | 24     | <b>XCEL THERM® EIO</b><br>TYPE II  |
|   | 9160-00-926-2124 | 5 GL PL  |          | MONTHS |  |
|   | 9150-00-075-9816 | 55 GL DR |          |        |  |

**For Sales & Technical Support Please Contact:** Scott Mondri / Military Sales Account Manager

Tel: 630-484-4920 | Email: [smondri@radcoind.com](mailto:smondri@radcoind.com) | Web: [www.radcoind.com](http://www.radcoind.com)

**Radcolube® and Xceltherm®** are registered trademarks of RADCO INDUSTRIES, LLC

Revision Date 18-AUG-2025



700 Kingsland Drive  
Batavia, Illinois 60510 USA