

**INTERNATIONAL ORGANISATION FOR STANDARDISATION
ORGANISATION INTERNATIONALE NORMALISATION
ISO/IEC JTC 1/SC 29/WG 11
CODING OF MOVING PICTURES AND AUDIO**

ISO/IEC JTC 1/SC 29/WG 11/N4943
Klagenfurt, July 2002

Source:	Mutlimedia Description Schemes Group
Title:	Text of ISO/IEC CD 21000-Part 6 - Rights Data Dictionary (RDD)
Status:	Approved
Editors	Chris Barlas, Godfrey Rust

ISO/IEC JTC 1/SC 29 N

Date: 2002-07-26

ISO/IEC WD 21000-6

ISO/IEC JTC 1/SC 29/WG 11

Secretariat: JISC

**Information Technology — Multimedia Framework — Part 6: Rights Data
Dictionary**

Technologie de l'Information — Cadre de Multimedia — Partie 6: Dictionnaire de Gestion des Droits des Données

Warning

Document type: International Standard
Document subtype:
Document stage: (20) Preparatory
Document language: E

C:\W4943.doc STD Version 2.0

This document is not an ISO International Standard. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an International Standard.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Copyright notice

This ISO document is a working draft or committee draft and is copyright-protected by ISO. While the reproduction of working drafts or committee drafts in any form for use by participants in the ISO standards development process is permitted without prior permission from ISO, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from ISO.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to ISO's member body in the country of the requester:

ISO copyright office
Case postale 46
CH-1211 Genève 20
Tel. +41 (0) 22 749 01 11
Fax +41 (0) 22 749 09 47
Email: copyright@iso.ch
Web: www.iso.ch

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Contents

Page

1	Scope	2
1.1	Organisation of the Document	2
1.2	Relationship between RDD and other parts in the MPEG-21 Framework (Informative)	2
2	Normative References	2
3	Terms and Definitions	2
4	Documentation conventions	2
5	Structure of the Rights Data Dictionary	2
5.1	Preamble (informative)	2
5.2	Term	2
5.3	MeaningType	2
5.4	Authority	2
5.5	RddIdentifier	2
5.6	Headword	2
5.7	Synonym	2
5.8	TermDescription	2
5.9	TermStatus	2
5.10	Relationship	2
5.11	Family	2
5.12	Genealogy	2
5.13	ContextDescription	2
5.14	TermSet	2
5.15	Comment	2
5.16	Language	2
5.17	AuditAttributes	2
5.18	AccessStatus	2
6	Relationship between REL and RDD	2
6.1	REL "Multimedia Rights" and RDD ActTypes	2
6.2	Other RDD ActTypes as REL Rights	2
6.3	RDD ResourceTypes as REL Resources	2
6.4	RDD ContextTypes as REL Conditions	2
	Annex A (normative) RDD StandardizedTerms	2
	Annex B (normative) Rules and Styles Guidelines for Textual Elements and Headwords	2
B.1	RDD Definitions	2
B.2	RDD Headwords and Synonyms	2
B.3	Textual Elements from Authorities other than RDD	2
	Annex C (normative) Requirements for the Registration Authority for the Rights Data Dictionary	2
C.1	Purpose of the RDD System	2
C.2	Procedure for Registering a Term or TermSet for use within MPEG-21 Framework	2
C.3	Responsibilities of the Registration Authority	2
C.4	Contact Information for the Registration Authority	2
C.5	Responsibilities of Parties requesting an RddId	2
C.6	Fees	2
C.7	Required qualifications	2
C.8	Appeal Procedure for Denied Applications	2

Tables

Page

Table 1 — MeaningTypes	2
Table 2 — Authority: constraints	2
Table 3 — RddIdentifier: constraints	2
Table 4 — Headword: constraints	2
Table 5 — Synonym: constraints	2
Table 6 — TermDescription: constraints	2
Table 7 — TermDescriptionType: constraints	2
Table 8 — TermDescriptionTypes: AllowedValues	2
Table 9 — TermStatus: constraints	2
Table 10 — TermStatus: AllowedValues	2
Table 11 — TermStatus: Occurrence of RddAuthorized TermAttributes	2
Table 12 — RDD Governance by TermStatus	2
Table 13 — Normative Adopted TermSets	2
Table 14 — Relationship: constraints	2
Table 15 — Symbols used in presentation syntax for Relationships	2
Table 16 — Attributes of a Relationship	2
Table 17 — ContextModel BasicTermSet	2
Table 18 — ContextModel TermTypes	2
Table 19 — ContextModel RelatingTerms	2
Table 20 — Family Types	2
Table 21 — ActionFamily Relationships including ContextModel TermTypes	2
Table 22 — AFRV RelatingTerms for “Act”	2
Table 23 — ActionFamily Relationships including AFRV RelatingTerms	2
Table 24 — ActionFamily Relationships including StateTypes	2
Table 25 — ActionFamily StatusTypes	2
Table 26 — StatusTypes for Act	2
Table 27 — ActionFamily Relationships including StatusTypes	2
Table 28 — ActionFamily Reciprocal Relationships	2
Table 29 — ContextFamily Reciprocal Relationships	2
Table 30 — Genealogy: constraints	2
Table 31 — Genealogy: Primary Relationship Types	2
Table 32 — Genealogy: RelatingTerms for RelatingTerm Genealogies	2
Table 33 — ContextDescription: constraints	2
Table 34 — ContextDescription Relationships	2
Table 35 — ContextDescription Reciprocal Relationships	2
Table 36 — TermSet: constraints	2
Table 37 — Comment: constraints	2
Table 38 — Language: constraints	2
Table 39 — AuditAttributes	2
Table 40 — AccessStatus: AllowedValues	2

Figures

Page

Figure 1 — (normative) Standardized Attributes of a Term	2
Figure 2 — (informative) Conventional presentation of a Relationship	2
Figure 3 (Informative) – Example of a Relationship	2
Figure 4 (Informative)	2
Figure 5 (Informative)	2
Figure 6 — (normative) RDD ContextModel	2
Figure 7 (Informative) – RDD ActTypes and Context Model	2
Figure 8 (Informative)	2
Figure 9 — (normative) ActionFamilyRelationalView (“AFRV”)	2
Figure 10 — (informative) Underlying common entities of The ContextModel and AFRV	2
Figure 11 (Informative)	2
Figure 12 (Informative)	2
Figure 13 (Informative)	2
Figure 14 (Informative)	2
Figure 15 (Informative)	2
Figure 16 (Informative)	2
Figure 17 (Informative)	2
Figure 18 (Informative)	2
Figure 19 (Informative)	2
Figure 20 (Informative)	2
Figure 21 (Informative)	2
Figure 22 (Informative)	2
Figure 23 (Informative)	2
Figure 24 (Informative)	2
Figure 25 (Informative)	2
Figure 26 (Informative)	2
Figure 27 (Informative)	2
Figure 28 — (informative) Illustration of possible TermSets by TermStatus	2
Figure 29 — (informative) RDD Governance Model	2

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 21000 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 21000-6 was prepared by Joint Technical Committee ISO/IEC JTC 1, Subcommittee SC 29.

ISO/IEC 21000 consists of the following parts, under the general title *Information Technology — Multimedia Framework*:

- *Part 1: Vision, Technologies and Strategy*;
- *Part 2: Digital Item Declaration (DID)*;
- *Part 3: Digital Item Identification (DII)*;
- *Part 4: Intellectual Property Management Tool Representation and Communication System (IPMP TRACS)*;
- *Part 5: Rights Expression Language (REL)*;
- *Part 6: Rights Data Dictionary (RDD)*;
- *Part 7: Digital Item Adaptation (DIA)*;
- *Part 8: Reference Software*.

Note: Other parts may be added when needed.

Introduction

Today, many elements exist to build an infrastructure for the delivery and consumption of multimedia content. There is, however, no 'big picture' to describe how these elements, either in existence or under development, relate to each other. The aim for MPEG-21 is to describe how these various elements fit together. Where gaps exist, MPEG-21 will recommend which new standards are required. ISO/IEC JTC 1/SC 29/WG 11 (MPEG) will then develop new standards as appropriate while other relevant standards may be developed by other bodies. These specifications will be integrated into the multimedia framework through collaboration between MPEG and these bodies.

The result is an open framework for multimedia delivery and consumption, with both the content creator and content consumer as focal points. This open framework provides content creators and service providers with equal opportunities in the MPEG-21 enabled open market. This will also be to the benefit of the content consumer providing them access to a large variety of content in an interoperable manner.

The vision for MPEG-21 is to define a multimedia framework to enable transparent and augmented use of multimedia resources across a wide range of networks and devices used by different communities.

This sixth part of MPEG-21 (ISO/IEC 21000-6) specifies a Rights Data Dictionary for use within the MPEG-21 Framework. This Rights Data Dictionary forms the basis of all expressions of rights and permissions as defined by the MPEG-21 Rights Expression Language (specified in ISO/IEC 21000-5).

Information Technology — Multimedia Framework — Part 6: Rights Data Dictionary

1 Scope

The Rights Data Dictionary (RDD) comprises a set of clear, consistent, structured, integrated and uniquely identified Terms (as defined in Clause 3) to support the MPEG-21 Rights Expression Language (ISO/IEC 21000-5). Clause 5 of the MPEG-21 Standard specifies the structure and core of this Dictionary, and specifies how further Terms may be defined under the governance of a Registration Authority, requirements for which are described in Annex C.

Taken together, these specifications and the Dictionary and Database together make up the RDD System. Use of the RDD System will facilitate the accurate exchange and processing of information between interested parties involved in the administration of rights in, and use of, Digital Items, and in particular it is intended to support the MPEG-21 REL. Clause 6 describes how the RDD relates to the MPEG-21 REL.

As well as providing definitions of Terms for use in the REL, the RDD System is designed to support the mapping and transformation of metadata from the terminology of one namespace (or Authority) into that of another namespace (or Authority) in an automated or partially-automated way, with the minimum ambiguity or loss of semantic integrity.

The Dictionary is a *prescriptive* Dictionary, in the sense that it defines a single meaning for a Term represented by a particular RDD name (or Headword, see Clause 3), but it is also *inclusive* in that it recognizes the prescription of other Headwords and definitions by other Authorities and incorporates them through mappings. The RDD also supports the circumstance that the same name may have different meanings under different Authorities. The RDD has audit provisions so that additions, amendments and deletions to Terms and their attributes can be tracked.

RDD recognises legal definitions as and only as Terms from other Authorities that can be mapped into the RDD. Therefore Terms that are directly authorized by RDD neither define nor prescribe intellectual property rights or other legal entities.

1.1 Organisation of the Document

This document contains six Clauses and four Annexes.

Clause 1 contains a scope statement and this Clause.

Clause 2 comprises a list of Normative References

Clause 3 comprises a list of Terms and Definitions. Because this specification deals extensively with Terms and Definitions, many of the Terms and Definitions contained in Clause 3 appear later in Clause 4.

Clause 4 describes the conventions used in this document.

Clause 5 describes the structure of the Rights Data Dictionary in detail, providing information about its model, how the model is used to introduce Terms to the Dictionary and how those Terms can be related.

Clause 6 describes how the MPEG-21 RDD relates to the MPEG-21 REL and how the two specifications may interact.

Annex A (Normative) comprises four parts. Part 1, containing REL ActTypes used to express Rights and Part 2, containing Standardized Terms contained in The Rights Data Dictionary.

Annex B (Normative) provides Rules and Style Guides for Textual Elements.

Annex C (Normative) describes the requirements for a Registration Authority for the RDD.

1.2 Relationship between RDD and other parts in the MPEG-21 Framework (Informative)

At present the only specific relationship with other parts of MPEG-21 is with Part 5, the Rights Expression Language. A description of this relationship is set out in Clause 6.

2 Normative References

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 21000. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO/IEC 21000 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC TR 21000-1. *Information Technology – Multimedia Framework – Vision, Technologies and Strategy*. 2001

ISO/IEC IS 21000-2. *Information Technology – Multimedia Framework – Digital Item Declaration*. 2002

ISO/IEC IS 21000-3. *Information Technology – Multimedia Framework – Digital Item Identification*. 2002

ISO 639:1988. *Code for the representation of names of languages*

ISO 639-2:1998 *Codes for the representation of names of languages -- Part 2: Alpha-3 code*

ISO 3166-1:1997 *Codes for the representation of names of countries and their subdivisions -- Part 1: Country codes*

ISO 3166-2:1998 *Codes for the representation of names of countries and their subdivisions -- Part 2: Country subdivision code*

ISO 3166-3:1999 *Codes for the representation of names of countries and their subdivisions -- Part 3: Code for formerly used names of countries*

ISO 4217:2001 *Codes for the representation of currencies and funds*

ISO 8601:2000 *Data elements and interchange formats -- Information interchange -- Representation of dates and times*

3 Terms and Definitions

For the purposes of this part of ISO/IEC 21000, the terms and definitions in this Clause apply.

Because this part of ISO/IEC 21000 is concerned with the definition of terms, many of the significant terms used in describing the standard are themselves “StandardizedTerms”, with formal Definitions introduced as required in the tables in Clause 4.

Definitions for terms presented in this standard with initial Capitals and otherwise in lower case (for example, Act, AdoptedTerm) are given in Clause 3. Where the name of a term in this Clause followed by an asterisk (for example, ActType*, Agent*) it indicates that its definition is made elsewhere in the standard and is included here for convenience.

Definitions for terms presented in Upper and Lower case capitals (for example, IStYPEOf, COPY) are given in the complete Dictionary in Annex A

Most of the terms in the list below also appear in the RDD Dictionary (Annex A) as StandardizedTerms. In keeping with the Rules and Style Guidelines for Textual Headwords given in Annex C, names of Terms containing more than one word are shown without spaces (eg AccessStatus). Terms which include spaces (eg RDD Database) do not appear in the Dictionary.

Comment (informative): Wherever a defined Term appears in this standard in one of the capitalized forms described above, it has the meaning defined by this standard. This is especially important to recognize for those words on which the standard relies heavily (such as “Type” and “Resource”) that may have similar but not identical meanings in related areas.

AccessStatus

A CategoryType whose value determines which RddUsers may have access to a Term or TermAttribute.

Act*

The First Term in the Dictionary, defined self-referentially as “to act”.

ActType*

A Type of Act.

ActionFamily*

The Family Begotten from an ActType.

ActionFamilyRelationalView (“AFRV”)*

A group of Relationships expressing the impact of a Type of Act as a set of one-to-one Relationships between its Agents, Resources, Times and Places.

AdoptedDefinition*

A Definition adopted by the RddAuthority from another Authority.

AdoptedTerm*

The Value of TermStatus for a Term with a Headword and Definition under an Authority other than the RddAuthority, upon which the RddAuthority has chosen to rely.

Agent*

Someone or something that Acts.

AFRV

See **ActionFamilyRelatingView**.

AgentType*

A Type of Agent.

ArbitraryValue*

A Value assigned to a Term in a Relationship to support referential integrity within a group of Relationships.

Ascribe*

To relate one Entity to another as metadata.

Ascription*

An Entity Ascribed to a Resource as metadata.

AscriptiveRelationship

A Relationship containing a RelatingTerm drawn from the ActionFamily of Ascribe or one of its Types.

Attribute*

A property that an Entity possesses.

AuditAttributes

A set of Attributes of a Term or TermAttribute corresponding to an Event in its history in the Dictionary.

Authority

An Agent responsible for Ascribing an Attribute to a Term or TermAttribute.

BasicTermSet*

A TermSet comprising the Terms *Context*, *Agent*, *Resource*, *Time* and *Place* from the Context Model.

Beget*

To bring a new Term into existence through the application of the ContextModel.

Category*

A group of entities with common Attributes.

Comment*

A natural language Annotation of something for the purpose of amplification or clarification of its Meaning.

CommentableTermAttribute

A TermAttribute to which a Comment may be assigned. The CommentableTermAttributes are *Headword*, *Synonym*, *TermDescription*, *Relationship* and *TermSet*.

CommonDescriptionLanguage

A natural language in which TermDescriptions and Comments for all Terms other than IsolatedTerms must be expressed.

Context*

The circumstances in which Acting occurs.

ContextFamily*

The Family Begotten from a ContextType.

ContextType*

A Type of Context.

ContextDescription*

A group of Relationships describing the Attributes of a Context.

ContextModel*

A logical data model for describing the relationships between Terms that provide the Context for a Type of Act.

CurrentStatus*

Of an Entity which is an AgentType or ResourceType in a Context.

Definition*

A TermDescription according to formal rules.

Entity*

Something that has a Name.

Example*

An instance of usage illustrating the Meaning of a Term or TermAttribute.

Family

A group of Relationships that determine attribute inheritance from one Term to others according to the ContextModel

FirstTerm*

To Act.

Genealogy

A group of Relationships that determine the derivation of Meaning for a Term, and which are true regardless of Context.

Headword

The primary, human-readable Name of a Term under an Authority.

HistoricStatus*

Of an Entity which has been an AgentType or ResourceType in a Context.

Identifier*

A Name that is unique within a domain.

Inheritance

A process by which Meaning is passed on from one Term to another.

InheritedMeaning*

A Meaning wholly derived from a combination of two or more existing Meanings inherited from related Terms.

IsolatedTerm*

The Value of TermStatus for a Term under an Authority other than the RddAuthority, which has an RddIdentifier but no Relationship with a Term which is not an Isolated Term.

Language

A natural language in which a TextualElement is expressed.

MappedTerm*

The Value of TermStatus for a Term under an Authority other than the RddAuthority, which has an RddIdentifier and at least one Relationship with a Term other than an IsolatedTerm.

Meaning*

An abstract element of significance represented in RDD by a Term.

MeaningType

A Type of Meaning.

Name*

A label that is Ascribed to something to make it referable to.

NativeTerm*

The Value of TermStatus for a Term other than a StandardizedTerm that has an RddAuthorized Headword and an RddDefinition.

OriginalMeaning*

A Meaning comprised entirely of semantic material introduced from outside of the Dictionary.

PartlyInheritedMeaning*

A Meaning comprised of original semantic material, combined with one or more existing Meanings inherited from related Terms.

Place*

The spatial parameters of a Context.

PossessiveRelationship*

A Relationship containing the RelatingTerm “Has” from the ActionFamily of the ActType Have.

PotentialStatus*

Of an Entity which may be an AgentType or ResourceType in a Context in future.

Quality

An innate characteristic of an Entity.

QualityType*

A Type of Quality.

PotentialStatus*

Of an Entity which is capable of being a TermType in a Context.

RDD Database

The tool containing the RDD Dictionary and supporting its maintenance.

RDD Dictionary

The Terms and their TermAttributes defined according to this Standard.

RDD System

A system comprising the RDD Dictionary, the RDD Database and the specifications contained in Clauses 3-4 of this Standard.

RddAuthority

The governance of RDD StandardizedTerms, NativeTerms and AdoptedTerms.

RddAuthorized

Of a Term or TermAttribute under RddAuthority.

RddDefinition*

An RddAuthorized Definition of a Term.

RddIdentifier

The unique Identifier of a Term in the Dictionary.

RddRegistrationAuthority

The Registration Authority appointed to administer this standard.

RddUser

A user of the RDD System.

Reciprocal Relationship

A Relationship that is the inverse of another Relationship.

REL

The MPEG-21 Rights Expression Language as defined in ISO/IEC 21000-5.

RelatingTerm*

A Term which describes the nature of the association between two other Terms to form a Relationship.

Relationship

A Situation in which an Entity is related to an Attribute by a RelatingTerm.

Resource*

Someone or something involved in a Context, other than as an Agent, Time or Place.

ResourceType*

A Type of Resource.

StandardizedTerm*

The Value of TermStatus for a Term explicitly defined by this standard.

State

A Context in which nothing changes.

StateType

A Type of State.

Status

An adjectival Qualifier describing the past, present or possible future condition of an Entity as a result of its role as a Type of Agent or Resource.

StatusType

A Type Of Status.

Synonym

An alternative Name for a Term under an Authority.

Term

A semantic element with a defined Meaning and an RddIdentifier.

TermAttribute

An Attribute of a Term.

TermDescription

A natural language statement of the Meaning of a Term.

TermSet

Two or more Terms or TermSets grouped together under an Authority for any purpose.

TermStatus

A Category of a Term according to its TermAttributes.

TextualElement

An attribute of a Term which may be expressed in natural language. The TextualElements are TermDescription, Headword, Synonym and Comment.

Time*

The temporal parameters of a Context.

TimeType*

A Type of Time.

Type*

A Resource which is a Specialized type of another Resource.

Value*

An instance of a Type.

4 Documentation conventions

So that this standard may be accessible to a non-technical as well as a technical readership, the notation and modelling conventions used are specific to, and exist for the purpose of, this standard only. This refers to the

notation used in the presentation of Relationships (shown in Clause 5.10.1), the diagrammatic presentations of the Term-Attribute relationships in Figure 1, and the entity relation models in Figures 2 and 3.

5 Structure of the Rights Data Dictionary

5.1 Preamble (informative)

The RDD Standard and the Rights Data Dictionary are distinct things. The Standard provides, first of all, a methodology for making the Dictionary. The Standard then contains the initial group of Terms – the RDD StandardizedTerms – defined according to this method. Finally, the Standard also provides for a Registration Authority that will manage the ongoing work of adding to the Dictionary.

For its part, the Dictionary also has the characteristics of an ontology. It is designed to provide a set of well-defined terms for use in rights expressions for DigitalItems; but in recognition of the great diversity and complexity associated with multimedia content, it is also designed to represent as many different definitions of Terms as its users require, and to show their relationships in a structured way in order to support the mapping and transformation of terms between different schemas and systems. For these reasons, the StandardizedTerms in the Dictionary are not the definitive list, but the foundations. The Standard is the starting point for a dynamic Dictionary, not the finished article.

5.2 Term

Term is defined in Clause 3 (“A semantic element with a defined Meaning and an RddIdentifier”). A Term is the basic unit of the Dictionary structure.

5.2.1 TermAttributes

Standardized TermAttributes are represented in Figure 1 and described in the remaining sections of this Clause.




Figure 1 — (normative) Standardized Attributes of a Term

5.3 MeaningType

Meaning is defined in Clause 3 (“An abstract element of significance represented in RDD by a Term”). Each Term has exactly one of the MeaningTypes set out in Table 1.

Headword RddDefinition	Comments (informative)
5.3.1 OriginalMeaning A Meaning entirely comprised of semantic material introduced from outside of the Dictionary.	The FirstTerm (“Act”) is the only RddAuthorized Term with an OriginalMeaning.
5.3.2 PartlyDerivedMeaning A Meaning comprised of original semantic material, combined with one or more existing Meanings derived from related Terms.	Meaning is derived through inheritance and other Relationships which are established, directly or indirectly, on the basis of the ContextModel (see Clause5.11.1). The RelatingTerms, which establish inheritance, are set out under Genealogy (see Clause4.12).
5.3.3 DerivedMeaning A Meaning wholly comprised from a combination of two or more existing Meanings derived from related Terms.	

Table 1 — MeaningTypes

5.3.4 FirstTerm

The FirstTerm in the Dictionary is *Act*, defined self-referentially as “to act”. The FirstTerm is the only RddAuthorized Term with an OriginalMeaning.

Comment (informative): *Act* covers every kind of verb, including passive verbs (that is, without Agents), intransitive verbs (that is, without Resources) and static verbs (such as *HAVE*) which apply only to *SITUATIONS* and not to *EVENTS*.

Comment (informative): Although it is avoided in general, definitions in RDD may be self-referential (that is, using the Headword, or a related word, in the definition) because a Headword is a convenient token with no inherent semantic value.

5.3.5 ActType

An ActType is a Type of Act. All verbs are Types of Act or of other ActTypes.

5.3.6 Generation of Terms from the FirstTerm

After *ActType*, the first group of Terms that derive their Meaning from the FirstTerm are the members of the BasicTermSet of the ContextModel (see Clause 4.11.1).

5.4 Authority

Authority is defined in Clause 3 (“An Agent responsible for Ascribing an Attribute to a Term or TermAttribute”). Properties of Authority shall be constrained as set out in Table 2.

Property of Authority	Constraints
Scope	5.4.1 An Authority may be a legal or natural person.
Identification	5.4.2

	An Authority shall be identified by a unique AuthorityID to be allocated by the RddRegistrationAuthority.
--	---

Table 2 — Authority: constraints

5.5 RddIdentifier

RddIdentifier is defined in Clause 3 (“The unique Identifier of a Term in the Dictionary”). Properties of RddIdentifier are constrained as set out in Table 3.

Property of RddIdentifier	Constraints
Occurrence	5.5.1 Each Term shall have exactly one RddIdentifier. Comment (informative): The definition of the structure of the RddIdentifier shall be the responsibility of the RddRegistrationAuthority.
Uniqueness	5.5.2 An RddIdentifier shall be unique within RDD.
Authority	5.5.3 The Authority for an RddIdentifier shall be the RddAuthority.

Table 3 — RddIdentifier: constraints

5.6 Headword

Headword is defined in Clause 3 (“The primary, human-readable Name of a Term according to an Authority”). Properties of Headword are constrained as set out in Table 4.

Property of Headword	Constraints
Occurrence	5.6.1 A Term may have Headwords under any number of Authorities in any number of Languages, and shall have at most one Headword in any one Language under any one Authority.
Authority	5.6.2 Each Headword shall have at least one Authority. Comment (informative): A Term may have different Headwords (and Synonyms) under different Authorities. Conversely the same Headword (or Synonym) may be used by different Authorities to refer to different Terms.
Language	5.6.3 The Language of each Headword shall be identified in accordance with Clause 5.16. The value of Language for a Headword may be Null. Comment (informative): Headwords are commonly expressed as words or phrases from a recognizable natural Language. However, Headwords may also take the form of numbers or codes and so may have a Null Language value.
Uniqueness	5.6.4 The combination of Headword or Synonym, Language and Authority shall be unique.
Comments	5.6.5 A Headword may have any number of Comments under any number of Authorities in any number of Languages.
Synonym	5.6.6 A Headword may have any number of Synonyms under the same Authority(ies) as the Headword.

Table 4 — Headword: constraints**5.7 Synonym**

Synonym is defined in Clause 3 (“An alternative Name of a Term”). Properties of Synonym shall be constrained as set out in Table 5.

Property of Synonym	Constraints
Scope	5.7.1 A Synonym may be a natural language Name or any kind of Identifier. Alternative language versions or translations of a Headword are Synonyms.
Authority	5.7.2 Each Synonym has at least one Authority, which is identical to the Authority(ies) of the Headword to which it is related.
Language	5.7.3 The Language of each Synonym is identified in accordance with Clause 5.16. The value of Language for a Synonym may be Null. Comment (Informative): Like Headwords, Synonyms are commonly expressed as words from a recognizable natural Language. However, Synonyms may also take the form of numbers or codes and so may have a Null Language value.
Uniqueness	5.7.4 The combination of Headword or Synonym, Language and Authority shall be unique.
Comments	5.7.5 A Synonym may have any number of Comments under any number of Authorities in any number of Languages.

Table 5 — Synonym: constraints

5.8 TermDescription

TermDescription is defined in Clause 3 (“A natural language statement of the Meaning of a Term.”). Properties of TermDescription shall be constrained as set out in Table 6.

Property of TermDescription	Constraints
Occurrence	5.8.1 Each Term may have any number of TermDescriptions under any number of Authorities in any number of Languages.
Authority	5.8.2 Each TermDescription shall have at least one Authority. Comment (informative): Wherever a TermDescription exists under a non-RDD Authority, it should be included in the Dictionary if possible.
Language	5.8.3 The Language of each TermDescription shall be identified in accordance with Clause 5.16 . The value of Language for a TermDescription shall not be Null. TermDescriptions of all Terms other than IsolatedTerms shall at least be expressed in the CommonDescriptionLanguage.
Comments	5.8.4 A TermDescription may have any number of Comments under any number of Authorities in any number of Languages.
Types	5.8.5 Each TermDescription shall have exactly one TermDescriptionType.

Table 6 — TermDescription: constraints

5.8.6 TermDescriptionType

TermDescriptionType is defined in Clause 3 (“A Type of TermDescription.”). Properties of TermDescriptionType shall be constrained as set out in Table 7.

Property of TermDescription	Constraints
Occurrences	5.8.7 Each StandardizedTerm or NativeTerm shall have a single RddDefinition in the CommonDescriptionLanguage, and may have translations of this in other Languages. 5.8.8 Each AdoptedTerm shall have a single AdoptedDefinition in the CommonDescriptionLanguage, and may have translations of this in other Languages.
Authority	5.8.9 The TermDescriptionType for all TermDescriptions are under the RddAuthority, irrespective of the Authority for the TermDescription itself.
AllowedValues	5.8.10 The AllowedValues of TermDescriptionType are as set out in Table 8.

Table 7 — TermDescriptionType: constraints

Headword of TermDescriptionType RddDefinition (from Clause 3)	Constraints
Definition A TermDescription according to formal rules.	5.8.10.1 A Term may have any number of Definitions under any number of Authorities. Comment (informative): The wording of two Definitions may vary but they may be considered to be identical in meaning. This is tautologically true for translated Definitions, but can also apply to Definitions in the same language under two different Authorities. 5.8.10.2 Each Authority may establish its own formal rules for Definitions. 5.8.10.3 RDD recognizes two Types of Definition: RddDefinition (Clause 5.8.10.5) and AdoptedDefinition (Clause 5.8.10.8). 5.8.10.4 A Definition may have any number of Comments under the RddAuthority in any Language.
RddDefinition The Definition of an RddAuthorized Term.	5.8.10.5 A StandardizedTerm or NativeTerm shall have exactly one RddDefinition in the CommonDescriptiveLanguage, and may have translations of this in any number of Languages. 5.8.10.6 The Authority for an RddDefinition is the RddAuthority. 5.8.10.7 Rules (normative) and guidelines (informative) for writing RddDefinitions are shown in Annex B.
AdoptedDefinition The Definition of a Term, adopted by the RddAuthority from another Authority.	5.8.10.8 An AdoptedTerm shall have one AdoptedDefinition in the CommonDescriptionLanguage, and may have translations of this in any number of Languages. 5.8.10.9 The Authorities for an AdoptedDefinition are the RddAuthority and the Authority from whom the AdoptedDefinition is obtained.
Example An instance of usage illustrating the Meaning of a Term.	5.8.10.10 Each Term may have any number of Examples under any number of Authorities in any Language.

Table 8 — TermDescriptionTypes: AllowedValues

5.9 TermStatus

TermStatus is defined in Clause 3 (“A Category of a Term according to its TermAttributes”). Properties of TermStatus shall be constrained as set out in Table 9.

Property of TermStatus	Constraints
Occurrence	5.9.1 Each Term shall have exactly one TermStatus.
AllowedValues	5.9.2 The AllowedValues of TermStatus shall be as set out in Table 10.
Occurrence of TermAttributes	5.9.3 The occurrence of RddAuthorized TermAttributes, which a Term shall have according to its TermStatus, shall be as set out in Table 11.
Authority	5.9.4 The Authority for TermStatus shall be the RddAuthority as set out in Table 12.
Modification	5.9.5 The TermStatus of a Term may change when the occurrence of its TermAttributes change.

Table 9 — TermStatus: constraints

AllowedValue of TermStatus RddDefinition (from Clause 3)	Constraints
StandardizedTerm A Term explicitly defined by this standard.	5.9.6 The creation, modification or deletion of a StandardizedTerm requires an Amendment or a Corrigendum to this standard.
NativeTerm A Term other than a StandardizedTerm that has an RddAuthorized Headword and an RddDefinition.	5.9.7 A Term shall have an RddAuthorized Headword and RddDefinition when it is Begotten from another NativeTerm, or inherits Meaning from another NativeTerm or StandardizedTerm without reliance upon non-RDD qualifications. Comment (informative): NativeTerms are established by the RddRegistrationAuthority rather than explicitly by this standard, but otherwise have the same properties as StandardizedTerms. 5.9.8 A Term may be given an RddAuthorized Headword and RddDefinition when it has Headwords registered by two or more Authorities. Comment (informative): This provision enables two or more equivalent Terms from Authorities other than RDD to be mapped to a common RddAuthorized Term.
AdoptedTerm A Term with a Headword and Definition under an Authority other than the RddAuthority, upon which the RddAuthority has chosen to rely.	5.9.9 The RddRegistrationAuthority may cede the governance of the Definition and Headword of a Term and its Types to another Authority provided that; (a) the Authority is recognized by the RddRegistration Authority as having established authority for a specific TermSet of interest under its criteria for adding Terms; (b) the Term or TermSet can be mapped consistently to RDD NativeTerms; and (c) the Term or TermSet has an established method of maintenance.
MappedTerm A Term under an Authority other than the RddAuthority, which has an RddIdentifier and at least one Relationship with another Term (other than an IsolatedTerm).	5.9.10 A MappedTerm has a Genealogy but does not meet the criteria for Adopted, Native or Standardized Terms. Comment (informative): MappedTerms originate from Authorities other than RddAuthority, and typically occur under just one Authority. A Term under two or more non-RDD Authorities normally becomes a NativeTerm under Clause 5.9.7, but this is not mandatory, to allow for the mapping of highly localized, proprietary or restricted Terms to one another.
IsolatedTerm A Term under an Authority other than the RddAuthority, which has an RddIdentifier but no Relationship with another Term (other than another Isolated Term).	5.9.11 A Term is Isolated when it has been registered by another Authority and (a) mapping is not, or not yet, possible; or (b) mapping is not required by the Authority, but the Authority wishes to add the Term to its RDD TermSet.

Table 10 — TermStatus: AllowedValues

Ref	TermStatus → ↓ TermAttribute	Stand'dized Term	Native Term	Adopted Term	Mapped Term	Isolated Term
5.5	RddIdentifier	1	1	1	1	1
5.3	MeaningType	1	1	1	1	0
5.6	Headword	1	1	1	1	0
5.7	Synonym	0-n	0-n	0-n	0	0
5.8	TermDescription	1	1	1	0	0
5.9	TermStatus	1	1	1	1	0
5.10	Relationship	1-n	1-n	1-n	1-n	0
5.11	Family	0-1	0-1	0-1	0	0
5.12	Genealogy	1	1	1	1	0
5.13	ContextDescription	0-1	0-1	0-1	0-1	0
5.14	TermSet	0-n	0-n	0-n	0-n	0-n
5.15	Comment	0-n	0-n	0-n	0-n	0-n

Table 11— TermStatus: Occurrence of RddAuthorized TermAttributes

5.9.12 TermStatus: Governance

Terms shall be subject to RDD Governance mechanisms according to their TermStatus as shown Table 12.

TermStatus → ↓ Governance mechanism	Stand'dized Term	Native Term	Adopted Term	Mapped Term	Isolated Term
RddRegistrationAuthority	No	Yes	Yes	No	No
Governance by ISO	Yes	No	No	No	No

Table 12— RDD Governance by TermStatus

5.9.13 TermStatus: Normative AdoptedTerms

Headwords shall be Adopted from the referenced Authorities for the TermSets as set out in Table 13.

Adopted TermSet	Authority
TERRITORY	ISO 3166
LANGUAGE	ISO 639-2
CURRENCY	ISO 4217
DATE/TIME FORMAT	ISO 8601

Table 13 — Normative Adopted TermSets

5.10 Relationship

Relationship is defined in Clause 3 (“A Situation in which an Entity is related to an Attribute by a RelatingTerm.”). Properties of Relationship shall be constrained as set out in Table 14.

Property of Relationship	Constraints
Occurrence	5.10.1 Each Term (other than an IsolatedTerm) shall have at least one defined Relationship with another Term (other than an IsolatedTerm) within the RDD.
Authority	5.10.2 A Relationship shall be under at least one Authority.

Table 14 — Relationship: constraints

5.10.3 Relationship: Structure

Relationships are conventionally presented in this standard as a group of attributes, using a sequence and syntax as illustrated in Figure 2.

```
Enumerator Term1 [Value1] → RelatingTerm → Term2 [Value2] [occ:n] [true:Value] [prec:Value]
[StartTime:Value] [EndTime:Value] [auth:Value]
```

Figure 2 — (informative) Conventional presentation of a Relationship

Examples (Informative)

Examples of conventional presentation of Relationships in this standard:

- 1 DOING → ISTYPEOF → ACTING
- 2 DERIVINGEVENT [#1] → HASAGENTTYPE → DERIVER [#2]
- 3 foo:Writer → ISEQUALTO → Translator [true:NEVER]
- 4 foo:Writer → ISEQUALTO → Author [prec:APPROXIMATELY] [auth:foo]
- 5 Euro → IsCurrencyOf → France [StartTime:20010101]

Figure 3 (Informative) – Example of a Relationship

5.10.3.1 Relationship: Presentation syntax

Symbols have syntactic value for presentation for the purposes of this standard only as shown in Table 15. For presentation purposes Terms are represented in a Relationship by a Headword. For non-RddAuthority Terms the Headword is prefixed by its Authority followed by a colon.

→	A separator between the three Terms in a Relationship.
[]	Containing an optional element.
&	Immediately precedes a Term for which a Type may be substituted.
#n	Signifies an ArbitraryValue of “n”.
“...”	Quotation marks around a Value indicates that the Value is not itself an RDD Term.

Table 15 — Symbols used in presentation syntax for Relationships

5.10.3.2 Relationship: Attributes

A Relationship has attributes as set out in Table 16.

Attribute	Description	Occurs
Enumerator	Each Relationship within RDD has a unique internal identifier.	1
Term1	The Term or Relationship that is the subject of the Relationship.	1
[Value1]	A Value ascribed to Term1. Values may be other Terms, strings, integers or ArbitraryValues. Where a Value is not ascribed, Term1 shall be presumed to represent all possible Values of its Type.	0-1
RelatingTerm	The Term that describes the nature of the association between Term1 and Term2 within the Relationship.	1
Term2	The Term or Relationship that is the object of the Relationship.	1
[Value2]	A Value ascribed to Term2. Values may be other Terms, strings, integers or ArbitraryValues. Where a Value is not ascribed, Term2 shall be presumed to represent all possible Values of its Type.	0-1
[occ:n]	Valid only when a Relationship is included within a ContextDescription (see Clause 5.13). The number ("n") of possible occurrences of this Relationship Type in an instance of a ContextDescription.	0-1
[true:Value]	The Value of the QUALITYTYPE RELIABILITY applied to the RelatingTerm, expressing the frequency with which the Relationship is true. AllowedValues are ALWAYS, USUALLY, SOMETIMES and NEVER. The default Value is ALWAYS. Comment (Informative): The values ALWAYS, SOMETIMES and NEVER correspond to the commonly employed values MUST, MAY and MAYNOT. The value USUALLY also corresponds to MAY: the distinction between USUALLY and SOMETIMES is made to allow preference to be expressed in ambiguous mappings: for example, foo:Writer is USUALLY EqualTo Author and SOMETIMES EqualTo Translator.	0-1
[prec:Value]	The Value of the QUALITYTYPE PRECISION applied to the RelatingTerm, expressing the accuracy of the Relationship. AllowedValues are EXACT and APPROXIMATE. The default Value is EXACT.	0-1
[StartTime:Value]	The Time from which the Relationship is valid.	0-1
[EndTime:Value]	The Time until which the Relationship is valid.	0-1
[auth:Value]	An Authority authorizing the Relationship. In any one Relationship, all Attributes must be Authorized by the same Authorities.	1-n

Table 16 — Attributes of a Relationship

5.10.3.3 Relationship: Use of ArbitraryValues

When Relationships are grouped in Genealogies or ContextDescriptions, ArbitraryValues may be assigned to Term1 and/or Term2 in each triple for referential integrity to support the further logical Relationships which may be required for a complete description. ArbitraryValues shall be unique and valid only within a specific Genealogy or Context Description. In this standard ArbitraryValues are prefixed by a hash symbol (eg #4).

Example (Informative): Two triples showing that the AgentType DERIVER in a particular context belongs to the Category of PERSON make use of ArbitraryValues in this way:

1	DERIVINGEVENT [#1] → HASAGENTTYPE → DERIVER [#2]
2	DERIVER [#2] → IS → PERSON

Figure 4 (Informative)

Where an ArbitraryValue is assigned to a Term in a Relationship that has multiple occurrences within a group of Relationships such as ContextDescription (Clause 5.13) it is assigned an ArbitraryValue in the form [#n.n]. For each occurrence the second number of the ArbitraryValue is to be incremented.

Example (Informative): A triple from a ContextDescription showing that the ContextType MAKINGEVENT has one or more OUTPUTS:

1	MAKINGEVENT [#1] → HASRESOURCETYPE → OUTPUT [#3.n] [occ:1-n]
---	--

Figure 5 (Informative)

5.11 Family

Family is defined in Clause 3 (“A group of Relationships that determine attribute inheritance from one Term to others according to the ContextModel.”).

5.11.1 The RDD ContextModel

The structure of a Family is derived from the RDD ContextModel, illustrated in Figure 3. The ContextModel defines a group of five Terms (the BasicTermSet) with associated Types and RelatingTerms whose application to a specific ActType or ContextType results in the definition of a Family group of new Terms with InheritedMeanings.




Figure 6 — (normative) RDD ContextModel

5.11.1.1 ContextModel: BasicTermSet

The ContextModel introduces five Terms (the BasicTermSet) which have PartlyInheritedMeanings based upon the Meaning of *Act*. They are shown in Table 17.

Comment (Informative): In the diagram of the ContextModel in Figure 3, the five blocks bearing the names of these Terms represent Values of each of these entities.

Headword RddDefinition (from Clause 3)	Comments (Informative)
Context The circumstances in which Acting occurs.	A Context is defined by the sum of its attributes. The principal types of Context are the EVENT (in which some attribute changes) and the SITUATION (in which no attributes change). Examples of further subtypes of Context are shown in 5.11.1.2).
Agent An entity that Acts.	Typically, Agents are people or corporate bodies, but they may also be inanimate things such as computers or computer applications, which are activated directly or indirectly by people to have agency in particular contexts. Events may also be Agents (for example, one Event may be the CAUSE of another).
Resource An entity involved in a Context, other than as an Agent, Time or Place.	Resource is the “catch-all” for anything affected in some way by an Act which is not an Agent, Time or Place, Resources are commonly inanimate things, but may be people or corporate bodies other than the Agent; or other Contexts which are affected by the Act (for example, a SITUATION which is the RESULT of an EVENT); or Times and Places when they are involved (for example) as the subject of a CREATION.
Time The temporal parameters of a Context.	Contexts may have multiple Times expressed as discrete values or ranges with any required attributes including precision and continuity.
Place The spatial parameters of a Context.	Contexts may have multiple Places expressed as discrete values or ranges with any required attributes including precision and continuity.

Table 17 — ContextModel BasicTermSet

5.11.1.2 ContextModel: TermTypes

The ContextModel introduces five Terms with PartlyInheritedMeanings which represent Types of the Terms in the BasicTermSet, as set out in Table 18.

Headword RddDefinition	Examples (Informative)
ContextType A Type of Context.	DERIVINGEVENT is the ContextType of the ActType DERIVE. ASSERTION is the ContextType of the ActType ASSERT SITUATION is the ContextType of the ActType HAVE
AgentType A Type of Agent.	DERIVER is the AgentType of the ActType DERIVE. ASSERTER is the AgentType of the ActType ASSERT. ENTITY is the AgentType of the ActType HAVE.
ResourceType A Type of Resource	DERIVATION, SOURCEOFDERIVATION and DERIVINGTOOL are ResourceTypes of the ActType DERIVE. ASSERTEDRESOURCE is a ResourceType of the ActType ASSERT. ATTRIBUTE is a ResourceType of the ActType HAVE.
TimeType A Type of Time.	TIMEOFDERIVING is the TimeType of the ActType DERIVE. TIMEOFASSERTING is the TimeType of the ActType ASSERT. TIMEOFSITUATION is the TimeType of the ActType HAVE
PlaceType A Type of Place.	PLACEOFDERIVING, PLACEOFDERIVINGFROM AND PLACEOFDERIVINGTO a PlaceType of the ActType DERIVE. PLACEOFASSERTING is the PlaceType of the ActType ASSERT. PLACEOFSITUATION is the PlaceType of the ActType HAVE.

Table 18 — ContextModel TermTypes

5.11.1.3 ContextModel: RelatingTerms

The ContextModel introduces five RelatingTerms which account for the relationships between the Context and the other Terms in the BasicTermSet, as set out in Table 19.

Headword RddDefinition	Comments (Informative)
HasAgentType A RelatingTerm that links a Context to an AgentType which Acts in it.	For example, linking a CREATOR to a CREATINGEVENT.
HasResourceType A RelatingTerm that links a Context to a ResourceType that is involved in it.	For example, linking a CREATION to a CREATINGEVENT.
HasTimeType A RelatingTerm that links a Context to a TimeType in relation to which it happens.	For example, linking a TIMEOFCREATING to a CREATINGEVENT.
HasPlaceType A RelatingTerm that links a Context to a PlaceType in relation to which it happens.	For example, linking a PLACEOFCREATING to a CREATINGEVENT.
HasValue A RelatingTerm that links a Term to a Value of it.	This RelatingTerm is drawn from the ActionFamily for the ActType EVALUATE.

Table 19 — ContextModel RelatingTerms

5.11.2 “Begetting” Terms

Beget is defined in Clause 3 (“To bring a new Term into being through the application of the ContextModel.”)

5.11.3 Family: Types

The Types of Families are set out in Table 20.

Headword RddDefinition	Comments (Informative)
ActionFamily The Family of Terms Begotten by an ActType.	An ActionFamily comprises the Relationships between an ActType and the Terms which it Begets through the application of the ContextModel. An ActionFamily automatically Begets all possible Terms according to its structure.
ContextFamily The Family of Terms Begotten by a ContextType.	A ContextFamily has a similar structure to an ActionFamily, but unlike an ActionFamily it only Begets new Terms when they are required to support mapping or other Dictionary functions.

Table 20 — Family Types**5.11.4 Family: Occurrence**

Each RDD ActType Begets one ActionFamily, or is BegottenBy one Context as a member of a ContextFamily.

Comment (Informative): ActTypes in SITUATIONS (HAVE, EXIST, HAVENAME etc) are Begotten from their Contexts, which in turn are RESULTS of EVENTS. For EVENTS, there is no overall logical basis for choosing to specialize by ActType as opposed to ContextType: it is a matter of functional granularity, for which there are a number of practical criteria. The most obvious of these is the requirement for further specialization and mapping of existing non-RDD Terms – if further specializations are required, an ActionFamily is likely to be most efficient, as an ActType results in the Begetting of a complete set of specialized Terms from which further specializations can result. Another major factor is the presence (or not) of a new axiom in the meaning of a Family: a new axiom will commonly need to be disseminated through a range of new Terms in an ActionFamily. In contrast, choosing a ContextType allows for the contextualization of existing ActionFamily Terms, with specific conditions being imposed on specific members of it, without the necessity for identifying a full range of new Family Terms. For example, the contextualized verb PLAY_1 is identical to its parent PLAY except that its SOURCEOFPLAYING is a DIGITALRESOURCE. Other members of the Family (such as "PLAYEDRESOURCE_1") can be Begotten if and when required for reasons of mapping or specialization. The Families of StandardizedTerms are mostly based on ActTypes, but it may be anticipated that as the Dictionary grows the majority of new Families will be ContextFamilies.

5.11.5 Family: Authority

The Authority for each Family shall be the RddAuthority.

5.11.6 ActionFamily: Structure

An ActType Begets four groups of Terms: ContextModel Types (5.11.1.2), ActionFamily RelatingTerms (5.11.6.3.1) ActionFamily StateTypes (5.11.6.4) and ActionFamily StatusTypes (see Clause 5.11.6.5).

5.11.6.1 ActionFamily Structure: ContextModel TermTypes

Each RddAuthorized ActType which is the head of an ActionFamily shall Beget Terms which are Values of the TermTypes set out in Table 18, as a result of which, each ActionFamily may contain Relationships including ContextModel TermTypes as set out in Table 21.

Relationship	Occurs
n &ActType → BEGETSCONTEXTTYPE → &ContextType	1
n &ActType → BEGETSAGENTTYPE → &AgentType	0-1
n &ActType → BEGETSRESOURCETYPE → &ResourceType	0-n
n &ActType → BEGETSTIME TYPE → &TimeType	1-n
n &ActType → BEGETSPLACETYPE → &PlaceType	1-n

Table 21 — ActionFamily Relationships including ContextModel TermTypes

Figure 7 (informative) shows how these Begetting relationships underlie the ContextModel described in Clause 5.11.1.




Figure 7 (Informative) – RDD ActTypes and Context Model

Example (Informative)

ContextModel TermType Relationships in the COPY ActionFamily:

- 1 COPY → BEGETSCONTEXTTYPE → COPYINGEVENT
- 2 COPY → BEGETSAGENTTYPE → COPIER
- 3 COPY → BEGETSRESOURCETYPE → SOURCEOFREPLICA
- 4 COPY → BEGETSRESOURCETYPE → REPLICA
- 5 COPY → BEGETSRESOURCETYPE → COPYINGTOOL
- 6 COPY → BEGETSTIME TYPE → TIMEOFCOPYING
- 7 COPY → BEGETSPACETYPE → PLACEOFCOPYING
- 8 COPY → BEGETSPACETYPE → PLACEOFCOPYINGFROM
- 9 COPY → BEGETSPACETYPE → PLACEOFCOPYINGTO

Figure 8 (Informative)

5.11.6.2 ActionFamily Structure: introducing States

A State is defined in Clause 3 (“a Context in which nothing changes”). States result from EVENTS. Each type of EVENT (or its underlying ActType) may therefore Beget one or more StateTypes.

A State is described as one or more Relationships (see Clause 5.10). Each ActType may Beget a group of Relationships called the ActionFamilyRelationalView (“AFRV”) (see Clause 5.11.6.3). Relationships have the following limitations:

- They are one-to-one (not one-to-many or many-to-many)
- They have no Place parameters (they are assumed to be universal in terms of Place)
- They have only a single pair of Time parameters (StartTime and EndTime)

For the description of a State with more complex attributes, Relationships may be combined into a Context called a SITUATION (see Clause 5.13.3.7). Each ActType may Beget one or more StateTypes which is a Type of Situation.

Comment (Informative): It is consistent with the Activity-based view of the ContextModel that States, with their implicit verbs of “HAVE” and “EXIST”, should be defined as passive Outputs of Acts such as DO and MAKE.

5.11.6.3 ActionFamilyStructure: ActionFamilyRelationalView (“AFRV”)

An ActionFamilyRelationalView (“AFRV”) is defined in Clause 3 (“A group of Relationships expressing the impact of an ActType as a set of one-to-one Relationships between its Context, Agents, Resource, Times and Places”). The AFRV includes all the States brought about by an ActType which can be expressed as one-to-one Relationships. The AFRV is illustrated in the informative Figure 9.

Comment (Informative): The ActionFamilyRelationalView and the ContextModel are alternative approaches to modelling the relationships between the four basic contextual entities of Agent, Resource, Time and Place. The semantic interdependency of the Terms derived from both provides a rich basis for mapping and transformation between schemas and elements based on different paradigms (for example, between an event-based and a resource-based view). The AFRV accounts for many of the Terms that are used in conventional resource description metadata. Figure 9 is based on the ContextModel illustration (Figure 6) with the Context and Type elements removed and “replaced” by a set of one-to-one relationships between each of the remaining terms in the BasicTermSet. Figure 9 illustrates the basic ActionFamily (for the FirstTerm “Act”) with a single occurrence of each element, resulting in 16 RelatingTerms. The RelatingTerms in this Figure provide the parent values for the majority of RelatingTerms in the Dictionary. The number of RelatingTerms defined through an AFRV increases by arithmetic progression for each additional element added to a specific ActionFamily.




Figure 9 — (normative) ActionFamilyRelationalView (“AFRV”)

Figure 10 (informative) illustrates that the ActionFamilyRelatingView and the ContextModel are two different but compatible ways of modelling the relationships between the same basic entities:




Figure 10 — (informative) Underlying common entities of The ContextModel and AFRV

5.11.6.3.1 AFRV RelatingTerms

Each ActType may Beget an AFRV containing any or all of the one-to-one Relationships that may exist between elements of the ContextModel, as a result of which an ActionFamily may contain Relationships which include AFRV RelatingTerms as set out in Table 23. The RelatingTerms Begotten from the FirstTerm Act are shown in the matrix in Table 22. All other RelatingTerms Begotten from ActTypes are Types of these Terms.

	Agent	Resource	Time	Place
Agent	HasCo-Agent	IsAgentActingOn	IsAgentAtTime	IsAgentInPlace
Resource	IsResourceActedOn By	HasCo-Resource	IsResourceAtTime	IsResourceInPlace
Time	IsTimeOfActingBy	IsTimeOfBeing ActedOnOf	HasCo-Time	IsTimeOfActing InPlace

Place	IsPlaceOfActingBy	IsPlaceOfBeingActedOnOf	IsPlaceOfActingAtTime	HasCo-PlaceOfActing
-------	-------------------	-------------------------	-----------------------	---------------------

Table 22 — AFRV RelatingTerms for “Act”

Relationship	Occurs
n &ActType → BEGETSRELATINGTERM → &AFRVRelatingTerm	4-n

Table 23 — ActionFamily Relationships including AFRV RelatingTerms

Comment (Informative): AFRV RelatingTerms do not need to be begotten routinely for all ActTypes. The Dictionary can be populated with them as they become required to support the mapping of Terms from other authorities.

Example (Informative)

AFRV RELATINGTERM RELATIONSHIPS IN THE COPY ACTIONFAMILY:

- 1 COPY → BEGETSRELATINGTERM → HASCO-COPIER
- 2 COPY → BEGETSRELATINGTERM → ISCOPIERFROM
- 3 COPY → BEGETSRELATINGTERM → ISCOPIEROF
- 4 COPY → BEGETSRELATINGTERM → ISCOPIERWITHTOOL
- 5 COPY → BEGETSRELATINGTERM → ISCOPIERATTIME
- 6 COPY → BEGETSRELATINGTERM → ISCOPIERINPLACE
- 7 COPY → BEGETSRELATINGTERM → ISCOPIERFROMPLACE
- 8 COPY → BEGETSRELATINGTERM → ISCOPIERTOPLACE
- 9 COPY → BEGETSRELATINGTERM → ISSOURCEOFREPLICAOFCOPYINGBY
- 10 COPY → BEGETSRELATINGTERM → HASCO-SOURCEOFREPLICA
- 11 COPY → BEGETSRELATINGTERM → ISSOURCEOFREPLICAOF
- 12 COPY → BEGETSRELATINGTERM → ISCOPIEDFROMWITHTOOL
- 13 COPY → BEGETSRELATINGTERM → ISSOURCEOFREPLICAATTIME
- 14 COPY → BEGETSRELATINGTERM → ISCOPIEDFROMPLACE
- 15 COPY → BEGETSRELATINGTERM → ISREPLICAINPLACEOFCOPYINGTO
- 16 COPY → BEGETSRELATINGTERM → ISSOURCEOFREPLICAINPLACE
- 17 COPY → BEGETSRELATINGTERM → ISSOURCEINPLACEOFCOPYINGFROM
- 18 COPY → BEGETSRELATINGTERM → ISSOURCECOPIEDFROMTOPLACE
- 19 COPY → BEGETSRELATINGTERM → HASCO-REPLICA
- 20 COPY → BEGETSRELATINGTERM → ISCOPIEDWITHTOOL
- 21 COPY → BEGETSRELATINGTERM → ISCOPIEDATTIME
- 22 COPY → BEGETSRELATINGTERM → ISCOPIEDINPLACE
- 23 COPY → BEGETSRELATINGTERM → ISCOPIEDFROMPLACE
- 24 COPY → BEGETSRELATINGTERM → ISREPLICAINPLACEOFCOPYINGTO
- 25 COPY → BEGETSRELATINGTERM → ISCOPYINGTOOLOF
- 26 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGFROM
- 27 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYING
- 28 COPY → BEGETSRELATINGTERM → HASCO-TOOLFORCOPYING
- 29 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGATTIME
- 30 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGINPLACE
- 31 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGFROMPLACE
- 32 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGTOPLACE
- 33 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGBY
- 34 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGFROM

```

35 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGOF
36 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGWITHTOOL
37 COPY → BEGETSRELATINGTERM → HASCO-TIMEOFCOPYING
38 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGINPLACE
39 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGFROMPLACE
40 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGTOPLACE
41 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGBY
42 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROM
43 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGOF
44 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGWITHTOOL
45 COPY → BEGETSRELATINGTERM → HASCO-PLACEOFCOPYING
46 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGATTIME
47 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGINCLUDINGPLACEOFCOPYINGFROM
48 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGINCLUDINGPLACEOFCOPYINGTO
49 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMBY
50 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMOF
51 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMFROMSOURCE
52 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMWITHTOOL
53 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMATTIME
54 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMWITHINPLACEOFCOPYING
55 COPY → BEGETSRELATINGTERM → HASCO-PLACEOFCOPYINGFROM
56 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMTO
57 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOBY
58 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOOF
59 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOFROMSOURCE
60 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOWITHTOOL
61 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOATTIME
62 COPY → BEGETSRELATINGTERM → HASCO-PLACEOFCOPYINGTO
63 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOWITHINPLACEOFCOPYING
64 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOFROM

```

Figure 11 (Informative)

5.11.6.4 ActionFamily Structure: StateTypes

Each ActType may Beget StateTypes in the form of SITUATIONS (see Clause 5.13.3.7), as a result of which an ActionFamily may contain Relationships in the form set out in Table 24.

Relationship	Occurs
n &ActType → BEGETSSTATETYPE → &StateType	0-n

Table 24 — ActionFamily Relationships including StateTypes

Examples (Informative)

```

ContextModel STATETYPE Relationships:
DO → BEGETSSTATETYPE → SITUATION
MAKE → BEGETSSTATETYPE → EXISTENCE
NAME → BEGETSSTATETYPE → NOMINATION

```

Figure 12 (Informative)

5.11.6.5 ActionFamily Structure: Status Types

Status is defined in Clause 3 (“An adjectival Qualifier describing the past, present or possible future condition of an Entity as a result of its role as a Type of Agent or Resource.”). An ActType may Beget StatusTypes as set out in Table 25.

Comment (Informative): Status tells whether something *has been*, *is being* or *has the potential to be* something else. It can apply to each of the ContextModel TermTypes and includes the present and past participle forms of Verbs (for example, *USED* and *USING*) and the “potential” form *USABLE*.

Status RddDefinition	Examples (informative)
HistoricStatus Of an Entity which has been an AgentType or ResourceType in a Context.	Typically based on a past participle: for example, something that has been IDENTIFIED, USED, COPIED, PLAYED, CATEGORIZED, ADAPTED, OWNED. This Status is not specific about the Context in which this happened.
CurrentStatus Of an Entity which is an AgentType or ResourceType in a Context.	Typically based on a present participle: for example, something that is TRANSFORMING, PRINTING, WRITING, BEINGMODIFIED, USINGTOOL. This Status is not specific about the Context in which this is taking place.
PotentialStatus Of an Entity which may be an AgentType or ResourceType in a Context in future.	For example, something that is PERCEIVABLE, ADAPTABLE, USABLE, COPIABLE, EXECUTABLE. This Status is not specific about the Context in which this may take place.

Table 25 — ActionFamily StatusTypes

Each of these Types may apply to each AgentType, ResourceType, TimeType and PlaceType in an Action Family. StatusType for AgentType and ResourceTypes Begotten from the FirstTerm Act are shown in the matrix in Table 26. Other StatusTypes Begotten from ActTypes are Types of these Terms.

Comment (Informative): The requirement for StatusTypes for TimeTypes and PlaceTypes is real but marginal and so Standardized Terms have only been introduced for AgentTypes and ResourceTypes.

	AgentType	ResourceType
Historic	Acted	ActedOn
Current	Acting	BeingActedOn
Potential	Active	Actionable

Table 26 — StatusTypes for Act

Each ActionFamily may contain Relationships in the form set out in Table 27.

Relationship	Occurs
n &ActType → BEGETSSTATUSTYPE → &StatusType	1-n

Table 27 — ActionFamily Relationships including StatusTypes

Example (Informative)

STATUSType Relationships in the COPY ActionFamily:

- 1 COPY → BEGETSSTATUSType → COPIABLE
- 2 COPY → BEGETSSTATUSType → COPYING
- 3 COPY → BEGETSSTATUSType → COPIED
- 4 COPY → BEGETSSTATUSType → BEINGCOPIED
- 5 COPY → BEGETSSTATUSType → COPIEDFROM
- 6 COPY → BEGETSSTATUSType → BEINGCOPIEDFROM
- 7 COPY → BEGETSSTATUSType → COPIABLEFROM

Figure 13 (Informative)

5.11.6.6 ActionFamily Structure: ReciprocalRelationships

For each ActionFamily Relationship, a Reciprocal Relationship shall exist in the appropriate form drawn from those set out in Table 28.

Relationship	Has Reciprocal	Occurs
n &ActType → BEGETSCONTEXTTYPE → &ContextType	n &ContextType → ISCONTEXTTYPEBEGOTTENBY → &ActType	1
n &ActType → BEGETSAGENTTYPE → &AgentType	n &AgentType → ISAGENTTYPEBEGOTTENBY → &ActType	0-1
n &ActType → BEGETSRESOURCETYPE → &ResourceType	n &ResourceType → ISRESOURCETYPEBEGOTTENBY → &ActType	0-n
n &ActType → BEGETSTIMETYPE → &TimeType	n &TimeType → ISTIMETYPEBEGOTTENBY → &ActType	1-n
n &ActType → BEGETSPLACETYPE → &PlaceType	n &PlaceType → ISPLACETYPEBEGOTTENBY → &ActType	1-n
n &ActType → BEGETSRELATINGTERM → &AFRVRelatingTerm	n &AFRVRelatingTerm → ISRELATINGTERMBEGOTTENBY → &ActType	4-n
n &ActType → BEGETSSTATETYPE → &StateType	n &StateType → ISSTATETYPEBEGOTTENBY → &ActType	0-n
n &ActType → BEGETSSTATUSTYPE → &StatusType	n &StatusType → ISSTATUSTYPEBEGOTTENBY → &ActType	0-n

Table 28 — ActionFamily Reciprocal Relationships

5.11.6.7 ActionFamily Structure: Example (Informative)

Comment (informative): The example used in Clause 5.11.6.7 is a quite complex one, but not excessively so. It illustrates the point that metadata relationships, even in relatively simple processes, contain a huge number of possible contextual relationships which may be relied upon in a particular scheme, and a practical interoperable Dictionary must be capable of mapping any one of those relationships. As these relationships can be logically generated from the underlying Model, the volume of relationships is not in itself a major constraint; and the standard allows for their inclusion in the Dictionary on an “as needed” rather than a mandatory basis.

Example (informative) of a complete ActionFamily for COPY including all RelatingTerms exemplified above:

- 1 COPY → BEGETSCONTEXTTYPE → COPYINGEVENT
- 2 COPY → BEGETSAGENTTYPE → COPIER
- 3 COPY → BEGETSRESOURCETYPE → SOURCEOFREPLICA
- 4 COPY → BEGETSRESOURCETYPE → REPLICA
- 5 COPY → BEGETSRESOURCETYPE → COPYINGTOOL
- 6 COPY → BEGETSTIMETYPE → TIMEOFCOPYING
- 7 COPY → BEGETSPLACETYPE → PLACEOFCOPYING
- 8 COPY → BEGETSPLACETYPE → PLACEOFCOPYINGFROM
- 9 COPY → BEGETSPLACETYPE → PLACEOFCOPYINGTO
- 10 COPY → BEGETSRELATINGTERM → HASCo-COPIER
- 11 COPY → BEGETSRELATINGTERM → ISCOPIERFROM
- 12 COPY → BEGETSRELATINGTERM → ISCOPIEROF
- 13 COPY → BEGETSRELATINGTERM → ISCOPIERWITHTOOL
- 14 COPY → BEGETSRELATINGTERM → ISCOPIERATTIME
- 15 COPY → BEGETSRELATINGTERM → ISCOPIERINPLACE

16 COPY → BEGETSRELATINGTERM → ISCOPIERFROMPLACE
 17 COPY → BEGETSRELATINGTERM → ISCOPIERTOPLACE
 18 COPY → BEGETSRELATINGTERM → ISSOURCEOFREPLICAOFCOPYINGBY
 19 COPY → BEGETSRELATINGTERM → HASCO-SOURCEOFREPLICA
 20 COPY → BEGETSRELATINGTERM → ISSOURCEOFREPLICAOF
 21 COPY → BEGETSRELATINGTERM → ISCOPIEDFROMWITHTOOL
 22 COPY → BEGETSRELATINGTERM → ISSOURCEOFREPLICAATIME
 23 COPY → BEGETSRELATINGTERM → ISCOPIEDFROMPLACE
 24 COPY → BEGETSRELATINGTERM → ISREPLICAINPLACEOFCOPYINGTO
 25 COPY → BEGETSRELATINGTERM → ISSOURCEOFREPLICAINPLACE
 26 COPY → BEGETSRELATINGTERM → ISSOURCEINPLACEOFCOPYINGFROM
 27 COPY → BEGETSRELATINGTERM → ISSOURCECOPIEDFROMTOPLACE
 28 COPY → BEGETSRELATINGTERM → HASCO-REPLICA
 29 COPY → BEGETSRELATINGTERM → ISCOPIEDWITHTOOL
 30 COPY → BEGETSRELATINGTERM → ISCOPIEDATIME
 31 COPY → BEGETSRELATINGTERM → ISCOPIEDINPLACE
 32 COPY → BEGETSRELATINGTERM → ISCOPIEDFROMPLACE
 33 COPY → BEGETSRELATINGTERM → ISREPLICAINPLACEOFCOPYINGTO
 34 COPY → BEGETSRELATINGTERM → ISCOPYINGTOOLOF
 35 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGFROM
 36 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYING
 37 COPY → BEGETSRELATINGTERM → HASCO-TOOLFORCOPYING
 38 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGATIME
 39 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGINPLACE
 40 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGFROMPLACE
 41 COPY → BEGETSRELATINGTERM → ISTOOLFORCOPYINGTOPLACE
 42 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGBY
 43 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGFROM
 44 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGOF
 45 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGWITHTOOL
 46 COPY → BEGETSRELATINGTERM → HASCO-TIMEOFCOPYING
 47 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGINPLACE
 48 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGFROMPLACE
 49 COPY → BEGETSRELATINGTERM → ISTIMEOFCOPYINGTOPLACE
 50 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGBY
 51 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROM
 52 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGOF
 53 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGWITHTOOL
 54 COPY → BEGETSRELATINGTERM → HASCO-PLACEOFCOPYING
 55 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGATIME
 56 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGINCLUDINGPLACEOFCOPYINGFROM
 57 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGINCLUDINGPLACEOFCOPYINGTO
 58 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMBY
 59 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMOF
 60 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMFROMSOURCE
 61 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMWITHTOOL
 62 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMATIME
 63 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMWITHINPLACEOFCOPYING
 64 COPY → BEGETSRELATINGTERM → HASCO-PLACEOFCOPYINGFROM
 65 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGFROMTO
 66 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOBY
 67 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOOF
 68 COPY → BEGETSRELATINGTERM → ISPLACEOFCOPYINGTOFROMSOURCE

```

69 COPY → BEGETSRELATINGTERM → ISPLACEOfCOPYINGToWithTool
70 COPY → BEGETSRELATINGTERM → ISPLACEOfCOPYINGToAtTime
71 COPY → BEGETSRELATINGTERM → HASCo-PLACEOfCOPYINGTo
72 COPY → BEGETSRELATINGTERM → ISPLACEOfCOPYINGToWithinPLACEOfCOPYING
73 COPY → BEGETSRELATINGTERM → ISPLACEOfCOPYINGToFrom
74 COPY → BEGETSSTATUSTYPE → COPIABLE
75 COPY → BEGETSSTATUSTYPE → COPYING
76 COPY → BEGETSSTATUSTYPE → COPIED
77 COPY → BEGETSSTATUSTYPE → BEINGCOPIED
78 COPY → BEGETSSTATUSTYPE → COPIEDFROM
79 COPY → BEGETSSTATUSTYPE → BEINGCOPIEDFROM
80 COPY → BEGETSSTATUSTYPE → COPIABLEFROM

```

Figure 14 (Informative)

5.11.7 ContextFamily: Structure

A ContextFamily may contain all the same TermTypes as an ActionFamily, except that they are Begotten from the ContextType and not the ActType. Each RddAuthorized ContextType which is the head of a ContextFamily may Beget Terms which are Values of the TermTypes set out in Table 29.

Relationship	Has Reciprocal	Occurs
n &ContextType → BEGETSACTTYPE → &ActType	n &ActType → ISACTTYPEBEGOTTENBY → &ContextType	1
n &ContextType → BEGETSAGENTTYPE → &AgentType	n &AgentType → ISAGENTTYPEBEGOTTENBY → &ContextType	0-1
n &ContextType → BEGETSRESOURCETYPE → &ResourceType	n &ResourceType → ISRESOURCETYPEBEGOTTENBY → &ContextType	0-n
n &ContextType → BEGETSTIMETYPE → &TimeType	n &TimeType → ISTIMETYPEBEGOTTENBY → &ContextType	1-n
n &ContextType → BEGETSPLACETYPE → &PlaceType	n &PlaceType → ISPLACETYPEBEGOTTENBY → &ContextType	1-n
n &ContextType → BEGETSRELATINGTERM → &AFRVRelatingTerm	n &AFRVRelatingTerm → ISRELATINGTERMBEGOTTENBY → &ContextType	4-n
n &ContextType → BEGETSSTATUSTYPE → &StatusType	n &StatusType → ISSTATUSTYPEBEGOTTENBY → &ContextType	0-n

Table 29 — ContextFamily Reciprocal Relationships

5.12 Genealogy

Genealogy is defined in Clause 3 ("A group of Relationships that determine the derivation of Meaning for a Term, and which are true regardless of Context"). Properties of Genealogy shall be constrained as set out in Table 30.

Property of Genealogy	Constraints
Occurrence	5.12.1 Each Term which is not an IsolatedTerm shall have exactly one Genealogy. An IsolatedTerm shall not have a Genealogy.

Authority	5.12.2 The Authority for each Genealogy shall be the RddAuthority.
-----------	--

Table 30 — Genealogy: constraints**5.12.3 Genealogy: Structure**

A Genealogy shall comprise one or more Relationships as described in this Clause.

5.12.3.1 Genealogy Structure: Primary Relationships

Each Genealogy (except for that of the FirstTerm) shall contain at least one of the Primary Relationships containing one of the RelatingTerms set out in Table 31. A Genealogy shall contain no more than one Relationship from Group A. Where a Genealogy contains a Relationship from Group A, it shall also contain at least one Relationship from Group B.

RelatingTerm	Occurs	Examples (Informative)
<i>Group A</i>		
ISCONTEXTTYPEBEGOTTENBY	0-1	n COPYINGEVENT → ISCONTEXTTYPEBEGOTTENBY → COPY
ISAGENTTYPEBEGOTTENBY	0-1	n ADAPTOR → ISAGENTTYPEBEGOTTENBY → ADAPT
ISRESOURCE TYPEBEGOTTENBY	0-1	n IDENTIFIER → ISRESOURCE TYPEBEGOTTENBY → IDENTIFIER
ISTIME TYPEBEGOTTENBY	0-1	n TIMEOFMODIFYING → ISTIME TYPEBEGOTTENBY → MODIFY
ISPLACETYPEBEGOTTENBY	0-1	n PLACEOFASSERTING → ISPLACETYPEBEGOTTENBY → ASSERT
ISSTATE TYPEBEGOTTENBY	0-1	n SITUATION → ISSTATE TYPEBEGOTTENBY → EVENT
ISSTATUS TYPEBEGOTTENBY	0-1	n EXECUTABLE → ISSTATUS TYPEBEGOTTENBY → EXECUTE
ISENTITYTYPEBEGOTTENBY	0-1	n EXISTER → ISENTITYTYPEBEGOTTENBY → EXISTENCE
ISATTRIBUTE TYPEBEGOTTENBY	0-1	(No examples in StandardizedTerms)
<i>Group B</i>		
ISTYPEOF	0-1	n COPY → ISTYPEOF → DERIVE n PRIMARYNAME → ISTYPEOF → NAME
HASCOMPONENT	0, 2-n	n CREATOR → HASCOMPONENT → ORIGINATOR [true:SOMETIMES] n CREATOR → HASCOMPONENT → DERIVER [true:SOMETIMES]
ISEQUALTO	0-n	n foo:arranger → ISEQUALTO → DERIVER [prec:APPROXIMATE]
ISPARTOF	0-n	n foo:fragment → ISPARTOF → foo:resource
ISALLOWEDVALUEOF	0-n	n EXACT → ISALLOWEDVALUEOF → PRECISION
ISCLASSOF	0-n	n TERMSTATUS → ISCLASSOF → TERM
ISOPPOSED TO	0-n	n ASSERT → ISOPPOSED TO → DENY

Table 31 — Genealogy: Primary Relationship Types

Comment (informative): All of the RelatingTerms used in Table 27 are defined in the basic Dictionary within the Families of BEGET, SPECIALIZE, AGGREGATE, CLASSIFY, EQUATE, PARTITION, EVALUATE and OPPOSE.

5.12.3.2 Genealogy Structure: Inheritance Relationships for MappedTerms

A Genealogy of a MappedTerm shall contain at least one Inheritance Relationship that is not constrained by the PRECISION value of APPROXIMATE.

Comment (Informative): The purpose of this rule is to support the mapping of Terms in both “Tentative” and “Definite” ways. For example, a Term foo:Writer may be similar to, but not exactly the same as, Author. If Author is a Type of Creator, then the following pair of Relationships may be given as the Genealogy for foo:Writer:

- 1 foo:WRITER → ISTYPEOF → CREATOR
- 2 foo:WRITER → ISEQUALTO → AUTHOR [prec:APPROXIMATE]

5.12.3.3 Genealogy Structure: RelatingTerm Genealogies

Each Genealogy of a RelatingTerm shall contain exactly one Relationship using each of the RelatingTerms set out in Table 32.

RelatingTerm	Occurs	Examples (Informative)
ISRELATINGTERMFROM	1	n ISPERFORMEDBY → ISRELATINGTERMFROM → PERFORMANCE
ISRELATINGTERMTO	1	n ISPERFORMEDBY → ISRELATINGTERMTO → PERFORMER
ISRECIPROCALOF	1	n ISPERFORMEDBY → ISRECIPROCALOF → ISPERFORMEROF

Table 32 — Genealogy: RelatingTerms for RelatingTerm Genealogies

Comment (Informative): This implies that no RelatingTerm can be defined without its reciprocal being defined.

Note: copy and table deleted here (Progenitor scrapped)

5.12.3.4 Genealogy Structure: Other Relationships

A Genealogy may contain any other Relationships that apply universally and result in the inheritance or constraint of meaning for a Term. These include, for example, Ascriptive and Possessive Relationships. The Relationships in turn may have other Relationships to support the description of intermediate steps required to establish universal meaning or constraint. ArbitraryValues may be used and Types may be substituted for parent values for either Term1 or Term 2 of the Relationship.

Examples (Informative)

Examples of other Relationships in Genealogies
n PLACEOfCOPYINGFROM → ISPARTOf → PLACEOfCOPYING
n MANIFESTATION → IS → PERCEIVABLE
n TOOL → ISA → HUMANBEING [true:NEVER]
n DENIEDRESOURCE → ISAClassFROM → TERMSET_1

Figure 15 (Informative)

Possible Genealogy for onix:ReplacesISBN
1 onix:ReplacesISBN → ISTYPEOF → IDENTIFIER
2 onix:ReplacesISBN → HASPROGENITOR → RESOURCE
3 onix:ReplacesISBN [#1] → ISIDENTIFIEROf → IDENTIFIEDRESOURCE [#2]
4 REPLACEMENT [#2] → IsReplacementOf → REPLACEDRESOURCE [#3]
5 IDENTIFIEDRESOURCE [#3] → HASIDENTIFIER → ISBN [#1]

Figure 16 (Informative)

Comment (informative): This example shows that the value [#1] of the onix:ReplacesISBN for one Resource is identical to the value [#1] of the ISBN for the Resource it Replaces.

Comment (informative): the AscriptiveTermSet includes the following verbs whose families are all be defined in Annex A: ASCRIBE, NOMINATE, IDENTIFY, CATEGORIZE, CLASSIFY, SPECIALIZE, QUALIFY, FORMALIZE, QUANTIFY, EVALUATE and PARTITION. These verbs Beget for the common metadata Resources of NAME, IDENTIFIER, CATEGORY, CLASS, TYPE, QUALITY, FORM, QUANTITY, VALUE, and PART. Others will be added through specialization.

5.12.3.5 Genealogy Structure: Enumeration

Relationship Enumerators shall be specifically assigned for each Genealogy and shall be unique only within that Genealogy.

5.12.3.6 Genealogy Structure: Examples (Informative)

Example: Genealogy for COPYINGEVENT

- 1 COPYINGEVENT → ISTYPEOF → DERIVINGEVENT
- 2 COPYINGEVENT → ISCONTEXTTYPEBEGOTTENBY → COPY

Figure 17 (Informative)

Example: Genealogy for PATIENT

- 1 PATIENT → ISTYPEOF → Resource
- 2 PATIENT → ISRESOURCETYPEBEGOTTENBY → DO

Figure 18 (Informative)

Example: Genealogy for TERMSET

- 1 TERMSET → ISTYPEOF → SET
- 2 TERMSET → HASMEMBER → TERM [OCC:1-N]
- 3 TERMSET → HAS → AUTHORITY [OCC:1-N]

Figure 19 (Informative)

Example: Genealogy for SOURCEFORPRINTING

- 1 SOURCEFORPRINTING → ISTYPEOF → SOURCEOFTRANSFORMATION
- 2 SOURCEFORPRINTING → ISTYPEOF → SOURCEOFFIXATION
- 3 SOURCEFORPRINTING → ISRESOURCETYPEBEGOTTENBY → PRINT
- 4 SOURCEFORPRINTING → ISA → FIXATION

Figure 20 (Informative)

5.13 ContextDescription

ContextDescription is defined in Clause 3 (“A group of Relationships describing the attributes of a Context”).

Comment (Informative): The fundamental difference between the Relationships of a Genealogy and a ContextDescription are that the former apply universally while the latter are only true within the specified Context.

Properties of ContextDescription shall be constrained as set out in Table 33.

Property of ContextDescription	Constraints
Occurrence	5.13.1 Each Term that represents a Context shall have exactly one ContextDescription.
Authority	5.13.2 The Authority for each ContextDescription shall be the RddAuthority.

Table 33 — ContextDescription: constraints

5.13.3 ContextDescription: Structure

The structure of a ContextDescription is derived from the RDD ContextModel, illustrated in Figure 3 and described in Clause 5.11.1.

5.13.3.1 ContextDescription Structure: Primary Relationships

A ContextDescription may contain Relationships in the form set out in Table 34. This Table includes a representation of four of the Relationships in the Context Model described in Clause 5.11.1.

Relationship
n &ContextType [#n] → HASACTTYPE → &ActType [#n] [occ:1]
n &ContextType [#n] → HASAGENTTYPE → &AgentType [#n.n] [occ:0-n]
n &ContextType [#n] → HASRESOURCETYPE → &ResourceType [#n.n] [occ:0-n]
n &ContextType [#n] → HASTIMETYPE → &TimeType [#n.n] [occ:1-n]
n &ContextType [#n] → HASPLACETYPE → &PlaceType [#n.n] [occ:1-n]
n &ContextType [#n] → HASSTATETYPE → &StateType [#n.n] [occ:0-n]

Table 34 — ContextDescription Relationships

Example (Informative)

ContextDescription for ORIGINATINGEVENT

- 1 ORIGINATINGEVENT [#1] → HASACTTYPE → ORIGINATE [#2] [OCC:1]
- 2 ORIGINATINGEVENT [#1] → HASAGENTTYPE → ORIGINATOR [#3.N] [OCC:1-N]
- 3 ORIGINATINGEVENT [#1] → HASRESOURCETYPE → ORIGINATION [#4.N] [OCC:1-N]
- 4 ORIGINATINGEVENT [#1] → HASRESOURCETYPE → ORIGINATINGTOOL [#5.N] [OCC:0-N]
- 5 ORIGINATINGEVENT [#1] → HASTIMETYPE → TIMEOFORIGINATING [#6.N] [OCC:1-N]
- 6 ORIGINATINGEVENT [#1] → HASPLACETYPE → PLACEOFORIGINATING [#7.n] [occ:1-n]

Figure 21 (Informative)

5.13.3.2 ContextDescription Structure: Ascriptive and Possessive Relationships

A ContextDescription may contain Ascriptive and Possessive Relationships, of the types exemplified in Clause 5.12.3.4. These may in turn have their own Ascriptive and Possessive Relationships at any level of granularity. These Relationships apply only within the Context described by the ContextDescription.

5.13.3.3 ContextDescription Structure: Reciprocal Relationships

Each of the Relationships formed by a ContextDescription shall have a reciprocal Relationship, which shall not be a part of a ContextDescription. Reciprocal Relationships for the Relationships in Table 35 shall be in the form set out in Table 35.

Relationship	Has Reciprocal
n &ContextType [#n] → HASACTTYPE → &ActType [#n.n] [occ:0-n]	n &ActType → ISACTTYPEINCONTEXT → &ContextType
n &ContextType [#n] → HASAGENTTYPE → &AgentType [#n.n] [occ:0-n]	n &AgentType → ISAGENTTYPEINCONTEXT → &ContextType
n &ContextType [#n] → HASRESOURCETYPE → &ResourceType [#n.n] [occ:0-n]	n &ResourceType → ISRESOURCETYPEINCONTEXT → &ContextType
n &ContextType [#n] → HASTIME TYPE → &TimeType [#n.n] [occ:1-n]	n &TimeType → ISTIME TYPEINCONTEXT → &ContextType
n &ContextType [#n] → HASPLACETYPE → &PlaceType [#n.n] [occ:1-n]	n &PlaceType → ISPLACETYPEINCONTEXT → &ContextType
n &ContextType [#n] → HASSTATETYPE → &StateType [#n.n] [occ:1-n]	n &StateType → ISSTATETYPEINCONTEXT → &ContextType

Table 35 — ContextDescription Reciprocal Relationships

5.13.3.4 ContextDescription Structure: Extensibility

Each Term in any Relationship within the ContextDescription may have any number of further Relationships of the form described in Clauses 5.13.3.1 and 5.13.3.2; and each new Relationship may have further Relationships; and so on indefinitely.

5.13.3.5 ContextDescription Structure: Enumeration

Relationship Enumerators are specifically assigned for each ContextDescription and are unique only within that ContextDescription.

5.13.3.6 ContextDescription Structure: Arbitrary Values

Two different Terms within a Context may be assigned the same ArbitraryValue to show that they have the same value.

5.13.3.7 ContextDescription Structure: Situations

A Situation is a StateType Begotten by the ActType DO. A SITUATION in turn Begets the ActType HAVE. The behaviour of the ContextDescription of a SITUATION and its Types provides a special case.

The Standard ContextDescription for a SITUATION is as follows:

Standard ContextDescription for SITUATION

- 1 SITUATION [#1] → HASACTTYPE → HAVE [#2] [OCC:1]
- 2 SITUATION [#1] → HASAGENTTYPE → ENTITY [#3.N] [OCC:1-N]
- 3 SITUATION [#1] → HASRESOURCETYPE → ATTRIBUTE [#4.N] [OCC:0-N]
- 4 SITUATION [#1] → HASTIMETYPE → TIMEOFSITUATION [#5.N] [OCC:1-N]
- 5 SITUATION [#1] → HASPLACETYPE → PLACEOFSITUATION [#6.N] [OCC:1-N]

Figure 22 (Informative)

All Situations describe Relationships between Terms that have already been Begotten by dynamic ActTypes (or otherwise established), and so the AgentType and ResourceType of Situation are not necessarily specialized when defining Types of Situation: existing Terms may be included as Types of Entity and Attribute. This results in a variant form of ContextDescription, using the two specific RelatingTerms “HASENTITYTYPE” and “HASATTRIBUTEType”, which may apply to any SituationType:

Variant ContextDescription for SITUATIONTYPE

- 1 &SITUATIONTYPE [#1] → HASACTTYPE → &Term [#2] [OCC:1]
- 2 &SITUATIONTYPE [#1] → HASENTITYTYPE → &Term [#3.N] [OCC:1-N]
- 3 &SITUATIONTYPE [#1] → HASATTRIBUTEType → &Term [#4.N] [OCC:0-N]
- 4 &SITUATIONTYPE [#1] → HASTIMETYPE → TIMEOFSITUATION [#5.N] [OCC:1-N]
- 5 &SITUATIONTYPE [#1] → HASPLACETYPE → PLACEOFSITUATION [#6.N] [OCC:1-N]

Figure 23 (Informative)

TimeTypes and PlaceTypes continue to be specialized as for other Families, as these are not identical to those of the ActType from which the Situation was Begotten.

Example (illustrative)

A NOMINATION is a Type of Situation which is Begotten by the ActType of NAMING. Once a NAMINGEVENT has happened, the NAMEDRESOURCE has a NAME, and the resulting Situation (a NOMINATION) may continue indefinitely. The ResourceTypes of NAMEDRESOURCE and NAME are therefore included as the EntityType and AttributeType of the NOMINATION:

Example: ContextDescription for NOMINATION

- 1 NOMINATION [#1] → HASACTTYPE → NAMEDRESOURCE [#2] [OCC:1]
- 2 NOMINATION [#1] → HASENTITYTYPE → NAMEDRESOURCE [#3.N] [OCC:1-N]
- 3 NOMINATION [#1] → HASATTRIBUTEType → NAME [#4.N] [OCC:1-N]
- 4 NOMINATION [#1] → HASTIMETYPE → TIMEOFNOMINATION [#5.N] [OCC:1-N]
- 5 NOMINATION [#1] → HASPLACETYPE → PLACEOFNOMINATION [#6.N] [OCC:1-N]

Figure 24 (Informative)

The precise relationship which exists between the NAMINGEVENT and the NOMINATION can be described in the ContextDescription of the former:

Example: ContextDescription for NAMINGEVENT

- 1 NAMINGEVENT [#1] → HASACTTYPE → NOMINATE [#2] [OCC:1]
- 2 NAMINGEVENT [#1] → HASAGENTTYPE → NAMEDRESOURCE [#3.N] [OCC:1-N]
- 3 NAMINGEVENT [#1] → HASRESOURCETYPE → NAMEDRESOURCE [#4.N] [OCC:1-N]
- 4 NAMINGEVENT [#1] → HASRESOURCETYPE → NAME [#5.N] [OCC:1-N]

```

5 NAMINGEVENT [#1] → HASRESOURCE → NAMINGTOOL [#6.N] [OCC:0-N]
6 NAMINGEVENT [#1] → HASTIME → TIMEOFNAMING [#7.N] [OCC:1-N]
7 NAMINGEVENT [#1] → HASPLACETYPE → PLACEOFNAMING [#8.N] [OCC:1-N]
8 NAMINGEVENT [#1] → HASSTATETYPE → NOMINATION [#9.N] [OCC:1-N]
9 NOMINATION [#8.N] → HASENTITYTYPE → NAMEDRESOURCE [#4.N] [OCC:1-N]
10 NOMINATION [#1] → HASATTRIBUTE → NAME [#3.N] [OCC:1-N]
11 NOMINATION [#1] → HASTIME → TIMEOFNOMINATION [#7.N] [OCC:1-N]
12 TIMEOFNOMINATION [#7.N] → ISA → STARTTIME
13 NOMINATION [#1] → HASPLACETYPE → PLACEOFNOMINATION [#8.N] [OCC:1-N]

```

Figure 25 (Informative)

Comment (informative). If it is not necessary to provide Place parameters for an Act, or if there is only a single instance of each Resource, this State can normally be fully described in a Relationship (see Clause 5.11.6.2). The above example can be presented like this:

```
NAMEDRESOURCE → HASNAME → NAME [STARTTIME:#6.0]
```

5.13.4 ContextDescription: Examples (Informative)

Note: In these examples, Relationships which are dependent upon a preceding Relationship are indented for illustrative purposes only, to indicate their dependence. This indentation has no syntactic function.

```

Example 1: ContextDescription for MODIFYINGEVENT
1 MODIFYINGEVENT [#1] → HASACTTYPE → MODIFY [#2] [OCC:1]
2 MODIFYINGEVENT [#1] → HASAGENTTYPE → MODIFIER [#3.N] [OCC:1-N]
2 MODIFYINGEVENT [#1] → HASRESOURCE → MODIFIEDRESOURCE [#4.N] [OCC:1-N]
3 MODIFYINGEVENT [#1] → HASRESOURCE → MODIFYINGTOOL [#5.N] [OCC:0-N]
4 MODIFYINGEVENT [#1] → HASTIME → TIMEOFMODIFYING [#6.n] [occ:1-n]
5 MODIFYINGEVENT [#1] → HASPLACETYPE → PLACEOFMODIFYING [#7.n] [occ:1-n]

```

Figure 26 (Informative)

Example 2: ContextDescription for COPYINGEVENT_1 (aka COPYINGDIGITALRESOURCEEVENT)

```

1 COPYINGEVENT_1 [#1] → HASACTTYPE → COPY [#2] [OCC:1]
2 COPYINGEVENT_1 [#1] → HASAGENTTYPE → COPIER [#3.N] [OCC:1-N]
3 COPYINGEVENT_1 [#1] → HASRESOURCETYPE → REPLICA [#4.N] [OCC:1-N]
    4 REPLICA [#4.N] → HASPLACE → PLACEOfCOPYINGTo [#10.N] [OCC:1-N]
    5 REPLICA [#4.N] → ISA → DIGITALRESOURCE
6 COPYINGEVENT_1 [#1] → HASRESOURCETYPE → SOURCEOfREPLICA [#5.N] [OCC:1-N]
    7 SOURCEOfREPLICA [#5.N] → HASPLACE → PLACEOfCOPYINGFrom [#9.N] [OCC:1-N]
    8 SOURCEOfREPLICA [#5.N] → ISA → DIGITALRESOURCE
9 COPYINGEVENT_1 [#1] → HASRESOURCETYPE → COPYINGTOOL [#6.N] [OCC:0-N]
10 COPYINGEVENT_1 [#1] → HASTIMEType → TIMEOfCOPYING [#7.N] [OCC:1-N]
11 COPYINGEVENT_1 [#1] → HASPLACETYPE → PLACEOfCOPYING [#8.N] [OCC:1-N]
12 COPYINGEVENT_1 [#1] → HASPLACETYPE → PLACEOfCOPYINGFrom [#9.N] [OCC:1-N]
    13 PLACEOfCOPYINGFrom [#8.N] → ISA → REPOSITORY
14 COPYINGEVENT_1 [#1] → HASPLACETYPE → PLACEOfCOPYINGTo [#10.N] [OCC:1-N]
    15 PLACEOfCOPYINGTo [#10.N] → ISA → REPOSITORY
    16 PLACEOfCOPYINGTo [#10.N] → ISEQUALTo → PLACEOfCOPYINGFrom [#9.N]
[true:SOMETIMES]

```

Figure 27 (Informative)

Comment: This example describes the Context of COPYING a DIGITALRESOURCE according to the definitions of the REL. In this example Relationship 21 says that the repositories of the Source and Replica may be the same.

5.14 TermSet

TermSet is defined in Clause 3 (“Two or more Terms or TermSets grouped together under an Authority for any purpose”). Properties of a TermSet shall be constrained as set out in Table 36.

Property of TermSet	Constraints
Occurrence	5.14.1 Each Term may belong to any number of TermSets under any number of Authorities.
Authority	5.14.2 Each TermSet shall have at least one Authority.

Table 36 — TermSet: constraints

5.14.3 TermSet: Structure

A TermSet shall comprise the RddIdentifiers of one or more Terms or other TermSets. A TermSet may be established by an Authority for any purpose and may contain Terms with any TermStatus defined under any Authority. Informative Figure 28 illustrates ways in which TermSets may overlap RDD TermStatus and one another.




Figure 28 — (informative) Illustration of possible TermSets by TermStatus

5.15 Comment

Comment is defined in Clause 3 (“A natural language Annotation of something for the purpose of amplification or clarification of its Meaning.”). Properties of a Comment shall be constrained as set out in Table 37.

Property of Comment	Constraints
Occurrence	5.15.1 Each Term or CommentableTermAttribute may have any number of Comments under any number of Authorities in any number of Languages. 5.15.2 One Comment may be attributed to any number of Terms.
Authority	5.15.3 Each Comment shall have at least one Authority.
Language	5.15.4 The Language of each Comment shall be identified in accordance with Clause 5.16. The value of Language for a Comment shall not be Null. Comments on all Terms other than IsolatedTerms shall at least be expressed in the CommonDescriptionLanguage.

Table 37 — Comment: constraints

5.16 Language

Language is defined in Clause 3 (“A natural Language in which a TextualElement is expressed.”). Properties of Language shall be constrained as set out in Table 38.

Property of Language	Constraints
AllowedValues	5.16.1 The Language of a TextualElement shall be identified using ISO639 Language codes.
CommonDescriptionLanguage	5.16.2 The Value of the CommonDescriptionLanguage shall be English (ISO 639-2 code: eng).
Translations	5.16.3 Where a TextualElement is a translation of another TextualElement into another natural Language, this shall be described by a Relationship using the RelatingTerm <i>ISTRANSLATIONOF</i>.
Selection	5.16.4 The Language attributed to a TextualElement shall be the Language in which the Element is intended to be read and understood, and not the Language according to the linguistic origin of the Term. <i>Example (Informative):</i> Where a Term of Latin origin (such as <i>per cent</i>) or French origin (such as <i>avant garde</i>) is being used in the context of a TextualElement expressed otherwise in English, it shall be identified as a TextualElement in the English Language.

Table 38 — Language: constraints

5.17 AuditAttributes

AuditAttributes are defined in Clause 3 (“A set of attributes of a Term or TermAttribute corresponding to an Event in the history of the Term or TermAttribute within the Dictionary”).

5.17.1 AuditAttributes: Occurrence

Each Term and TermAttribute shall have one set of AuditAttributes corresponding to each Event of creating, modifying or deleting in its history.

5.17.2 AuditAttributes: Structure

The AuditAttributes shall be as set out in Table 39.

Headword Contextual description	Constraints
Date The Date of the Event.	5.17.3 Each Event shall have one Date.
ActType The Type of Act in the Event.	5.17.4 Each Event shall have one ActType. 5.17.5 The AllowedValues of the AuditAttribute ActType are CREATE, MODIFY and DELETE. Further values may be added if required by the RegistrationAuthority.
Authority The Authority responsible for the Act.	5.17.6 Each Event is under at least one Authority.
AuditReason The reason for the Event.	5.17.7 Each Event may have at least one AuditReason. 5.17.8 The AllowedValues of AuditReason shall be established by the RddRegistrationAuthority.
AuditComment A Comment on the reason for, or circumstances surrounding, the Event.	5.17.9 Each Event may have any number of Comments in any Language. 5.17.10 AuditComments may be used as an alternative or as complementary to an AuditReason.

Table 39 — AuditAttributes

5.18 AccessStatus

AccessStatus is defined in Clause 3 (“A CategoryType whose value determines who may have access to a Term or TermAttribute in RDD”). Each Term and TermAttribute has exactly one value for AccessStatus from the AllowedValues set out in Table 40.

AllowedValue Definition	Comments (informative)
OpenAccess Of a Term or TermAttribute which may be accessed by any RddUser.	Access conditions are determined by the Authority and may be qualified to any level of granularity.
RestrictedAccess Of a Term or TermAttribute which may be accessed only by a specified RddUser(s).	

Table 40 — AccessStatus: AllowedValues

6 Relationship between REL and RDD

There are four specific mechanisms by which Terms defined within the RDD may be represented in the REL:

6.1 REL “Multimedia Rights” and RDD ActTypes

REL defines a set of XML Schema Complex Types that, in the XML Schema sense, derive from (either extend or restrict) the conceptually abstract type Right (from the REL core namespace). Some of these types reside in the urn:mpeg:mpeg21:2002:01-REL-NS namespace. For convenience, in this Clause these types are called “Multimedia Rights”.

Each activity has a context that can be related to particular ActType(s) within the RDD ontology. An activity is said to be within the scope of a particular Multimedia Right if the activity’s context is a contextualization of the ActType corresponding to that Multimedia Right. The ActTypes corresponding to the Multimedia Rights are given in Annex A1.

6.2 Other RDD ActTypes as REL Rights

RDD ActTypes other than those in the table above can be expressed using REL with XML Schema Complex Types that derive from the conceptually abstract type Right (from the REL core namespace).

6.3 RDD ResourceTypes as REL Resources

RDD ResourceTypes can be expressed using REL with XML Schema Complex Types that derive from the conceptually abstract type Resource (from the REL core namespace).

6.4 RDD ContextTypes as REL Conditions

RDD ContextTypes can be indicated using REL with XML Schema Complex Types that derive from the conceptually abstract type Condition (from the REL core namespace).

Annex A (normative)

RDD StandardizedTerms

Part 1: REL Rights that are based on definitions of RDD ActTypes

REL term	REL/RDD definition, REL comments	REL mapping to RDD, RDD further comments (informative)
	Note: Definitions and comments are normative. The comments provide clarification and examples of the definition, and in some cases provide a specification for the contextualization of the Act.	Note: Definitions, Genealogies, ContextDescriptions and Families for all RDD Terms are found in Part 2 of Annex A of the RDD Standard.
Read	To read a digital resource from a repository. The verb here refers to the primitive computer process, not to the act of reading by a human being. Read may apply to a part of a resource. Security attributes must be preserved.	mx:Read → IStYPEOf → READ mx:Read → IStYPEOf → ACTTYPE_1
Write	To write a digital resource to a repository. The verb here refers to the primitive computer process, not to the act of writing by a human being. Write implies saving a resource, but it does not include any right to adapt or copy a digital resource. Security attributes must be preserved.	mx:Write → IStYPEOf → WRITE mx:Write → IStYPEOf → ACTTYPE_1
Execute	To execute a software program. The verb here refers to the primitive computer process of executing a program.	mx:Execute → IStYPEOf → EXECUTE mx:Execute → IStYPEOf → ACTTYPE_1
Adapt	To make changes to a resource to create a new resource. When Adapt is applied to a digital resource, two distinct resources will exist at the end of the process, one of which is the original resource and one which is not (if only one resource exists, the act is not Adapt but Modify). Changes may include the addition and removal of elements of the original resource, including the embedding of other digital resources. Adapt may be used with one or more conditions that specify attributes that must remain unchanged by the process of adapting (for example, the preservation of a header record). The repositories of the two resources may be the same.	mx:Adapt → IStYPEOf → ADAPT mx:Adapt → IStYPEOf → ACTTYPE_1 mx:Adapt for a digital resource is contextualized in ADAPT_1. ADAPT_1 → IStYPEOf → ADAPT
Copy	To make a perfect reproduction of a resource. When Copy is applied to a digital resource, it	mx:Copy → IStYPEOf → COPY mx:Copy → IStYPEOf → ACTTYPE_1 mx:Copy for a digital resource is contextualized

	is achieved when a new resource exists in a destination repository whose attributes are identical to those of the original, but for some excepted attributes (for example, to allow for changing the file modification date of the copy). Copy may be used with one or more conditions that limit the set of excepted attributes that may be changed by the process of copying. The source and destination may be the same repository.	in COPY_1. COPY_1 → IStYPEOF → COPY Scope of Copy: In its purest form the idea of a "perfect" or exact copy is a paradox: nothing can be a "perfect" likeness without being the same entity as the original. For example, in the case of a physical Replica, the new resource will always have different Place attributes from the original at the same Time, or vice versa. In other contexts all kinds of marginal differences may be ignored in determining that something is a Replica (for example, differences in paper type and print density and color in a photocopy). A Replica always differs in some way from its Source: the question is therefore one of functional granularity: How much can something differ and still be "the same" (a "perfect" reproduction)? For example, it is common but not universal for Names, Identifiers and other associated metadata to differ in a Replica. Particular Contexts for Types of "Copy" include the constraints that determine the limits of difference of attribute between Replica and Source.
Extract	To derive a new resource by taking a fragment out of an existing resource. When Extract is applied to a digital resource, the attributes of the new digital resource must be identical to those of the fragment in the original. The attribute exception provisions for Copy apply to Extract. The repositories of the two resources may be the same.	mx:Extract → IStYPEOF → EXTRACT mx:Extract → IStYPEOF → ActTYPE_1 mx:Extract for a digital resource is contextualized in EXTRACT_1. EXTRACT_1 → IStYPEOF → EXTRACT
Embed	To include a complete resource in another resource. When Embed is applied to a digital resource, it may be achieved, for example, by copying a resource so that the copied resource forms a part of another resource, or (in a Web or other distributed context) by including a link to another resource. The entire resource must be embedded. If copying is involved, then the attribute exception provisions for Copy apply to Embed. The other resource may be pre-existing, or may be created by the act of combining this resource with one or more others. The repositories of the original resource and the resource into which it is embedded may be the same.	mx:Embed → IStYPEOF → EMBED mx:Embed → IStYPEOF → ActTYPE_1 mx:Embed for a digital resource is contextualized in EMBED_1. EMBED_1 → IStYPEOF → EMBED
Modify	To make and save changes in a resource without creating a new resource. When Modify is applied to a digital resource, a single resource remains at the end of the process (if a new resource is created, the act is Adapt). Changes may include the addition and removal of elements of the original resource, including the embedding of other digital resources. Modify may be used with one or more conditions that specify attributes that must remain unchanged by the process of Modifying (for example, the preservation of	mx:Modify → IStYPEOF → MODIFY mx:Modify → IStYPEOF → ActTYPE_1 mx:Modify for a digital resource is contextualized in MODIFY_1. MODIFY_1 → IStYPEOF → MODIFY

	a header record). The repository must remain the same.	
Enlarge	To Modify a resource by making it larger. When Enlarge is applied to a digital resource, a single resource is preserved at the end of the process. Changes may include the addition of new material including the embedding of other digital resources, but not the removal or changing of elements of the original resource. The repository must remain the same.	mx:Enlarge → IStYPEOF → ENLARGE mx:Enlarge → IStYPEOF → ACTTYPE_1 mx:Enlarge for a digital resource is contextualized in ENLARGE_1. ENLARGE_1 → IStYPEOF → ENLARGE
Edit	To Adapt and/or Modify a resource. Edit is a composite to describe the right either to Adapt or Modify a resource, or to do both.	mx:Edit → IStYPEOF → EDIT mx:Edit → IStYPEOF → ACTTYPE_1
Transfer	To relocate a resource from one place to another. When Transfer is applied to a digital resource, it is typically achieved by Copying and then deleting the original resource. However, a specific process is not mandated provided that when Transfer is complete a resource with the attributes identical to those of the original is at the destination. If copying is involved, then the attribute exception provisions for Copy apply to transfer. The Transfer may be between repositories or from one location to another within a repository.	mx:Transfer → IStYPEOF → MOVE mx:Transfer → IStYPEOF → ACTTYPE_1 mx:Transfer for a digital resource is contextualized in TRANSFER: TRANSFER → IStYPEOF → MOVE
Play	To create a transient, perceivable rendition of a resource. When Play is applied to a digital resource, it may cover the making of any forms of transient representation that may be directly perceived (that is, without any intermediary process) with at least one of the five human senses. Play includes playing a video or audio clip, displaying an image or text document, or creating representations that may be “touched” with virtual reality technology. Content may be rendered in any order or sequence according to the technical constraints of the resource and renderer.	mx:Play → IStYPEOF → PLAY mx:Play → IStYPEOF → ACTTYPE_1 mx:Play for a digital resource is contextualized in PLAY_1: PLAY_1 → IStYPEOF → PLAY
Print	To create a fixed and directly perceivable rendition of a resource. When Print is applied to a digital resource, it refers to the creation of a fixed representation that may be directly perceived (that is, without any intermediary process) with one or more of the five human senses, such as hard-copy prints of images or text.	mx:Print → IStYPEOF → PRINT mx:Print → IStYPEOF → ACTTYPE_1 mx:Print for a digital resource is contextualized in PRINT_1: PRINT_1 → IStYPEOF → PRINT
Enable	To make a resource capable of being	mx:Enable → IStYPEOF → ENABLE

	interacted with. When Enable is applied to a digital resource, it results in a change in an existing resource such that it becomes capable of being read, written to or executed. Enabling may be partial and/or contextual.	mx:Enable → IStYPEOf → ACTType_1 mx:Enable for a digital resource is contextualized in ENABLE_1: ENABLE_1 → IStYPEOf → ENABLE
Disable	To make a resource incapable of being interacted with. When Disable is applied to a digital resource, it results in a change in an existing digital resource or its environment such that it becomes inaccessible to software but is not removed from the repository. Disabling may be partial and/or contextual.	mx:Disable → IStYPEOf → DISABLE mx:Disable → IStYPEOf → ACTType_1 mx:Disable for a digital resource is contextualized in DISABLE_1: DISABLE_1 → IStYPEOf → DISABLE
Install	To follow the instructions provided by an installing resource. An installing resource is a resource that provides instructions which when followed result in one or more resources that are new, or enabled, or both new and enabled.	mx:Install → IStYPEOf → INSTALL mx:Install → IStYPEOf → ACTType_1
Uninstall	To follow the instructions provided by an uninstalling resource. An uninstalling resource is a resource that provides instructions which when followed result in one or more resources being disabled or deleted.	mx:Uninstall → IStYPEOf → UNINSTALL mx:Uninstall → IStYPEOf → ACTType_1
Delete	To remove a digital resource permanently from its source repository. Delete applies only to digital resources. Delete is not capable of reversal. If an “undelete” action is possible, then the resource has been disabled, not deleted.	mx>Delete → IStYPEOf → DELETE mx>Delete → IStYPEOf → ACTType_1

Part 2 – Standardized Terms contained in the Rights Data Dictionary

Ref	Authority.Headword Authority Synonym(s)	Status Meaning	Definition Comments	Genealogy ContextDescription (for Contexts) Family (for ActTypes or ContextTypes as appropriate)
1	Abstract	Standard Derived	To Extract a conceptual Creation from a Manifestation.	1 Abstract → IsTypeOf → Conceive 2 Abstract → IsTypeOf → Extract <i>ActionFamily</i> 1 Abstract → BegetsContextType → AbstractingEvent 2 Abstract → BegetsAgentType → Abstracter 3 Abstract → BegetsResourceType → Abstraction 4 Abstract → BegetsResourceType → SourceOfAbstraction 5 Abstract → BegetsResourceType → AbstractingTool 6 Abstract → BegetsTimeType → TimeOfAbstracting 7 Abstract → BegetsPlaceType → PlaceOfAbstracting 8 Abstract → BegetsPlaceType → PlaceOfAbstractingFrom 9 Abstract → BegetsPlaceType → PlaceOfAbstractingTo 10 Abstract → BegetsStatusType → Abstracting 11 Abstract → BegetsStatusType → Abstracted 12 Abstract → BegetsStatusType → BeingAbstracted 13 Abstract → BegetsStatusType → Abstractable
2	Abstractable	Standard Derived	The potential status of Abstraction	1 Abstractable → IsStatusTypeBegottenBy → Abstract 2 Abstractable → IsPotentialStatusOf → Abstraction 3 Abstractable → IsTypeOf → Conceivable 4 Abstractable → IsTypeOf → Extractable
3	Abstracted	Standard Derived	The historic status of Abstraction	1 Abstracted → IsStatusTypeBegottenBy → Abstract 2 Abstracted → IsHistoricStatusOf → Abstraction 3 Abstracted → IsTypeOf → Conceived

				4 Abstracted → IsTypeOf → Extracted
4	Abstracter	Standard Derived	An Agent that Abstracts.	1 Abstracter → IsAgentTypeBegottenBy → Abstract 2 Abstracter → IsTypeOf → Conceiver 3 Abstracter → IsTypeOf → Extractor
5	Abstracting	Standard Derived	The current status of Abstracter	1 Abstracting → IsStatusTypeBegottenBy → Abstract 2 Abstracting → IsCurrentStatusOf → Abstracter 3 Abstracting → IsTypeOf → Extracting 4 Abstracting → IsTypeOf → Conceiving
6	AbstractingEvent	Standard Derived	An Event in which something is Abstracted.	1 AbstractingEvent → IsContextTypeBegottenBy → Abstract 2 AbstractingEvent → IsTypeOf → Conception 3 AbstractingEvent → IsTypeOf → ExtractingEvent <i>ContextDescription</i> 1 AbstractingEvent[#1] → HasActType → Abstract[#2][occ:1] 2 AbstractingEvent[#1] → HasAgentType → Abstracter[#3.n][occ:1-n] 3 AbstractingEvent[#1] → HasResourceType → Abstraction[#4.n][occ:1-n] 4 AbstractingEvent[#1] → HasResourceType → SourceOfAbstraction[#5.n][occ:1-n] 5 AbstractingEvent[#1] → HasResourceType → AbstractingTool[#6.n][occ:0-n] 6 AbstractingEvent[#1] → HasTimeType → TimeOfAbstracting[#7.n][occ:1-n] 7 AbstractingEvent[#1] → HasPlaceType → PlaceOfAbstracting[#8.n][occ:1-n] 8 AbstractingEvent[#1] → HasPlaceType → PlaceOfAbstractingFrom[#9.n][occ:0-n] 9 AbstractingEvent[#1] → HasPlaceType → PlaceOfAbstractingTo[#10.n][occ:0-n]
7	AbstractingTool	Standard Derived	A Tool Used for Abstracting.	1 AbstractingTool → IsResourceTypeBegottenBy → Abstract 2 AbstractingTool → IsTypeOf → ConceivingTool 3 AbstractingTool → IsTypeOf → ExtractingTool
8	Abstraction	Standard Partially Derived	A conceptual Creation Extracted from a Manifestation. Scope of Abstraction Typically, an Abstraction is derived from a	1 Abstraction → IsResourceTypeBegottenBy → Abstract 2 Abstraction → IsTypeOf → Concept 3 Abstraction → IsTypeOf → Excerpt

			Manifestation and represents the underlying conceptual elements of an Expressed Creation. It is a conceptual Creation which may be recognized in different Manifestations (for example, a song recognized in different performances, or a story told in different versions or translations) but which has no definitive perceivable characteristics. Often the term "abstract work" is used to describe this, but the concept of a "work" is widely used to represent intellectual property, and not all Abstractions are necessarily intellectual property, so the name "work" is not used as for an RDD Term. An Abstraction cannot pre-exist a Manifestation: a Creation that is Conceived but not yet Expressed is a Concept, not an Abstraction.	
9	AccessStatus	Standard Partially Derived	A CategoryType whose value determines which RddUsers may have access to a Term or TermAttribute.	1 AccessStatus → IsTypeOf → Category
10	Act	Standard Axiomatic	To act. Scope of Act Act is the FirstTerm in the Dictionary. It is the only RddAuthorized Term with an OriginalMeaning. It is the primary verb that is Parent to all other verbs, encompassing all kinds of	1 Act → IsEqualTo → FirstTerm <i>ActionFamily</i> 1 Act → BegetsContextType → Context 2 Act → BegetsAgentType → Agent 3 Act → BegetsResourceType → Resource 4 Act → BegetsTimeType → Time 5 Act → BegetsPlaceType → Place

			behaviour and activity. Types of Act include verbs with or without Agents; transitive and intransitive verbs (with or without Resources); "passive" verbs of occurrence (eg Happen); and "static" verbs of being and possessing (eg Have and Exist) which result in no change. Act is the root of the ActionFamily of Terms which include the BasicTerms of the ContextModel, from which most NativeTerms are Begotten or specialized.	6 Act → BegetsStateType → State 7 Act → BegetsRelatingTerm → HasCo-Agent 8 Act → BegetsRelatingTerm → IsAgentActingOn 9 Act → BegetsRelatingTerm → IsResourceActedOnBy 10 Act → BegetsRelatingTerm → IsAgentAtTime 11 Act → BegetsRelatingTerm → IsTimeOfActingBy 12 Act → BegetsRelatingTerm → IsAgentInPlace 13 Act → BegetsRelatingTerm → IsPlaceOfActingBy 14 Act → BegetsRelatingTerm → HasCo-Resource 15 Act → BegetsRelatingTerm → IsResourceAtTime 16 Act → BegetsRelatingTerm → IsTimeOfBeingActedOnOf 17 Act → BegetsRelatingTerm → IsResourceInPlace 18 Act → BegetsRelatingTerm → IsPlaceOfBeingActedOnOf 19 Act → BegetsRelatingTerm → HasCo-TimeOfActing 20 Act → BegetsRelatingTerm → IsTimeOfActingInPlace 21 Act → BegetsRelatingTerm → IsPlaceOfActingAtTime 22 Act → BegetsRelatingTerm → HasCo-PlaceOfActing 23 Act → BegetsStatusType → Acted 24 Act → BegetsStatusType → Acting 25 Act → BegetsStatusType → ActedOn 26 Act → BegetsStatusType → BeingActedOn 27 Act → BegetsStatusType → Actionable
11	Acted	Standard Derived	The historic status of Agent	1 Acted → IsStatusTypeBegottenBy → Act 2 Acted → IsHistoricStatusOf → Agent
12	ActedOn	Standard Derived	The historic status of Resource	1 ActedOn → IsStatusTypeBegottenBy → Act 2 ActedOn → IsHistoricStatusOf → Resource
13	Acting	Standard Derived	The current status of Agent	1 Acting → IsStatusTypeBegottenBy → Act 2 Acting → IsCurrentStatusOf → Agent
14	Actionable	Standard Derived	The potential status of Resource	1 Actionable → IsStatusTypeBegottenBy → Act 2 Actionable → IsPotentialStatusOf → Resource

15	ActionFamily	Standard Partially Derived	The Family Begotten from an ActType.	1 ActionFamily → IsTypeOf → Family
16	ActionFamilyRelationalView AFRV	Standard Partially Derived	A group of Relationships expressing the impact of a Type of Act as a set of one-to-one Relationships between its Agents, Resources, Times and Places.	1 ActionFamilyRelationalView → IsTypeOf → RelationshipSet 2 ActionFamilyRelationalView → HasSource → ContextModel
17	Activatable	Standard Derived	The potential status of ActivatedResource	1 Activatable → IsStatusTypeBegottenBy → Activate 2 Activatable → IsPotentialStatusOf → ActivatedResource 3 Activatable → IsTypeOf → Changeable
18	Activate	Standard Derived	To make something Do something.	1 Activate → IsTypeOf → Change 2 Activate → IsOpposedTo → Deactivate <i>ActionFamily</i> 1 Activate → BegetsContextType → Activation 2 Activate → BegetsAgentType → Activator 3 Activate → BegetsResourceType → ActivatedResource 4 Activate → BegetsResourceType → ActivatingTool 5 Activate → BegetsTimeType → TimeOfActivating 6 Activate → BegetsPlaceType → PlaceOfActivating 7 Activate → BegetsStatusType → Activating 8 Activate → BegetsStatusType → Activated 9 Activate → BegetsStatusType → Active 10 Activate → BegetsStatusType → Activatable
19	Activated	Standard Derived	The historic status of ActivatedResource	1 Activated → IsStatusTypeBegottenBy → Activate 2 Activated → IsHistoricStatusOf → ActivatedResource 3 Activated → IsTypeOf → Changed
20	ActivatedResource	Standard Partially	A Resource which is made to Do	1 ActivatedResource → IsResourceTypeBegottenBy → Activate

		Derived	something.	2 ActivatedResource → IsTypeOf → ChangedResource
21	Activating	Standard Derived	The current status of Activator	1 Activating → IsStatusTypeBegottenBy → Activate 2 Activating → IsCurrentStatusOf → Activator 3 Activating → IsTypeOf → Changing
22	ActivatingTool	Standard Derived	A Tool Used in Activating.	1 ActivatingTool → IsResourceTypeBegottenBy → Activate 2 ActivatingTool → IsTypeOf → ChangingTool
23	Activation	Standard Derived	An Event in which a Resource is Activated.	1 Activation → IsContextTypeBegottenBy → Activate 2 Activation → IsTypeOf → ChangingEvent <i>ContextDescription</i> 1 Activation[#1] → HasActType → Activate[#2.n][occ:1] 2 Activation[#1] → HasAgentType → Activator[#3.n][occ:1-n] 3 Activation[#1] → HasResourceType → ActivatedResource[#4.n][occ:1-n] 4 Activation[#1] → HasResourceType → ActivatingTool[#5.n][occ:0-n] 5 Activation[#1] → HasTimeType → TimeOfActivating[#6.n][occ:1-n] 6 Activation[#1] → HasPlaceType → PlaceOfActivating[#7.n][occ:1-n] 7 Activation[#1] → HasResult → Qualification[#8.n][occ:1-n] 8 Qualification[#8.n] → HasEntityType → ActivatedResource[#4.n][occ:1-n] 9 Qualification[#8.n] → HasAttributeType → Acting 10 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 11 TimeOfQualification[#6.n] → IsA → StartTime 12 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n]
24	Activator	Standard Derived	An Agent that Activates a Resource.	1 Activator → IsAgentTypeBegottenBy → Activate 2 Activator → IsTypeOf → Changer
25	Active	Standard Derived	The current status of ActivatedResource	1 Active → IsStatusTypeBegottenBy → Activate 2 Active → IsCurrentStatusOf → ActivatedResource 3 Active → IsTypeOf → Dynamic
26	ActType	Standard	A Type of Act.	1 ActType → IsResourceTypeBegottenBy → BegettingEvent_9

				2 ActType → IsTypeOf → BegottenTerm
27	ActType_1 mx.Right	Standard Partially Derived	(RDD Definition) An ActType representing an REL Right. (REL Definition) A privilege that someone may claim or that is due to them, which makes them entitled to make copies of, distribute, or perform all or part of a published or recorded work for a certain extended period of time.	1 ActType_1 → IsTypeOf → ActType 2 ActType_1 → HasDefinitiveContext → Permission_1
28	Adapt	Standard Partially Derived	To Derive a new Resource by making changes to an existing Resource. Scope of Adapt Adapting may be described with reference to the process used (for example, compressing a digital resource with a specific software program), or by comparison of the Output with the Source (for example, a performance which has many common elements with another). There is no inherent limit on the attributes that may be changed when Adapting. However, while in the former case it is possible for all elements to be changed, in the latter example some elements must remain the same otherwise there is no basis for establishing that Derivation has taken place. Adapt and Copy Adapt and Copy	1 Adapt → IsTypeOf → Derive <i>ActionFamily</i> 1 Adapt → BegetsContextType → AdaptingEvent 2 Adapt → BegetsAgentType → Adaptor 3 Adapt → BegetsResourceType → Adaptation 4 Adapt → BegetsResourceType → SourceOfAdaptation 5 Adapt → BegetsResourceType → AdaptingTool 6 Adapt → BegetsTimeType → TimeOfAdapting 7 Adapt → BegetsPlaceType → PlaceOfAdapting 8 Adapt → BegetsPlaceType → PlaceOfAdaptingFrom 9 Adapt → BegetsPlaceType → PlaceOfAdaptingTo 10 Adapt → BegetsRelatingTerm → HasCo-Adaptor 11 Adapt → BegetsRelatingTerm → IsAdaptorOf 12 Adapt → BegetsRelatingTerm → IsAdaptedBy 13 Adapt → BegetsRelatingTerm → IsAdaptorFromSource 14 Adapt → BegetsRelatingTerm → IsSourceAdaptedFromBy 15 Adapt → BegetsRelatingTerm → IsAdaptorWithTool 16 Adapt → BegetsRelatingTerm → IsToolForAdaptingBy 17 Adapt → BegetsRelatingTerm → IsAdaptorAtTime 18 Adapt → BegetsRelatingTerm → IsTimeOfAdaptingBy 19 Adapt → BegetsRelatingTerm → IsAdaptorInPlace 20 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingBy 21 Adapt → BegetsRelatingTerm → IsAdaptorFromPlace

		are positioned at opposite ends of the spectrum of Derivation. Both result in the creation of a new resource: an Adaptation in which anything may have changed, and a Replica in which nothing has changed. As is noted in Comments on the Scope of each ActType, both of these positions may be viewed as paradoxical, as it is impossible to have an Adaptation that does not have some attribute in common with its Source, or a Replica that does not have some attribute different from its Source. Both Adapt and Copy may therefore be specialized by exception, identifying attributes of the Source and Replica which may, must or must not change. Because they are on a spectrum rather than logically distinct, specializations of Copy and Adapt may be alternative ways of expressing the same process.	22 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingFromBy 23 Adapt → BegetsRelatingTerm → IsAdaptorToPlace 24 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingToBy 25 Adapt → BegetsRelatingTerm → HasCo-Adaptation 26 Adapt → BegetsRelatingTerm → IsAdaptedFromSource 27 Adapt → BegetsRelatingTerm → HasAdaptation 28 Adapt → BegetsRelatingTerm → IsAdaptedWithTool 29 Adapt → BegetsRelatingTerm → IsToolForAdapting 30 Adapt → BegetsRelatingTerm → IsAdaptedAtTime 31 Adapt → BegetsRelatingTerm → IsTimeOfAdapting 32 Adapt → BegetsRelatingTerm → IsAdaptedInPlace 33 Adapt → BegetsRelatingTerm → IsPlaceOfAdapting 34 Adapt → BegetsRelatingTerm → IsAdaptedFromPlace 35 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingFromOf 36 Adapt → BegetsRelatingTerm → IsAdaptedToPlace 37 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingToOf 38 Adapt → BegetsRelatingTerm → HasCo-SourceOfAdaptation 39 Adapt → BegetsRelatingTerm → IsSourceAdaptedFromWithTool 40 Adapt → BegetsRelatingTerm → IsToolForAdaptingFromSource 41 Adapt → BegetsRelatingTerm → IsSourceOfAdaptationAtTime 42 Adapt → BegetsRelatingTerm → IsTimeOfAdaptingFromSource 43 Adapt → BegetsRelatingTerm → IsSourceOfAdaptationInPlace 44 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingFromSource 45 Adapt → BegetsRelatingTerm → IsAdaptedFromFromPlace 46 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingFromFromSource 47 Adapt → BegetsRelatingTerm → IsSourceAdaptedFromToPlace 48 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingToFromSource 49 Adapt → BegetsRelatingTerm → HasCo-AdaptingTool 50 Adapt → BegetsRelatingTerm → IsAdaptingToolAtTime 51 Adapt → BegetsRelatingTerm → IsTimeOfAdaptingWithTool 52 Adapt → BegetsRelatingTerm → IsAdaptingToolInPlace 53 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingWithTool 54 Adapt → BegetsRelatingTerm → IsToolForAdaptingFromPlace 55 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingFromWithTool 56 Adapt → BegetsRelatingTerm → IsToolForAdaptingToPlace 57 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingToWithTool 58 Adapt → BegetsRelatingTerm → HasCo-TimeOfAdapting 59 Adapt → BegetsRelatingTerm → IsTimeOfAdaptingInPlace
--	--	--	---

				60 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingAtTime 61 Adapt → BegetsRelatingTerm → IsTimeOfAdaptingFromPlace 62 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingFromAtTime 63 Adapt → BegetsRelatingTerm → IsTimeOfAdaptingToPlace 64 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingToAtTime 65 Adapt → BegetsRelatingTerm → HasCo-PlaceOfAdapting 66 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingIncludingPlaceOfAdaptingFrom 67 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingFromWithinPlaceOfAdapting 68 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingIncludingPlaceOfAdaptingTo 69 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingToWithinPlaceOfAdapting 70 Adapt → BegetsRelatingTerm → HasCo-PlaceOfAdaptingFrom 71 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingFromTo 72 Adapt → BegetsRelatingTerm → IsPlaceOfAdaptingToFrom 73 Adapt → BegetsRelatingTerm → HasCo-PlaceOfAdaptingTo 74 Adapt → BegetsStatusType → Adapting 75 Adapt → BegetsStatusType → Adapted 76 Adapt → BegetsStatusType → BeingAdapted 77 Adapt → BegetsStatusType → Adaptable 78 Adapt → BegetsStatusType → AdaptedFrom 79 Adapt → BegetsStatusType → BeingAdaptedFrom 80 Adapt → BegetsStatusType → AdaptableFrom
29	Adapt_1 AdaptDigitalResource	Standard Derived	To Adapt a DigitalResource from another DigitalResource.	1 Adapt_1 → IsActTypeBegottenBy → AdaptingEvent_1 2 Adapt_1 → IsTypeOf → Adapt
30	Adaptable	Standard Derived	The potential status of Adaptation	1 Adaptable → IsStatusTypeBegottenBy → Adapt 2 Adaptable → IsPotentialStatusOf → Adaptation 3 Adaptable → IsTypeOf → Derivable
31	AdaptableFrom	Standard Derived	The potential status of SourceOfAdaptation	1 AdaptableFrom → IsStatusTypeBegottenBy → Adapt 2 AdaptableFrom → IsPotentialStatusOf → SourceOfAdaptation 3 AdaptableFrom → IsTypeOf → DerivableFrom
32	Adaptation	Standard	A Resource that is Adapted from	1 Adaptation → IsResourceTypeBegottenBy → Adapt

			another Resource.	2 Adaptation → IsTypeOf → Derivation
33	Adapted	Standard Derived	The historic status of Adaptation	1 Adapted → IsStatusTypeBegottenBy → Adapt 2 Adapted → IsHistoricStatusOf → Adaptation 3 Adapted → IsTypeOf → Derived
34	AdaptedFrom	Standard Derived	The historic status of SourceOfAdaptation	1 AdaptedFrom → IsStatusTypeBegottenBy → Adapt 2 AdaptedFrom → IsHistoricStatusOf → SourceOfAdaptation 3 AdaptedFrom → IsTypeOf → DerivedFrom
35	Adapting	Standard Derived	The current status of Adaptor	1 Adapting → IsStatusTypeBegottenBy → Adapt 2 Adapting → IsCurrentStatusOf → Adaptor 3 Adapting → IsTypeOf → Deriving
36	AdaptingEvent	Standard Derived	An Event in which a Resource is Adapted.	1 AdaptingEvent → IsContextTypeBegottenBy → Adapt 2 AdaptingEvent → IsTypeOf → DerivingEvent <i>ContextDescription</i> 1 AdaptingEvent[#1] → HasActType → Adapt[#2][occ:1] 2 AdaptingEvent[#1] → HasAgentType → Adaptor[#3.n][occ:1-n] 3 AdaptingEvent[#1] → HasResourceType → Adaptation[#4.n][occ:1-n] 4 Adaptation → HasPlace → PlaceOfAdaptingTo 5 AdaptingEvent[#1] → HasResourceType → SourceOfAdaptation[#5.n][occ:1-n] 6 SourceOfAdaptation → HasPlace → PlaceOfAdaptingFrom 7 AdaptingEvent[#1] → HasResourceType → AdaptingTool[#6.n][occ:0-n] 8 AdaptingEvent[#1] → HasTimeType → TimeOfAdapting[#7.n][occ:1-n] 9 AdaptingEvent[#1] → HasPlaceType → PlaceOfAdapting[#8.n][occ:1-n] 10 AdaptingEvent[#1] → HasPlaceType → PlaceOfAdaptingFrom[#9.n][occ:1-n] 11 AdaptingEvent[#1] → HasPlaceType → PlaceOfAdaptingTo[#10.n][occ:1-n] 12 PlaceOfAdaptingTo[#10.n] → IsEqualTo → PlaceOfAdaptingFrom[#9.n][occ:1-n][true:Sometimes]
37	AdaptingEvent_1	Standard Partially Derived	An Event in which a DigitalResource is Adapted from another DigitalResource.	1 AdaptingEvent_1 → IsTypeOf → AdaptingEvent <i>ContextDescription</i> 1 AdaptingEvent_1[#1] → HasActType → Adapt_1[#2][occ:1]

		Repositories as Places in DigitalResource Contexts Where a Source and a Derivation are both DigitalResources, the PlaceOfDerivingFrom and PlaceOfDerivingTo must be Repositories. If it is necessary to specify a non-Digital Place (such as the Territory in which the Repository is situated) this can be done with a HasPlace Relationship (eg Repository > HasPlace > US). Scope of AdaptingEvent_1 AdaptingEvent_1 describes the Context in which Adapt is applied to DigitalResources in an MPEG-21 REL expression. When Adapt is applied to a digital resource, two distinct resources will exist at the end of the process, one of which is the original resource and one which is not (if only one resource exists, the act is not Adapt but Modify). Changes may include the addition and removal of elements of the original resource, including the embedding of other digital resources. Adapt may be used with one or more conditions that specify attributes that must remain unchanged by the process of adapting (for example, the preservation of a header record). The repositories of the two resources may be the same.	2 AdaptingEvent_1[#1] → HasAgentType → Adaptor[#3.n][occ:1-n] 3 AdaptingEvent_1[#1] → HasResourceType → Adaptation[#4.n][occ:1-n] 4 Adaptation → HasPlace → PlaceOfAdaptingTo 5 Adaptation[#4.n] → IsA → DigitalResource 6 AdaptingEvent_1[#1] → HasResourceType → SourceOfAdaptation[#5.n][occ:1-n] 7 SourceOfAdaptation → HasPlace → PlaceOfAdaptingFrom 8 SourceOfAdaptation[#5.n] → IsA → DigitalResource 9 AdaptingEvent_1[#1] → HasResourceType → AdaptingTool[#6.n][occ:0-n] 10 AdaptingEvent_1[#1] → HasTimeType → TimeOfAdapting[#7.n][occ:1-n] 11 AdaptingEvent_1[#1] → HasPlaceType → PlaceOfAdapting[#8.n][occ:1-n] 12 AdaptingEvent_1[#1] → HasPlaceType → PlaceOfAdaptingFrom[#9.n][occ:1-n] 13 PlaceOfAdaptingFrom[#9.n] → IsA → Repository 14 AdaptingEvent_1[#1] → HasPlaceType → PlaceOfAdaptingTo[#10.n][occ:1-n] 15 PlaceOfAdaptingTo[#10.n] → IsA → Repository 16 PlaceOfAdaptingTo[#10.n] → IsEqualTo → PlaceOfAdaptingFrom[#9.n][occ:1-n][true:Sometimes] <i>ContextFamily</i> 1 AdaptingEvent_1 → BegetsActType → Adapt_1
--	--	--	--

38	AdaptingTool	Standard Derived	A Tool Used for Adapting something.	1 AdaptingTool → IsResourceTypeBegottenBy → Adapt 2 AdaptingTool → IsTypeOf → DerivingTool
39	Adaptor	Standard Derived	An Agent that Adapts.	1 Adaptor → IsAgentTypeBegottenBy → Adapt 2 Adaptor → IsTypeOf → Deriver
40	AdoptedDefinition	Standard Partially Derived	A Definition adopted by the RddAuthority from another Authority.	1 AdoptedDefinition → IsTypeOf → Definition
41	AdoptedTerm	Standard Partially Derived	The Value of TermStatus for a Term with a Headword and Definition under an Authority other than the RddAuthority, upon which the RddAuthority has chosen to rely.	1 AdoptedTerm → IsAllowedValueOf → TermStatus 2 AdoptedTerm → IsTypeOf → Term
42	Agent	Standard Partially Derived	An Entity that Acts. Scope of Agent Agent is typically (but not always) the subject of the verb. The Agent is the Entity which is accountable for the action.	1 Agent → IsAgentTypeBegottenBy → Act
43	AgentType	Standard	A Type of Agent.	1 AgentType → IsResourceTypeBegottenBy → BegettingEvent_1 2 AgentType → IsTypeOf → BegottenTerm
44	Aggregatable	Standard Derived	The potential status of Aggregation	1 Aggregatable → IsStatusTypeBegottenBy → Aggregate 2 Aggregatable → IsPotentialStatusOf → Aggregation 3 Aggregatable → IsTypeOf → Derivable
45	AggregatableFrom	Standard Derived	The potential status of Component	1 AggregatableFrom → IsStatusTypeBegottenBy → Aggregate 2 AggregatableFrom → IsPotentialStatusOf → Component 3 AggregatableFrom → IsTypeOf → DerivableFrom

46	Aggregate	Standard Partially Derived	To Derive something by combining two or more existing Resources.	1 Aggregate → IsTypeOf → Derive <i>ActionFamily</i> 1 Aggregate → BegetsContextType → AggregatingEvent 2 Aggregate → BegetsAgentType → Aggregator 3 Aggregate → BegetsResourceType → Aggregation 4 Aggregate → BegetsResourceType → Component 5 Aggregate → BegetsResourceType → AggregatingTool 6 Aggregate → BegetsTimeType → TimeOfAggregating 7 Aggregate → BegetsPlaceType → PlaceOfAggregating 8 Aggregate → BegetsPlaceType → PlaceOfAggregatingFrom 9 Aggregate → BegetsPlaceType → PlaceOfAggregatingTo 10 Aggregate → BegetsRelatingTerm → HasComponent 11 Aggregate → BegetsRelatingTerm → IsComponentOf 12 Aggregate → BegetsStatusType → Aggregating 13 Aggregate → BegetsStatusType → Aggregated 14 Aggregate → BegetsStatusType → BeingAggregated 15 Aggregate → BegetsStatusType → Aggregatable 16 Aggregate → BegetsStatusType → AggregatedFrom 17 Aggregate → BegetsStatusType → BeingAggregatedFrom 18 Aggregate → BegetsStatusType → AggregatableFrom
47	Aggregated	Standard Derived	The historic status of Aggregation	1 Aggregated → IsStatusTypeBegottenBy → Aggregate 2 Aggregated → IsHistoricStatusOf → Aggregation 3 Aggregated → IsTypeOf → Derived
48	AggregatedFrom	Standard Derived	The historic status of Component	1 AggregatedFrom → IsStatusTypeBegottenBy → Aggregate 2 AggregatedFrom → IsHistoricStatusOf → Component 3 AggregatedFrom → IsTypeOf → DerivedFrom
49	Aggregating	Standard Derived	The current status of Aggregator	1 Aggregating → IsStatusTypeBegottenBy → Aggregate 2 Aggregating → IsCurrentStatusOf → Aggregator 3 Aggregating → IsTypeOf → Deriving
50	AggregatingEvent	Standard	An Event in which Resources are	1 AggregatingEvent → IsContextTypeBegottenBy → Aggregate 2 AggregatingEvent → IsTypeOf → DerivingEvent

		Derived	Aggregated.	<i>ContextDescription</i> 1 AggregatingEvent[#1] → HasActType → Aggregate[#2][occ:1] 2 AggregatingEvent[#1] → HasAgentType → Aggregator[#3.n][occ:1-n] 3 AggregatingEvent[#1] → HasResourceType → Aggregation[#4.n][occ:1-n] 4 Aggregation → HasPlace → PlaceOfAggregatingTo 5 AggregatingEvent[#1] → HasResourceType → Component[#5.n][occ:2-n] 6 Component → HasPlace → PlaceOfAggregatingFrom 7 AggregatingEvent[#1] → HasResourceType → AggregatingTool[#6.n][occ:0-n] 8 AggregatingEvent[#1] → HasTimeType → TimeOfAggregating[#7.n][occ:1-n] 9 AggregatingEvent[#1] → HasPlaceType → PlaceOfAggregating[#8.n][occ:1-n] 10 AggregatingEvent[#1] → HasPlaceType → PlaceOfAggregatingFrom[#9.n][occ:1-n] 11 AggregatingEvent[#1] → HasPlaceType → PlaceOfAggregatingTo[#10.n][occ:1-n] 12 PlaceOfAggregatingTo[#10.n] → IsEqualTo → PlaceOfAggregatingFrom[#9.n][occ:1-n][true:Sometimes]
51	AggregatingTool	Standard Derived	A Tool Used for Aggregating.	1 AggregatingTool → IsResourceTypeBegottenBy → Aggregate 2 AggregatingTool → IsTypeOf → DerivingTool
52	Aggregation	Standard Derived	A Resource that is Aggregated out of other Resources.	1 Aggregation → IsResourceTypeBegottenBy → Aggregate 2 Aggregation → IsTypeOf → Derivation
53	Aggregator	Standard Derived	An Agent that Aggregates.	1 Aggregator → IsAgentTypeBegottenBy → Aggregate 2 Aggregator → IsTypeOf → Deriver
54	Allow Let	Standard Partially Derived	To let something happen. Scope of Allow Allow implies that the Agent has some power or authority to stop the AllowedEvent happening. However, Allow covers both the active and passive forms, so it includes Allowing by inaction ("He let him take the money") as	1 Allow → IsTypeOf → InteractWith 2 Allow → IsOpposedTo → Prevent <i>ActionFamily</i> 1 Allow → BegetsContextType → AllowingEvent 2 Allow → BegetsAgentType → Allower 3 Allow → BegetsResourceType → AllowedEvent 4 Allow → BegetsTimeType → TimeOfAllowing 5 Allow → BegetsPlaceType → PlaceOfAllowing

			well as by action ("he permitted him to take the money"). The more specialized "Let" and "Permit" deal with these specific types. The extent of inaction and the definition of responsibility is, by definition, practically infinite, so the notion of allowing can be extended very broadly ("he let millions die of hunger in Africa"); so this ActType is likely to be more useful as an archetype than for use in specific expressions.	6 Allow → BegetsStatusType → Allowing 7 Allow → BegetsStatusType → Allowed 8 Allow → BegetsStatusType → BeingAllowed 9 Allow → BegetsStatusType → Allowable
55	Allowable	Standard Derived	The potential status of AllowedEvent	1 Allowable → IsStatusTypeBegottenBy → Allow 2 Allowable → IsPotentialStatusOf → AllowedEvent 3 Allowable → IsTypeOf → InteractableWith
56	Allowed	Standard Derived	The historic status of AllowedEvent	1 Allowed → IsStatusTypeBegottenBy → Allow 2 Allowed → IsHistoricStatusOf → AllowedEvent 3 Allowed → IsTypeOf → InteractedWith
57	AllowedEvent	Standard Partially Derived	An Event that is Allowed.	1 AllowedEvent → IsResourceTypeBegottenBy → Allow 2 AllowedEvent → IsTypeOf → Input 3 AllowedEvent → IsA → Event
58	AllowedValue	Standard Partially Derived	A Value which may be Ascribed to a Term.	1 AllowedValue → IsTypeOf → Value
59	Allower	Standard Derived	An Agent that Allows.	1 Allower → IsAgentTypeBegottenBy → Allow 2 Allower → IsTypeOf → Interactor
60	Allowing	Standard	The current status of Allowor	1 Allowing → IsStatusTypeBegottenBy → Allow 2 Allowing → IsCurrentStatusOf → Allowor

		Derived		3 Allowing → IsTypeOf → InteractingWith
61	AllowingEvent	Standard Derived	An Event in which something is Allowed to happen.	1 AllowingEvent → IsContextTypeBegottenBy → Allow 2 AllowingEvent → IsTypeOf → Interaction <i>ContextDescription</i> 1 AllowingEvent[#1] → HasActType → Allow[#2][occ:1] 2 AllowingEvent[#1] → HasAgentType → Allow[#3.n][occ:1-n] 3 AllowingEvent[#1] → HasResourceType → AllowedEvent[#4.n][occ:1-n] 4 AllowingEvent[#1] → HasTimeType → TimeOfAllowing[#5.n][occ:1-n] 5 AllowingEvent[#1] → HasPlaceType → PlaceOfAllowing[#6.n][occ:1-n]
62	AlternativeName	Standard Partially Derived	A Name other than the PrimaryName by which an Entity in known.	1 AlternativeName → IsOpposedTo → PrimaryName 2 AlternativeName → IsTypeOf → Name
63	Always	Standard Partially Derived	Of a Situation that is always True.	1 Always → IsAllowedValueOf → Reliability
64	Approximate	Standard Partially Derived	Of an Entity (such as a Quantity) whose Value is not necessarily Exact.	1 Approximate → IsAllowedValueOf → Precision
65	ArbitraryValue	Standard Partially Derived	A Value assigned to a Term in a Relationship to support referential integrity within a group of Relationships.	1 ArbitraryValue → IsTypeOf → Value
66	Archetype SpecializedResource	Standard Derived	A Resource of which another Resource is a Type.	1 Archetype → IsResourceTypeBegottenBy → Specialize 2 Archetype → IsTypeOf → AscribedResource
67	Ascribable	Standard Derived	The potential status of Ascription	1 Ascribable → IsStatusTypeBegottenBy → Ascribe 2 Ascribable → IsPotentialStatusOf → Ascription

				3 Ascribable → IsTypeOf → Relatable
68	AscribableTo	Standard Derived	The potential status of AscribedResource	1 AscribableTo → IsStatusTypeBegottenBy → Ascribe 2 AscribableTo → IsPotentialStatusOf → AscribedResource 3 AscribableTo → IsTypeOf → Relatable
69	Ascribe	Standard Derived	To Relate one Entity to another as metadata.	1 Ascribe → IsTypeOf → Relate <i>ActionFamily</i> 1 Ascribe → BegetsContextType → AscribingEvent 2 Ascribe → BegetsAgentType → Ascriber 3 Ascribe → BegetsResourceType → Ascription 4 Ascribe → BegetsResourceType → AscribedResource 5 Ascribe → BegetsResourceType → AscribingTool 6 Ascribe → BegetsTimeType → TimeOfAscribing 7 Ascribe → BegetsPlaceType → PlaceOfAscribing 8 Ascribe → BegetsStateType → AscribedSituation 9 Ascribe → BegetsRelatingTerm → HasCo-Ascriber 10 Ascribe → BegetsRelatingTerm → IsAscriberWith 11 Ascribe → BegetsRelatingTerm → IsAscriptionBy 12 Ascribe → BegetsRelatingTerm → IsAscriberOf 13 Ascribe → BegetsRelatingTerm → IsAscribedBy 14 Ascribe → BegetsRelatingTerm → IsAscriberWithTool 15 Ascribe → BegetsRelatingTerm → IsToolForAscribingBy 16 Ascribe → BegetsRelatingTerm → IsAscriberAtTime 17 Ascribe → BegetsRelatingTerm → IsTimeOfAscribingBy 18 Ascribe → BegetsRelatingTerm → IsAscriberInPlace 19 Ascribe → BegetsRelatingTerm → IsPlaceOfAscribingBy 20 Ascribe → BegetsRelatingTerm → HasCo-Ascription 21 Ascribe → BegetsRelatingTerm → IsAscriptionTo 22 Ascribe → BegetsRelatingTerm → HasAscription 23 Ascribe → BegetsRelatingTerm → IsAscriptionMadeWithTool 24 Ascribe → BegetsRelatingTerm → IsToolForAscribingWith 25 Ascribe → BegetsRelatingTerm → IsAscriptionAtTime 26 Ascribe → BegetsRelatingTerm → IsTimeOfAscribingWith 27 Ascribe → BegetsRelatingTerm → IsAscriptionInPlace 28 Ascribe → BegetsRelatingTerm → IsPlaceOfAscribingWith

				29 Ascribe → BegetsRelatingTerm → HasCo-AscribedResource 30 Ascribe → BegetsRelatingTerm → IsResourceAscribedWithTool 31 Ascribe → BegetsRelatingTerm → IsToolForAscribingOf 32 Ascribe → BegetsRelatingTerm → IsResourceAscribedAtTime 33 Ascribe → BegetsRelatingTerm → IsTimeOfAscribingOf 34 Ascribe → BegetsRelatingTerm → IsResourceAscribedInPlace 35 Ascribe → BegetsRelatingTerm → IsPlaceOfAscribingOf 36 Ascribe → BegetsRelatingTerm → HasCo-AscribingTool 37 Ascribe → BegetsRelatingTerm → IsAscribingToolAtTime 38 Ascribe → BegetsRelatingTerm → IsTimeOfAscribingWithTool 39 Ascribe → BegetsRelatingTerm → IsAscribingToolInPlace 40 Ascribe → BegetsRelatingTerm → IsPlaceOfAscribingWithTool 41 Ascribe → BegetsRelatingTerm → HasCo-TimeOfAscribing 42 Ascribe → BegetsRelatingTerm → IsTimeOfAscribingInPlace 43 Ascribe → BegetsRelatingTerm → IsPlaceOfAscribingAtTime 44 Ascribe → BegetsRelatingTerm → HasCo-PlaceOfAscribing 45 Ascribe → BegetsStatusType → Ascribing 46 Ascribe → BegetsStatusType → Ascribed 47 Ascribe → BegetsStatusType → BeingAscribed 48 Ascribe → BegetsStatusType → Ascribable 49 Ascribe → BegetsStatusType → AscribedTo 50 Ascribe → BegetsStatusType → BeingAscribedTo 51 Ascribe → BegetsStatusType → AscribableTo
70	Ascribed	Standard Derived	The historic status of Ascription	1 Ascribed → IsStatusTypeBegottenBy → Ascribe 2 Ascribed → IsHistoricStatusOf → Ascription 3 Ascribed → IsTypeOf → Related
71	AscribedResource	Standard Partially Derived	A Resource to which metadata is Ascribed.	1 AscribedResource → IsResourceTypeBegottenBy → Ascribe 2 AscribedResource → IsTypeOf → Relative
72	AscribedSituation	Standard Derived	A Situation in which an Entity has an Ascription.	1 AscribedSituation → IsStateTypeBegottenBy → Ascribe 2 AscribedSituation → IsTypeOf → Relation <i>ContextDescription</i> 1 AscribedSituation[#1] → HasActType → HaveAscription[#2][occ:1]

				2 AscribedSituation[#1] → HasEntityType → AscribedResource[#3.n][occ:1-n] 3 AscribedSituation[#1] → HasAttributeType → Ascription[#4.n][occ:1-n] 4 AscribedSituation[#1] → HasTimeType → TimeOfAscribedSituation[#5.n][occ:1-n] 5 AscribedSituation[#1] → HasPlaceType → PlaceOfAscribedSituation[#6.n][occ:1-n] <i>ContextFamily</i> 1 AscribedSituation → BegetsActType → HaveAscription 2 AscribedSituation → BegetsTimeType → TimeOfAscribedSituation 3 AscribedSituation → BegetsPlaceType → PlaceOfAscribedSituation
73	AscribedTo	Standard Derived	The historic status of AscribedResource	1 AscribedTo → IsStatusTypeBegottenBy → Ascribe 2 AscribedTo → IsHistoricStatusOf → AscribedResource 3 AscribedTo → IsTypeOf → Related
74	Ascriber	Standard Derived	An Agent that Ascribes metadata.	1 Ascriber → IsAgentTypeBegottenBy → Ascribe 2 Ascriber → IsTypeOf → Relator
75	Ascribing	Standard Derived	The current status of Ascriber	1 Ascribing → IsStatusTypeBegottenBy → Ascribe 2 Ascribing → IsCurrentStatusOf → Ascriber 3 Ascribing → IsTypeOf → Relating
76	AscribingEvent	Standard Derived	An Event in which an entity is Related with metadata.	1 AscribingEvent → IsContextTypeBegottenBy → Ascribe 2 AscribingEvent → IsTypeOf → RelatingEvent <i>ContextDescription</i> 1 AscribingEvent[#1] → HasActType → Ascribe[#2][occ:1] 2 AscribingEvent[#1] → HasAgentType → Ascriber[#3.n][occ:1-n] 3 AscribingEvent[#1] → HasResourceType → Ascription[#4.n][occ:1-n] 4 AscribingEvent[#1] → HasResourceType → AscribedResource[#5.n][occ:1-n] 5 AscribingEvent[#1] → HasResourceType → AscribingTool[#6.n][occ:0-n] 6 AscribingEvent[#1] → HasTimeType → TimeOfAscribing[#7.n][occ:1-n] 7 AscribingEvent[#1] → HasPlaceType → PlaceOfAscribing[#8.n][occ:1-n]
77	AscribingTool	Standard	A Tool Used for Ascribing	1 AscribingTool → IsResourceTypeBegottenBy → Ascribe

		Derived	metadata.	2 AscribingTool → IsTypeOf → RelatingTool
78	Ascription	Standard Partially Derived	An Entity Ascribed to a Resource as metadata.	1 Ascription → IsResourceTypeBegottenBy → Ascribe 2 Ascription → IsTypeOf → Relative
79	AscriptiveRelationship	Standard Partially Derived	A Relationship containing a RelatingTerm drawn from the ActionFamily of Ascribe or one of its Types.	1 AscriptiveRelationship → IsTypeOf → Relationship
80	Assert	Standard Derived	To Declare that something is True. Asserting falsehoods An Assertion can be made about a falsehood: "X Asserts that Y is False" means that "X says that it is true that Y is not true". This is synonymous with "X Denies Y" ("X says that it is not true that Y is true") which is normally a more concise expression. However, in the context of a group of Assertions, or an Agreement about a group of Assertions, it may be more concise to be able to include true and false statements within a single Event ("X Asserts that Y is true and that X is false").	1 Assert → IsTypeOf → Declare 2 Assert → IsOpposedTo → Deny <i>ActionFamily</i> 1 Assert → BegetsContextType → Assertion 2 Assert → BegetsAgentType → Asserter 3 Assert → BegetsResourceType → AssertedResource 4 Assert → BegetsResourceType → AssertingTool 5 Assert → BegetsTimeType → TimeOfAsserting 6 Assert → BegetsPlaceType → PlaceOfAsserting 7 Assert → BegetsStatusType → Asserting 8 Assert → BegetsStatusType → Asserted 9 Assert → BegetsStatusType → BeingAsserted 10 Assert → BegetsStatusType → Assertable
81	Assertable	Standard Derived	The potential status of AssertedResource	1 Assertable → IsStatusTypeBegottenBy → Assert 2 Assertable → IsPotentialStatusOf → AssertedResource 3 Assertable → IsTypeOf → Declarable

82	Asserted	Standard Derived	The historic status of AssertedResource	1 Asserted → IsStatusTypeBegottenBy → Assert 2 Asserted → IsHistoricStatusOf → AssertedResource 3 Asserted → IsTypeOf → Declared
83	AssertedResource	Standard Partially Derived	Something that is Declared to be True. Scope of AssertedResource Truth claims can only be made about statements containing verbs, so AssertedResources must be Contexts or Relationships. An AssertedResource is mandatory in an AssertingEvent because truth claims must be about something.	1 AssertedResource → IsResourceTypeBegottenBy → Assert 2 AssertedResource → IsTypeOf → DeclaredResource 3 AssertedResource → IsAClassFrom → TermSet_1[occ:1]
84	Asserter	Standard Derived	An Agent that Asserts	1 Asserter → IsAgentTypeBegottenBy → Assert 2 Asserter → IsTypeOf → Declarer
85	Asserting	Standard Derived	The current status of Asserter	1 Asserting → IsStatusTypeBegottenBy → Assert 2 Asserting → IsCurrentStatusOf → Asserter 3 Asserting → IsTypeOf → Declaring
86	AssertingTool	Standard Derived	A Tool Used for Asserting.	1 AssertingTool → IsResourceTypeBegottenBy → Assert 2 AssertingTool → IsTypeOf → DeclaringTool
87	Assertion	Standard Derived	An Event in which something is Asserted.	1 Assertion → IsContextTypeBegottenBy → Assert 2 Assertion → IsTypeOf → Declaration 3 Assertion → Is → True <i>ContextDescription</i> 1 Assertion[#1] → HasActType → Assert[#2][occ:1] 2 Assertion[#1] → HasAgentType → Asserter[#3.n][occ:1-n] 3 Assertion[#1] → HasResourceType → AssertedResource[#4.n][occ:1-n] 4 Assertion[#1] → HasResourceType → AssertingTool[#5.n][occ:0-n] 5 Assertion[#1] → HasTimeType → TimeOfAsserting[#6.n][occ:1-n]

				6 Assertion[#1] → HasPlaceType → PlaceOfAsserting[#7.n][occ:1-n]
88	Attributable	Standard Derived	The potential status of Attribute	1 Attributable → IsStatusTypeBegottenBy → Situation 2 Attributable → IsPotentialStatusOf → Attribute 3 Attributable → IsTypeOf → Actionable
89	Attribute PossessedResource	Standard Partially Derived	A property that an Entity possesses.	1 Attribute → IsResourceTypeBegottenBy → Situation 2 Attribute → IsTypeOf → Resource
90	Attributed	Standard Derived	The historic status of Attribute	1 Attributed → IsStatusTypeBegottenBy → Situation 2 Attributed → IsHistoricStatusOf → Attribute 3 Attributed → IsTypeOf → ActedOn
91	AttributeType	Standard	A Type of Attribute.	1 AttributeType → IsResourceTypeBegottenBy → BegettingEvent_11 2 AttributeType → IsTypeOf → BegottenTerm
92	AuditAttributes	Standard Partially Derived	A set of Attributes of a Term or TermAttribute corresponding to an Event in its history in the Dictionary.	1 AuditAttributes → IsTypeOf → TermSet
93	Authority	Standard Partially Derived	An Agent responsible for Ascribing an Attribute to a Term or TermAttribute.	1 Authority → IsTypeOf → Agent
94	Authorized	Standard Partially Derived	The HistoricStatus of an AuthorizedResource.	1 Authorized → IsTypeOf → Status
95	BasicTermSet	Standard Partially Derived		1 BasicTermSet → IsTypeOf → TermSet 2 BasicTermSet → HasMember → Context 3 BasicTermSet → HasMember → Agent 4 BasicTermSet → HasMember → Resource

				5 BasicTermSet → HasMember → Time 6 BasicTermSet → HasMember → Place
96	Beget	Standard Partially Derived	To bring a Term into existence through the application of the ContextModel.	1 Beget → IsTypeOf → Originate <i>ActionFamily</i> 1 Beget → BegetsContextType → BegettingEvent 2 Beget → BegetsAgentType → Begetter 3 Beget → BegetsResourceType → BegottenTerm 4 Beget → BegetsResourceType → ContextModel 5 Beget → BegetsTimeType → TimeOfBegetting 6 Beget → BegetsPlaceType → PlaceOfBegetting 7 Beget → BegetsRelatingTerm → IsBegetterOf 8 Beget → BegetsRelatingTerm → IsBegottenBy 9 Beget → BegetsStatusType → Begetting 10 Beget → BegetsStatusType → Begotten 11 Beget → BegetsStatusType → BeingBegotten 12 Beget → BegetsStatusType → Begettable
97	Beget_1 BegetAgentType	Standard Partially Derived	To bring an AgentType into existence through the application of the ContextModel. Scope of Beget_1 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting AgentTypes from the ContextModel.	1 Beget_1 → IsActTypeBegottenBy → BegettingEvent_1 2 Beget_1 → IsTypeOf → Beget
98	Beget_10 BegetEntityType	Standard Partially Derived	To bring an EntityType into existence through the application of the ContextModel. Scope of Beget_10 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting EntityTypes from the	1 Beget_10 → IsActTypeBegottenBy → BegettingEvent_10 2 Beget_10 → IsTypeOf → Beget

			ContextModel.	
99	Beget_11 BegetAttributeType	Standard Partially Derived	To bring an AttributeType into existence through the application of the ContextModel. Scope of Beget_11 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting AttributeTypes from the ContextModel.	1 Beget_11 → IsActTypeBegottenBy → BegettingEvent_11 2 Beget_11 → IsTypeOf → Beget
100	Beget_2 BegetResourceType	Standard Partially Derived	To bring a ResourceType into existence through the application of the ContextModel. Scope of Beget_2 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting ResourceTypes from the ContextModel.	1 Beget_2 → IsActTypeBegottenBy → BegettingEvent_2 2 Beget_2 → IsTypeOf → Beget
101	Beget_3 BegetTimeType	Standard Partially Derived	To bring a TimeType into existence through the application of the ContextModel. Scope of Beget_3 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting TimeTypes from the ContextModel.	1 Beget_3 → IsActTypeBegottenBy → BegettingEvent_3 2 Beget_3 → IsTypeOf → Beget
102	Beget_4 BegetPlaceType	Standard Partially Derived	To bring a PlaceType into existence through the application of the ContextModel.	1 Beget_4 → IsActTypeBegottenBy → BegettingEvent_4 2 Beget_4 → IsTypeOf → Beget

			Scope of Beget_4 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting PlaceTypes from the ContextModel.	
103	Beget_5 BegetRelatingTerm	Standard Partially Derived	To bring an RelatingTerm into existence through the application of the ContextModel. Scope of Beget_5 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting RelatingTerms from the ContextModel.	1 Beget_5 → IsActTypeBegottenBy → BegettingEvent_5 2 Beget_5 → IsTypeOf → Beget
104	Beget_6 BegetStatusType	Standard Partially Derived	To bring a StatusType into existence through the application of the ContextModel. Scope of Beget_6 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting StatusTypes from the ContextModel.	1 Beget_6 → IsActTypeBegottenBy → BegettingEvent_6 2 Beget_6 → IsTypeOf → Beget
105	Beget_7 BegetStateType	Standard Partially Derived	To bring a StateType into existence through the application of the ContextModel. Scope of Beget_7 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting StateTypes from the ContextModel.	1 Beget_7 → IsActTypeBegottenBy → BegettingEvent_7 2 Beget_7 → IsTypeOf → Beget

106	Beget_8 BegetContextType	Standard Partially Derived	To bring a ContextType into existence through the application of the ContextModel. Scope of Beget_8 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting ContextTypes from the ContextModel.	1 Beget_8 → IsActTypeBegottenBy → BegettingEvent_8 2 Beget_8 → IsTypeOf → Beget
107	Beget_9 BegetActType	Standard Partially Derived	To bring an ActType into existence through the application of the ContextModel. Scope of Beget_9 This is a structural requirement for the RDD to provide the RelatingTerms for Begetting ActTypes from the ContextModel.	1 Beget_9 → IsActTypeBegottenBy → BegettingEvent_9 2 Beget_9 → IsTypeOf → Beget
108	BegetsActType	Standard	The relating term between Begetter_9 and ActType	1 BegetsActType → IsReciprocalOf → IsActTypeBegottenBy 2 BegetsActType → IsRelatingTermBegottenBy → BegettingEvent_9 3 BegetsActType → IsRelatingTermFrom → Begetter_9 4 BegetsActType → IsRelatingTermTo → ActType 5 BegetsActType → IsTypeOf → IsBegetterOf
109	BegetsAgentType	Standard	The relating term between Begetter_1 and AgentType	1 BegetsAgentType → IsReciprocalOf → IsAgentTypeBegottenBy 2 BegetsAgentType → IsRelatingTermBegottenBy → BegettingEvent_1 3 BegetsAgentType → IsRelatingTermFrom → Begetter_1 4 BegetsAgentType → IsRelatingTermTo → AgentType 5 BegetsAgentType → IsTypeOf → IsBegetterOf
110	BegetsAttributeType	Standard	The relating term between Begetter_11 and AttributeType	1 BegetsAttributeType → IsRelatingTermBegottenBy → BegettingEvent_11 2 BegetsAttributeType → IsRelatingTermFrom → Begetter_11 3 BegetsAttributeType → IsRelatingTermTo → AttributeType 4 BegetsAttributeType → IsReciprocalOf → IsAttributeTypeBegottenBy

				5 BegetsAttributeType → IsTypeOf → IsBegetterOf
111	BegetsContextType	Standard	The relating term between Begetter_8 and ContextType	1 BegetsContextType → IsReciprocalOf → IsContextTypeBegottenBy 2 BegetsContextType → IsRelatingTermBegottenBy → BegettingEvent_8 3 BegetsContextType → IsRelatingTermFrom → Begetter_8 4 BegetsContextType → IsRelatingTermTo → ContextType 5 BegetsContextType → IsTypeOf → IsBegetterOf
112	BegetsEntityType	Standard	The relating term between Begetter_10 and EntityType	1 BegetsEntityType → IsRelatingTermBegottenBy → BegettingEvent_10 2 BegetsEntityType → IsRelatingTermFrom → Begetter_10 3 BegetsEntityType → IsRelatingTermTo → EntityType 4 BegetsEntityType → IsReciprocalOf → IsEntityTypeBegottenBy 5 BegetsEntityType → IsTypeOf → IsBegetterOf
113	BegetsPlaceType	Standard	The relating term between Begetter_4 and PlaceType	1 BegetsPlaceType → IsReciprocalOf → IsPlaceTypeBegottenBy 2 BegetsPlaceType → IsRelatingTermBegottenBy → BegettingEvent_4 3 BegetsPlaceType → IsRelatingTermFrom → Begetter_4 4 BegetsPlaceType → IsRelatingTermTo → PlaceType 5 BegetsPlaceType → IsTypeOf → IsBegetterOf
114	BegetsRelatingTerm	Standard	The relating term between Begetter_5 and RelatingTerm	1 BegetsRelatingTerm → IsReciprocalOf → IsRelatingTermBegottenBy 2 BegetsRelatingTerm → IsRelatingTermBegottenBy → BegettingEvent_5 3 BegetsRelatingTerm → IsRelatingTermFrom → Begetter_5 4 BegetsRelatingTerm → IsRelatingTermTo → RelatingTerm 5 BegetsRelatingTerm → IsTypeOf → IsBegetterOf
115	BegetsResourceType	Standard	The relating term between Begetter_2 and ResourceType	1 BegetsResourceType → IsReciprocalOf → IsResourceTypeBegottenBy 2 BegetsResourceType → IsRelatingTermBegottenBy → BegettingEvent_2 3 BegetsResourceType → IsRelatingTermFrom → Begetter_2 4 BegetsResourceType → IsRelatingTermTo → ResourceType 5 BegetsResourceType → IsTypeOf → IsBegetterOf
116	BegetsStateType	Standard	The relating term between Begetter_7 and StateType	1 BegetsStateType → IsReciprocalOf → IsStateTypeBegottenBy 2 BegetsStateType → IsRelatingTermBegottenBy → BegettingEvent_7 3 BegetsStateType → IsRelatingTermFrom → Begetter_7

				4 BegetsStateType → IsRelatingTermTo → StateType 5 BegetsStateType → IsTypeOf → IsBegetterOf
117	BegetsStatusType	Standard	The relating term between Begetter_6 and StatusType	1 BegetsStatusType → IsReciprocalOf → IsStatusTypeBegottenBy 2 BegetsStatusType → IsRelatingTermBegottenBy → BegettingEvent_6 3 BegetsStatusType → IsRelatingTermFrom → Begetter_6 4 BegetsStatusType → IsRelatingTermTo → StatusType 5 BegetsStatusType → IsTypeOf → IsBegetterOf
118	BegetsTimeType	Standard	The relating term between Begetter_3 and TimeType	1 BegetsTimeType → IsReciprocalOf → IsTimeTypeBegottenBy 2 BegetsTimeType → IsRelatingTermBegottenBy → BegettingEvent_3 3 BegetsTimeType → IsRelatingTermFrom → Begetter_3 4 BegetsTimeType → IsRelatingTermTo → TimeType 5 BegetsTimeType → IsTypeOf → IsBegetterOf
119	Begettable	Standard Derived	The potential status of BegottenTerm	1 Begettable → IsStatusTypeBegottenBy → Beget 2 Begettable → IsPotentialStatusOf → BegottenTerm 3 Begettable → IsTypeOf → Originatable
120	Begetter	Standard Partially Derived	A Term which Begets other Terms.	1 Begetter → IsAgentTypeBegottenBy → Beget 2 Begetter → IsTypeOf → Originator 3 Begetter → IsAClassFrom → TermSet_3[occ:1]
121	Begetter_1	Standard Derived	A Begetter of an AgentType.	1 Begetter_1 → IsAgentTypeBegottenBy → BegettingEvent_1 2 Begetter_1 → IsTypeOf → Begetter
122	Begetter_10	Standard Derived	A Begetter of an EntityType.	1 Begetter_10 → IsAgentTypeBegottenBy → BegettingEvent_10 2 Begetter_10 → IsTypeOf → Begetter
123	Begetter_11	Standard Derived	A Begetter of an AttributeType.	1 Begetter_11 → IsAgentTypeBegottenBy → BegettingEvent_11 2 Begetter_11 → IsTypeOf → Begetter
124	Begetter_2	Standard	A Begetter of a ResourceType.	1 Begetter_2 → IsAgentTypeBegottenBy → BegettingEvent_2

		Derived		2 Begetter_2 → IsTypeOf → Begetter
125	Begetter_3	Standard Derived	A Begetter of a TimeType.	1 Begetter_3 → IsAgentTypeBegottenBy → BegettingEvent_3 2 Begetter_3 → IsTypeOf → Begetter
126	Begetter_4	Standard Derived	A Begetter of a PlaceType.	1 Begetter_4 → IsAgentTypeBegottenBy → BegettingEvent_4 2 Begetter_4 → IsTypeOf → Begetter
127	Begetter_5	Standard Derived	A Begetter of a RelatingTerm.	1 Begetter_5 → IsAgentTypeBegottenBy → BegettingEvent_5 2 Begetter_5 → IsTypeOf → Begetter
128	Begetter_6	Standard Derived	A Begetter of a StatusType.	1 Begetter_6 → IsAgentTypeBegottenBy → BegettingEvent_6 2 Begetter_6 → IsTypeOf → Begetter
129	Begetter_7	Standard Derived	A Begetter of a StateType.	1 Begetter_7 → IsAgentTypeBegottenBy → BegettingEvent_7 2 Begetter_7 → IsTypeOf → Begetter
130	Begetter_8	Standard Derived	A Begetter of a ContextType.	1 Begetter_8 → IsAgentTypeBegottenBy → BegettingEvent_8 2 Begetter_8 → IsTypeOf → Begetter
131	Begetter_9	Standard Derived	A Begetter of an ActType.	1 Begetter_9 → IsAgentTypeBegottenBy → BegettingEvent_9 2 Begetter_9 → IsTypeOf → Begetter
132	Begetting	Standard Derived	The current status of Begetter	1 Begetting → IsStatusTypeBegottenBy → Beget 2 Begetting → IsCurrentStatusOf → Begetter 3 Begetting → IsTypeOf → Originating
133	BegettingEvent	Standard Derived	An Event in which something is Begotten.	1 BegettingEvent → IsContextTypeBegottenBy → Beget 2 BegettingEvent → IsTypeOf → OriginatingEvent <i>ContextDescription</i> 1 BegettingEvent[#1] → HasActType → Beget[#2][occ:1] 2 BegettingEvent[#1] → HasAgentType → Begetter[#3][occ:1] 3 BegettingEvent[#1] → HasResourceType → BegottenTerm[#4.n][occ:1-n]

				4 BegettingEvent[#1] → HasResourceType → ContextModel[#5][occ:1] 5 BegettingEvent[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 6 BegettingEvent[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1]
134	BegettingEvent_1 BegettingAgentTypeEvent	Standard Derived	An Event in which an AgentType is Begotten.	1 BegettingEvent_1 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_1[#1] → HasActType → Beget_1[#2][occ:1] 2 BegettingEvent_1[#1] → HasAgentType → Begetter_1[#3][occ:1] 3 BegettingEvent_1[#1] → HasResourceType → AgentType[#4.n][occ:1-n] 4 BegettingEvent_1[#1] → HasResourceType → ContextModel[#5][occ:1] 5 BegettingEvent_1[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 6 BegettingEvent_1[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_1 → BegetsActType → Beget_1 2 BegettingEvent_1 → BegetsAgentType → Begetter_1 3 BegettingEvent_1 → BegetsResourceType → AgentType 4 BegettingEvent_1 → BegetsRelatingTerm → BegetsAgentType 5 BegettingEvent_1 → BegetsRelatingTerm → IsAgentTypeBegottenBy
135	BegettingEvent_10 BegettingEntityTypeEvent	Standard Derived	An Event in which an EntityType is Begotten.	1 BegettingEvent_10 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_10[#1] → HasActType → Beget_10[#2][occ:1] 2 BegettingEvent_10[#1] → HasAgentType → Begetter_10[#3][occ:1] 3 Begetter_10[#3] → IsA → SituationType 4 BegettingEvent_10[#1] → HasResourceType → EntityType[#4.n][occ:1-n] 5 BegettingEvent_10[#1] → HasResourceType → ContextModel[#5][occ:1] 6 BegettingEvent_10[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 7 BegettingEvent_10[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_10 → BegetsActType → Beget_10 2 BegettingEvent_10 → BegetsAgentType → Begetter_10 3 BegettingEvent_10 → BegetsResourceType → EntityType 4 BegettingEvent_10 → BegetsRelatingTerm → BegetsEntityType

				5 BegettingEvent_10 → BegetsRelatingTerm → IsEntityTypeBegottenBy
136	BegettingEvent_11 BegettingAttributeTypeEvent	Standard Derived	An Event in which an AttributeType is Begotten.	1 BegettingEvent_11 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_11[#1] → HasActType → Beget_11[#2][occ:1] 2 BegettingEvent_11[#1] → HasAgentType → Begetter_11[#3][occ:1] 3 Begetter_11[#3] → IsA → SituationType 4 BegettingEvent_11[#1] → HasResourceType → AttributeType[#4.n][occ:1-n] 5 BegettingEvent_11[#1] → HasResourceType → ContextModel[#5][occ:1] 6 BegettingEvent_11[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 7 BegettingEvent_11[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_11 → BegetsActType → Beget_11 2 BegettingEvent_11 → BegetsAgentType → Begetter_11 3 BegettingEvent_11 → BegetsResourceType → AttributeType 4 BegettingEvent_11 → BegetsRelatingTerm → BegetsAttributeType 5 BegettingEvent_11 → BegetsRelatingTerm → IsAttributeTypeBegottenBy
137	BegettingEvent_2 BegettingResourceTypeEvent	Standard Derived	An Event in which a ResourceType is Begotten.	1 BegettingEvent_2 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_2[#1] → HasActType → Beget_2[#2][occ:1] 2 BegettingEvent_2[#1] → HasAgentType → Begetter_2[#3][occ:1] 3 BegettingEvent_2[#1] → HasResourceType → ResourceType[#4.n][occ:1-n] 4 BegettingEvent_2[#1] → HasResourceType → ContextModel[#5][occ:1] 5 BegettingEvent_2[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 6 BegettingEvent_2[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_2 → BegetsActType → Beget_2 2 BegettingEvent_2 → BegetsAgentType → Begetter_2 3 BegettingEvent_2 → BegetsResourceType → ResourceType 4 BegettingEvent_2 → BegetsRelatingTerm → BegetsResourceType 5 BegettingEvent_2 → BegetsRelatingTerm → IsResourceTypeBegottenBy

138	BegettingEvent_3 BegettingTimeTypeEvent	Standard Derived	An Event in which a TimeType is Begotten.	1 BegettingEvent_3 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_3[#1] → HasActType → Beget_3[#2][occ:1] 2 BegettingEvent_3[#1] → HasAgentType → Begetter_3[#3][occ:1] 3 BegettingEvent_3[#1] → HasResourceType → TimeType[#4.n][occ:1-n] 4 BegettingEvent_3[#1] → HasResourceType → ContextModel[#5][occ:1] 5 BegettingEvent_3[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 6 BegettingEvent_3[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_3 → BegetsActType → Beget_3 2 BegettingEvent_3 → BegetsAgentType → Begetter_3 3 BegettingEvent_3 → BegetsResourceType → TimeType 4 BegettingEvent_3 → BegetsRelatingTerm → BegetsTimeType 5 BegettingEvent_3 → BegetsRelatingTerm → IsTimeTypeBegottenBy
139	BegettingEvent_4 BegettingPlaceTypeEvent	Standard Derived	An Event in which a PlaceType is Begotten.	1 BegettingEvent_4 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_4[#1] → HasActType → Beget_4[#2][occ:1] 2 BegettingEvent_4[#1] → HasAgentType → Begetter_4[#3][occ:1] 3 BegettingEvent_4[#1] → HasResourceType → PlaceType[#4.n][occ:1-n] 4 BegettingEvent_4[#1] → HasResourceType → ContextModel[#5][occ:1] 5 BegettingEvent_4[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 6 BegettingEvent_4[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_4 → BegetsActType → Beget_4 2 BegettingEvent_4 → BegetsAgentType → Begetter_4 3 BegettingEvent_4 → BegetsResourceType → PlaceType 4 BegettingEvent_4 → BegetsRelatingTerm → BegetsPlaceType 5 BegettingEvent_4 → BegetsRelatingTerm → IsPlaceTypeBegottenBy
140	BegettingEvent_5 BegettingRelatingTermEvent	Standard Derived	An Event in which a RelatingTerm is Begotten.	1 BegettingEvent_5 → IsTypeOf → BegettingEvent <i>ContextDescription</i>

				1 BegettingEvent_5[#1] → HasActType → Beget_5[#2][occ:1] 2 BegettingEvent_5[#1] → HasAgentType → Begetter_5[#3][occ:1] 3 BegettingEvent_5[#1] → HasResourceType → RelatingTerm[#4.n][occ:1-n] 4 BegettingEvent_5[#1] → HasResourceType → ContextModel[#5][occ:1] 5 BegettingEvent_5[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 6 BegettingEvent_5[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_5 → BegetsActType → Beget_5 2 BegettingEvent_5 → BegetsAgentType → Begetter_5 3 BegettingEvent_5 → BegetsResourceType → RelatingTerm 4 BegettingEvent_5 → BegetsRelatingTerm → BegetsRelatingTerm 5 BegettingEvent_5 → BegetsRelatingTerm → IsRelatingTermBegottenBy
141	BegettingEvent_6 BegettingStatusTypeEvent	Standard Derived	An Event in which a StatusType is Begotten.	1 BegettingEvent_6 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_6[#1] → HasActType → Beget_6[#2][occ:1] 2 BegettingEvent_6[#1] → HasAgentType → Begetter_6[#3][occ:1] 3 BegettingEvent_6[#1] → HasResourceType → StatusType[#4.n][occ:1-n] 4 BegettingEvent_6[#1] → HasResourceType → ContextModel[#5][occ:1] 5 BegettingEvent_6[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 6 BegettingEvent_6[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_6 → BegetsActType → Beget_6 2 BegettingEvent_6 → BegetsAgentType → Begetter_6 3 BegettingEvent_6 → BegetsResourceType → StatusType 4 BegettingEvent_6 → BegetsRelatingTerm → BegetsStatusType 5 BegettingEvent_6 → BegetsRelatingTerm → IsStatusTypeBegottenBy
142	BegettingEvent_7 BegettingStateTypeEvent	Standard Derived	An Event in which a StateType is Begotten.	1 BegettingEvent_7 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_7[#1] → HasActType → Beget_7[#2][occ:1] 2 BegettingEvent_7[#1] → HasAgentType → Begetter_7[#3][occ:1] 3 BegettingEvent_7[#1] → HasResourceType → StateType[#4.n][occ:1-n]

				4 BegettingEvent_7[#1] → HasResourceType → ContextModel[#5][occ:1] 5 BegettingEvent_7[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 6 BegettingEvent_7[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_7 → BegetsActType → Beget_7 2 BegettingEvent_7 → BegetsAgentType → Begetter_7 3 BegettingEvent_7 → BegetsResourceType → StateType 4 BegettingEvent_7 → BegetsRelatingTerm → BegetsStateType 5 BegettingEvent_7 → BegetsRelatingTerm → IsStateTypeBegottenBy
143	BegettingEvent_8 BegettingContextTypeEvent	Standard Derived	An Event in which a ContextType is Begotten.	1 BegettingEvent_8 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_8[#1] → HasActType → Beget_8[#2][occ:1] 2 BegettingEvent_8[#1] → HasAgentType → Begetter_8[#3][occ:1] 3 Begetter_8[#3] → IsA → ActType 4 BegettingEvent_8[#1] → HasResourceType → ContextType[#4.n][occ:1] 5 BegettingEvent_8[#1] → HasResourceType → ContextModel[#5][occ:1] 6 BegettingEvent_8[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 7 BegettingEvent_8[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_8 → BegetsActType → Beget_8 2 BegettingEvent_8 → BegetsAgentType → Begetter_8 3 BegettingEvent_8 → BegetsResourceType → ContextType 4 BegettingEvent_8 → BegetsRelatingTerm → BegetsContextType 5 BegettingEvent_8 → BegetsRelatingTerm → IsContextTypeBegottenBy
144	BegettingEvent_9 BegettingActTypeEvent	Standard Derived	An Event in which an ActType is Begotten.	1 BegettingEvent_9 → IsTypeOf → BegettingEvent <i>ContextDescription</i> 1 BegettingEvent_9[#1] → HasActType → Beget_9[#2][occ:1] 2 BegettingEvent_9[#1] → HasAgentType → Begetter_9[#3][occ:1] 3 Begetter_9[#3] → IsA → ContextType 4 BegettingEvent_9[#1] → HasResourceType → ActType[#4.n][occ:1-n] 5 BegettingEvent_9[#1] → HasResourceType → ContextModel[#5][occ:1]

				6 BegettingEvent_9[#1] → HasTimeType → TimeOfBegetting[#6][occ:1] 7 BegettingEvent_9[#1] → HasPlaceType → PlaceOfBegetting[#7][occ:1] <i>ContextFamily</i> 1 BegettingEvent_9 → BegetsActType → Beget_9 2 BegettingEvent_9 → BegetsAgentType → Begetter_9 3 BegettingEvent_9 → BegetsResourceType → ActType 4 BegettingEvent_9 → BegetsRelatingTerm → BegetsActType 5 BegettingEvent_9 → BegetsRelatingTerm → IsActTypeBegottenBy
145	Begotten	Standard Derived	The historic status of BegottenTerm	1 Begotten → IsStatusTypeBegottenBy → Beget 2 Begotten → IsHistoricStatusOf → BegottenTerm 3 Begotten → IsTypeOf → Original
146	BegottenTerm	Standard Derived	A Term that is Begotten.	1 BegottenTerm → IsResourceTypeBegottenBy → Beget 2 BegottenTerm → IsTypeOf → Origination
147	Being	Standard Partially Derived	Something possessing animate or inanimate life.	1 Being → IsTypeOf → Exister
148	BeingAbstracted	Standard Derived	The current status of Abstraction	1 BeingAbstracted → IsStatusTypeBegottenBy → Abstract 2 BeingAbstracted → IsCurrentStatusOf → Abstraction 3 BeingAbstracted → IsTypeOf → BeingConceived 4 BeingAbstracted → IsTypeOf → BeingExtracted
149	BeingActedOn	Standard Derived	The current status of Resource	1 BeingActedOn → IsStatusTypeBegottenBy → Act 2 BeingActedOn → IsCurrentStatusOf → Resource
150	BeingAdapted	Standard Derived	The current status of Adaptation	1 BeingAdapted → IsStatusTypeBegottenBy → Adapt 2 BeingAdapted → IsCurrentStatusOf → Adaptation 3 BeingAdapted → IsTypeOf → BeingDerived
151	BeingAdaptedFrom	Standard	The current status of	1 BeingAdaptedFrom → IsStatusTypeBegottenBy → Adapt 2 BeingAdaptedFrom → IsCurrentStatusOf → SourceOfAdaptation

		Derived	SourceOfAdaptation	3 BeingAdaptedFrom → IsTypeOf → BeingDerivedFrom
152	BeingAggregated	Standard Derived	The current status of Aggregation	1 BeingAggregated → IsStatusTypeBegottenBy → Aggregate 2 BeingAggregated → IsCurrentStatusOf → Aggregation 3 BeingAggregated → IsTypeOf → BeingDerived
153	BeingAggregatedFrom	Standard Derived	The current status of Component	1 BeingAggregatedFrom → IsStatusTypeBegottenBy → Aggregate 2 BeingAggregatedFrom → IsCurrentStatusOf → Component 3 BeingAggregatedFrom → IsTypeOf → BeingDerivedFrom
154	BeingAllowed	Standard Derived	The current status of AllowedEvent	1 BeingAllowed → IsStatusTypeBegottenBy → Allow 2 BeingAllowed → IsCurrentStatusOf → AllowedEvent 3 BeingAllowed → IsTypeOf → BeingInteractedWith
155	BeingAscribed	Standard Derived	The current status of Ascription	1 BeingAscribed → IsStatusTypeBegottenBy → Ascribe 2 BeingAscribed → IsCurrentStatusOf → Ascription 3 BeingAscribed → IsTypeOf → BeingRelated
156	BeingAscribedTo	Standard Derived	The current status of AscribedResource	1 BeingAscribedTo → IsStatusTypeBegottenBy → Ascribe 2 BeingAscribedTo → IsCurrentStatusOf → AscribedResource 3 BeingAscribedTo → IsTypeOf → BeingRelated
157	BeingAsserted	Standard Derived	The current status of AssertedResource	1 BeingAsserted → IsStatusTypeBegottenBy → Assert 2 BeingAsserted → IsCurrentStatusOf → AssertedResource 3 BeingAsserted → IsTypeOf → BeingDeclared
158	BeingAttributed	Standard Derived	The current status of Attribute	1 BeingAttributed → IsStatusTypeBegottenBy → Situation 2 BeingAttributed → IsCurrentStatusOf → Attribute 3 BeingAttributed → IsTypeOf → BeingActedOn
159	BeingBegotten	Standard Derived	The current status of BegottenTerm	1 BeingBegotten → IsStatusTypeBegottenBy → Beget 2 BeingBegotten → IsCurrentStatusOf → BegottenTerm 3 BeingBegotten → IsTypeOf → BeingOriginated

160	BeingCategorized	Standard Derived	The current status of CategorizedResource	1 BeingCategorized → IsStatusTypeBegottenBy → Categorize 2 BeingCategorized → IsCurrentStatusOf → CategorizedResource 3 BeingCategorized → IsTypeOf → BeingAscribedTo
161	BeingCaused	Standard Derived	The current status of Result	1 BeingCaused → IsStatusTypeBegottenBy → Cause 2 BeingCaused → IsCurrentStatusOf → Result 3 BeingCaused → IsTypeOf → BeingMade
162	BeingClassified	Standard Derived	The current status of ClassifiedResource	1 BeingClassified → IsStatusTypeBegottenBy → Classify 2 BeingClassified → IsCurrentStatusOf → ClassifiedResource 3 BeingClassified → IsTypeOf → BeingAscribedTo
163	BeingConceived	Standard Derived	The current status of Concept	1 BeingConceived → IsStatusTypeBegottenBy → Conceive 2 BeingConceived → IsCurrentStatusOf → Concept 3 BeingConceived → IsTypeOf → BeingOriginated
164	BeingCopied	Standard Derived	The current status of Replica	1 BeingCopied → IsStatusTypeBegottenBy → Copy 2 BeingCopied → IsCurrentStatusOf → Replica 3 BeingCopied → IsTypeOf → BeingDerived
165	BeingCopiedFrom	Standard Derived	The current status of SourceOfReplica	1 BeingCopiedFrom → IsStatusTypeBegottenBy → Copy 2 BeingCopiedFrom → IsCurrentStatusOf → SourceOfReplica 3 BeingCopiedFrom → IsTypeOf → BeingDerivedFrom
166	BeingCreated	Standard Derived	The current status of Creation	1 BeingCreated → IsStatusTypeBegottenBy → Create 2 BeingCreated → IsCurrentStatusOf → Creation 3 BeingCreated → IsTypeOf → BeingMade
167	BeingCreatedFrom	Standard Derived	The current status of SourceOfCreation	1 BeingCreatedFrom → IsStatusTypeBegottenBy → Create 2 BeingCreatedFrom → IsCurrentStatusOf → SourceOfCreation 3 BeingCreatedFrom → IsTypeOf → BeingUsed
168	BeingDeclared	Standard	The current status of	1 BeingDeclared → IsStatusTypeBegottenBy → Declare 2 BeingDeclared → IsCurrentStatusOf → DeclaredResource

		Derived	DeclaredResource	3 BeingDeclared → IsTypeOf → BeingInteractedWith
169	BeingDenied	Standard Derived	The current status of DeniedResource	1 BeingDenied → IsStatusTypeBegottenBy → Deny 2 BeingDenied → IsCurrentStatusOf → DeniedResource 3 BeingDenied → IsTypeOf → BeingDeclared
170	BeingDerived	Standard Derived	The current status of Derivation	1 BeingDerived → IsStatusTypeBegottenBy → Derive 2 BeingDerived → IsCurrentStatusOf → Derivation 3 BeingDerived → IsTypeOf → BeingMade
171	BeingDerivedFrom	Standard Derived	The current status of Source	1 BeingDerivedFrom → IsStatusTypeBegottenBy → Derive 2 BeingDerivedFrom → IsCurrentStatusOf → Source 3 BeingDerivedFrom → IsTypeOf → BeingUsed
172	BeingDestroyed	Standard Derived	The current status of DestroyedResource	1 BeingDestroyed → IsStatusTypeBegottenBy → Destroy 2 BeingDestroyed → IsCurrentStatusOf → DestroyedResource 3 BeingDestroyed → IsTypeOf → BeingInteractedWith
173	BeingDiminished	Standard Derived	The current status of DiminishedResource	1 BeingDiminished → IsStatusTypeBegottenBy → Diminish 2 BeingDiminished → IsCurrentStatusOf → DiminishedResource 3 BeingDiminished → IsTypeOf → BeingModified
174	BeingDisabled	Standard Derived	The current status of DisabledResource	1 BeingDisabled → IsStatusTypeBegottenBy → Disable 2 BeingDisabled → IsCurrentStatusOf → DisabledResource 3 BeingDisabled → IsTypeOf → Dynamic
175	BeingDone	Standard Derived	The current status of Patient	1 BeingDone → IsStatusTypeBegottenBy → Do 2 BeingDone → IsCurrentStatusOf → Patient 3 BeingDone → IsTypeOf → BeingActedOn
176	BeingEdited	Standard Derived	The current status of Edition	1 BeingEdited → IsStatusTypeBegottenBy → Edit 2 BeingEdited → IsCurrentStatusOf → Edition 3 BeingEdited → IsTypeOf → BeingAdapted

177	BeingEmbedded	Standard Derived	The current status of EmbeddedResource	1 BeingEmbedded → IsStatusTypeBegottenBy → Embed 2 BeingEmbedded → IsCurrentStatusOf → EmbeddedResource 3 BeingEmbedded → IsTypeOf → BeingIncluded
178	BeingEmbeddedInto	Standard Derived	The current status of HostOfEmbeddedResource	1 BeingEmbeddedInto → IsStatusTypeBegottenBy → Embed 2 BeingEmbeddedInto → IsCurrentStatusOf → HostOfEmbeddedResource
179	BeingEnabled	Standard Derived	The current status of EnabledResource	1 BeingEnabled → IsStatusTypeBegottenBy → Enable 2 BeingEnabled → IsCurrentStatusOf → EnabledResource 3 BeingEnabled → IsTypeOf → Dynamic
180	BeingEnlarged	Standard Derived	The current status of EnlargedResource	1 BeingEnlarged → IsStatusTypeBegottenBy → Enlarge 2 BeingEnlarged → IsCurrentStatusOf → EnlargedResource 3 BeingEnlarged → IsTypeOf → BeingModified
181	BeingEquated	Standard Derived	The current status of Equivalent	1 BeingEquated → IsStatusTypeBegottenBy → Equate 2 BeingEquated → IsCurrentStatusOf → Equivalent 3 BeingEquated → IsTypeOf → BeingRelated
182	BeingEvaluated	Standard Derived	The current status of EvaluatedResource	1 BeingEvaluated → IsStatusTypeBegottenBy → Evaluate 2 BeingEvaluated → IsCurrentStatusOf → EvaluatedResource 3 BeingEvaluated → IsTypeOf → BeingAscribedTo
183	BeingExecuted	Standard Derived	The current status of ExecutedResource	1 BeingExecuted → IsStatusTypeBegottenBy → Execute 2 BeingExecuted → IsCurrentStatusOf → ExecutedResource 3 BeingExecuted → IsTypeOf → Active
184	BeingExpressed	Standard Derived	The current status of Manifestation	1 BeingExpressed → IsStatusTypeBegottenBy → Express 2 BeingExpressed → IsCurrentStatusOf → Manifestation 3 BeingExpressed → IsTypeOf → BeingMade
185	BeingExpressedFrom	Standard Derived	The current status of SourceOfManifestation	1 BeingExpressedFrom → IsStatusTypeBegottenBy → Express 2 BeingExpressedFrom → IsCurrentStatusOf → SourceOfManifestation

				3 BeingExpressedFrom → IsTypeOf → BeingDerivedFrom
186	BeingExtracted	Standard Derived	The current status of Excerpt	1 BeingExtracted → IsStatusTypeBegottenBy → Extract 2 BeingExtracted → IsCurrentStatusOf → Excerpt 3 BeingExtracted → IsTypeOf → BeingDerived
187	BeingExtractedFrom	Standard Derived	The current status of SourceOfExcerpt	1 BeingExtractedFrom → IsStatusTypeBegottenBy → Extract 2 BeingExtractedFrom → IsCurrentStatusOf → SourceOfExcerpt 3 BeingExtractedFrom → IsTypeOf → BeingDerivedFrom
188	BeingFixed	Standard Derived	The current status of Fixation	1 BeingFixed → IsStatusTypeBegottenBy → Fix 2 BeingFixed → IsCurrentStatusOf → Fixation 3 BeingFixed → IsTypeOf → BeingExpressed
189	BeingFixedFrom	Standard Derived	The current status of SourceOfFixation	1 BeingFixedFrom → IsStatusTypeBegottenBy → Fix 2 BeingFixedFrom → IsCurrentStatusOf → SourceOfFixation 3 BeingFixedFrom → IsTypeOf → BeingExpressedFrom
190	BeingFormalized	Standard Derived	The current status of FormalizedResource	1 BeingFormalized → IsStatusTypeBegottenBy → Formalize 2 BeingFormalized → IsCurrentStatusOf → FormalizedResource 3 BeingFormalized → IsTypeOf → BeingQualified
191	BeingIdentified	Standard Derived	The current status of IdentifiedResource	1 BeingIdentified → IsStatusTypeBegottenBy → Identify 2 BeingIdentified → IsCurrentStatusOf → IdentifiedResource 3 BeingIdentified → IsTypeOf → BeingNamed
192	BeingIncluded	Standard Derived	The current status of IncludedResource	1 BeingIncluded → IsStatusTypeBegottenBy → Include 2 BeingIncluded → IsCurrentStatusOf → IncludedResource 3 BeingIncluded → IsTypeOf → BeingRelated
193	BeingInstalledFrom	Standard Derived	The current status of InstallingResource	1 BeingInstalledFrom → IsStatusTypeBegottenBy → Install 2 BeingInstalledFrom → IsCurrentStatusOf → InstallingResource 3 BeingInstalledFrom → IsTypeOf → BeingInteractedWith

194	BeingInteractedWith	Standard Derived	The current status of Input	1 BeingInteractedWith → IsStatusTypeBegottenBy → InteractWith 2 BeingInteractedWith → IsCurrentStatusOf → Input 3 BeingInteractedWith → IsTypeOf → BeingDone
195	BeingMade	Standard Derived	The current status of Output	1 BeingMade → IsStatusTypeBegottenBy → Make 2 BeingMade → IsCurrentStatusOf → Output 3 BeingMade → IsTypeOf → BeingDone
196	BeingMeasured	Standard Derived	The current status of MeasuredResource	1 BeingMeasured → IsStatusTypeBegottenBy → Measure 2 BeingMeasured → IsCurrentStatusOf → MeasuredResource 3 BeingMeasured → IsTypeOf → BeingAscribedTo
197	BeingModified	Standard Derived	The current status of ModifiedResource	1 BeingModified → IsStatusTypeBegottenBy → Modify 2 BeingModified → IsCurrentStatusOf → ModifiedResource 3 BeingModified → IsTypeOf → Dynamic
198	BeingMoved	Standard Derived	The current status of MovedResource	1 BeingMoved → IsStatusTypeBegottenBy → Move 2 BeingMoved → IsCurrentStatusOf → MovedResource 3 BeingMoved → IsTypeOf → Dynamic
199	BeingNamed	Standard Derived	The current status of NamedResource	1 BeingNamed → IsStatusTypeBegottenBy → Nominate 2 BeingNamed → IsCurrentStatusOf → NamedResource 3 BeingNamed → IsTypeOf → BeingAscribedTo
200	BeingOpposed	Standard Derived	The current status of Opposite	1 BeingOpposed → IsStatusTypeBegottenBy → Oppose 2 BeingOpposed → IsCurrentStatusOf → Opposite 3 BeingOpposed → IsTypeOf → BeingRelated
201	BeingOriginated	Standard Derived	The current status of Origination	1 BeingOriginated → IsStatusTypeBegottenBy → Originate 2 BeingOriginated → IsCurrentStatusOf → Origination 3 BeingOriginated → IsTypeOf → BeingMade
202	BeingPartitioned	Standard	The current status of Whole	1 BeingPartitioned → IsStatusTypeBegottenBy → Partition 2 BeingPartitioned → IsCurrentStatusOf → Whole

		Derived		3 BeingPartitioned → IsTypeOf → BeingAscribedTo
203	BeingPerceived	Standard Derived	The current status of PerceivedResource	1 BeingPerceived → IsStatusTypeBegottenBy → Perceive 2 BeingPerceived → IsCurrentStatusOf → PerceivedResource 3 BeingPerceived → IsTypeOf → BeingUsed
204	BeingPerformed	Standard Derived	The current status of Performance	1 BeingPerformed → IsStatusTypeBegottenBy → Perform 2 BeingPerformed → IsCurrentStatusOf → Performance 3 BeingPerformed → IsTypeOf → BeingExpressed
205	BeingPerformedFrom	Standard Derived	The current status of SourceOfPerformance	1 BeingPerformedFrom → IsStatusTypeBegottenBy → Perform 2 BeingPerformedFrom → IsCurrentStatusOf → SourceOfPerformance 3 BeingPerformedFrom → IsTypeOf → BeingExpressedFrom
206	BeingPermitted	Standard Derived	The current status of PermittedEvent	1 BeingPermitted → IsStatusTypeBegottenBy → Permit 2 BeingPermitted → IsCurrentStatusOf → PermittedEvent 3 BeingPermitted → IsTypeOf → BeingAllowed
207	BeingPlayed	Standard Derived	The current status of PlayedPerformance	1 BeingPlayed → IsStatusTypeBegottenBy → Play 2 BeingPlayed → IsCurrentStatusOf → PlayedPerformance 3 BeingPlayed → IsTypeOf → BeingPerformed 4 BeingPlayed → IsTypeOf → BeingTransformed
208	BeingPlayedFrom	Standard Derived	The current status of SourceForPlaying	1 BeingPlayedFrom → IsStatusTypeBegottenBy → Play 2 BeingPlayedFrom → IsCurrentStatusOf → SourceForPlaying 3 BeingPlayedFrom → IsTypeOf → BeingPerformedFrom 4 BeingPlayedFrom → IsTypeOf → BeingTransformedFrom
209	BeingPrevented	Standard Derived	The current status of PreventedEvent	1 BeingPrevented → IsStatusTypeBegottenBy → Prevent 2 BeingPrevented → IsCurrentStatusOf → PreventedEvent 3 BeingPrevented → IsTypeOf → BeingInteractedWith
210	BeingPrinted	Standard	The current status of	1 BeingPrinted → IsStatusTypeBegottenBy → Print 2 BeingPrinted → IsCurrentStatusOf → PrintRendition

		Derived	PrintRendition	3 BeingPrinted → IsTypeOf → BeingTransformed 4 BeingPrinted → IsTypeOf → BeingFixed
211	BeingPrintedFrom	Standard Derived	The current status of SourceForPrinting	1 BeingPrintedFrom → IsStatusTypeBegottenBy → Print 2 BeingPrintedFrom → IsCurrentStatusOf → SourceForPrinting 3 BeingPrintedFrom → IsTypeOf → BeingFixedFrom 4 BeingPrintedFrom → IsTypeOf → BeingTransformedFrom
212	BeingProhibited	Standard Derived	The current status of ProhibitedEvent	1 BeingProhibited → IsStatusTypeBegottenBy → Prohibit 2 BeingProhibited → IsCurrentStatusOf → ProhibitedEvent 3 BeingProhibited → IsTypeOf → BeingPrevented
213	BeingQualified	Standard Derived	The current status of QualifiedResource	1 BeingQualified → IsStatusTypeBegottenBy → Qualify 2 BeingQualified → IsCurrentStatusOf → QualifiedResource 3 BeingQualified → IsTypeOf → BeingCategorized
214	BeingRead	Standard Derived	The current status of ReadResource	1 BeingRead → IsStatusTypeBegottenBy → Read 2 BeingRead → IsCurrentStatusOf → ReadResource 3 BeingRead → IsTypeOf → BeingUsed
215	BeingRelated	Standard Derived	The current status of Relative	1 BeingRelated → IsStatusTypeBegottenBy → Relate 2 BeingRelated → IsCurrentStatusOf → Relative 3 BeingRelated → IsTypeOf → BeingDone
216	BeingRendered	Standard Derived	The current status of Rendition	1 BeingRendered → IsStatusTypeBegottenBy → Render 2 BeingRendered → IsCurrentStatusOf → Rendition 3 BeingRendered → IsTypeOf → BeingTransformed 4 BeingRendered → IsTypeOf → BeingExpressed
217	BeingRenderedFrom	Standard Derived	The current status of SourceOfRendition	1 BeingRenderedFrom → IsStatusTypeBegottenBy → Render 2 BeingRenderedFrom → IsCurrentStatusOf → SourceOfRendition 3 BeingRenderedFrom → IsTypeOf → BeingTransformedFrom

218	BeingSaid	Standard Derived	The current status of Utterance	1 BeingSaid → IsStatusTypeBegottenBy → Say 2 BeingSaid → IsCurrentStatusOf → Utterance 3 BeingSaid → IsTypeOf → BeingExpressed
219	BeingSetted	Standard Derived	The current status of Member	1 BeingSetted → IsStatusTypeBegottenBy → MakeSet 2 BeingSetted → IsCurrentStatusOf → Member 3 BeingSetted → IsTypeOf → BeingAggregatedFrom
220	BeingSpecialized	Standard Derived	The current status of Archetype	1 BeingSpecialized → IsStatusTypeBegottenBy → Specialize 2 BeingSpecialized → IsCurrentStatusOf → Archetype 3 BeingSpecialized → IsTypeOf → BeingAscribedTo
221	BeingSpecializedTo	Standard Derived	The current status of Type	1 BeingSpecializedTo → IsStatusTypeBegottenBy → Specialize 2 BeingSpecializedTo → IsCurrentStatusOf → Type 3 BeingSpecializedTo → IsTypeOf → BeingAscribed
222	BeingTransformed	Standard Derived	The current status of Transformation	1 BeingTransformed → IsStatusTypeBegottenBy → Transform 2 BeingTransformed → IsCurrentStatusOf → Transformation 3 BeingTransformed → IsTypeOf → BeingAdapted
223	BeingTransformedFrom	Standard Derived	The current status of SourceOfTransformation	1 BeingTransformedFrom → IsStatusTypeBegottenBy → Transform 2 BeingTransformedFrom → IsCurrentStatusOf → SourceOfTransformation 3 BeingTransformedFrom → IsTypeOf → BeingAdaptedFrom
224	BeingUninstalledFrom	Standard Derived	The current status of UninstallingResource	1 BeingUninstalledFrom → IsStatusTypeBegottenBy → Uninstall 2 BeingUninstalledFrom → IsCurrentStatusOf → UninstallingResource 3 BeingUninstalledFrom → IsTypeOf → BeingInteractedWith
225	BeingUsed	Standard Derived	The current status of UsedResource	1 BeingUsed → IsStatusTypeBegottenBy → Use 2 BeingUsed → IsCurrentStatusOf → UsedResource 3 BeingUsed → IsTypeOf → BeingInteractedWith
226	BeingWritten	Standard	The current status of	1 BeingWritten → IsStatusTypeBegottenBy → Write 2 BeingWritten → IsCurrentStatusOf → DigitalResource

		Derived	DigitalResource	3 BeingWritten → IsTypeOf → BeingDerived
227	Categorizable	Standard Derived	The potential status of CategorizedResource	1 Categorizable → IsStatusTypeBegottenBy → Categorize 2 Categorizable → IsPotentialStatusOf → CategorizedResource 3 Categorizable → IsTypeOf → AscribableTo
228	Categorization	Standard Derived	A Situation in which an Entity belongs to a Category.	1 Categorization → IsStateTypeBegottenBy → Categorize 2 Categorization → IsTypeOf → AscribedSituation <i>ContextDescription</i> 1 Categorization[#1] → HasActType → HaveCategory[#2][occ:1] 2 Categorization[#9.n] → HasEntityType → CategorizedResource[#5.n][occ:1-n] 3 Categorization[#9.n] → HasAttributeType → Category[#4.n][occ:1-n] 4 Categorization[#9.n] → HasTimeType → TimeOfCategorization[#7.n][occ:1-n] 5 Categorization[#9.n] → HasPlaceType → PlaceOfCategorization[#8.n][occ:1-n] <i>ContextFamily</i> 1 Categorization → BegetsActType → HaveCategory 2 Categorization → BegetsTimeType → TimeOfCategorization 3 Categorization → BegetsPlaceType → PlaceOfCategorization
229	Categorize	Standard Derived	To Ascribe a Category to an Entity.	1 Categorize → IsTypeOf → Ascribe <i>ActionFamily</i> 1 Categorize → BegetsContextType → CategorizingEvent 2 Categorize → BegetsAgentType → Categorizer 3 Categorize → BegetsResourceType → Category 4 Categorize → BegetsResourceType → CategorizedResource 5 Categorize → BegetsResourceType → CategorizingTool 6 Categorize → BegetsTimeType → TimeOfCategorizing 7 Categorize → BegetsPlaceType → PlaceOfCategorizing 8 Categorize → BegetsStateType → Categorization 9 Categorize → BegetsRelatingTerm → HasCo-Categorizer 10 Categorize → BegetsRelatingTerm → IsCategorizerWith 11 Categorize → BegetsRelatingTerm → IsCategoryAscribedBy 12 Categorize → BegetsRelatingTerm → IsCategorizerOf 13 Categorize → BegetsRelatingTerm → IsCategorizedBy

				14 Categorize → BegetsRelatingTerm → IsCategorizerWithTool
				15 Categorize → BegetsRelatingTerm → IsToolForCategorizingBy
				16 Categorize → BegetsRelatingTerm → IsCategorizerAtTime
				17 Categorize → BegetsRelatingTerm → IsTimeOfCategorizingBy
				18 Categorize → BegetsRelatingTerm → IsCategorizerInPlace
				19 Categorize → BegetsRelatingTerm → IsPlaceOfCategorizingBy
				20 Categorize → BegetsRelatingTerm → HasCo-Category
				21 Categorize → BegetsRelatingTerm → IsCategoryOf
				22 Categorize → BegetsRelatingTerm → Is
				23 Categorize → BegetsRelatingTerm → IsCategoryAscribedWithTool
				24 Categorize → BegetsRelatingTerm → IsToolForCategorizingWith
				25 Categorize → BegetsRelatingTerm → IsCategoryAtTime
				26 Categorize → BegetsRelatingTerm → IsTimeOfCategorizingWith
				27 Categorize → BegetsRelatingTerm → IsCategoryInPlace
				28 Categorize → BegetsRelatingTerm → IsPlaceOfCategorizingWith
				29 Categorize → BegetsRelatingTerm → HasCo-CategorizedResource
				30 Categorize → BegetsRelatingTerm → IsResourceCategorizedWithTool
				31 Categorize → BegetsRelatingTerm → IsToolForCategorizingOf
				32 Categorize → BegetsRelatingTerm → IsResourceCategorizedAtTime
				33 Categorize → BegetsRelatingTerm → IsTimeOfCategorizingOf
				34 Categorize → BegetsRelatingTerm → IsResourceCategorizedInPlace
				35 Categorize → BegetsRelatingTerm → IsPlaceOfCategorizingOf
				36 Categorize → BegetsRelatingTerm → HasCo-CategorizingTool
				37 Categorize → BegetsRelatingTerm → IsCategorizingToolAtTime
				38 Categorize → BegetsRelatingTerm → IsTimeOfCategorizingWithTool
				39 Categorize → BegetsRelatingTerm → IsCategorizingToolInPlace
				40 Categorize → BegetsRelatingTerm → IsPlaceOfCategorizingWithTool
				41 Categorize → BegetsRelatingTerm → HasCo-TimeOfCategorizing
				42 Categorize → BegetsRelatingTerm → IsTimeOfCategorizingInPlace
				43 Categorize → BegetsRelatingTerm → IsPlaceOfCategorizingAtTime
				44 Categorize → BegetsRelatingTerm → HasCo-PlaceOfCategorizing
				45 Categorize → BegetsStatusType → Categorizing
				46 Categorize → BegetsStatusType → Categorized
				47 Categorize → BegetsStatusType → BeingCategorized
				48 Categorize → BegetsStatusType → Categorizable

230	Categorized	Standard Derived	The historic status of CategorizedResource	1 Categorized → IsStatusTypeBegottenBy → Categorize 2 Categorized → IsHistoricStatusOf → CategorizedResource 3 Categorized → IsTypeOf → AscribedTo
231	CategorizedResource	Standard Derived	A Resource that is Categorized.	1 CategorizedResource → IsResourceTypeBegottenBy → Categorize 2 CategorizedResource → IsTypeOf → AscribedResource
232	Categorizer	Standard Derived	An Agent that Categorizes.	1 Categorizer → IsAgentTypeBegottenBy → Categorize 2 Categorizer → IsTypeOf → Ascriber
233	Categorizing	Standard Derived	The current status of Categorizer	1 Categorizing → IsStatusTypeBegottenBy → Categorize 2 Categorizing → IsCurrentStatusOf → Categorizer 3 Categorizing → IsTypeOf → Ascribing
234	CategorizingEvent	Standard Derived	An Event in which an Entity is Categorized.	1 CategorizingEvent → IsContextTypeBegottenBy → Categorize 2 CategorizingEvent → IsTypeOf → AscribingEvent <i>ContextDescription</i> 1 CategorizingEvent[#1] → HasActType → Categorize[#2][occ:1] 2 CategorizingEvent[#1] → HasAgentType → Categorizer[#3.n][occ:1-n] 3 Categorization[#9.n] → HasEntityType → CategorizedResource[#5.n][occ:1-n] 4 CategorizingEvent[#1] → HasResourceType → Category[#4.n][occ:1-n] 5 Categorization[#9.n] → HasAttributeType → Category[#4.n][occ:1-n] 6 CategorizingEvent[#1] → HasResourceType → CategorizedResource[#5.n][occ:1-n] 7 Categorization[#9.n] → HasTimeType → TimeOfCategorization[#7.n][occ:1-n] 8 CategorizingEvent[#1] → HasResourceType → CategorizingTool[#6.n][occ:0-n] 9 Categorization[#9.n] → HasPlaceType → PlaceOfCategorization[#8.n][occ:1-n] 10 CategorizingEvent[#1] → HasTimeType → TimeOfCategorizing[#7.n][occ:1-n] 11 CategorizingEvent[#1] → HasPlaceType → PlaceOfCategorizing[#8.n][occ:1-n] 12 CategorizingEvent[#1] → HasStateType → Categorization[#9.n][occ:1-n] 13 TimeOfCategorization[#7.n] → IsA → StartTime
235	CategorizingTool	Standard Derived	A Tool Used for Categorizing.	1 CategorizingTool → IsResourceTypeBegottenBy → Categorize 2 CategorizingTool → IsTypeOf → AscribingTool

236	Category	Standard Partially Derived	An adjectival or adverbial Attribute or a group of Attributes. Scope of Category Categories are adjectival or adverbial ("Green", "Human", "American", "Perceivable"). Entities which share the attribute(s) of a Category are said to "belong to" the Category.	1 Category → IsResourceTypeBegottenBy → Categorize 2 Category → IsTypeOf → Ascription
237	CategoryType	Standard Derived	A Type Of Category.	1 CategoryType → IsClassOf → Category
238	Causable	Standard Derived	The potential status of Result	1 Causable → IsStatusTypeBegottenBy → Cause 2 Causable → IsPotentialStatusOf → Result 3 Causable → IsTypeOf → Makeable
239	Causation	Standard Derived	An Event in which one Context directly brings about another Context.	1 Causation → IsContextTypeBegottenBy → Cause 2 Causation → IsTypeOf → MakingEvent <i>ContextDescription</i> 1 Causation[#1] → HasActType → Cause[#2][occ:1] 2 Causation[#1] → HasAgentType → Causer[#3][occ:1] 3 Causation[#1] → HasResourceType → Result[#4.n][occ:1-n] 4 Causation[#1] → HasTimeType → TimeOfCausation[#5.n][occ:1-n] 5 Causation[#1] → HasPlaceType → PlaceOfCausation[#6.n][occ:1-n]
240	Causative	Standard Derived	The potential status of Causer	1 Causative → IsStatusTypeBegottenBy → Cause 2 Causative → IsPotentialStatusOf → Causer
241	Cause	Standard Derived	(Of a Context) To bring about another Context.	1 Cause → IsTypeOf → Make <i>ActionFamily</i> 1 Cause → BegetsContextType → Causation 2 Cause → BegetsAgentType → Causer 3 Cause → BegetsResourceType → Result

				4 Cause → BegetsTimeType → TimeOfCausation 5 Cause → BegetsPlaceType → PlaceOfCausation 6 Cause → BegetsRelatingTerm → HasCo-Causer 7 Cause → BegetsRelatingTerm → HasResult 8 Cause → BegetsRelatingTerm → IsResultOf 9 Cause → BegetsRelatingTerm → IsCauserAtTime 10 Cause → BegetsRelatingTerm → IsTimeOfCausationBy 11 Cause → BegetsRelatingTerm → IsCauserInPlace 12 Cause → BegetsRelatingTerm → IsPlaceOfCausationBy 13 Cause → BegetsRelatingTerm → HasCo-Result 14 Cause → BegetsRelatingTerm → IsResultAtTime 15 Cause → BegetsRelatingTerm → IsTimeOfCausationOf 16 Cause → BegetsRelatingTerm → IsResultInPlace 17 Cause → BegetsRelatingTerm → IsPlaceOfCausationOf 18 Cause → BegetsRelatingTerm → HasCo-TimeOfCausation 19 Cause → BegetsRelatingTerm → IsTimeOfCausationInPlace 20 Cause → BegetsRelatingTerm → IsPlaceOfCausationAtTime 21 Cause → BegetsRelatingTerm → HasCo-PlaceOfCausation 22 Cause → BegetsStatusType → Causing 23 Cause → BegetsStatusType → Causative 24 Cause → BegetsStatusType → Caused 25 Cause → BegetsStatusType → BeingCaused 26 Cause → BegetsStatusType → Causable
242	Caused	Standard Derived	The historic status of Result	1 Caused → IsStatusTypeBegottenBy → Cause 2 Caused → IsHistoricStatusOf → Result 3 Caused → IsTypeOf → Made
243	Causer	Standard Partially Derived	A Context which directly brings into Existence another Context.	1 Causer → IsAgentTypeBegottenBy → Cause 2 Causer → IsTypeOf → Maker 3 Causer → IsA → Context
244	Causing	Standard Derived	The current status of Causer	1 Causing → IsStatusTypeBegottenBy → Cause 2 Causing → IsCurrentStatusOf → Causer 3 Causing → IsTypeOf → Making

245	Change	Standard Partially Derived	To alter an Attribute of something.	1 Change → IsTypeOf → InteractWith 2 Change → IsOpposedTo → Use 3 Change → HasComponent → UseTool[true:Sometimes] <i>ActionFamily</i> 1 Change → BegetsContextType → ChangingEvent 2 Change → BegetsAgentType → Changer 3 Change → BegetsResourceType → ChangedResource 4 Change → BegetsResourceType → ChangingTool 5 Change → BegetsTimeType → TimeOfChanging 6 Change → BegetsPlaceType → PlaceOfChanging 7 Change → BegetsStatusType → Changing 8 Change → BegetsStatusType → Changed 9 Change → BegetsStatusType → Dynamic 10 Change → BegetsStatusType → Changeable
246	Changeable	Standard Derived	The potential status of ChangedResource	1 Changeable → IsStatusTypeBegottenBy → Change 2 Changeable → IsPotentialStatusOf → ChangedResource 3 Changeable → IsTypeOf → InteractableWith
247	Changed	Standard Derived	The historic status of ChangedResource	1 Changed → IsStatusTypeBegottenBy → Change 2 Changed → IsHistoricStatusOf → ChangedResource 3 Changed → IsTypeOf → InteractedWith
248	ChangedResource	Standard Derived	A Resource that is Changed.	1 ChangedResource → IsResourceTypeBegottenBy → Change 2 ChangedResource → IsTypeOf → Input
249	Changer	Standard Derived	An Agent that Changes a Resource.	1 Changer → IsAgentTypeBegottenBy → Change 2 Changer → IsTypeOf → Interactor 3 Changer → HasComponent → ToolUser[true:Sometimes]
250	Changing	Standard Derived	The current status of Changer	1 Changing → IsStatusTypeBegottenBy → Change 2 Changing → IsCurrentStatusOf → Changer 3 Changing → IsTypeOf → InteractingWith

251	ChangingEvent	Standard Derived	An Event in which an Entity is Changed.	1 ChangingEvent → IsContextTypeBegottenBy → Change 2 ChangingEvent → IsTypeOf → Interaction 3 ChangingEvent → HasComponent → ToolUsage[true:Sometimes] <i>ContextDescription</i> 1 ChangingEvent[#1] → HasActType → Change[#2][occ:1] 2 ChangingEvent[#1] → HasAgentType → Changer[#3.n][occ:1-n] 3 ChangingEvent[#1] → HasResourceType → ChangedResource[#4.n][occ:1-n] 4 ChangingEvent[#1] → HasResourceType → ChangingTool[#5.n][occ:0-n] 5 ChangingEvent[#1] → HasTimeType → TimeOfChanging[#6.n][occ:1-n] 6 ChangingEvent[#1] → HasPlaceType → PlaceOfChanging[#7.n][occ:1-n]
252	ChangingTool	Standard Derived	A Tool Used in Changing something.	1 ChangingTool → IsResourceTypeBegottenBy → Change 2 ChangingTool → IsTypeOf → Tool
253	Class	Standard Partially Derived	A noun representing an Entity possessing a particular Attribute or a group of Attributes. Scope of Class Classes are nouns ("man", "building", "territory", "computer"). Entities which share the attribute(s) of a Class are said to "belong to" the Class. Class and Archetype Any Entity which is an Archetype may also be a Class.	1 Class → IsResourceTypeBegottenBy → Classify 2 Class → IsTypeOf → Ascription
254	Classifiable	Standard Derived	The potential status of ClassifiedResource	1 Classifiable → IsStatusTypeBegottenBy → Classify 2 Classifiable → IsPotentialStatusOf → ClassifiedResource 3 Classifiable → IsTypeOf → AscribableTo
255	Classification	Standard Derived	A Situation in which an Entity belongs to a Class.	1 Classification → IsStateTypeBegottenBy → Classify 2 Classification → IsTypeOf → AscribedSituation

				<i>ContextDescription</i> 1 Classification[#1] → HasActType → HaveClass[#2][occ:1] 2 Classification[#9.n] → HasEntityType → ClassifiedResource[#5.n][occ:1-n] 3 Classification[#9.n] → HasAttributeType → Class[#4.n][occ:1-n] 4 Classification[#9.n] → HasTimeType → TimeOfClassification[#7.n][occ:1-n] 5 Classification[#9.n] → HasPlaceType → PlaceOfClassification[#8.n][occ:1-n] <i>ContextFamily</i> 1 Classification → BegetsActType → HaveClass 2 Classification → BegetsTimeType → TimeOfClassification 3 Classification → BegetsPlaceType → PlaceOfClassification
256	Classified	Standard Derived	The historic status of ClassifiedResource	1 Classified → IsStatusTypeBegottenBy → Classify 2 Classified → IsHistoricStatusOf → ClassifiedResource 3 Classified → IsTypeOf → AscribedTo
257	ClassifiedResource	Standard Derived	A Resource that is Classified.	1 ClassifiedResource → IsResourceTypeBegottenBy → Classify 2 ClassifiedResource → IsTypeOf → AscribedResource
258	Classifier	Standard Derived	An Agent that Classifies.	1 Classifier → IsAgentTypeBegottenBy → Classify 2 Classifier → IsTypeOf → Ascriber
259	Classify	Standard Derived	To Ascribe a Class to an Entity.	1 Classify → IsTypeOf → Ascribe <i>ActionFamily</i> 1 Classify → BegetsContextType → ClassifyingEvent 2 Classify → BegetsAgentType → Classifier 3 Classify → BegetsResourceType → Class 4 Classify → BegetsResourceType → ClassifiedResource 5 Classify → BegetsResourceType → ClassifyingTool 6 Classify → BegetsTimeType → TimeOfClassifying 7 Classify → BegetsPlaceType → PlaceOfClassifying 8 Classify → BegetsStateType → Classification 9 Classify → BegetsRelatingTerm → HasCo-Classifier 10 Classify → BegetsRelatingTerm → IsClassifierWith 11 Classify → BegetsRelatingTerm → IsClassAscribedBy

				12 Classify → BegetsRelatingTerm → IsClassifierOf 13 Classify → BegetsRelatingTerm → IsClassifiedBy 14 Classify → BegetsRelatingTerm → IsClassifierWithTool 15 Classify → BegetsRelatingTerm → IsToolForClassifyingBy 16 Classify → BegetsRelatingTerm → IsClassifierAtTime 17 Classify → BegetsRelatingTerm → IsTimeOfClassifyingBy 18 Classify → BegetsRelatingTerm → IsClassifierInPlace 19 Classify → BegetsRelatingTerm → IsPlaceOfClassifyingBy 20 Classify → BegetsRelatingTerm → HasCo-Class 21 Classify → BegetsRelatingTerm → IsClassOf 22 Classify → BegetsRelatingTerm → IsA 23 Classify → BegetsRelatingTerm → IsClassAscribedWithTool 24 Classify → BegetsRelatingTerm → IsToolForClassifyingWith 25 Classify → BegetsRelatingTerm → IsClassAtTime 26 Classify → BegetsRelatingTerm → IsTimeOfClassifyingWith 27 Classify → BegetsRelatingTerm → IsClassInPlace 28 Classify → BegetsRelatingTerm → IsPlaceOfClassifyingWith 29 Classify → BegetsRelatingTerm → HasCo-ClassifiedResource 30 Classify → BegetsRelatingTerm → IsResourceClassifiedWithTool 31 Classify → BegetsRelatingTerm → IsToolForClassifyingOf 32 Classify → BegetsRelatingTerm → IsResourceClassifiedAtTime 33 Classify → BegetsRelatingTerm → IsTimeOfClassifyingOf 34 Classify → BegetsRelatingTerm → IsResourceClassifiedInPlace 35 Classify → BegetsRelatingTerm → IsPlaceOfClassifyingOf 36 Classify → BegetsRelatingTerm → HasCo-ClassifyingTool 37 Classify → BegetsRelatingTerm → IsClassifyingToolAtTime 38 Classify → BegetsRelatingTerm → IsTimeOfClassifyingWithTool 39 Classify → BegetsRelatingTerm → IsClassifyingToolInPlace 40 Classify → BegetsRelatingTerm → IsPlaceOfClassifyingWithTool 41 Classify → BegetsRelatingTerm → HasCo-TimeOfClassifying 42 Classify → BegetsRelatingTerm → IsTimeOfClassifyingInPlace 43 Classify → BegetsRelatingTerm → IsPlaceOfClassifyingAtTime 44 Classify → BegetsRelatingTerm → HasCo-PlaceOfClassifying 45 Classify → BegetsStatusType → Classifying 46 Classify → BegetsStatusType → Classified 47 Classify → BegetsStatusType → BeingClassified 48 Classify → BegetsStatusType → Classifiable
--	--	--	--	---

260	Classifying	Standard Derived	The current status of Classifier	1 Classifying → IsStatusTypeBegottenBy → Classify 2 Classifying → IsCurrentStatusOf → Classifier 3 Classifying → IsTypeOf → Ascribing
261	ClassifyingEvent	Standard Derived	An Event in which an Entity is Classified.	1 ClassifyingEvent → IsContextTypeBegottenBy → Classify 2 ClassifyingEvent → IsTypeOf → AscribingEvent <i>ContextDescription</i> 1 ClassifyingEvent[#1] → HasActType → Classify[#2][occ:1] 2 ClassifyingEvent[#1] → HasAgentType → Classifier[#3.n][occ:1-n] 3 Classification[#9.n] → HasEntityType → ClassifiedResource[#5.n][occ:1-n] 4 ClassifyingEvent[#1] → HasResourceType → Class[#4.n][occ:1-n] 5 Classification[#9.n] → HasAttributeType → Class[#4.n][occ:1-n] 6 ClassifyingEvent[#1] → HasResourceType → ClassifiedResource[#5.n][occ:1-n] 7 Classification[#9.n] → HasTimeType → TimeOfClassification[#7.n][occ:1-n] 8 ClassifyingEvent[#1] → HasResourceType → ClassifyingTool[#6.n][occ:0-n] 9 Classification[#9.n] → HasPlaceType → PlaceOfClassification[#8.n][occ:1-n] 10 ClassifyingEvent[#1] → HasTimeType → TimeOfClassifying[#7.n][occ:1-n] 11 ClassifyingEvent[#1] → HasPlaceType → PlaceOfClassifying[#8.n][occ:1-n] 12 ClassifyingEvent[#1] → HasStateType → Classification[#9.n][occ:1-n] 13 TimeOfClassification[#7.n] → IsA → StartTime
262	ClassifyingTool	Standard Derived	A Tool Used for Classifying.	1 ClassifyingTool → IsResourceTypeBegottenBy → Classify 2 ClassifyingTool → IsTypeOf → AscribingTool
263	Co-ExistsWith	Standard	The relating term between Entity and Entity	1 Co-ExistsWith → IsRelatingTermBegottenBy → Situation 2 Co-ExistsWith → IsRelatingTermFrom → Entity 3 Co-ExistsWith → IsRelatingTermTo → Entity 4 Co-ExistsWith → IsReciprocalOf → Co-ExistsWith 5 Co-ExistsWith → IsTypeOf → HasCo-Agent
264	Comment	Standard Partially Derived	A natural language annotation of something for the purpose of amplification or clarification of its Meaning.	1 Comment → IsTypeOf → Description 2 Comment → IsA → TextualElement

265	CommentableTermAttribute	Standard Partially Derived	A TermAttribute to which a Comment may be assigned. The CommentableTermAttributes are Headword, Synonym, TermDescription, Relationship and TermSet.	1 CommentableTermAttribute → IsTypeOf → TermAttribute 2 CommentableTermAttribute → Has → Comment[true:Sometimes]
266	Component	Standard Partially Derived	A Resource which becomes a part of an Aggregation.	1 Component → IsResourceTypeBegottenBy → Aggregate 2 Component → IsTypeOf → Source
267	Computer	Standard Partially Derived	A Resource used for processing DigitalResources.	1 Computer → IsTypeOf → Creation
268	Conceivable	Standard Derived	The potential status of Concept	1 Conceivable → IsStatusTypeBegottenBy → Conceive 2 Conceivable → IsPotentialStatusOf → Concept 3 Conceivable → IsTypeOf → Originatable
269	Conceive	Standard Derived	To Make something that exists only in the mind.	1 Conceive → IsTypeOf → Originate 2 Conceive → HasComponent → Derive[true:Sometimes] <i>ActionFamily</i> 1 Conceive → BegetsContextType → Conception 2 Conceive → BegetsAgentType → Conceiver 3 Conceive → BegetsResourceType → Concept 4 Conceive → BegetsResourceType → SourceOfConcept 5 Conceive → BegetsResourceType → ConceivingTool 6 Conceive → BegetsTimeType → TimeOfConceiving 7 Conceive → BegetsPlaceType → PlaceOfConceiving 8 Conceive → BegetsPlaceType → PlaceOfConceivingFrom 9 Conceive → BegetsStatusType → Conceiving 10 Conceive → BegetsStatusType → Conceived 11 Conceive → BegetsStatusType → BeingConceived 12 Conceive → BegetsStatusType → Conceivable

270	Conceived	Standard Derived	The historic status of Concept	1 Conceived → IsStatusTypeBegottenBy → Conceive 2 Conceived → IsHistoricStatusOf → Concept 3 Conceived → IsTypeOf → Original
271	Conceiver	Standard Derived	An Agent that Conceives.	1 Conceiver → IsAgentTypeBegottenBy → Conceive 2 Conceiver → IsTypeOf → Originator 3 Conceiver → HasComponent → Deriver[true:Sometimes] 4 Conceiver → IsA → HumanBeing
272	Conceiving	Standard Derived	The current status of Conceiver	1 Conceiving → IsStatusTypeBegottenBy → Conceive 2 Conceiving → IsCurrentStatusOf → Conceiver 3 Conceiving → IsTypeOf → Originating
273	ConceivingTool	Standard Derived	A Tool Used for Conceiving.	1 ConceivingTool → IsResourceTypeBegottenBy → Conceive 2 ConceivingTool → IsTypeOf → OriginatingTool 3 ConceivingTool → HasComponent → DerivingTool[true:Sometimes]
274	Concept	Standard Partially Derived	A Resource that exists only in the mind.	1 Concept → IsResourceTypeBegottenBy → Conceive 2 Concept → IsTypeOf → Origination 3 Concept → HasComponent → Derivation[true:Sometimes] 4 Concept → Is → Perceivable[true:Never]
275	Conception	Standard Derived	An Event in which something is Conceived.	1 Conception → IsContextTypeBegottenBy → Conceive 2 Conception → IsTypeOf → OriginatingEvent 3 Conception → HasComponent → DerivingEvent[true:Sometimes] <i>ContextDescription</i> 1 Conception[#1] → HasActType → Conceive[#2][occ:1] 2 Conception[#1] → HasAgentType → Conceiver[#3.n][occ:1-n] 3 Conception[#1] → HasResourceType → Concept[#4.n][occ:1-n] 4 Conception[#1] → HasResourceType → SourceOfConcept[#5.n][occ:0-n] 5 Conception[#1] → HasResourceType → ConceivingTool[#6.n][occ:0-n] 6 Conception[#1] → HasTimeType → TimeOfConceiving[#7.n][occ:1-n] 7 Conception[#1] → HasPlaceType → PlaceOfConceiving[#8.n][occ:1-n] 8 Conception[#1] → HasPlaceType → PlaceOfConceivingFrom[#9.n][occ:0-n]

276	Context Action	Standard Partially Derived	The circumstances in which Acting occurs.	1 Context → IsContextTypeBegottenBy → Act <i>ContextDescription</i> 1 Context[#1] → HasActType → Act[#2][occ:1] 2 Context[#1] → HasAgentType → Agent[#3.n][occ:0-n] 3 Context[#1] → HasResourceType → Resource[#4.n][occ:0-n] 4 Context[#1] → HasTimeType → Time[#5.n][occ:1-n] 5 Context[#1] → HasPlaceType → Place[#6.n][occ:1-n] 6 Context[#1] → HasStateType → State[#7.n][occ:1-n]
277	ContextDescription	Standard Partially Derived	A group of Relationships describing the Attributes of a Context.	1 ContextDescription → IsTypeOf → RelationshipSet
278	ContextFamily	Standard Partially Derived	The Family Begotten from a ContextType.	1 ContextFamily → IsTypeOf → Family
279	ContextModel	Standard Partially Derived	A logical data model for describing the relationships between Terms that provide the Context for a Type of Act.	1 ContextModel → IsResourceTypeBegottenBy → Beget 2 ContextModel → IsTypeOf → OriginatingTool
280	ContextType	Standard	A Type of Context.	1 ContextType → IsResourceTypeBegottenBy → BegettingEvent_8 2 ContextType → IsTypeOf → BegottenTerm
281	Copiable	Standard Derived	The potential status of Replica	1 Copiable → IsStatusTypeBegottenBy → Copy 2 Copiable → IsPotentialStatusOf → Replica 3 Copiable → IsTypeOf → Derivable
282	CopiableFrom	Standard Derived	The potential status of SourceOfReplica	1 CopiableFrom → IsStatusTypeBegottenBy → Copy 2 CopiableFrom → IsPotentialStatusOf → SourceOfReplica 3 CopiableFrom → IsTypeOf → DerivableFrom

283	Copied	Standard Derived	The historic status of Replica	1 Copied → IsStatusTypeBegottenBy → Copy 2 Copied → IsHistoricStatusOf → Replica 3 Copied → IsTypeOf → Derived
284	CopiedFrom	Standard Derived	The historic status of SourceOfReplica	1 CopiedFrom → IsStatusTypeBegottenBy → Copy 2 CopiedFrom → IsHistoricStatusOf → SourceOfReplica 3 CopiedFrom → IsTypeOf → DerivedFrom
285	Copier Replicator	Standard Derived	An Agent that Copies.	1 Copier → IsAgentTypeBegottenBy → Copy 2 Copier → IsTypeOf → Deriver
286	Copy Replicate	Standard Derived	To Derive a perfect reproduction of a Resource. Scope of Copy In its purest form the idea of a "perfect" or exact copy is a paradox: nothing can be a "perfect" likeness without being the same entity as the original. For example, in the case of a physical Replica, the new resource will always have different Place attributes from the original at the same Time, or vice versa. In other contexts, all kinds of marginal differences may be ignored in determining that something is a Replica (for example, differences in paper type and print density and color in a photocopy). A Replica always differs in some way from its Source. The question is therefore one of functional granularity: how much can something differ and still be "the same"? For example, it is common for Names, Identifiers and other metadata to differ in a	1 Copy → IsTypeOf → Derive <i>ActionFamily</i> 1 Copy → BegetsContextType → CopyingEvent 2 Copy → BegetsAgentType → Copier 3 Copy → BegetsResourceType → Replica 4 Copy → BegetsResourceType → SourceOfReplica 5 Copy → BegetsResourceType → CopyingTool 6 Copy → BegetsTimeType → TimeOfCopying 7 Copy → BegetsPlaceType → PlaceOfCopying 8 Copy → BegetsPlaceType → PlaceOfCopyingFrom 9 Copy → BegetsPlaceType → PlaceOfCopyingTo 10 Copy → BegetsRelatingTerm → HasCo-Copier 11 Copy → BegetsRelatingTerm → IsCopierOf 12 Copy → BegetsRelatingTerm → IsCopiedBy 13 Copy → BegetsRelatingTerm → IsCopierFromSource 14 Copy → BegetsRelatingTerm → IsSourceCopiedFromBy 15 Copy → BegetsRelatingTerm → IsCopierWithTool 16 Copy → BegetsRelatingTerm → IsToolForCopyingBy 17 Copy → BegetsRelatingTerm → IsCopierAtTime 18 Copy → BegetsRelatingTerm → IsTimeOfCopyingBy 19 Copy → BegetsRelatingTerm → IsCopierInPlace 20 Copy → BegetsRelatingTerm → IsPlaceOfCopyingBy 21 Copy → BegetsRelatingTerm → IsCopierFromPlace 22 Copy → BegetsRelatingTerm → IsPlaceOfCopyingFromBy 23 Copy → BegetsRelatingTerm → IsCopierToPlace

		Replica. Specialization of Copy therefore include the constraints which determine the limits of "difference" between Replica and Source which represent a "perfect reproduction" under any given authority.	24 Copy → BegetsRelatingTerm → IsPlaceOfCopyingToBy 25 Copy → BegetsRelatingTerm → HasCo-Replica 26 Copy → BegetsRelatingTerm → IsCopiedFromSource 27 Copy → BegetsRelatingTerm → HasReplica 28 Copy → BegetsRelatingTerm → IsCopiedWithTool 29 Copy → BegetsRelatingTerm → IsToolForCopying 30 Copy → BegetsRelatingTerm → IsCopiedAtTime 31 Copy → BegetsRelatingTerm → IsTimeOfCopying 32 Copy → BegetsRelatingTerm → IsCopiedInPlace 33 Copy → BegetsRelatingTerm → IsPlaceOfCopying 34 Copy → BegetsRelatingTerm → IsCopiedFromPlace 35 Copy → BegetsRelatingTerm → IsPlaceOfCopyingFromOf 36 Copy → BegetsRelatingTerm → IsCopiedToPlace 37 Copy → BegetsRelatingTerm → IsPlaceOfCopyingToOf 38 Copy → BegetsRelatingTerm → HasCo-SourceOfReplica 39 Copy → BegetsRelatingTerm → IsSourceCopiedFromWithTool 40 Copy → BegetsRelatingTerm → IsToolForCopyingFromSource 41 Copy → BegetsRelatingTerm → IsSourceOfReplicaAtTime 42 Copy → BegetsRelatingTerm → IsTimeOfCopyingFromSource 43 Copy → BegetsRelatingTerm → IsSourceOfReplicaInPlace 44 Copy → BegetsRelatingTerm → IsPlaceOfCopyingFromSource 45 Copy → BegetsRelatingTerm → IsCopiedFromFromPlace 46 Copy → BegetsRelatingTerm → IsPlaceOfCopyingFromFromSource 47 Copy → BegetsRelatingTerm → IsSourceCopiedFromToPlace 48 Copy → BegetsRelatingTerm → IsPlaceOfCopyingToFromSource 49 Copy → BegetsRelatingTerm → HasCo-CopyingTool 50 Copy → BegetsRelatingTerm → IsCopyingToolAtTime 51 Copy → BegetsRelatingTerm → IsTimeOfCopyingWithTool 52 Copy → BegetsRelatingTerm → IsCopyingToolInPlace 53 Copy → BegetsRelatingTerm → IsPlaceOfCopyingWithTool 54 Copy → BegetsRelatingTerm → IsToolForCopyingFromPlace 55 Copy → BegetsRelatingTerm → IsPlaceOfCopyingFromWithTool 56 Copy → BegetsRelatingTerm → IsToolForCopyingToPlace 57 Copy → BegetsRelatingTerm → IsPlaceOfCopyingToWithTool 58 Copy → BegetsRelatingTerm → HasCo-TimeOfCopying 59 Copy → BegetsRelatingTerm → IsTimeOfCopyingInPlace 60 Copy → BegetsRelatingTerm → IsPlaceOfCopyingAtTime 61 Copy → BegetsRelatingTerm → IsTimeOfCopyingFromPlace
--	--	--	---

				62 Copy → BegetsRelatingTerm → IsPlaceOfCopyingFromAtTime 63 Copy → BegetsRelatingTerm → IsTimeOfCopyingToPlace 64 Copy → BegetsRelatingTerm → IsPlaceOfCopyingToAtTime 65 Copy → BegetsRelatingTerm → HasCo-PlaceOfCopying 66 Copy → BegetsRelatingTerm → IsPlaceOfCopyingIncludingPlaceOfCopyingFrom 67 Copy → BegetsRelatingTerm → IsPlaceOfCopyingFromWithinPlaceOfCopying 68 Copy → BegetsRelatingTerm → IsPlaceOfCopyingIncludingPlaceOfCopyingTo 69 Copy → BegetsRelatingTerm → IsPlaceOfCopyingToWithinPlaceOfCopying 70 Copy → BegetsRelatingTerm → HasCo-PlaceOfCopyingFrom 71 Copy → BegetsRelatingTerm → IsPlaceOfCopyingFromTo 72 Copy → BegetsRelatingTerm → IsPlaceOfCopyingToFrom 73 Copy → BegetsRelatingTerm → HasCo-PlaceOfCopyingTo 74 Copy → BegetsStatusType → Copying 75 Copy → BegetsStatusType → Copied 76 Copy → BegetsStatusType → BeingCopied 77 Copy → BegetsStatusType → Copiable 78 Copy → BegetsStatusType → CopiedFrom 79 Copy → BegetsStatusType → BeingCopiedFrom 80 Copy → BegetsStatusType → CopiableFrom
287	Copy_1 CopyDigitalResource	Standard Derived	To Copy a DigitalResource from another DigitalResource.	1 Copy_1 → IsActTypeBegottenBy → CopyingEvent_1 2 Copy_1 → IsTypeOf → Copy
288	Copying	Standard Derived	The current status of Copier	1 Copying → IsStatusTypeBegottenBy → Copy 2 Copying → IsCurrentStatusOf → Copier 3 Copying → IsTypeOf → Deriving
289	CopyingEvent ReplicatingEvent	Standard Derived	An Event in which a Resource is Copied.	1 CopyingEvent → IsContextTypeBegottenBy → Copy 2 CopyingEvent → IsTypeOf → DerivingEvent <i>ContextDescription</i> 1 CopyingEvent[#1] → HasActType → Copy[#2][occ:1] 2 CopyingEvent[#1] → HasAgentType → Copier[#3.n][occ:1-n] 3 CopyingEvent[#1] → HasResourceType → Replica[#4.n][occ:1-n] 4 Replica → HasPlace → PlaceOfCopyingTo 5 CopyingEvent[#1] → HasResourceType → SourceOfReplica[#5.n][occ:1-n]

				6 SourceOfReplica → HasPlace → PlaceOfCopyingFrom 7 CopyingEvent[#1] → HasResourceType → CopyingTool[#6.n][occ:0-n] 8 CopyingEvent[#1] → HasTimeType → TimeOfCopying[#7.n][occ:1-n] 9 CopyingEvent[#1] → HasPlaceType → PlaceOfCopying[#8.n][occ:1-n] 10 CopyingEvent[#1] → HasPlaceType → PlaceOfCopyingFrom[#9.n][occ:1-n] 11 CopyingEvent[#1] → HasPlaceType → PlaceOfCopyingTo[#10.n][occ:1-n] 12 PlaceOfCopyingTo[#10.n] → IsEqualTo → PlaceOfCopyingFrom[#9.n][occ:1-n][true:Sometimes]
290	CopyingEvent_1	Standard Partially Derived	An Event in which a DigitalResource is Copied from another DigitalResource. Scope of CopyingEvent_1 CopyingEvent_1 describes the context in which Copy is applied to DigitalResources in an MPEG-21 REL expression. When Copy is applied to a digital resource, it is achieved when a new resource exists in a destination repository whose attributes are identical to those of the original, but for some excepted attributes (for example, to allow for changing the file modification date of the copy). Copy may be used with one or more conditions that limit the set of excepted attributes that may be changed by the process of copying. The source and destination may be the same repository.	1 CopyingEvent_1 → IsTypeOf → CopyingEvent <i>ContextDescription</i> 1 CopyingEvent_1[#1] → HasActType → Copy_1[#2][occ:1] 2 CopyingEvent_1[#1] → HasAgentType → Copier[#3.n][occ:1-n] 3 CopyingEvent_1[#1] → HasResourceType → Replica[#4.n][occ:1-n] 4 Replica → HasPlace → PlaceOfCopyingTo 5 Replica[#4.n] → IsA → DigitalResource 6 CopyingEvent_1[#1] → HasResourceType → SourceOfReplica[#5.n][occ:1-n] 7 SourceOfReplica → HasPlace → PlaceOfCopyingFrom 8 SourceOfReplica[#5.n] → IsA → DigitalResource 9 CopyingEvent_1[#1] → HasResourceType → CopyingTool[#6.n][occ:0-n] 10 CopyingEvent_1[#1] → HasTimeType → TimeOfCopying[#7.n][occ:1-n] 11 CopyingEvent_1[#1] → HasPlaceType → PlaceOfCopying[#8.n][occ:1-n] 12 CopyingEvent_1[#1] → HasPlaceType → PlaceOfCopyingFrom[#9.n][occ:1-n] 13 PlaceOfCopyingFrom[#9.n] → IsA → Repository 14 CopyingEvent_1[#1] → HasPlaceType → PlaceOfCopyingTo[#10.n][occ:1-n] 15 PlaceOfCopyingTo[#10.n] → IsA → Repository 16 PlaceOfCopyingTo[#10.n] → IsEqualTo → PlaceOfCopyingFrom[#9.n][occ:1-n][true:Sometimes] <i>ContextFamily</i> 1 CopyingEvent_1 → BegetsActType → Copy_1
291	CopyingTool ReplicatingTool	Standard Derived	A Tool used for Copying.	1 CopyingTool → IsResourceTypeBegottenBy → Copy 2 CopyingTool → IsTypeOf → DerivingTool

292	Creatable	Standard Derived	The potential status of Creation	1 Creatable → IsStatusTypeBegottenBy → Create 2 Creatable → IsPotentialStatusOf → Creation 3 Creatable → IsTypeOf → Makeable
293	CreatableFrom	Standard Derived	The potential status of SourceOfCreation	1 CreatableFrom → IsStatusTypeBegottenBy → Create 2 CreatableFrom → IsPotentialStatusOf → SourceOfCreation 3 CreatableFrom → IsTypeOf → Usable
294	Create	Standard Derived	(Of a human, animal or machine) To Make something. Scope of Create Many creative acts are a mixture of two or more of the basic processes of Originating, Deriving, Expressing and Abstracting (or their Types). The Create ActType enables these to be combined in any way required. For example, the Creating of a multimedia product may involve Extracting, Adapting and Aggregating existing material as well as Originating new material, all of which is Expressed in the new Manifestation. "Create" and its Family of Terms are the common default for describing human creativity.	1 Create → IsTypeOf → Make 2 Create → HasComponent → Derive[true:Sometimes] 3 Create → HasComponent → Originate[true:Sometimes] 4 Create → HasComponent → Express[true:Sometimes] 5 Create → HasComponent → Abstract[true:Sometimes] <i>ActionFamily</i> 1 Create → BegetsContextType → CreatingEvent 2 Create → BegetsAgentType → Creator 3 Create → BegetsResourceType → Creation 4 Create → BegetsResourceType → SourceOfCreation 5 Create → BegetsResourceType → CreatingTool 6 Create → BegetsTimeType → TimeOfCreating 7 Create → BegetsPlaceType → PlaceOfCreating 8 Create → BegetsPlaceType → PlaceOfCreatingFrom 9 Create → BegetsPlaceType → PlaceOfCreatingTo 10 Create → BegetsRelatingTerm → HasSourceOfCreation 11 Create → BegetsRelatingTerm → IsSourceOfCreationOf 12 Create → BegetsStatusType → Creating 13 Create → BegetsStatusType → Created 14 Create → BegetsStatusType → BeingCreated 15 Create → BegetsStatusType → Creatable 16 Create → BegetsStatusType → CreatedFrom 17 Create → BegetsStatusType → BeingCreatedFrom 18 Create → BegetsStatusType → CreatableFrom
295	Created	Standard Derived	The historic status of Creation	1 Created → IsStatusTypeBegottenBy → Create 2 Created → IsHistoricStatusOf → Creation

				3 Created → IsTypeOf → Made
296	CreatedFrom	Standard Derived	The historic status of SourceOfCreation	1 CreatedFrom → IsStatusTypeBegottenBy → Create 2 CreatedFrom → IsHistoricStatusOf → SourceOfCreation 3 CreatedFrom → IsTypeOf → Used
297	Creating	Standard Derived	The current status of Creator	1 Creating → IsStatusTypeBegottenBy → Create 2 Creating → IsCurrentStatusOf → Creator 3 Creating → IsTypeOf → Making
298	CreatingEvent	Standard Derived	An Event in which something is Created	1 CreatingEvent → IsContextTypeBegottenBy → Create 2 CreatingEvent → IsTypeOf → MakingEvent 3 CreatingEvent → HasComponent → DerivingEvent[true:Sometimes] 4 CreatingEvent → HasComponent → OriginatingEvent[true:Sometimes] 5 CreatingEvent → HasComponent → Expression[true:Sometimes] 6 CreatingEvent → HasComponent → AbstractingEvent[true:Sometimes] <i>ContextDescription</i> 1 CreatingEvent[#1] → HasActType → Create[#2][occ:1] 2 CreatingEvent[#1] → HasAgentType → Creator[#3.n][occ:1-n] 3 CreatingEvent[#1] → HasResourceType → Creation[#4.n][occ:1-n] 4 Creation[#4.n] → HasPlace → PlaceOfCreatingTo[#10.n][occ:0-n] 5 CreatingEvent[#1] → HasResourceType → SourceOfCreation[#5.n][occ:0-n] 6 SourceOfCreation[#5.n] → HasPlace → PlaceOfCreatingFrom[#9.n][occ:0-n] 7 CreatingEvent[#1] → HasResourceType → CreatingTool[#6.n][occ:0-n] 8 CreatingEvent[#1] → HasTimeType → TimeOfCreating[#7.n][occ:1-n] 9 CreatingEvent[#1] → HasPlaceType → PlaceOfCreating[#8.n][occ:1-n] 10 CreatingEvent[#1] → HasPlaceType → PlaceOfCreatingFrom[#9.n][occ:0-n] 11 CreatingEvent[#1] → HasPlaceType → PlaceOfCreatingTo[#10.n][occ:0-n]
299	CreatingTool	Standard Derived	A Tool Used for Creating.	1 CreatingTool → IsResourceTypeBegottenBy → Create 2 CreatingTool → IsTypeOf → Tool 3 CreatingTool → HasComponent → DerivingTool[true:Sometimes] 4 CreatingTool → HasComponent → ExpressingTool[true:Sometimes] 5 CreatingTool → HasComponent → OriginatingTool[true:Sometimes]

				6 CreatingTool → HasComponent → AbstractingTool[true:Sometimes]
300	Creation	Standard Derived	A Resource that is Created.	1 Creation → IsResourceTypeBegottenBy → Create 2 Creation → IsTypeOf → Output 3 Creation → HasComponent → Derivation[true:Sometimes] 4 Creation → HasComponent → Origination[true:Sometimes] 5 Creation → HasComponent → Manifestation[true:Sometimes] 6 Creation → HasComponent → Abstraction[true:Sometimes]
301	Creator	Standard Derived	An Agent that Creates.	1 Creator → IsAgentTypeBegottenBy → Create 2 Creator → IsTypeOf → Maker 3 Creator → HasComponent → Deriver[true:Sometimes] 4 Creator → HasComponent → Originator[true:Sometimes] 5 Creator → HasComponent → Expresser[true:Sometimes] 6 Creator → HasComponent → Abstracter[true:Sometimes]
302	Current Existing	Standard Derived	The current status of Exister	1 Current → IsStatusTypeBegottenBy → Existence 2 Current → IsCurrentStatusOf → Exister 3 Current → IsTypeOf → Having
303	CurrentStatus	Standard Derived	Of an Entity which is an AgentType or ResourceType in a Context.	1 CurrentStatus → IsTypeOf → Status
304	Deactivatable	Standard Derived	The potential status of DeactivatedResource	1 Deactivatable → IsStatusTypeBegottenBy → Deactivate 2 Deactivatable → IsPotentialStatusOf → DeactivatedResource 3 Deactivatable → IsTypeOf → Changeable
305	Deactivate	Standard Derived	To stop something Doing something.	1 Deactivate → IsTypeOf → Change 2 Deactivate → IsOpposedTo → Activate <i>ActionFamily</i> 1 Deactivate → BegetsContextType → Deactivation 2 Deactivate → BegetsAgentType → Deactivator 3 Deactivate → BegetsResourceType → DeactivatedResource

				4 Deactivate → BegetsResourceType → DeactivatingTool 5 Deactivate → BegetsTimeType → TimeOfDeactivating 6 Deactivate → BegetsPlaceType → PlaceOfDeactivating 7 Deactivate → BegetsStatusType → Deactivating 8 Deactivate → BegetsStatusType → Deactivated 9 Deactivate → BegetsStatusType → Inactive 10 Deactivate → BegetsStatusType → Deactivatable
306	Deactivated	Standard Derived	The historic status of DeactivatedResource	1 Deactivated → IsStatusTypeBegottenBy → Deactivate 2 Deactivated → IsHistoricStatusOf → DeactivatedResource 3 Deactivated → IsTypeOf → Changed
307	DeactivatedResource	Standard Partially Derived	A Resource which is stopped Doing something.	1 DeactivatedResource → IsResourceTypeBegottenBy → Deactivate 2 DeactivatedResource → IsTypeOf → ChangedResource
308	Deactivating	Standard Derived	The current status of Deactivator	1 Deactivating → IsStatusTypeBegottenBy → Deactivate 2 Deactivating → IsCurrentStatusOf → Deactivator 3 Deactivating → IsTypeOf → Changing
309	DeactivatingTool	Standard Derived	A Tool Used in Deactivating.	1 DeactivatingTool → IsResourceTypeBegottenBy → Deactivate 2 DeactivatingTool → IsTypeOf → ChangingTool
310	Deactivation	Standard Derived	An Event in which a Resource is Deactivated.	1 Deactivation → IsContextTypeBegottenBy → Deactivate 2 Deactivation → IsTypeOf → ChangingEvent <i>ContextDescription</i> 1 Deactivation[#1] → HasActType → Deactivate[#2][occ:1] 2 Deactivation[#1] → HasAgentType → Deactivator[#3.n][occ:1-n] 3 Deactivation[#1] → HasResourceType → DeactivatedResource[#4.n][occ:1-n] 4 Deactivation[#1] → HasResourceType → DeactivatingTool[#5.n][occ:0-n] 5 Deactivation[#1] → HasTimeType → TimeOfDeactivating[#6.n][occ:1-n] 6 Deactivation[#1] → HasPlaceType → PlaceOfDeactivating[#7.n][occ:1-n] 7 Deactivation[#1] → HasResult → Qualification[#8.n][occ:1-n] 8 Qualification[#8.n] → HasAttributeType → Acting 9 Qualification[#8.n] → HasEntityType → DeactivatedResource[#4.n][occ:1-n]

				10 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 11 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n] 12 TimeOfQualification[#6.n] → IsA → EndTime
311	Deactivator	Standard Derived	An Agent that Deactivates a Resource.	1 Deactivator → IsAgentTypeBegottenBy → Deactivate 2 Deactivator → IsTypeOf → Changer
312	Declarable	Standard Derived	The potential status of DeclaredResource	1 Declarable → IsStatusTypeBegottenBy → Declare 2 Declarable → IsPotentialStatusOf → DeclaredResource 3 Declarable → IsTypeOf → InteractableWith
313	Declaration	Standard Derived	An Event in which something is Declared.	1 Declaration → IsContextTypeBegottenBy → Declare 2 Declaration → IsTypeOf → Interaction 3 Declaration → HasComponent → ToolUsage[true:Sometimes] <i>ContextDescription</i> 1 Declaration[#1] → HasActType → Declare[#2][occ:1] 2 Declaration[#1] → HasAgentType → Declarer[#3.n][occ:1-n] 3 Declaration[#1] → HasResourceType → DeclaredResource[#4.n][occ:1-n] 4 Declaration[#1] → HasResourceType → DeclaringTool[#5.n][occ:0-n] 5 Declaration[#1] → HasTimeType → TimeOfDeclaring[#6.n][occ:1-n] 6 Declaration[#1] → HasPlaceType → PlaceOfDeclaring[#7.n][occ:1-n]
314	Declare	Standard Partially Derived	To state something. Scope of Declare Declare does not require any specific audience, only that some statement is made which may be Perceivable. Declare and Say Declare differs from Say in that Say is concerned with the form of the expression itself, while Declare is only concerned with its content.	1 Declare → IsTypeOf → InteractWith 2 Declare → HasComponent → UseTool[true:Sometimes] <i>ActionFamily</i> 1 Declare → BegetsContextType → Declaration 2 Declare → BegetsAgentType → Declarer 3 Declare → BegetsResourceType → DeclaredResource 4 Declare → BegetsResourceType → DeclaringTool 5 Declare → BegetsTimeType → TimeOfDeclaring 6 Declare → BegetsPlaceType → PlaceOfDeclaring 7 Declare → BegetsStatusType → Declaring 8 Declare → BegetsStatusType → Declared 9 Declare → BegetsStatusType → BeingDeclared

				10 Declare → BegetsStatusType → Declarable
315	Declared	Standard Derived	The historic status of DeclaredResource	1 Declared → IsStatusTypeBegottenBy → Declare 2 Declared → IsHistoricStatusOf → DeclaredResource 3 Declared → IsTypeOf → InteractedWith
316	DeclaredResource	Standard Partially Derived	Something that is Declared.	1 DeclaredResource → IsResourceTypeBegottenBy → Declare 2 DeclaredResource → IsTypeOf → Input 3 DeclaredResource → IsAClassFrom → TermSet_1[occ:1]
317	Declarer	Standard Derived	An Agent that Declares.	1 Declarer → IsAgentTypeBegottenBy → Declare 2 Declarer → IsTypeOf → Interactor 3 Declarer → HasComponent → ToolUser[true:Sometimes]
318	Declaring	Standard Derived	The current status of Declarer	1 Declaring → IsStatusTypeBegottenBy → Declare 2 Declaring → IsCurrentStatusOf → Declarer 3 Declaring → IsTypeOf → InteractingWith
319	DeclaringTool	Standard Derived	A Tool Used for Declaring.	1 DeclaringTool → IsResourceTypeBegottenBy → Declare 2 DeclaringTool → IsTypeOf → Tool
320	Definition	Standard Partially Derived	A TermDescription according to formal rules.	1 Definition → IsTypeOf → TermDescription
321	Delete DestroyDigitalResource	Standard Derived	To Destroy a DigitalResource. Scope of Delete This verb applies only to digital resources. Delete is not capable of reversal. If an Undelete action is possible, then the Resource has been Disabled, not Deleted.	1 Delete → IsActTypeBegottenBy → Deletion 2 Delete → IsTypeOf → Destroy

322	Deletion	Standard Partially Derived	An Event in which a DigitalResource is Destroyed.	1 Deletion → IsTypeOf → Destruction <i>ContextDescription</i> 1 Deletion[#1] → HasActType → Delete[#2][occ:1] 2 Deletion[#1] → HasAgentType → Destroyer[#3.n][occ:1-n] 3 Deletion[#1] → HasResourceType → DestroyedResource[#4.n][occ:1-n] 4 DestroyedResource[#1] → IsA → DigitalResource 5 Deletion[#1] → HasResourceType → DestroyingTool[#5.n][occ:0-n] 6 Deletion[#1] → HasTimeType → TimeOfDestroying[#6.n][occ:1-n] 7 Deletion[#1] → HasPlaceType → PlaceOfDestroying[#7.n][occ:1-n] 8 Deletion[#1] → HasResult → Existence[#8.n][occ:1-n] 9 Existence[#8.n] → HasTimeType → TimeOfExistence[#6.n][occ:1-n] 10 Existence[#8.n] → HasEntityType → DestroyedResource[#4.n][occ:1-n] 11 TimeOfExistence[#6.n] → IsA → EndTime <i>ContextFamily</i> 1 Deletion → BegetsActType → Delete
323	Deniable	Standard Derived	The potential status of DeniedResource	1 Deniable → IsStatusTypeBegottenBy → Deny 2 Deniable → IsPotentialStatusOf → DeniedResource 3 Deniable → IsTypeOf → Declarable
324	Denial	Standard Derived	An Event in which something is Denied.	1 Denial → IsContextTypeBegottenBy → Deny 2 Denial → IsTypeOf → Declaration 3 Denial → Is → False <i>ContextDescription</i> 1 Denial[#1] → HasActType → Deny[#2][occ:1] 2 Denial[#1] → HasAgentType → Denier[#3.n][occ:1-n] 3 Denial[#1] → HasResourceType → DeniedResource[#4.n][occ:1-n] 4 Denial[#1] → HasResourceType → DenyingTool[#5.n][occ:0-n] 5 Denial[#1] → HasTimeType → TimeOfDenying[#6.n][occ:1-n] 6 Denial[#1] → HasPlaceType → PlaceOfDenying[#7.n][occ:1-n]
325	Denied	Standard Derived	The historic status of DeniedResource	1 Denied → IsStatusTypeBegottenBy → Deny 2 Denied → IsHistoricStatusOf → DeniedResource

				3 Denied → IsTypeOf → Declared
326	DeniedResource	Standard Partially Derived	Something that is Declared to be False. Scope of DeniedResource Truth claims can only be made about statements containing verbs, so DeniedResources must be Contexts or Relationships. A DeniedResource is mandatory in a DenyingEvent because truth claims must be about something.	1 DeniedResource → IsResourceTypeBegottenBy → Deny 2 DeniedResource → IsTypeOf → DeclaredResource 3 DeniedResource → IsAClassFrom → TermSet_1[occ:1]
327	Denier	Standard Derived	An Agent that Denies.	1 Denier → IsAgentTypeBegottenBy → Deny 2 Denier → IsTypeOf → Declarer
328	Deny	Standard Derived	To Declare that something is False.	1 Deny → IsTypeOf → Declare 2 Deny → IsOpposedTo → Assert <i>ActionFamily</i> 1 Deny → BegetsContextType → Denial 2 Deny → BegetsAgentType → Denier 3 Deny → BegetsResourceType → DeniedResource 4 Deny → BegetsResourceType → DenyingTool 5 Deny → BegetsTimeType → TimeOfDenying 6 Deny → BegetsPlaceType → PlaceOfDenying 7 Deny → BegetsStatusType → Denying 8 Deny → BegetsStatusType → Denied 9 Deny → BegetsStatusType → BeingDenied 10 Deny → BegetsStatusType → Deniable
329	Denying	Standard Derived	The current status of Denier	1 Denying → IsStatusTypeBegottenBy → Deny 2 Denying → IsCurrentStatusOf → Denier 3 Denying → IsTypeOf → Declaring

330	DenyingTool	Standard Derived	A Tool used for Denying.	1 DenyingTool → IsResourceTypeBegottenBy → Deny 2 DenyingTool → IsTypeOf → DeclaringTool
331	Derivable	Standard Derived	The potential status of Derivation	1 Derivable → IsStatusTypeBegottenBy → Derive 2 Derivable → IsPotentialStatusOf → Derivation 3 Derivable → IsTypeOf → Makeable
332	DerivableFrom	Standard Derived	The potential status of Source	1 DerivableFrom → IsStatusTypeBegottenBy → Derive 2 DerivableFrom → IsPotentialStatusOf → Source 3 DerivableFrom → IsTypeOf → Usable
333	Derivation	Standard Derived	A Resource that is Derived.	1 Derivation → IsResourceTypeBegottenBy → Derive 2 Derivation → IsTypeOf → Output
334	Derive	Standard Partially Derived	To Make something new out of something which has already been Made. Scope of Derive Derive covers all creative acts in which something is wholly made, or based on, an existing Creation (for example, a translation of a text, a morph of a photograph, an edited version of a film, or an arrangement of a song). Its opposite, Originate, covers creative acts in which there is no dependence on existing Creations at all. If the content of an Output is partly Originated and partly Derived (for example, a sound recording which contains a sample of another) then it is covered by the composite ActType "Create". Derive does not include acts where something is made only out of Material or natural	1 Derive → IsTypeOf → Make 2 Derive → IsTypeOf → Use 3 Derive → IsOpposedTo → Originate <i>ActionFamily</i> 1 Derive → BegetsContextType → DerivingEvent 2 Derive → BegetsAgentType → Deriver 3 Derive → BegetsResourceType → Derivation 4 Derive → BegetsResourceType → Source 5 Derive → BegetsResourceType → DerivingTool 6 Derive → BegetsTimeType → TimeOfDeriving 7 Derive → BegetsPlaceType → PlaceOfDeriving 8 Derive → BegetsPlaceType → PlaceOfDerivingFrom 9 Derive → BegetsPlaceType → PlaceOfDerivingTo 10 Derive → BegetsRelatingTerm → HasSource 11 Derive → BegetsRelatingTerm → IsSourceOf 12 Derive → BegetsStatusType → Deriving 13 Derive → BegetsStatusType → Derived 14 Derive → BegetsStatusType → BeingDerived 15 Derive → BegetsStatusType → Derivable 16 Derive → BegetsStatusType → DerivedFrom 17 Derive → BegetsStatusType → BeingDerivedFrom

			objects.	18 Derive → BegetsStatusType → DerivableFrom
335	Derived	Standard Derived	The historic status of Derivation	1 Derived → IsStatusTypeBegottenBy → Derive 2 Derived → IsHistoricStatusOf → Derivation 3 Derived → IsTypeOf → Made
336	DerivedFrom	Standard Derived	The historic status of Source	1 DerivedFrom → IsStatusTypeBegottenBy → Derive 2 DerivedFrom → IsHistoricStatusOf → Source 3 DerivedFrom → IsTypeOf → Used
337	Deriver	Standard Derived	An Agent that Derives.	1 Deriver → IsAgentTypeBegottenBy → Derive 2 Deriver → IsTypeOf → Maker 3 Deriver → IsTypeOf → User 4 Deriver → IsA → Context[true:Never]
338	Deriving	Standard Derived	The current status of Deriver	1 Deriving → IsStatusTypeBegottenBy → Derive 2 Deriving → IsCurrentStatusOf → Deriver 3 Deriving → IsTypeOf → Using 4 Deriving → IsTypeOf → Making
339	DerivingEvent	Standard Derived	An Event in which something is Derived.	1 DerivingEvent → IsContextTypeBegottenBy → Derive 2 DerivingEvent → IsTypeOf → MakingEvent 3 DerivingEvent → IsTypeOf → Usage <i>ContextDescription</i> 1 DerivingEvent[#1] → HasActType → Derive[#2][occ:1] 2 DerivingEvent[#1] → HasAgentType → Deriver[#3.n][occ:1-n] 3 DerivingEvent[#1] → HasResourceType → Derivation[#4.n][occ:1-n] 4 Derivation → HasPlace → PlaceOfDerivingTo 5 DerivingEvent[#1] → HasResourceType → Source[#5.n][occ:1-n] 6 Source → HasPlace → PlaceOfDerivingFrom 7 DerivingEvent[#1] → HasResourceType → DerivingTool[#6.n][occ:0-n] 8 DerivingEvent[#1] → HasTimeType → TimeOfDeriving[#7.n][occ:1-n] 9 DerivingEvent[#1] → HasPlaceType → PlaceOfDeriving[#8.n][occ:1-n] 10 DerivingEvent[#1] → HasPlaceType → PlaceOfDerivingFrom[#9.n][occ:1-n] 11 DerivingEvent[#1] → HasPlaceType → PlaceOfDerivingTo[#10.n][occ:1-n]

				12 PlaceOfDerivingTo[#10.n] → IsEqualTo → PlaceOfDerivingFrom[#9.n][occ:1-n][true:Sometimes]
340	DerivingTool	Standard Derived	A Tool Used for Deriving.	1 DerivingTool → IsResourceTypeBegottenBy → Derive 2 DerivingTool → IsTypeOf → MakingTool 3 DerivingTool → IsTypeOf → UsingTool
341	Description	Standard Partially Derived	A Textual account of an Entity and/or its Attributes.	1 Description → IsTypeOf → Utterance
342	Destination	Standard Partially Derived	A Place to which a Resource is Moved.	1 Destination → IsPlaceTypeBegottenBy → Move 2 Destination → IsTypeOf → PlaceOfChanging 3 Destination → IsPartOf → PlaceOfMoving
343	Destroy	Standard Derived	To terminate the Existence of something.	1 Destroy → IsTypeOf → InteractWith <i>ActionFamily</i> 1 Destroy → BegetsContextType → Destruction 2 Destroy → BegetsAgentType → Destroyer 3 Destroy → BegetsResourceType → DestroyedResource 4 Destroy → BegetsResourceType → DestroyingTool 5 Destroy → BegetsTimeType → TimeOfDestroying 6 Destroy → BegetsPlaceType → PlaceOfDestroying 7 Destroy → BegetsStatusType → Destroying 8 Destroy → BegetsStatusType → Destroyed 9 Destroy → BegetsStatusType → BeingDestroyed 10 Destroy → BegetsStatusType → Destructible
344	Destroyed	Standard Derived	The historic status of DestroyedResource	1 Destroyed → IsStatusTypeBegottenBy → Destroy 2 Destroyed → IsHistoricStatusOf → DestroyedResource 3 Destroyed → IsTypeOf → InteractedWith
345	DestroyedResource	Standard Partially	A Resource whose Existence is	1 DestroyedResource → IsResourceTypeBegottenBy → Destroy

		Derived	terminated.	2 DestroyedResource → IsTypeOf → Input
346	Destroyer	Standard Derived	An Agent that Destroys.	1 Destroyer → IsAgentTypeBegottenBy → Destroy 2 Destroyer → IsTypeOf → Interactor
347	Destroying	Standard Derived	The current status of Destroyer	1 Destroying → IsStatusTypeBegottenBy → Destroy 2 Destroying → IsCurrentStatusOf → Destroyer 3 Destroying → IsTypeOf → InteractingWith
348	DestroyingTool	Standard Derived	A Tool Used in Destroying something.	1 DestroyingTool → IsResourceTypeBegottenBy → Destroy 2 DestroyingTool → IsTypeOf → Tool
349	Destructible	Standard Derived	The potential status of DestroyedResource	1 Destructible → IsStatusTypeBegottenBy → Destroy 2 Destructible → IsPotentialStatusOf → DestroyedResource 3 Destructible → IsTypeOf → InteractableWith
350	Destruction DestroyingEvent	Standard Derived	An Event in which something is Destroyed.	1 Destruction → IsContextTypeBegottenBy → Destroy 2 Destruction → IsTypeOf → Interaction <i>ContextDescription</i> 1 Destruction[#1] → HasActType → Destroy[#2][occ:1] 2 Destruction[#1] → HasAgentType → Destroyer[#3.n][occ:1-n] 3 Destruction[#1] → HasResourceType → DestroyedResource[#4.n][occ:1-n] 4 Destruction[#1] → HasResourceType → DestroyingTool[#5.n][occ:0-n] 5 Destruction[#1] → HasTimeType → TimeOfDestroying[#6.n][occ:1-n] 6 Destruction[#1] → HasPlaceType → PlaceOfDestroying[#7.n][occ:1-n] 7 Destruction[#1] → HasResult → Existence[#8.n][occ:1-n] 8 Existence[#8.n] → HasTimeType → TimeOfExistence[#6.n][occ:1-n] 9 Existence[#8.n] → HasEntityType → DestroyedResource[#4.n][occ:1-n] 10 TimeOfExistence[#6.n] → IsA → EndTime
351	DigitalResource	Standard Derived	A Resource that is Written to a repository.	1 DigitalResource → IsResourceTypeBegottenBy → Write 2 DigitalResource → IsTypeOf → Derivation

352	Diminish	Standard Derived	To Modify a Resource by making it smaller.	1 Diminish → IsTypeOf → Modify <i>ActionFamily</i> 1 Diminish → BegetsContextType → Diminution 2 Diminish → BegetsAgentType → Diminisher 3 Diminish → BegetsResourceType → DiminishedResource 4 Diminish → BegetsResourceType → DiminishingTool 5 Diminish → BegetsTimeType → TimeOfDiminishing 6 Diminish → BegetsPlaceType → PlaceOfDiminishing 7 Diminish → BegetsStatusType → Diminishing 8 Diminish → BegetsStatusType → Diminished 9 Diminish → BegetsStatusType → BeingDiminished 10 Diminish → BegetsStatusType → Diminishable
353	Diminishable	Standard Derived	The potential status of DiminishedResource	1 Diminishable → IsStatusTypeBegottenBy → Diminish 2 Diminishable → IsPotentialStatusOf → DiminishedResource 3 Diminishable → IsTypeOf → Modifiable
354	Diminished	Standard Derived	The historic status of DiminishedResource	1 Diminished → IsStatusTypeBegottenBy → Diminish 2 Diminished → IsHistoricStatusOf → DiminishedResource 3 Diminished → IsTypeOf → Modified
355	DiminishedResource	Standard Partially Derived	A Resource which is Modified by being made smaller.	1 DiminishedResource → IsResourceTypeBegottenBy → Diminish 2 DiminishedResource → IsTypeOf → ModifiedResource
356	Diminisher	Standard Derived	An Agent that Diminishes a Resource.	1 Diminisher → IsAgentTypeBegottenBy → Diminish 2 Diminisher → IsTypeOf → Modifier
357	Diminishing	Standard Derived	The current status of Diminisher	1 Diminishing → IsStatusTypeBegottenBy → Diminish 2 Diminishing → IsCurrentStatusOf → Diminisher 3 Diminishing → IsTypeOf → Modifying
358	DiminishingTool	Standard	A Tool Used in Diminishing	1 DiminishingTool → IsResourceTypeBegottenBy → Diminish

		Derived	something.	2 DiminishingTool → IsTypeOf → ModifyingTool
359	Diminution	Standard Derived	An Event in which a Resource is Diminished.	1 Diminution → IsContextTypeBegottenBy → Diminish 2 Diminution → IsTypeOf → Modification <i>ContextDescription</i> 1 Diminution[#1] → HasActType → Diminish[#2][occ:1] 2 Diminution[#1] → HasAgentType → Diminisher[#3.n][occ:1-n] 3 Diminution[#1] → HasResourceType → DiminishedResource[#4.n][occ:1-n] 4 Diminution[#1] → HasResourceType → DiminishingTool[#5.n][occ:0-n] 5 Diminution[#1] → HasTimeType → TimeOfDiminishing[#6.n][occ:1-n] 6 Diminution[#1] → HasPlaceType → PlaceOfDiminishing[#7.n][occ:1-n]
360	Disable	Standard Derived	To make a Resource incapable of being Activated.	1 Disable → IsTypeOf → Change 2 Disable → IsOpposedTo → Enable <i>ActionFamily</i> 1 Disable → BegetsContextType → DisablingEvent 2 Disable → BegetsAgentType → Disabler 3 Disable → BegetsResourceType → DisabledResource 4 Disable → BegetsResourceType → DisablingTool 5 Disable → BegetsTimeType → TimeOfDisabling 6 Disable → BegetsPlaceType → PlaceOfDisabling 7 Disable → BegetsStatusType → Disabling 8 Disable → BegetsStatusType → Disabled 9 Disable → BegetsStatusType → BeingDisabled 10 Disable → BegetsStatusType → Disableable
361	Disable_1 DisableDigitalResource	Standard Derived	To Disable a DigitalResource.	1 Disable_1 → IsActTypeBegottenBy → DisablingEvent_1 2 Disable_1 → IsTypeOf → Disable
362	Disableable	Standard Derived	The potential status of DisabledResource	1 Disableable → IsStatusTypeBegottenBy → Disable 2 Disableable → IsPotentialStatusOf → DisabledResource 3 Disableable → IsTypeOf → Changeable

363	Disabled	Standard Derived	The historic status of DisabledResource	1 Disabled → IsStatusTypeBegottenBy → Disable 2 Disabled → IsHistoricStatusOf → DisabledResource 3 Disabled → IsTypeOf → Changed
364	DisabledResource	Standard Partially Derived	A Resource which is made incapable of being Activated.	1 DisabledResource → IsResourceTypeBegottenBy → Disable 2 DisabledResource → IsTypeOf → ChangedResource
365	Disabler	Standard Derived	An Agent that Disables.	1 Disabler → IsAgentTypeBegottenBy → Disable 2 Disabler → IsTypeOf → Changer
366	Disabling	Standard Derived	The current status of Disabler	1 Disabling → IsStatusTypeBegottenBy → Disable 2 Disabling → IsCurrentStatusOf → Disabler 3 Disabling → IsTypeOf → Changing
367	DisablingEvent	Standard Derived	An Event in which a Resource is Disabled.	1 DisablingEvent → IsContextTypeBegottenBy → Disable 2 DisablingEvent → IsTypeOf → ChangingEvent <i>ContextDescription</i> 1 DisablingEvent[#1] → HasActType → Disable[#2][occ:1] 2 DisablingEvent[#1] → HasAgentType → Disabler[#3.n][occ:1-n] 3 DisablingEvent[#1] → HasResourceType → DisabledResource[#4.n][occ:1-n] 4 DisablingEvent[#1] → HasResourceType → DisablingTool[#5.n][occ:0-n] 5 DisablingEvent[#1] → HasTimeType → TimeOfDisabling[#6.n][occ:1-n] 6 DisablingEvent[#1] → HasPlaceType → PlaceOfDisabling[#7.n][occ:1-n] 7 DisablingEvent[#1] → HasResult → Qualification[#8.n][occ:1-n] 8 Qualification[#8.n] → HasEntityType → DeactivatedResource[#4.n][occ:1-n] 9 Qualification[#8.n] → HasAttributeType → Activatable 10 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 11 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n] 12 TimeOfQualification[#6.n] → IsA → EndTime
368	DisablingEvent_1	Standard Partially Derived	An Event in which a DigitalResource is Disabled. Scope of	1 DisablingEvent_1 → IsTypeOf → DisablingEvent <i>ContextDescription</i> 1 DisablingEvent_1[#1] → HasActType → Disable_1[#2][occ:1]

			DisablingEvent_1 DisablingEvent_1 describes the context in which Disable is applied to DigitalResources in an MPEG-21 REL expression. Disable results in a change in an existing digital resource or its environment such that it becomes inaccessible to software but is not removed from the repository. Disabling may be partial and/or contextual.	2 DisablingEvent_1[#1] → HasAgentType → Disabler[#3.n][occ:1-n] 3 DisablingEvent_1[#1] → HasResourceType → DisabledResource[#4.n][occ:1-n] 4 DisabledResource[#4.n] → IsA → DigitalResource 5 DisablingEvent_1[#1] → HasResourceType → DisablingTool[#5.n][occ:0-n] 6 DisablingEvent_1[#1] → HasTimeType → TimeOfDisabling[#6.n][occ:1-n] 7 DisablingEvent_1[#1] → HasPlaceType → PlaceOfDisabling[#7.n][occ:1-n] 8 DisablingEvent_1[#1] → HasResult → Qualification[#8.n][occ:1-n] 9 Qualification[#8.n] → HasEntityType → DeactivatedResource[#4.n][occ:1-n] 10 Qualification[#8.n] → HasAttributeType → Activatable 11 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 12 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n] 13 TimeOfQualification[#6.n] → IsA → EndTime <i>ContextFamily</i> 1 DisablingEvent_1 → BegetsActType → Disable_1
369	DisablingTool	Standard Derived	A Tool Used in Disabling.	1 DisablingTool → IsResourceTypeBegottenBy → Disable 2 DisablingTool → IsTypeOf → ChangingTool
370	Do	Standard Derived	To make something happen.	1 Do → IsTypeOf → Act <i>ActionFamily</i> 1 Do → BegetsContextType → Event 2 Do → BegetsAgentType → Doer 3 Do → BegetsResourceType → Patient 4 Do → BegetsTimeType → TimeOfEvent 5 Do → BegetsPlaceType → PlaceOfEvent 6 Do → BegetsStateType → Situation 7 Do → BegetsRelatingTerm → HasCo-Doer 8 Do → BegetsRelatingTerm → IsDoerDoingTo 9 Do → BegetsRelatingTerm → IsDoneToBy 10 Do → BegetsRelatingTerm → IsDoerAtTime 11 Do → BegetsRelatingTerm → IsTimeOfDoingBy 12 Do → BegetsRelatingTerm → IsDoerInPlace 13 Do → BegetsRelatingTerm → IsPlaceOfDoingBy 14 Do → BegetsRelatingTerm → HasCo-Patient 15 Do → BegetsRelatingTerm → IsPatientAtTime

				16 Do → BegetsRelatingTerm → IsTimeOfBeingDoneToOf 17 Do → BegetsRelatingTerm → IsPatientInPlace 18 Do → BegetsRelatingTerm → IsPlaceOfBeingDoneToOf 19 Do → BegetsRelatingTerm → HasCo-TimeOfEvent 20 Do → BegetsRelatingTerm → IsTimeOfEventInPlace 21 Do → BegetsRelatingTerm → IsPlaceOfEventInTime 22 Do → BegetsRelatingTerm → HasCo-PlaceOfEvent 23 Do → BegetsStatusType → Doing 24 Do → BegetsStatusType → Done 25 Do → BegetsStatusType → BeingDone 26 Do → BegetsStatusType → Doable
371	Doable	Standard Derived	The potential status of Patient	1 Doable → IsStatusTypeBegottenBy → Do 2 Doable → IsPotentialStatusOf → Patient 3 Doable → IsTypeOf → Actionable
372	Doer	Standard Partially Derived	An Agent that makes something happen.	1 Doer → IsAgentTypeBegottenBy → Do 2 Doer → IsTypeOf → Agent
373	Doing	Standard Derived	The current status of Doer	1 Doing → IsStatusTypeBegottenBy → Do 2 Doing → IsCurrentStatusOf → Doer 3 Doing → IsTypeOf → Acting
374	Done	Standard Derived	The historic status of Patient	1 Done → IsStatusTypeBegottenBy → Do 2 Done → IsHistoricStatusOf → Patient 3 Done → IsTypeOf → ActedOn
375	Durability	Standard Partially Derived	A Quality of persistence of attributes over time.	1 Durability → IsTypeOf → QualityType
376	Dynamic	Standard Derived	The current status of ChangedResource	1 Dynamic → IsStatusTypeBegottenBy → Change 2 Dynamic → IsCurrentStatusOf → ChangedResource

				3 Dynamic → IsTypeOf → BeingInteractedWith
377	Edit	Standard Derived	To Modify and/or Adapt. Scope of Edit Edit is an Aggregated ActType supporting an REL requirement to grant the right to Adapt and/or Modify.	1 Edit → IsTypeOf → Do 2 Edit → HasComponentFrom → TermSet_4[occ:1-n] <i>ActionFamily</i> 1 Edit → BegetsContextType → EditingEvent 2 Edit → BegetsAgentType → Editor 3 Edit → BegetsResourceType → Edition 4 Edit → BegetsResourceType → SourceOfEdition 5 Edit → BegetsResourceType → EditedResource 6 Edit → BegetsResourceType → EditingTool 7 Edit → BegetsTimeType → TimeOfEditing 8 Edit → BegetsPlaceType → PlaceOfEditing 9 Edit → BegetsPlaceType → PlaceOfEditingFrom 10 Edit → BegetsPlaceType → PlaceOfEditingTo 11 Edit → BegetsStatusType → Editing 12 Edit → BegetsStatusType → Edited 13 Edit → BegetsStatusType → BeingEdited 14 Edit → BegetsStatusType → Editable
378	Editable	Standard Derived	The potential status of Edition	1 Editable → IsStatusTypeBegottenBy → Edit 2 Editable → IsPotentialStatusOf → Edition 3 Editable → IsTypeOf → Adaptable
379	Edited	Standard Derived	The historic status of Edition	1 Edited → IsStatusTypeBegottenBy → Edit 2 Edited → IsHistoricStatusOf → Edition 3 Edited → IsTypeOf → Adapted
380	EditedResource	Standard Derived	A Resource which is both a SourceOfEdition and an Edition in an EditingEvent.	1 EditedResource → IsResourceTypeBegottenBy → Edit 2 EditedResource → IsTypeOf → ModifiedResource
381	Editing	Standard Derived	The current status of Editor	1 Editing → IsStatusTypeBegottenBy → Edit 2 Editing → IsCurrentStatusOf → Editor

				3 Editing → IsTypeOf → Doing
382	EditingEvent	Standard Derived	An Event in which something is Made.	1 EditingEvent → IsContextTypeBegottenBy → Edit 2 EditingEvent → IsTypeOf → Event 3 EditingEvent → HasComponentFrom → TermSet_6[occ:1-n] <i>ContextDescription</i> 1 EditingEvent[#1] → HasActType → Edit[#2][occ:1] 2 EditingEvent[#1] → HasAgentType → Editor[#3.n][occ:1-n] 3 EditingEvent[#1] → HasResourceType → Edition[#4.n][occ:0-n] 4 Edition → HasPlace → PlaceOfEditingTo 5 EditingEvent[#1] → HasResourceType → SourceOfEdition[#5.n][occ:0-n] 6 SourceOfEdition → HasPlace → PlaceOfEditingFrom 7 EditingEvent[#1] → HasResourceType → EditedResource[#6.n][occ:0-n] 8 EditingEvent[#1] → HasResourceType → EditingTool[#7.n][occ:0-n] 9 EditingEvent[#1] → HasTimeType → TimeOfEditing[#8.n][occ:1-n] 10 EditingEvent[#1] → HasPlaceType → PlaceOfEditing[#9.n][occ:1-n] 11 EditingEvent[#1] → HasPlaceType → PlaceOfEditingFrom[#10.n][occ:0-n] 12 EditingEvent[#1] → HasPlaceType → PlaceOfEditingTo[#11.n][occ:0-n] 13 PlaceOfEditingTo[#11.n] → IsEqualTo → PlaceOfEditingFrom[#10.n][occ:0-n][true:Sometimes] 14 Relationship → IsMemberOf → RelationshipSet[occ:1-n] 15 EditingEvent[#1] → HasMember → RelationshipSet[#12][occ:1-n] 16 Relationship[#R5] → HasCondition → Relationship[#R3]
383	EditingTool	Standard Derived	A Tool Used in Editing something.	1 EditingTool → IsResourceTypeBegottenBy → Edit 2 EditingTool → IsTypeOf → Tool 3 EditingTool → HasComponentFrom → TermSet_9[occ:1-n]
384	Edition	Standard Derived	A Resource that is Edited from another Resource.	1 Edition → IsResourceTypeBegottenBy → Edit 2 Edition → IsTypeOf → Adaptation
385	Editor	Standard Derived	An Agent that Edits.	1 Editor → IsAgentTypeBegottenBy → Edit 2 Editor → IsTypeOf → Doer 3 Editor → HasComponentFrom → TermSet_5[occ:1-n]

386	Embed	Standard Derived	To Include a Creation in another Creation.	1 Embed → IsTypeOf → Include <i>ActionFamily</i> 1 Embed → BegetsContextType → EmbeddingEvent 2 Embed → BegetsAgentType → Embedder 3 Embed → BegetsResourceType → EmbeddedResource 4 Embed → BegetsResourceType → HostOfEmbeddedResource 5 Embed → BegetsResourceType → EmbeddingTool 6 Embed → BegetsTimeType → TimeOfEmbedding 7 Embed → BegetsPlaceType → PlaceOfEmbedding 8 Embed → BegetsStateType → EmbeddedSituation 9 Embed → BegetsStatusType → Embedding 10 Embed → BegetsStatusType → Embedded 11 Embed → BegetsStatusType → BeingEmbedded 12 Embed → BegetsStatusType → Embeddable 13 Embed → BegetsStatusType → EmbeddedInto 14 Embed → BegetsStatusType → BeingEmbeddedInto 15 Embed → BegetsStatusType → EmbeddableInto
387	Embed_1 EmbedDigitalResource	Standard Derived	To Embed a DigitalResource in another DigitalResource.	1 Embed_1 → IsActTypeBegottenBy → EmbeddingEvent_1 2 Embed_1 → IsTypeOf → Embed
388	Embeddable	Standard Derived	The potential status of EmbeddedResource	1 Embeddable → IsStatusTypeBegottenBy → Embed 2 Embeddable → IsPotentialStatusOf → EmbeddedResource 3 Embeddable → IsTypeOf → Includable
389	EmbeddableInto	Standard Derived	The potential status of HostOfEmbeddedResource	1 EmbeddableInto → IsStatusTypeBegottenBy → Embed 2 EmbeddableInto → IsPotentialStatusOf → HostOfEmbeddedResource
390	Embedded	Standard Derived	The historic status of EmbeddedResource	1 Embedded → IsStatusTypeBegottenBy → Embed 2 Embedded → IsHistoricStatusOf → EmbeddedResource 3 Embedded → IsTypeOf → Included
391	EmbeddedInto	Standard Derived	The historic status of HostOfEmbeddedResource	1 EmbeddedInto → IsStatusTypeBegottenBy → Embed 2 EmbeddedInto → IsHistoricStatusOf → HostOfEmbeddedResource

392	EmbeddedResource	Standard Partially Derived	A Creation which is put inside another Creation.	1 EmbeddedResource → IsResourceTypeBegottenBy → Embed 2 EmbeddedResource → IsTypeOf → IncludedResource 3 EmbeddedResource → IsA → Creation
393	EmbeddedSituation	Standard Derived	A Situation in which a Creation is Included in another Creation.	1 EmbeddedSituation → IsStateTypeBegottenBy → Embed 2 EmbeddedSituation → IsTypeOf → Inclusion
394	Embedder	Standard Derived	An Agent that Embeds.	1 Embedder → IsAgentTypeBegottenBy → Embed 2 Embedder → IsTypeOf → Includer
395	Embedding	Standard Derived	The current status of Embedder	1 Embedding → IsStatusTypeBegottenBy → Embed 2 Embedding → IsCurrentStatusOf → Embedder 3 Embedding → IsTypeOf → Including
396	EmbeddingEvent	Standard Derived	An Event in which a Creation is Embedded.	1 EmbeddingEvent → IsContextTypeBegottenBy → Embed 2 EmbeddingEvent → IsTypeOf → IncludingEvent <i>ContextDescription</i> 1 EmbeddingEvent[#1] → HasActType → Embed[#2][occ:1] 2 EmbeddingEvent[#1] → HasAgentType → Embedder[#3.n][occ:1-n] 3 EmbeddingEvent[#1] → HasResourceType → EmbeddedResource[#4.n][occ:1-n] 4 EmbeddingEvent[#1] → HasResourceType → HostOfEmbeddedResource[#5][occ:1] 5 EmbeddingEvent[#1] → HasResourceType → EmbeddingTool[#6.n][occ:0-n] 6 EmbeddingEvent[#1] → HasTimeType → TimeOfEmbedding[#7.n][occ:1-n] 7 EmbeddingEvent[#1] → HasPlaceType → PlaceOfEmbedding[#8.n][occ:1-n]
397	EmbeddingEvent_1	Standard Partially Derived	An Event in which a DigitalResource is Embedded in another. Scope of EmbeddingEvent_1 EmbeddingEvent_1 describes the context in which Embed is applied to DigitalResources in an MPEG-21	1 EmbeddingEvent_1 → IsTypeOf → EmbeddingEvent <i>ContextDescription</i> 1 EmbeddingEvent_1[#1] → HasActType → Embed_1[#2][occ:1] 2 EmbeddingEvent_1[#1] → HasAgentType → Embedder[#3.n][occ:1-n] 3 EmbeddingEvent_1[#1] → HasResourceType → EmbeddedResource[#4.n][occ:1-n] 4 EmbeddedResource[#4.n] → IsA → DigitalResource 5 EmbeddingEvent_1[#1] → HasResourceType →

			REL expression. It may be achieved, for example, by copying a resource so that the copied resource forms a part of another resource, or (in a Web or other distributed context) by including a link to another resource. The entire resource must be embedded. If copying is involved, then the REL attribute exception provisions for Copy apply to Embed. The other resource may be pre-existing, or may be created by the act of combining this resource with one or more others. The repositories of the original resource and the resource into which it is embedded may be the same.	HostOfEmbeddedResource[#5][occ:1] 6 HostOfEmbeddedResource[#4.n] → IsA → DigitalResource 7 EmbeddingEvent_1[#1] → HasResourceType → EmbeddingTool[#6.n][occ:0-n] 8 EmbeddingEvent_1[#1] → HasTimeType → TimeOfEmbedding[#7.n][occ:1-n] 9 EmbeddingEvent_1[#1] → HasPlaceType → PlaceOfEmbedding[#8.n][occ:1-n] <i>ContextFamily</i> 1 EmbeddingEvent_1 → BegetsActType → Embed_1
398	EmbeddingTool	Standard Derived	A Tool used for Embedding.	1 EmbeddingTool → IsResourceTypeBegottenBy → Embed 2 EmbeddingTool → IsTypeOf → IncludingTool
399	Enable	Standard Derived	To make a Resource capable of being InteractedWith.	1 Enable → IsTypeOf → Change 2 Enable → IsOpposedTo → Disable <i>ActionFamily</i> 1 Enable → BegetsContextType → EnablingEvent 2 Enable → BegetsAgentType → Enabler 3 Enable → BegetsResourceType → EnabledResource 4 Enable → BegetsResourceType → EnablingTool 5 Enable → BegetsTimeType → TimeOfEnabling 6 Enable → BegetsPlaceType → PlaceOfEnabling 7 Enable → BegetsStatusType → Enabling 8 Enable → BegetsStatusType → Enabled 9 Enable → BegetsStatusType → BeingEnabled 10 Enable → BegetsStatusType → Enableable

400	Enable_1 EnableDigitalResource	Standard Derived	To Enable a DigitalResource.	1 Enable_1 → IsActTypeBegottenBy → EnablingEvent_1 2 Enable_1 → IsTypeOf → Enable
401	Enable_2 EnableEvent	Standard Derived	To Enable an Event.	1 Enable_2 → IsActTypeBegottenBy → EnablingEvent_2 2 Enable_2 → IsTypeOf → Enable
402	Enableable	Standard Derived	The potential status of EnabledResource	1 Enableable → IsStatusTypeBegottenBy → Enable 2 Enableable → IsPotentialStatusOf → EnabledResource 3 Enableable → IsTypeOf → Changeable
403	Enabled	Standard Derived	The historic status of EnabledResource	1 Enabled → IsStatusTypeBegottenBy → Enable 2 Enabled → IsHistoricStatusOf → EnabledResource 3 Enabled → IsTypeOf → Changed
404	EnabledResource	Standard Partially Derived	A Resource which is made capable of being InteractedWith.	1 EnabledResource → IsResourceTypeBegottenBy → Enable 2 EnabledResource → IsTypeOf → ChangedResource
405	Enabler	Standard Derived	An Agent that Enables.	1 Enabler → IsAgentTypeBegottenBy → Enable 2 Enabler → IsTypeOf → Changer
406	Enabling	Standard Derived	The current status of Enabler	1 Enabling → IsStatusTypeBegottenBy → Enable 2 Enabling → IsCurrentStatusOf → Enabler 3 Enabling → IsTypeOf → Changing
407	EnablingEvent	Standard Derived	An Event in which a Resource is Enabled.	1 EnablingEvent → IsContextTypeBegottenBy → Enable 2 EnablingEvent → IsTypeOf → ChangingEvent <i>ContextDescription</i> 1 EnablingEvent[#1] → HasActType → Enable[#2][occ:1] 2 EnablingEvent[#1] → HasAgentType → Enabler[#3.n][occ:1-n] 3 EnablingEvent[#1] → HasResourceType → EnabledResource[#4.n][occ:1-n] 4 EnablingEvent[#1] → HasResourceType → EnablingTool[#5.n][occ:0-n] 5 EnablingEvent[#1] → HasTimeType → TimeOfEnabling[#6.n][occ:1-n] 6 EnablingEvent[#1] → HasPlaceType → PlaceOfEnabling[#7.n][occ:1-n]

				7 EnablingEvent[#1] → HasResult → Qualification[#8.n][occ:1-n] 8 Qualification[#8.n] → HasEntityType → EnabledResource[#4.n][occ:1-n] 9 Qualification[#8.n] → HasAttributeType → Activatable 10 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 11 TimeOfQualification[#6.n] → IsA → StartTime 12 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n]
408	EnablingEvent_1	Standard Partially Derived	An Event in which a DigitalResource is Enabled. Scope of EnablingEvent_1 EnablingEvent_1 describes the context in which Enable is applied to DigitalResources in an MPEG-21 REL expression. Enable results in a change in an existing resource such that it becomes capable of being read, written to or executed. Enabling may be partial and/or contextual.	1 EnablingEvent_1 → IsTypeOf → EnablingEvent <i>ContextDescription</i> 1 EnablingEvent_1[#1] → HasActType → Enable_1[#2][occ:1] 2 EnablingEvent_1[#1] → HasAgentType → Enabler[#3.n][occ:1-n] 3 EnablingEvent_1[#1] → HasResourceType → EnabledResource[#4.n][occ:1-n] 4 EnabledResource[#4.n] → IsA → DigitalResource 5 EnablingEvent_1[#1] → HasResourceType → EnablingTool[#5.n][occ:0-n] 6 EnablingEvent_1[#1] → HasTimeType → TimeOfEnabling[#6.n][occ:1-n] 7 EnablingEvent_1[#1] → HasPlaceType → PlaceOfEnabling[#7.n][occ:1-n] 8 EnablingEvent_1[#1] → HasResult → Qualification[#8.n][occ:1-n] 9 Qualification[#8.n] → HasEntityType → EnabledResource[#4.n][occ:1-n] 10 Qualification[#8.n] → HasAttributeType → Activatable 11 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 12 TimeOfQualification[#6.n] → IsA → StartTime 13 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n] <i>ContextFamily</i> 1 EnablingEvent_1 → BegetsActType → Enable_1
409	EnablingEvent_2	Standard Partially Derived	An Event in which an Event is Enabled. Scope of EnablingEvent_2 EnablingEvent_2 describes the Context in which Enable is applied to Events. Both the Enabler and EnabledResource are Events. The former is a necessary condition but not a direct	1 EnablingEvent_2 → IsTypeOf → EnablingEvent <i>ContextDescription</i> 1 EnablingEvent_2 → HasActType → Enable_2[#2][occ:1] 2 EnablingEvent_2[#1] → HasAgentType → Enabler[#3.n][occ:1-n] 3 Enabler[#3.n] → IsA → Event 4 EnablingEvent_2[#1] → HasResourceType → EnabledResource[#4.n][occ:1-n] 5 EnabledResource[#4.n] → IsA → Event 6 EnablingEvent_2[#1] → HasResourceType → EnablingTool[#5.n][occ:0-n] 7 EnablingEvent_2[#1] → HasTimeType → TimeOfEnabling[#6.n][occ:1-n]

			cause of another.	8 EnablingEvent_2[#1] → HasPlaceType → PlaceOfEnabling[#7.n][occ:1-n] 9 EnablingEvent_2[#1] → HasResult → Qualification[#8.n][occ:1-n] 10 Qualification[#8.n] → HasEntityType → EnabledResource[#4.n][occ:1-n] 11 Qualification[#8.n] → HasAttributeType → Activatable 12 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 13 TimeOfQualification[#6.n] → IsA → StartTime 14 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n] <i>ContextFamily</i> 1 EnablingEvent_2 → BegetsActType → Enable_2
410	EnablingTool	Standard Derived	A Tool Used in Enabling.	1 EnablingTool → IsResourceTypeBegottenBy → Enable 2 EnablingTool → IsTypeOf → ChangingTool
411	EndTime	Standard Partially Derived	A Time at which a Context ends.	1 EndTime → IsTypeOf → Time
412	Enlarge	Standard Derived	To Modify a Resource by making it larger.	1 Enlarge → IsTypeOf → Modify <i>ActionFamily</i> 1 Enlarge → BegetsContextType → Enlargement 2 Enlarge → BegetsAgentType → Enlarger 3 Enlarge → BegetsResourceType → EnlargedResource 4 Enlarge → BegetsResourceType → EnlargingTool 5 Enlarge → BegetsTimeType → TimeOfEnlarging 6 Enlarge → BegetsPlaceType → PlaceOfEnlarging 7 Enlarge → BegetsStatusType → Enlarging 8 Enlarge → BegetsStatusType → Enlarged 9 Enlarge → BegetsStatusType → BeingEnlarged 10 Enlarge → BegetsStatusType → Enlargeable
413	Enlarge_1 EnlargeDigitalResource	Standard Derived	To Enlarge a DigitalResource.	1 Enlarge_1 → IsActTypeBegottenBy → Enlargement_1 2 Enlarge_1 → IsTypeOf → Enlarge

414	Enlargeable	Standard Derived	The potential status of EnlargedResource	1 Enlargeable → IsStatusTypeBegottenBy → Enlarge 2 Enlargeable → IsPotentialStatusOf → EnlargedResource 3 Enlargeable → IsTypeOf → Modifiable
415	Enlarged	Standard Derived	The historic status of EnlargedResource	1 Enlarged → IsStatusTypeBegottenBy → Enlarge 2 Enlarged → IsHistoricStatusOf → EnlargedResource 3 Enlarged → IsTypeOf → Modified
416	EnlargedResource	Standard Partially Derived	A Resource which is Modified by being made larger.	1 EnlargedResource → IsResourceTypeBegottenBy → Enlarge 2 EnlargedResource → IsTypeOf → ModifiedResource
417	Enlargement	Standard Derived	An Event in which a Resource is Enlarged.	1 Enlargement → IsContextTypeBegottenBy → Enlarge 2 Enlargement → IsTypeOf → Modification <i>ContextDescription</i> 1 Enlargement[#1] → HasActType → Enlarge[#2][occ:1] 2 Enlargement[#1] → HasAgentType → Enlarger[#3.n][occ:1-n] 3 Enlargement[#1] → HasResourceType → EnlargedResource[#4.n][occ:1-n] 4 Enlargement[#1] → HasResourceType → EnlargingTool[#5.n][occ:0-n] 5 Enlargement[#1] → HasTimeType → TimeOfEnlarging[#6.n][occ:1-n] 6 Enlargement[#1] → HasPlaceType → PlaceOfEnlarging[#7.n][occ:1-n]
418	Enlargement_1	Standard Partially Derived	An Event in which a DigitalResource is Enlarged. Scope of Enlargement_1 Enlargement_1 describes the context in which Enlarge is applied to DigitalResources in an MPEG-21 REL expression. A single resource is preserved at the end of the process. Changes may include the addition of new material including the embedding of other digital	1 Enlargement_1 → IsTypeOf → Enlargement <i>ContextDescription</i> 1 Enlargement_1[#1] → HasActType → Enlarge_1[#2][occ:1] 2 Enlargement_1[#1] → HasAgentType → Enlarger[#3.n][occ:1-n] 3 Enlargement_1[#1] → HasResourceType → EnlargedResource[#4.n][occ:1-n] 4 EnlargedResource[#4.n] → IsA → DigitalResource 5 Enlargement_1[#1] → HasResourceType → EnlargingTool[#5.n][occ:0-n] 6 Enlargement_1[#1] → HasTimeType → TimeOfEnlarging[#6.n][occ:1-n] 7 Enlargement_1[#1] → HasPlaceType → PlaceOfEnlarging[#7.n][occ:1-n] <i>ContextFamily</i>

			resources, but not the removal or changing of elements of the original resource. The repository must remain the same.	1 Enlargement_1 → BegetsActType → Enlarge_1
419	Enlarger	Standard Derived	An Agent that Enlarges a Resource.	1 Enlarger → IsAgentTypeBegottenBy → Enlarge 2 Enlarger → IsTypeOf → Modifier
420	Enlarging	Standard Derived	The current status of Enlarger	1 Enlarging → IsStatusTypeBegottenBy → Enlarge 2 Enlarging → IsCurrentStatusOf → Enlarger 3 Enlarging → IsTypeOf → Modifying
421	EnlargingTool	Standard Derived	A Tool Used in Enlarging something.	1 EnlargingTool → IsResourceTypeBegottenBy → Enlarge 2 EnlargingTool → IsTypeOf → ModifyingTool
422	Entity Possessor	Standard Derived	An Agent that possesses something.	1 Entity → IsAgentTypeBegottenBy → Situation 2 Entity → IsTypeOf → Agent
423	EntityType	Standard	A Type of Entity.	1 EntityType → IsResourceTypeBegottenBy → BegettingEvent_10 2 EntityType → IsTypeOf → BegottenTerm
424	Equatable	Standard Derived	The potential status of Equivalent	1 Equatable → IsStatusTypeBegottenBy → Equate 2 Equatable → IsPotentialStatusOf → Equivalent 3 Equatable → IsTypeOf → Relatable
425	Equate	Standard Partially Derived	To Relate Entities which have the same Value.	1 Equate → IsTypeOf → Relate 2 Equate → IsOpposedTo → Oppose <i>ActionFamily</i> 1 Equate → BegetsContextType → EquatingEvent 2 Equate → BegetsAgentType → Equater 3 Equate → BegetsResourceType → Equivalent 4 Equate → BegetsResourceType → EquatingTool 5 Equate → BegetsTimeType → TimeOfEquating 6 Equate → BegetsPlaceType → PlaceOfEquating

				7 Equate → BegetsStateType → Equation 8 Equate → BegetsRelatingTerm → IsCo-Equater 9 Equate → BegetsRelatingTerm → IsEquaterOf 10 Equate → BegetsRelatingTerm → IsEquatedBy 11 Equate → BegetsRelatingTerm → IsEquaterWithTool 12 Equate → BegetsRelatingTerm → IsToolForEquatingBy 13 Equate → BegetsRelatingTerm → IsEquaterAtTime 14 Equate → BegetsRelatingTerm → IsTimeOfEquatingBy 15 Equate → BegetsRelatingTerm → IsEquaterInPlace 16 Equate → BegetsRelatingTerm → IsPlaceOfEquatingBy 17 Equate → BegetsRelatingTerm → IsEqualTo 18 Equate → BegetsRelatingTerm → IsEquatedWithTool 19 Equate → BegetsRelatingTerm → IsToolForEquating 20 Equate → BegetsRelatingTerm → IsEquivalentAtTime 21 Equate → BegetsRelatingTerm → IsTimeOfEquating 22 Equate → BegetsRelatingTerm → IsEquivalentInPlace 23 Equate → BegetsRelatingTerm → IsPlaceOfEquating 24 Equate → BegetsRelatingTerm → HasCo-EquatingTool 25 Equate → BegetsRelatingTerm → IsEquatingToolAtTime 26 Equate → BegetsRelatingTerm → IsTimeOfEquatingWithTool 27 Equate → BegetsRelatingTerm → IsEquatingToolInPlace 28 Equate → BegetsRelatingTerm → IsPlaceOfEquatingWithTool 29 Equate → BegetsRelatingTerm → IsCo-TimeOfEquating 30 Equate → BegetsRelatingTerm → IsTimeOfEquatingInPlace 31 Equate → BegetsRelatingTerm → IsPlaceOfEquatingAtTime 32 Equate → BegetsRelatingTerm → IsCo-PlaceOfEquating 33 Equate → BegetsStatusType → Equating 34 Equate → BegetsStatusType → Equated 35 Equate → BegetsStatusType → BeingEquated 36 Equate → BegetsStatusType → Equatable
426	Equated	Standard Derived	The historic status of Equivalent	1 Equated → IsStatusTypeBegottenBy → Equate 2 Equated → IsHistoricStatusOf → Equivalent 3 Equated → IsTypeOf → Related
427	Equater	Standard	An Agent that Equates.	1 Equater → IsAgentTypeBegottenBy → Equate

		Derived		2 Equater → IsTypeOf → Relator
428	Equating	Standard Derived	The current status of Equater	1 Equating → IsStatusTypeBegottenBy → Equate 2 Equating → IsCurrentStatusOf → Equater 3 Equating → IsTypeOf → Relating
429	EquatingEvent	Standard Derived	An Event in which Entities are Equated.	1 EquatingEvent → IsContextTypeBegottenBy → Equate 2 EquatingEvent → IsTypeOf → RelatingEvent <i>ContextDescription</i> 1 EquatingEvent[#1] → HasActType → Equate[#2][occ:1] 2 EquatingEvent[#1] → HasAgentType → Equater[#3.n][occ:1-n] 3 EquatingEvent[#1] → HasResourceType → Equivalent[#4.n][occ:2-n] 4 EquatingEvent[#1] → HasResourceType → EquatingTool[#5.n][occ:0-n] 5 EquatingEvent[#1] → HasTimeType → TimeOfEquating[#6.n][occ:1-n] 6 EquatingEvent[#1] → HasPlaceType → PlaceOfEquating[#7.n][occ:1-n]
430	EquatingTool	Standard Derived	A Tool with which two Entities are Equated.	1 EquatingTool → IsResourceTypeBegottenBy → Equate 2 EquatingTool → IsTypeOf → RelatingTool
431	Equation Equivalence	Standard Derived	A Situation in which two Entities have the same Value.	1 Equation → IsStateTypeBegottenBy → Equate 2 Equation → IsTypeOf → Relation <i>ContextDescription</i> 1 Equation[#1] → HasActType → HaveEquivalent[#2][occ:1] 2 Equation[#1] → HasEntityType → Equivalent[#3.n][occ:1-n] 3 Equation[#1] → HasAttributeType → Equivalent[#4.n][occ:1-n] 4 Equation[#1] → HasTimeType → TimeOfEquation[#5.n][occ:1-n] 5 Equation[#1] → HasPlaceType → PlaceOfEquation[#6.n][occ:1-n] <i>ContextFamily</i> 1 Equation → BegetsActType → HaveEquivalent 2 Equation → BegetsTimeType → TimeOfEquation 3 Equation → BegetsPlaceType → PlaceOfEquation

432	Equivalent	Standard Derived	A Resource which has the same Value as another. Occurrences of Equivalent If more than two Equivalents occur, then each is an Equivalent of every other one (that is, a one-to-one "IsEqualTo" Relationship exists for every pair of Equivalents in an EquatingEvent).	1 Equivalent → IsResourceTypeBegottenBy → Equate 2 Equivalent → IsTypeOf → Relative
433	Evaluatable	Standard Derived	The potential status of EvaluatedResource	1 Evaluatable → IsStatusTypeBegottenBy → Evaluate 2 Evaluatable → IsPotentialStatusOf → EvaluatedResource 3 Evaluatable → IsTypeOf → AscribableTo
434	Evaluate	Standard Derived	To Ascribe one Entity to another as a Value.	1 Evaluate → IsTypeOf → Ascribe <i>ActionFamily</i> 1 Evaluate → BegetsContextType → EvaluatingEvent 2 Evaluate → BegetsAgentType → Evaluator 3 Evaluate → BegetsResourceType → Value 4 Evaluate → BegetsResourceType → EvaluatedResource 5 Evaluate → BegetsResourceType → EvaluatingTool 6 Evaluate → BegetsTimeType → TimeOfEvaluating 7 Evaluate → BegetsPlaceType → PlaceOfEvaluating 8 Evaluate → BegetsStateType → Evaluation 9 Evaluate → BegetsRelatingTerm → HasCo-Evaluator 10 Evaluate → BegetsRelatingTerm → IsEvaluatorWith 11 Evaluate → BegetsRelatingTerm → IsValueAscribedBy 12 Evaluate → BegetsRelatingTerm → IsEvaluatorOf 13 Evaluate → BegetsRelatingTerm → IsEvaluatedBy 14 Evaluate → BegetsRelatingTerm → IsEvaluatorWithTool 15 Evaluate → BegetsRelatingTerm → IsToolForEvaluatingBy 16 Evaluate → BegetsRelatingTerm → IsEvaluatorAtTime 17 Evaluate → BegetsRelatingTerm → IsTimeOfEvaluatingBy 18 Evaluate → BegetsRelatingTerm → IsEvaluatorInPlace 19 Evaluate → BegetsRelatingTerm → IsPlaceOfEvaluatingBy

				20 Evaluate → BegetsRelatingTerm → HasCo-Value 21 Evaluate → BegetsRelatingTerm → IsValueOf 22 Evaluate → BegetsRelatingTerm → HasValue 23 Evaluate → BegetsRelatingTerm → IsValueAscribedWithTool 24 Evaluate → BegetsRelatingTerm → IsToolForEvaluatingWith 25 Evaluate → BegetsRelatingTerm → IsValueAtTime 26 Evaluate → BegetsRelatingTerm → IsTimeOfEvaluatingWith 27 Evaluate → BegetsRelatingTerm → IsValueInPlace 28 Evaluate → BegetsRelatingTerm → IsPlaceOfEvaluatingWith 29 Evaluate → BegetsRelatingTerm → HasCo-EvaluatedResource 30 Evaluate → BegetsRelatingTerm → IsResourceEvaluatedWithTool 31 Evaluate → BegetsRelatingTerm → IsToolForEvaluatingOf 32 Evaluate → BegetsRelatingTerm → IsResourceEvaluatedAtTime 33 Evaluate → BegetsRelatingTerm → IsTimeOfEvaluatingOf 34 Evaluate → BegetsRelatingTerm → IsResourceEvaluatedInPlace 35 Evaluate → BegetsRelatingTerm → IsPlaceOfEvaluatingOf 36 Evaluate → BegetsRelatingTerm → HasCo-EvaluatingTool 37 Evaluate → BegetsRelatingTerm → IsEvaluatingToolAtTime 38 Evaluate → BegetsRelatingTerm → IsTimeOfEvaluatingWithTool 39 Evaluate → BegetsRelatingTerm → IsEvaluatingToolInPlace 40 Evaluate → BegetsRelatingTerm → IsPlaceOfEvaluatingWithTool 41 Evaluate → BegetsRelatingTerm → HasCo-TimeOfEvaluating 42 Evaluate → BegetsRelatingTerm → IsTimeOfEvaluatingInPlace 43 Evaluate → BegetsRelatingTerm → IsPlaceOfEvaluatingAtTime 44 Evaluate → BegetsRelatingTerm → HasCo-PlaceOfEvaluating 45 Evaluate → BegetsStatusType → Evaluating 46 Evaluate → BegetsStatusType → Evaluated 47 Evaluate → BegetsStatusType → BeingEvaluated 48 Evaluate → BegetsStatusType → Evaluatable
435	Evaluated	Standard Derived	The historic status of EvaluatedResource	1 Evaluated → IsStatusTypeBegottenBy → Evaluate 2 Evaluated → IsHistoricStatusOf → EvaluatedResource 3 Evaluated → IsTypeOf → AscribedTo
436	EvaluatedResource	Standard Derived	A Resource to which a Value is Ascribed.	1 EvaluatedResource → IsResourceTypeBegottenBy → Evaluate 2 EvaluatedResource → IsTypeOf → AscribedResource

437	Evaluating	Standard Derived	The current status of Evaluator	1 Evaluating → IsStatusTypeBegottenBy → Evaluate 2 Evaluating → IsCurrentStatusOf → Evaluator 3 Evaluating → IsTypeOf → Ascribing
438	EvaluatingEvent	Standard Derived	An Event in which something is Evaluated.	1 EvaluatingEvent → IsContextTypeBegottenBy → Evaluate 2 EvaluatingEvent → IsTypeOf → AscribingEvent <i>ContextDescription</i> 1 EvaluatingEvent[#1] → HasActType → Evaluate[#2][occ:1] 2 EvaluatingEvent[#1] → HasAgentType → Evaluator[#3.n][occ:1-n] 3 Evaluation[#9.n] → HasEntityType → EvaluatedResource[#5.n][occ:1-n] 4 EvaluatingEvent[#1] → HasResourceType → Value[#4.n][occ:1-n] 5 Evaluation[#9.n] → HasAttributeType → Value[#4.n][occ:1-n] 6 EvaluatingEvent[#1] → HasResourceType → EvaluatedResource[#5.n][occ:1-n] 7 Evaluation[#9.n] → HasTimeType → TimeOfEvaluation[#7.n][occ:1-n] 8 EvaluatingEvent[#1] → HasResourceType → EvaluatingTool[#6.n][occ:0-n] 9 Evaluation[#9.n] → HasPlaceType → PlaceOfEvaluation[#8.n][occ:1-n] 10 EvaluatingEvent[#1] → HasTimeType → TimeOfEvaluating[#7.n][occ:1-n] 11 EvaluatingEvent[#1] → HasPlaceType → PlaceOfEvaluating[#8.n][occ:1-n] 12 EvaluatingEvent[#1] → HasStateType → Evaluation[#9.n][occ:1-n] 13 TimeOfEvaluation[#7.n] → IsA → StartTime
439	EvaluatingTool	Standard Derived	A Tool with which something is Evaluated.	1 EvaluatingTool → IsResourceTypeBegottenBy → Evaluate 2 EvaluatingTool → IsTypeOf → AscribingTool
440	Evaluation	Standard Derived	A Situation in which an Entity has a Value.	1 Evaluation → IsStateTypeBegottenBy → Evaluate 2 Evaluation → IsTypeOf → AscribedSituation <i>ContextDescription</i> 1 Evaluation[#1] → HasActType → HaveValue[#2][occ:1] 2 Evaluation[#9.n] → HasEntityType → EvaluatedResource[#5.n][occ:1-n] 3 Evaluation[#9.n] → HasAttributeType → Value[#4.n][occ:1-n] 4 Evaluation[#9.n] → HasTimeType → TimeOfEvaluation[#7.n][occ:1-n] 5 Evaluation[#9.n] → HasPlaceType → PlaceOfEvaluation[#8.n][occ:1-n] <i>ContextFamily</i> 1 Evaluation → BegetsActType → HaveValue

				2 Evaluation → BegetsTimeType → TimeOfEvaluation 3 Evaluation → BegetsPlaceType → PlaceOfEvaluation
441	Evaluator	Standard Derived	An Agent that Evaluates.	1 Evaluator → IsAgentTypeBegottenBy → Evaluate 2 Evaluator → IsTypeOf → Ascriber
442	Event	Standard Partially Derived	A Context in which, or as a result of which, something changes.	1 Event → IsContextTypeBegottenBy → Do 2 Event → IsTypeOf → Context <i>ContextDescription</i> 1 Event[#1] → HasActType → Do[#2][occ:1] 2 Event[#1] → HasAgentType → Doer[#3.n][occ:1-n] 3 Event[#1] → HasResourceType → Patient[#4.n][occ:0-n] 4 Event[#1] → HasTimeType → TimeOfEvent[#5.n][occ:1-n] 5 Event[#1] → HasPlaceType → PlaceOfEvent[#6.n][occ:1-n] 6 Event[#1] → HasStateType → Situation[#7.n][occ:1-n] 7 Situation[#7.n] → HasTimeType → TimeOfSituation[#5.n][occ:1-n] 8 TimeOfSituation[#5.n] → IsA → StartTime
443	Exact	Standard Partially Derived	Of an Entity whose Value is exact.	1 Exact → IsAllowedValueOf → Precision
444	Example	Standard Partially Derived	An instance of usage illustrating the Meaning of a Term or TermAttribute.	1 Example → IsTypeOf → Description
445	Excerpt	Standard Partially Derived	A Resource that is Extracted from another Resource.	1 Excerpt → IsResourceTypeBegottenBy → Extract 2 Excerpt → IsTypeOf → Derivation
446	Executable	Standard Derived	The potential status of ExecutedResource	1 Executable → IsStatusTypeBegottenBy → Execute 2 Executable → IsPotentialStatusOf → ExecutedResource 3 Executable → IsTypeOf → Activatable

447	Execute	Standard Derived	To Execute a SoftwareProgram. Scope of Execute The verb here refers to the primitive computing process of executing a program.	1 Execute → IsTypeOf → Activate <i>ActionFamily</i> 1 Execute → BegetsContextType → Execution 2 Execute → BegetsAgentType → Executor 3 Execute → BegetsResourceType → ExecutedResource 4 Execute → BegetsResourceType → ExecutingTool 5 Execute → BegetsTimeType → TimeOfExecuting 6 Execute → BegetsPlaceType → PlaceOfExecuting 7 Execute → BegetsStatusType → Executing 8 Execute → BegetsStatusType → Executed 9 Execute → BegetsStatusType → BeingExecuted 10 Execute → BegetsStatusType → Executable
448	Executed	Standard Derived	The historic status of ExecutedResource	1 Executed → IsStatusTypeBegottenBy → Execute 2 Executed → IsHistoricStatusOf → ExecutedResource 3 Executed → IsTypeOf → Activated
449	ExecutedResource	Standard Partially Derived	A SoftwareProgram which is Executed.	1 ExecutedResource → IsResourceTypeBegottenBy → Execute 2 ExecutedResource → IsTypeOf → ActivatedResource
450	Executing	Standard Derived	The current status of Executor	1 Executing → IsStatusTypeBegottenBy → Execute 2 Executing → IsCurrentStatusOf → Executor 3 Executing → IsTypeOf → Activating
451	ExecutingTool	Standard Derived	A Tool Used in Executing.	1 ExecutingTool → IsResourceTypeBegottenBy → Execute 2 ExecutingTool → IsTypeOf → ActivatingTool
452	Execution	Standard Derived	An Event in which a SoftwareProgram is Executed.	1 Execution → IsContextTypeBegottenBy → Execute 2 Execution → IsTypeOf → Activation <i>ContextDescription</i> 1 Execution[#1] → HasActType → Execute[#2][occ:1] 2 Execution[#1] → HasAgentType → Executor[#3.n][occ:1-n] 3 Execution[#1] → HasResourceType → ExecutedResource[#4.n][occ:1-n]

				4 Execution[#1] → HasResourceType → ExecutingTool[#5.n][occ:0-n] 5 Execution[#1] → HasTimeType → TimeOfExecuting[#6.n][occ:1-n] 6 Execution[#1] → HasPlaceType → PlaceOfExecuting[#7.n][occ:1-n]
453	Executor	Standard Derived	An Agent that Executes.	1 Executor → IsAgentTypeBegottenBy → Execute 2 Executor → IsTypeOf → Activator
454	Exist	Standard Derived	To be. Scope of Exist Anything which is Named "exists" in some sense in some Place and/or Time.	1 Exist → IsActTypeBegottenBy → Existence 2 Exist → IsTypeOf → Have
455	Existence	Standard Derived	A Situation in which something Exists. Scope of Existence An Existence frames the "universe" which an Entity inhabits (or may, or does not, inhabit).	1 Existence → IsStateTypeBegottenBy → Make 2 Existence → IsTypeOf → Situation <i>ContextDescription</i> 1 Existence[#1] → HasActType → Exist[#2][occ:1] 2 Existence[#1] → HasEntityType → Exister[#3.n][occ:1-n] 3 Existence[#8.n] → HasTimeType → TimeOfExistence[#6.n][occ:1-n] 4 Existence[#8.n] → HasPlaceType → PlaceOfExistence[#7.n][occ:1-n] <i>ContextFamily</i> 1 Existence → BegetsActType → Exist 2 Existence → BegetsAgentType → Exister 3 Existence → BegetsTimeType → TimeOfExistence 4 Existence → BegetsPlaceType → PlaceOfExistence 5 Existence → BegetsRelatingTerm → IsExisterAtTime 6 Existence → BegetsRelatingTerm → IsTimeOfExistenceOf 7 Existence → BegetsRelatingTerm → IsExisterInPlace 8 Existence → BegetsRelatingTerm → IsPlaceOfExistenceOf 9 Existence → BegetsRelatingTerm → HasCo-TimeOfExistence 10 Existence → BegetsRelatingTerm → IsTimeOfExistenceInPlace 11 Existence → BegetsRelatingTerm → IsPlaceOfExistenceAtTime 12 Existence → BegetsRelatingTerm → HasCo-PlaceOfExistence 13 Existence → BegetsStatusType → Historic 14 Existence → BegetsStatusType → Current

				15 Existence → BegetsStatusType → Potential
456	Exister	Standard Derived	An Agent that Exists.	1 Exister → IsAgentTypeBegottenBy → Existence 2 Exister → IsTypeOf → Entity
457	Express	Standard Derived	To Make something that is Perceivable. Scope of Express Express is typically used to describe the process of making something perceivable (a Manifestation) from a concept (Abstraction), such as a particular performance or fixation of an abstract work such as a song, a printed book or a digital object. However, an Expression may have another Manifestation as its Source (as with the playing of a recording); and it may have no Source at all, in the fundamental cases of original creativity where an abstract work cannot be said to exist until the Expressing of the latent idea has occurred ("ideas" being commonly unreferenced or unreferenceable).	1 Express → IsTypeOf → Make 2 Express → HasComponent → Derive[true:Sometimes] <i>ActionFamily</i> 1 Express → BegetsContextType → Expression 2 Express → BegetsAgentType → Expresser 3 Express → BegetsResourceType → Manifestation 4 Express → BegetsResourceType → SourceOfManifestation 5 Express → BegetsResourceType → ExpressingTool 6 Express → BegetsTimeType → TimeOfExpression 7 Express → BegetsPlaceType → PlaceOfExpression 8 Express → BegetsPlaceType → PlaceOfExpressingFrom 9 Express → BegetsPlaceType → PlaceOfManifestation 10 Express → BegetsStatusType → Expressing 11 Express → BegetsStatusType → Expressed 12 Express → BegetsStatusType → BeingExpressed 13 Express → BegetsStatusType → Expressible 14 Express → BegetsStatusType → ExpressedFrom 15 Express → BegetsStatusType → BeingExpressedFrom 16 Express → BegetsStatusType → ExpressibleFrom
458	Expressed	Standard Derived	The historic status of Manifestation	1 Expressed → IsStatusTypeBegottenBy → Express 2 Expressed → IsHistoricStatusOf → Manifestation 3 Expressed → IsTypeOf → Made
459	ExpressedFrom	Standard Derived	The historic status of SourceOfManifestation	1 ExpressedFrom → IsStatusTypeBegottenBy → Express 2 ExpressedFrom → IsHistoricStatusOf → SourceOfManifestation 3 ExpressedFrom → IsTypeOf → DerivedFrom

460	Expresser	Standard Derived	An Agent that Expresses.	1 Expresser → IsAgentTypeBegottenBy → Express 2 Expresser → IsTypeOf → Maker 3 Expresser → HasComponent → Deriver[true:Sometimes]
461	Expressible	Standard Derived	The potential status of Manifestation	1 Expressible → IsStatusTypeBegottenBy → Express 2 Expressible → IsPotentialStatusOf → Manifestation 3 Expressible → IsTypeOf → Makeable
462	ExpressibleFrom	Standard Derived	The potential status of SourceOfManifestation	1 ExpressibleFrom → IsStatusTypeBegottenBy → Express 2 ExpressibleFrom → IsPotentialStatusOf → SourceOfManifestation 3 ExpressibleFrom → IsTypeOf → DerivableFrom
463	Expressing	Standard Derived	The current status of Expresser	1 Expressing → IsStatusTypeBegottenBy → Express 2 Expressing → IsCurrentStatusOf → Expresser 3 Expressing → IsTypeOf → Making
464	ExpressingTool	Standard Derived	A Tool Used for Expressing a Manifestation.	1 ExpressingTool → IsResourceTypeBegottenBy → Express 2 ExpressingTool → IsTypeOf → MakingTool 3 ExpressingTool → HasComponent → DerivingTool[true:Sometimes]
465	Expression	Standard Derived	An Event in which something is Expressed. Expression and Manifestation A Manifestation may be in any Perceivable form, such as an image, text or object. However, when no fixation is made, the Expression is its own Manifestation (for example, in the live performance of a piece of music).	1 Expression → IsContextTypeBegottenBy → Express 2 Expression → IsTypeOf → MakingEvent 3 Expression → HasComponent → DerivingEvent[true:Sometimes] <i>ContextDescription</i> 1 Expression[#1] → HasActType → Express[#2][occ:1] 2 Expression[#1] → HasAgentType → Expresser[#3.n][occ:1-n] 3 Expression[#1] → HasResourceType → Manifestation[#4.n][occ:1-n] 4 Manifestation[#4.n] → IsEqualTo → Expression[#1][true:Sometimes] 5 Manifestation → HasPlace → PlaceOfManifestation 6 Expression[#1] → HasResourceType → SourceOfManifestation[#5.n][occ:0-n] 7 SourceOfManifestation → HasPlace → PlaceOfExpressingFrom 8 Expression[#1] → HasResourceType → ExpressingTool[#6.n][occ:0-n] 9 Expression[#1] → HasTimeType → TimeOfExpression[#8.n][occ:1-n] 10 Expression[#1] → HasPlaceType → PlaceOfExpression[#9.n][occ:1-n] 11 Expression[#1] → HasPlaceType → PlaceOfExpressingFrom[#10.n][occ:0-n]

				12 Expression[#1] → HasPlaceType → PlaceOfManifestation[#11.n][occ:0-n]
466	Extract	Standard Derived	To Derive a new Resource by taking something out of an existing Resource. Extract and Reduce Extract may or may not have a lasting impact on the entity Extracted from (the SourceOfExcerpt): that is, the SourceOfExcerpt may or may not be Reduced as a result of the ExtractingEvent.	1 Extract → IsTypeOf → Derive <i>ActionFamily</i> 1 Extract → BegetsContextType → ExtractingEvent 2 Extract → BegetsAgentType → Extractor 3 Extract → BegetsResourceType → Excerpt 4 Extract → BegetsResourceType → SourceOfExcerpt 5 Extract → BegetsResourceType → ExtractingTool 6 Extract → BegetsTimeType → TimeOfExtracting 7 Extract → BegetsPlaceType → PlaceOfExtracting 8 Extract → BegetsPlaceType → PlaceOfExtractingFrom 9 Extract → BegetsPlaceType → PlaceOfExtractingTo 10 Extract → BegetsStatusType → Extracting 11 Extract → BegetsStatusType → Extracted 12 Extract → BegetsStatusType → BeingExtracted 13 Extract → BegetsStatusType → Extractable 14 Extract → BegetsStatusType → ExtractedFrom 15 Extract → BegetsStatusType → BeingExtractedFrom 16 Extract → BegetsStatusType → ExtractableFrom
467	Extract_1 ExtractDigitalResource	Standard Derived	To Extract a DigitalResource from another DigitalResource.	1 Extract_1 → IsActTypeBegottenBy → ExtractingEvent_1 2 Extract_1 → IsTypeOf → Extract
468	Extractable	Standard Derived	The potential status of Excerpt	1 Extractable → IsStatusTypeBegottenBy → Extract 2 Extractable → IsPotentialStatusOf → Excerpt 3 Extractable → IsTypeOf → Derivable
469	ExtractableFrom	Standard Derived	The potential status of SourceOfExcerpt	1 ExtractableFrom → IsStatusTypeBegottenBy → Extract 2 ExtractableFrom → IsPotentialStatusOf → SourceOfExcerpt 3 ExtractableFrom → IsTypeOf → DerivableFrom
470	Extracted	Standard Derived	The historic status of Excerpt	1 Extracted → IsStatusTypeBegottenBy → Extract 2 Extracted → IsHistoricStatusOf → Excerpt

				3 Extracted → IsTypeOf → Derived
471	ExtractedFrom	Standard Derived	The historic status of SourceOfExcerpt	1 ExtractedFrom → IsStatusTypeBegottenBy → Extract 2 ExtractedFrom → IsHistoricStatusOf → SourceOfExcerpt 3 ExtractedFrom → IsTypeOf → DerivedFrom
472	Extracting	Standard Derived	The current status of Extractor	1 Extracting → IsStatusTypeBegottenBy → Extract 2 Extracting → IsCurrentStatusOf → Extractor 3 Extracting → IsTypeOf → Deriving
473	ExtractingEvent ExcerptingEvent	Standard Derived	An Event in which something is Extracted.	1 ExtractingEvent → IsContextTypeBegottenBy → Extract 2 ExtractingEvent → IsTypeOf → DerivingEvent <i>ContextDescription</i> 1 ExtractingEvent[#1] → HasActType → Extract[#2][occ:1] 2 ExtractingEvent[#1] → HasAgentType → Extractor[#3.n][occ:1-n] 3 ExtractingEvent[#1] → HasResourceType → Excerpt[#4.n][occ:1-n] 4 Excerpt → HasPlace → PlaceOfExtractingTo 5 ExtractingEvent[#1] → HasResourceType → SourceOfExcerpt[#5.n][occ:1-n] 6 SourceOfExcerpt → HasPlace → PlaceOfExtractingFrom 7 ExtractingEvent[#1] → HasResourceType → ExtractingTool[#6.n][occ:0-n] 8 ExtractingEvent[#1] → HasTimeType → TimeOfExtracting[#7.n][occ:1-n] 9 ExtractingEvent[#1] → HasPlaceType → PlaceOfExtracting[#8.n][occ:1-n] 10 ExtractingEvent[#1] → HasPlaceType → PlaceOfExtractingFrom[#9.n][occ:1-n] 11 ExtractingEvent[#1] → HasPlaceType → PlaceOfExtractingTo[#10.n][occ:1-n] 12 PlaceOfExtractingTo[#10.n] → IsEqualTo → PlaceOfExtractingFrom[#9.n][occ:1-n][true:Sometimes]
474	ExtractingEvent_1	Standard Partially Derived	An Event in which a DigitalResource is Extracted from another DigitalResource. Scope of ExtractingEvent_1 ExtractingEvent_1 describes the Context in which Extract is applied to	1 ExtractingEvent_1 → IsTypeOf → ExtractingEvent <i>ContextDescription</i> 1 ExtractingEvent_1[#1] → HasActType → Extract_1[#2][occ:1] 2 ExtractingEvent_1[#1] → HasAgentType → Extractor[#3.n][occ:1-n] 3 ExtractingEvent_1[#1] → HasResourceType → Excerpt[#4.n][occ:1-n] 4 Excerpt → HasPlace → PlaceOfExtractingTo 5 Excerpt[#4.n] → IsA → DigitalResource

			DigitalResources in an MPEG-21 REL expression. The attributes of the new digital resource must be identical to those of the fragment in the original. The attribute exception provisions for Copy apply to Extract. The repositories of the two resources may be the same.	6 ExtractingEvent_1[#1] → HasResourceType → SourceOfExcerpt[#5.n][occ:1-n] 7 SourceOfExcerpt → HasPlace → PlaceOfExtractingFrom 8 SourceOfExcerpt[#5.n] → IsA → DigitalResource 9 SourceOfExcerpt[#5.n] → Is → Changed[true:Never] 10 ExtractingEvent_1[#1] → HasResourceType → ExtractingTool[#6.n][occ:0-n] 11 ExtractingEvent_1[#1] → HasTimeType → TimeOfExtracting[#7.n][occ:1-n] 12 PlaceOfExtractingTo[#10.n] → IsEqualTo → PlaceOfExtractingFrom[#9.n][occ:1-n][true:Sometimes] 13 ExtractingEvent_1[#1] → HasPlaceType → PlaceOfExtracting[#8.n][occ:1-n] 14 ExtractingEvent_1[#1] → HasPlaceType → PlaceOfExtractingFrom[#9.n][occ:1-n] 15 PlaceOfExtractingFrom[#9.n] → IsA → Repository 16 ExtractingEvent_1[#1] → HasPlaceType → PlaceOfExtractingTo[#10.n][occ:1-n] 17 PlaceOfExtractingTo[#10.n] → IsA → Repository <i>ContextFamily</i> 1 ExtractingEvent_1 → BegetsActType → Extract_1
475	ExtractingTool ExcerptingTool	Standard Derived	A Tool Used for Extracting.	1 ExtractingTool → IsResourceTypeBegottenBy → Extract 2 ExtractingTool → IsTypeOf → DerivingTool
476	Extractor Excerptor	Standard Derived	An Agent that Extracts.	1 Extractor → IsAgentTypeBegottenBy → Extract 2 Extractor → IsTypeOf → Deriver
477	False	Standard Partially Derived	Of something that is not true.	1 False → IsOpposedTo → True 2 False → IsAllowedValueOf → Veracity 3 False → IsTypeOf → Quality
478	Family	Standard Partially Derived	A group of Relationships that determine attribute inheritance from one Term to others according to the ContextModel.	1 Family → IsTypeOf → RelationshipSet
479	FirstTerm	Standard Axiomatic	The FirstTerm in the RDD.	1 FirstTerm → IsEqualTo → Act

480	Fix	Standard Derived	To Express something in a Persistent form.	1 Fix → IsTypeOf → Express <i>ActionFamily</i> 1 Fix → BegetsContextType → FixingEvent 2 Fix → BegetsAgentType → Fixer 3 Fix → BegetsResourceType → Fixation 4 Fix → BegetsResourceType → SourceOfFixation 5 Fix → BegetsResourceType → FixingTool 6 Fix → BegetsTimeType → TimeOfFixing 7 Fix → BegetsPlaceType → PlaceOfFixing 8 Fix → BegetsPlaceType → PlaceOfFixation 9 Fix → BegetsPlaceType → PlaceOfFixingFrom 10 Fix → BegetsStatusType → Fixing 11 Fix → BegetsStatusType → Fixed 12 Fix → BegetsStatusType → BeingFixed 13 Fix → BegetsStatusType → Fixable 14 Fix → BegetsStatusType → FixedFrom 15 Fix → BegetsStatusType → BeingFixedFrom 16 Fix → BegetsStatusType → FixableFrom
481	Fixable	Standard Derived	The potential status of Fixation	1 Fixable → IsStatusTypeBegottenBy → Fix 2 Fixable → IsPotentialStatusOf → Fixation 3 Fixable → IsTypeOf → Expressible
482	FixableFrom	Standard Derived	The potential status of SourceOfFixation	1 FixableFrom → IsStatusTypeBegottenBy → Fix 2 FixableFrom → IsPotentialStatusOf → SourceOfFixation 3 FixableFrom → IsTypeOf → ExpressibleFrom
483	Fixation	Standard Partially Derived	A Manifestation that is Persistent.	1 Fixation → IsResourceTypeBegottenBy → Fix 2 Fixation → IsTypeOf → Manifestation 3 Fixation → Is → Persistent
484	Fixed	Standard Derived	The historic status of Fixation	1 Fixed → IsStatusTypeBegottenBy → Fix 2 Fixed → IsHistoricStatusOf → Fixation 3 Fixed → IsTypeOf → Expressed

485	FixedFrom	Standard Derived	The historic status of SourceOfFixation	1 FixedFrom → IsStatusTypeBegottenBy → Fix 2 FixedFrom → IsHistoricStatusOf → SourceOfFixation 3 FixedFrom → IsTypeOf → ExpressedFrom
486	Fixer	Standard Derived	An Agent that Fixes.	1 Fixer → IsAgentTypeBegottenBy → Fix 2 Fixer → IsTypeOf → Expresser
487	Fixing	Standard Derived	The current status of Fixer	1 Fixing → IsStatusTypeBegottenBy → Fix 2 Fixing → IsCurrentStatusOf → Fixer 3 Fixing → IsTypeOf → Expressing
488	FixingEvent	Standard Derived	An Event in which something is Fixed.	1 FixingEvent → IsContextTypeBegottenBy → Fix 2 FixingEvent → IsTypeOf → Expression <i>ContextDescription</i> 1 FixingEvent[#1] → HasActType → Fix[#2][occ:1] 2 FixingEvent[#1] → HasAgentType → Fixer[#3.n][occ:1-n] 3 FixingEvent[#1] → HasResourceType → Fixation[#4.n][occ:1-n] 4 Fixation[#4.n] → IsEqualTo → FixingEvent[#1][true:Sometimes] 5 Fixation → HasPlace → PlaceOfFixation 6 FixingEvent[#1] → HasResourceType → SourceOfFixation[#5.n][occ:0-n] 7 SourceOfFixation → HasPlace → PlaceOfFixingFrom 8 FixingEvent[#1] → HasResourceType → FixingTool[#6.n][occ:0-n] 9 FixingEvent[#1] → HasTimeType → TimeOfFixing[#7.n][occ:1-n] 10 FixingEvent[#1] → HasPlaceType → PlaceOfFixing[#8.n][occ:1-n] 11 FixingEvent[#1] → HasPlaceType → PlaceOfFixation[#9.n][occ:0-n] 12 FixingEvent[#1] → HasPlaceType → PlaceOfFixingFrom[#10.n][occ:0-n]
489	FixingTool	Standard Derived	A Tool Used for Fixing.	1 FixingTool → IsResourceTypeBegottenBy → Fix 2 FixingTool → IsTypeOf → ExpressingTool
490	Form	Standard Partially Derived	A formal Quality of an Entity.	1 Form → IsResourceTypeBegottenBy → Formalize 2 Form → IsTypeOf → Quality

491	Formalizable	Standard Derived	The potential status of FormalizedResource	1 Formalizable → IsStatusTypeBegottenBy → Formalize 2 Formalizable → IsPotentialStatusOf → FormalizedResource 3 Formalizable → IsTypeOf → Qualifiable
492	Formalization	Standard Derived	A Situation in which an Entity has a Form.	1 Formalization → IsStateTypeBegottenBy → Formalize 2 Formalization → IsTypeOf → Qualification <i>ContextDescription</i> 1 Formalization[#1] → HasActType → HaveForm[#2][occ:1] 2 Formalization[#9.n] → HasEntityType → FormalizedResource[#5.n][occ:1-n] 3 Formalization[#9.n] → HasAttributeType → Form[#4.n][occ:1-n] 4 Formalization[#9.n] → HasTimeType → TimeOfFormalization[#7.n][occ:1-n] 5 Formalization[#9.n] → HasPlaceType → PlaceOfFormalization[#8.n][occ:1-n] <i>ContextFamily</i> 1 Formalization → BegetsActType → HaveForm 2 Formalization → BegetsTimeType → TimeOfFormalization 3 Formalization → BegetsPlaceType → PlaceOfFormalization
493	Formalize	Standard Derived	To Qualify an Entity according to formal characteristics.	1 Formalize → IsTypeOf → Qualify <i>ActionFamily</i> 1 Formalize → BegetsContextType → FormalizingEvent 2 Formalize → BegetsAgentType → Formalizer 3 Formalize → BegetsResourceType → Form 4 Formalize → BegetsResourceType → FormalizedResource 5 Formalize → BegetsResourceType → FormalizingTool 6 Formalize → BegetsTimeType → TimeOfFormalizing 7 Formalize → BegetsPlaceType → PlaceOfFormalizing 8 Formalize → BegetsStateType → Formalization 9 Formalize → BegetsRelatingTerm → HasCo-Formalizer 10 Formalize → BegetsRelatingTerm → IsFormalizerWith 11 Formalize → BegetsRelatingTerm → IsFormAscribedBy 12 Formalize → BegetsRelatingTerm → IsFormalizerOf 13 Formalize → BegetsRelatingTerm → IsFormalizedBy 14 Formalize → BegetsRelatingTerm → IsFormalizerWithTool 15 Formalize → BegetsRelatingTerm → IsToolForFormalizingBy

				16 Formalize → BegetsRelatingTerm → IsFormalizerAtTime 17 Formalize → BegetsRelatingTerm → IsTimeOfFormalizingBy 18 Formalize → BegetsRelatingTerm → IsFormalizerInPlace 19 Formalize → BegetsRelatingTerm → IsPlaceOfFormalizingBy 20 Formalize → BegetsRelatingTerm → HasCo-Form 21 Formalize → BegetsRelatingTerm → IsFormOf 22 Formalize → BegetsRelatingTerm → HasForm 23 Formalize → BegetsRelatingTerm → IsFormAscribedWithTool 24 Formalize → BegetsRelatingTerm → IsToolForFormalizingWith 25 Formalize → BegetsRelatingTerm → IsFormAtTime 26 Formalize → BegetsRelatingTerm → IsTimeOfFormalizingWith 27 Formalize → BegetsRelatingTerm → IsFormInPlace 28 Formalize → BegetsRelatingTerm → IsPlaceOfFormalizingWith 29 Formalize → BegetsRelatingTerm → HasCo-FormalizedResource 30 Formalize → BegetsRelatingTerm → IsResourceFormalizedWithTool 31 Formalize → BegetsRelatingTerm → IsToolForFormalizingOf 32 Formalize → BegetsRelatingTerm → IsResourceFormalizedAtTime 33 Formalize → BegetsRelatingTerm → IsTimeOfFormalizingOf 34 Formalize → BegetsRelatingTerm → IsResourceFormalizedInPlace 35 Formalize → BegetsRelatingTerm → IsPlaceOfFormalizingOf 36 Formalize → BegetsRelatingTerm → HasCo-FormalizingTool 37 Formalize → BegetsRelatingTerm → IsFormalizingToolAtTime 38 Formalize → BegetsRelatingTerm → IsTimeOfFormalizingWithTool 39 Formalize → BegetsRelatingTerm → IsFormalizingToolInPlace 40 Formalize → BegetsRelatingTerm → IsPlaceOfFormalizingWithTool 41 Formalize → BegetsRelatingTerm → HasCo-TimeOfFormalizing 42 Formalize → BegetsRelatingTerm → IsTimeOfFormalizingInPlace 43 Formalize → BegetsRelatingTerm → IsPlaceOfFormalizingAtTime 44 Formalize → BegetsRelatingTerm → HasCo-PlaceOfFormalizing 45 Formalize → BegetsStatusType → Formalizing 46 Formalize → BegetsStatusType → Formalized 47 Formalize → BegetsStatusType → BeingFormalized 48 Formalize → BegetsStatusType → Formalizable
494	Formalized	Standard Derived	The historic status of FormalizedResource	1 Formalized → IsStatusTypeBegottenBy → Formalize 2 Formalized → IsHistoricStatusOf → FormalizedResource

				3 Formalized → IsTypeOf → Qualified
495	FormalizedResource	Standard Derived	A Resource which is Formalized.	1 FormalizedResource → IsResourceTypeBegottenBy → Formalize 2 FormalizedResource → IsTypeOf → QualifiedResource
496	Formalizer	Standard Derived	An Agent that Formalizes a Resource.	1 Formalizer → IsAgentTypeBegottenBy → Formalize 2 Formalizer → IsTypeOf → Qualifier
497	Formalizing	Standard Derived	The current status of Formalizer	1 Formalizing → IsStatusTypeBegottenBy → Formalize 2 Formalizing → IsCurrentStatusOf → Formalizer 3 Formalizing → IsTypeOf → Qualifying
498	FormalizingEvent	Standard Derived	An Event in which an Entity is Formalized.	1 FormalizingEvent → IsContextTypeBegottenBy → Formalize 2 FormalizingEvent → IsTypeOf → QualifyingEvent <i>ContextDescription</i> 1 FormalizingEvent[#1] → HasActType → Formalize[#2][occ:1] 2 FormalizingEvent[#1] → HasAgentType → Formalizer[#3.n][occ:1-n] 3 Formalization[#9.n] → HasEntityType → FormalizedResource[#5.n][occ:1-n] 4 FormalizingEvent[#1] → HasResourceType → Form[#4.n][occ:1-n] 5 Formalization[#9.n] → HasAttributeType → Form[#4.n][occ:1-n] 6 FormalizingEvent[#1] → HasResourceType → FormalizedResource[#5.n][occ:1-n] 7 Formalization[#9.n] → HasTimeType → TimeOfFormalization[#7.n][occ:1-n] 8 FormalizingEvent[#1] → HasResourceType → FormalizingTool[#6.n][occ:0-n] 9 Formalization[#9.n] → HasPlaceType → PlaceOfFormalization[#8.n][occ:1-n] 10 FormalizingEvent[#1] → HasTimeType → TimeOfFormalizing[#7.n][occ:1-n] 11 FormalizingEvent[#1] → HasPlaceType → PlaceOfFormalizing[#8.n][occ:1-n] 12 FormalizingEvent[#1] → HasStateType → Formalization[#9.n][occ:1-n] 13 TimeOfFormalization[#7.n] → IsA → StartTime
499	FormalizingTool	Standard Derived	A Tool Used for Formalizing.	1 FormalizingTool → IsResourceTypeBegottenBy → Formalize 2 FormalizingTool → IsTypeOf → QualifyingTool
500	Genealogy	Standard Partially	A group of Relationships that determine the derivation of	1 Genealogy → IsTypeOf → RelationshipSet

		Derived	Meaning for a Term, and which are true regardless of Context.	
501	Had	Standard Derived	The historic status of Entity	1 Had → IsStatusTypeBegottenBy → Situation 2 Had → IsHistoricStatusOf → Entity 3 Had → IsTypeOf → Acted
502	Has	Standard	The relating term between Entity and Attribute	1 Has → IsRelatingTermBegottenBy → Situation 2 Has → IsRelatingTermFrom → Entity 3 Has → IsRelatingTermTo → Attribute 4 Has → IsReciprocalOf → IsAttributeOf 5 Has → IsTypeOf → IsAgentActingOn
503	HasActType	Standard		
504	HasActTypeFrom	Standard Derived	A RelatingTerm from Context to a TermSet, a Member of which is an ActType of the Context.	1 HasActTypeFrom → IsTypeOf → HasActType 2 HasActTypeFrom → IsReciprocalOf → IsSetWithActTypeOf
505	HasAdaptation	Standard	The relating term between SourceOfAdaptation and Adaptation	1 HasAdaptation → IsReciprocalOf → IsAdaptedFromSource 2 HasAdaptation → IsRelatingTermBegottenBy → Adapt 3 HasAdaptation → IsRelatingTermFrom → SourceOfAdaptation 4 HasAdaptation → IsRelatingTermTo → Adaptation 5 HasAdaptation → IsTypeOf → IsSourceOf
506	HasAgentType	Standard		
507	HasAgentTypeFrom	Standard Derived	A RelatingTerm from Context to a TermSet, a Member of which is an AgentType of the Context.	1 HasAgentTypeFrom → IsTypeOf → HasAgentType 2 HasAgentTypeFrom → IsReciprocalOf → IsSetWithAgentTypeOf
508	HasAllowedValue	Standard Partially	A RelatingTerm from a Term to an AllowedValue of the Term.	1 HasAllowedValue → IsReciprocalOf → IsAllowedValueOf 2 HasAllowedValue → IsTypeOf → HasValue

		Derived		
509	HasAscription	Standard	The relating term between AscribedResource and Ascription	1 HasAscription → IsReciprocalOf → IsAscriptionTo 2 HasAscription → IsRelatingTermBegottenBy → Ascribe 3 HasAscription → IsRelatingTermFrom → AscribedResource 4 HasAscription → IsRelatingTermTo → Ascription 5 HasAscription → IsTypeOf → IsRelativeOf
510	HasAttributeType	Standard		
511	HasCo-Adaptation	Standard	The relating term between Adaptation and Adaptation	1 HasCo-Adaptation → IsRelatingTermBegottenBy → Adapt 2 HasCo-Adaptation → IsRelatingTermFrom → Adaptation 3 HasCo-Adaptation → IsRelatingTermTo → Adaptation 4 HasCo-Adaptation → IsReciprocalOf → HasCo-Adaptation
512	HasCo-AdaptingTool	Standard	The relating term between AdaptingTool and AdaptingTool	1 HasCo-AdaptingTool → IsRelatingTermBegottenBy → Adapt 2 HasCo-AdaptingTool → IsRelatingTermFrom → AdaptingTool 3 HasCo-AdaptingTool → IsRelatingTermTo → AdaptingTool 4 HasCo-AdaptingTool → IsReciprocalOf → HasCo-AdaptingTool
513	HasCo-Adaptor	Standard	The relating term between Adaptor and Adaptor	1 HasCo-Adaptor → IsRelatingTermBegottenBy → Adapt 2 HasCo-Adaptor → IsRelatingTermFrom → Adaptor 3 HasCo-Adaptor → IsRelatingTermTo → Adaptor 4 HasCo-Adaptor → IsReciprocalOf → HasCo-Adaptor
514	HasCo-Agent	Standard	The relating term between Agent and Agent	1 HasCo-Agent → IsRelatingTermBegottenBy → Act 2 HasCo-Agent → IsRelatingTermFrom → Agent 3 HasCo-Agent → IsRelatingTermTo → Agent 4 HasCo-Agent → IsReciprocalOf → HasCo-Agent
515	HasCo-Archetype	Standard	The relating term between Archetype and Archetype	1 HasCo-Archetype → IsRelatingTermBegottenBy → Specialize 2 HasCo-Archetype → IsRelatingTermFrom → Archetype 3 HasCo-Archetype → IsRelatingTermTo → Archetype 4 HasCo-Archetype → IsReciprocalOf → HasCo-Archetype

				5 HasCo-Archetype → IsTypeOf → HasCo-AscribedResource
516	HasCo-AscribedResource	Standard	The relating term between AscribedResource and AscribedResource	1 HasCo-AscribedResource → IsRelatingTermBegottenBy → Ascribe 2 HasCo-AscribedResource → IsRelatingTermFrom → AscribedResource 3 HasCo-AscribedResource → IsRelatingTermTo → AscribedResource 4 HasCo-AscribedResource → IsReciprocalOf → HasCo-AscribedResource 5 HasCo-AscribedResource → IsTypeOf → IsRelativeOf
517	HasCo-Ascriber	Standard	The relating term between Ascriber and Ascriber	1 HasCo-Ascriber → IsRelatingTermBegottenBy → Ascribe 2 HasCo-Ascriber → IsRelatingTermFrom → Ascriber 3 HasCo-Ascriber → IsRelatingTermTo → Ascriber 4 HasCo-Ascriber → IsReciprocalOf → HasCo-Ascriber 5 HasCo-Ascriber → IsTypeOf → IsCo-Relator
518	HasCo-AscribingTool	Standard	The relating term between AscribingTool and AscribingTool	1 HasCo-AscribingTool → IsRelatingTermBegottenBy → Ascribe 2 HasCo-AscribingTool → IsRelatingTermFrom → AscribingTool 3 HasCo-AscribingTool → IsRelatingTermTo → AscribingTool 4 HasCo-AscribingTool → IsReciprocalOf → HasCo-AscribingTool 5 HasCo-AscribingTool → IsTypeOf → HasCo-RelatingTool
519	HasCo-Ascription	Standard	The relating term between Ascription and Ascription	1 HasCo-Ascription → IsRelatingTermBegottenBy → Ascribe 2 HasCo-Ascription → IsRelatingTermFrom → Ascription 3 HasCo-Ascription → IsRelatingTermTo → Ascription 4 HasCo-Ascription → IsReciprocalOf → HasCo-Ascription 5 HasCo-Ascription → IsTypeOf → IsRelativeOf
520	HasCo-Attribute	Standard	The relating term between Attribute and Attribute	1 HasCo-Attribute → IsRelatingTermBegottenBy → Situation 2 HasCo-Attribute → IsRelatingTermFrom → Attribute 3 HasCo-Attribute → IsRelatingTermTo → Attribute 4 HasCo-Attribute → IsReciprocalOf → HasCo-Attribute 5 HasCo-Attribute → IsTypeOf → HasCo-Resource
521	HasCo-CategorizedResource	Standard	The relating term between CategorizedResource and	1 HasCo-CategorizedResource → IsRelatingTermBegottenBy → Categorize 2 HasCo-CategorizedResource → IsRelatingTermFrom → CategorizedResource 3 HasCo-CategorizedResource → IsRelatingTermTo → CategorizedResource

			CategorizedResource	4 HasCo-CategorizedResource → IsReciprocalOf → HasCo-CategorizedResource 5 HasCo-CategorizedResource → IsTypeOf → HasCo-AscribedResource
522	HasCo-Categorizer	Standard	The relating term between Categorizer and Categorizer	1 HasCo-Categorizer → IsRelatingTermBegottenBy → Categorize 2 HasCo-Categorizer → IsRelatingTermFrom → Categorizer 3 HasCo-Categorizer → IsRelatingTermTo → Categorizer 4 HasCo-Categorizer → IsReciprocalOf → HasCo-Categorizer 5 HasCo-Categorizer → IsTypeOf → HasCo-Ascriber
523	HasCo-CategorizingTool	Standard	The relating term between CategorizingTool and CategorizingTool	1 HasCo-CategorizingTool → IsRelatingTermBegottenBy → Categorize 2 HasCo-CategorizingTool → IsRelatingTermFrom → CategorizingTool 3 HasCo-CategorizingTool → IsRelatingTermTo → CategorizingTool 4 HasCo-CategorizingTool → IsReciprocalOf → HasCo-CategorizingTool 5 HasCo-CategorizingTool → IsTypeOf → HasCo-AscribingTool
524	HasCo-Category	Standard	The relating term between Category and Category	1 HasCo-Category → IsRelatingTermBegottenBy → Categorize 2 HasCo-Category → IsRelatingTermFrom → Category 3 HasCo-Category → IsRelatingTermTo → Category 4 HasCo-Category → IsReciprocalOf → HasCo-Category 5 HasCo-Category → IsTypeOf → HasCo-Ascription
525	HasCo-Causer	Standard	The relating term between Causer and Causer	1 HasCo-Causer → IsRelatingTermBegottenBy → Cause 2 HasCo-Causer → IsRelatingTermFrom → Causer 3 HasCo-Causer → IsRelatingTermTo → Causer 4 HasCo-Causer → IsReciprocalOf → HasCo-Causer 5 HasCo-Causer → IsTypeOf → HasCo-Maker
526	HasCo-Class	Standard	The relating term between Class and Class	1 HasCo-Class → IsRelatingTermBegottenBy → Classify 2 HasCo-Class → IsRelatingTermFrom → Class 3 HasCo-Class → IsRelatingTermTo → Class 4 HasCo-Class → IsReciprocalOf → HasCo-Class 5 HasCo-Class → IsTypeOf → HasCo-Ascription
527	HasCo-ClassifiedResource	Standard	The relating term between ClassifiedResource and	1 HasCo-ClassifiedResource → IsRelatingTermBegottenBy → Classify 2 HasCo-ClassifiedResource → IsRelatingTermFrom → ClassifiedResource

			ClassifiedResource	3 HasCo-ClassifiedResource → IsRelatingTermTo → ClassifiedResource 4 HasCo-ClassifiedResource → IsReciprocalOf → HasCo-ClassifiedResource 5 HasCo-ClassifiedResource → IsTypeOf → HasCo-AscribedResource
528	HasCo-Classifier	Standard	The relating term between Classifier and Classifier	1 HasCo-Classifier → IsRelatingTermBegottenBy → Classify 2 HasCo-Classifier → IsRelatingTermFrom → Classifier 3 HasCo-Classifier → IsRelatingTermTo → Classifier 4 HasCo-Classifier → IsReciprocalOf → HasCo-Classifier 5 HasCo-Classifier → IsTypeOf → HasCo-Ascriber
529	HasCo-ClassifyingTool	Standard	The relating term between ClassifyingTool and ClassifyingTool	1 HasCo-ClassifyingTool → IsRelatingTermBegottenBy → Classify 2 HasCo-ClassifyingTool → IsRelatingTermFrom → ClassifyingTool 3 HasCo-ClassifyingTool → IsRelatingTermTo → ClassifyingTool 4 HasCo-ClassifyingTool → IsReciprocalOf → HasCo-ClassifyingTool 5 HasCo-ClassifyingTool → IsTypeOf → HasCo-AscribingTool
530	HasCo-Copier	Standard	The relating term between Copier and Copier	1 HasCo-Copier → IsRelatingTermBegottenBy → Copy 2 HasCo-Copier → IsRelatingTermFrom → Copier 3 HasCo-Copier → IsRelatingTermTo → Copier 4 HasCo-Copier → IsReciprocalOf → HasCo-Copier
531	HasCo-CopyingTool	Standard	The relating term between CopyingTool and CopyingTool	1 HasCo-CopyingTool → IsRelatingTermBegottenBy → Copy 2 HasCo-CopyingTool → IsRelatingTermFrom → CopyingTool 3 HasCo-CopyingTool → IsRelatingTermTo → CopyingTool 4 HasCo-CopyingTool → IsReciprocalOf → HasCo-CopyingTool
532	HasCo-Doer	Standard	The relating term between Doer and Doer	1 HasCo-Doer → IsRelatingTermBegottenBy → Do 2 HasCo-Doer → IsRelatingTermFrom → Doer 3 HasCo-Doer → IsRelatingTermTo → Doer 4 HasCo-Doer → IsReciprocalOf → HasCo-Doer 5 HasCo-Doer → IsTypeOf → HasCo-Agent
533	HasCo-EquatingTool	Standard	The relating term between EquatingTool and EquatingTool	1 HasCo-EquatingTool → IsRelatingTermBegottenBy → Equate 2 HasCo-EquatingTool → IsRelatingTermFrom → EquatingTool 3 HasCo-EquatingTool → IsRelatingTermTo → EquatingTool

				4 HasCo-EquatingTool → IsReciprocalOf → HasCo-EquatingTool 5 HasCo-EquatingTool → IsTypeOf → HasCo-RelatingTool
534	HasCo-EvaluatedResource	Standard	The relating term between EvaluatedResource and EvaluatedResource	1 HasCo-EvaluatedResource → IsRelatingTermBegottenBy → Evaluate 2 HasCo-EvaluatedResource → IsRelatingTermFrom → EvaluatedResource 3 HasCo-EvaluatedResource → IsRelatingTermTo → EvaluatedResource 4 HasCo-EvaluatedResource → IsReciprocalOf → HasCo-EvaluatedResource 5 HasCo-EvaluatedResource → IsTypeOf → HasCo-AscribedResource
535	HasCo-EvaluatingTool	Standard	The relating term between EvaluatingTool and EvaluatingTool	1 HasCo-EvaluatingTool → IsRelatingTermBegottenBy → Evaluate 2 HasCo-EvaluatingTool → IsRelatingTermFrom → EvaluatingTool 3 HasCo-EvaluatingTool → IsRelatingTermTo → EvaluatingTool 4 HasCo-EvaluatingTool → IsReciprocalOf → HasCo-EvaluatingTool 5 HasCo-EvaluatingTool → IsTypeOf → HasCo-AscribingTool
536	HasCo-Evaluator	Standard	The relating term between Evaluator and Evaluator	1 HasCo-Evaluator → IsRelatingTermBegottenBy → Evaluate 2 HasCo-Evaluator → IsRelatingTermFrom → Evaluator 3 HasCo-Evaluator → IsRelatingTermTo → Evaluator 4 HasCo-Evaluator → IsReciprocalOf → HasCo-Evaluator 5 HasCo-Evaluator → IsTypeOf → HasCo-Ascriber
537	HasCo-Form	Standard	The relating term between Form and Form	1 HasCo-Form → IsRelatingTermBegottenBy → Formalize 2 HasCo-Form → IsRelatingTermFrom → Form 3 HasCo-Form → IsRelatingTermTo → Form 4 HasCo-Form → IsReciprocalOf → HasCo-Form 5 HasCo-Form → IsTypeOf → HasCo-Quality
538	HasCo-FormalizedResource	Standard	The relating term between FormalizedResource and FormalizedResource	1 HasCo-FormalizedResource → IsRelatingTermBegottenBy → Formalize 2 HasCo-FormalizedResource → IsRelatingTermFrom → FormalizedResource 3 HasCo-FormalizedResource → IsRelatingTermTo → FormalizedResource 4 HasCo-FormalizedResource → IsReciprocalOf → HasCo-FormalizedResource 5 HasCo-FormalizedResource → IsTypeOf → HasCo-QualifiedResource
539	HasCo-Formalizer	Standard	The relating term between	1 HasCo-Formalizer → IsRelatingTermBegottenBy → Formalize 2 HasCo-Formalizer → IsRelatingTermFrom → Formalizer

			Formalizer and Formalizer	3 HasCo-Formalizer → IsRelatingTermTo → Formalizer 4 HasCo-Formalizer → IsReciprocalOf → HasCo-Formalizer 5 HasCo-Formalizer → IsTypeOf → HasCo-Qualifier
540	HasCo-FormalizingTool	Standard	The relating term between FormalizingTool and FormalizingTool	1 HasCo-FormalizingTool → IsRelatingTermBegottenBy → Formalize 2 HasCo-FormalizingTool → IsRelatingTermFrom → FormalizingTool 3 HasCo-FormalizingTool → IsRelatingTermTo → FormalizingTool 4 HasCo-FormalizingTool → IsReciprocalOf → HasCo-FormalizingTool 5 HasCo-FormalizingTool → IsTypeOf → HasCo-QualifyingTool
541	HasCo-IdentifiedResource	Standard	The relating term between IdentifiedResource and IdentifiedResource	1 HasCo-IdentifiedResource → IsRelatingTermBegottenBy → Identify 2 HasCo-IdentifiedResource → IsRelatingTermFrom → IdentifiedResource 3 HasCo-IdentifiedResource → IsRelatingTermTo → IdentifiedResource 4 HasCo-IdentifiedResource → IsReciprocalOf → HasCo-IdentifiedResource 5 HasCo-IdentifiedResource → IsTypeOf → HasCo-NamedResource
542	HasCo-Identifier	Standard	The relating term between Identifier and Identifier	1 HasCo-Identifier → IsRelatingTermBegottenBy → Identify 2 HasCo-Identifier → IsRelatingTermFrom → Identifier 3 HasCo-Identifier → IsRelatingTermTo → Identifier 4 HasCo-Identifier → IsReciprocalOf → HasCo-Identifier 5 HasCo-Identifier → IsTypeOf → HasCo-Name
543	HasCo-IdentifyingAgent	Standard	The relating term between IdentifyingAgent and IdentifyingAgent	1 HasCo-IdentifyingAgent → IsRelatingTermBegottenBy → Identify 2 HasCo-IdentifyingAgent → IsRelatingTermFrom → IdentifyingAgent 3 HasCo-IdentifyingAgent → IsRelatingTermTo → IdentifyingAgent 4 HasCo-IdentifyingAgent → IsReciprocalOf → HasCo-IdentifyingAgent 5 HasCo-IdentifyingAgent → IsTypeOf → HasCo-Nominator
544	HasCo-IdentifyingTool	Standard	The relating term between IdentifyingTool and IdentifyingTool	1 HasCo-IdentifyingTool → IsRelatingTermBegottenBy → Identify 2 HasCo-IdentifyingTool → IsRelatingTermFrom → IdentifyingTool 3 HasCo-IdentifyingTool → IsRelatingTermTo → IdentifyingTool 4 HasCo-IdentifyingTool → IsReciprocalOf → HasCo-IdentifyingTool 5 HasCo-IdentifyingTool → IsTypeOf → HasCo-NamingTool

545	HasCo-Maker	Standard	The relating term between Maker and Maker	1 HasCo-Maker → IsRelatingTermBegottenBy → Make 2 HasCo-Maker → IsRelatingTermFrom → Maker 3 HasCo-Maker → IsRelatingTermTo → Maker 4 HasCo-Maker → IsReciprocalOf → HasCo-Maker 5 HasCo-Maker → IsTypeOf → HasCo-Doer
546	HasCo-MeasuredResource	Standard	The relating term between MeasuredResource and MeasuredResource	1 HasCo-MeasuredResource → IsRelatingTermBegottenBy → Measure 2 HasCo-MeasuredResource → IsRelatingTermFrom → MeasuredResource 3 HasCo-MeasuredResource → IsRelatingTermTo → MeasuredResource 4 HasCo-MeasuredResource → IsReciprocalOf → HasCo-MeasuredResource 5 HasCo-MeasuredResource → IsTypeOf → HasCo-AscribedResource
547	HasCo-Measurer	Standard	The relating term between Measurer and Measurer	1 HasCo-Measurer → IsRelatingTermBegottenBy → Measure 2 HasCo-Measurer → IsRelatingTermFrom → Measurer 3 HasCo-Measurer → IsRelatingTermTo → Measurer 4 HasCo-Measurer → IsReciprocalOf → HasCo-Measurer 5 HasCo-Measurer → IsTypeOf → HasCo-Ascriber
548	HasCo-MeasuringTool	Standard	The relating term between MeasuringTool and MeasuringTool	1 HasCo-MeasuringTool → IsRelatingTermBegottenBy → Measure 2 HasCo-MeasuringTool → IsRelatingTermFrom → MeasuringTool 3 HasCo-MeasuringTool → IsRelatingTermTo → MeasuringTool 4 HasCo-MeasuringTool → IsReciprocalOf → HasCo-MeasuringTool 5 HasCo-MeasuringTool → IsTypeOf → HasCo-AscribingTool
549	HasCo-Name	Standard	The relating term between Name and Name	1 HasCo-Name → IsRelatingTermBegottenBy → Nominate 2 HasCo-Name → IsRelatingTermFrom → Name 3 HasCo-Name → IsRelatingTermTo → Name 4 HasCo-Name → IsReciprocalOf → HasCo-Name 5 HasCo-Name → IsTypeOf → HasCo-Ascription
550	HasCo-NamedResource	Standard	The relating term between NamedResource and NamedResource	1 HasCo-NamedResource → IsRelatingTermBegottenBy → Nominate 2 HasCo-NamedResource → IsRelatingTermFrom → NamedResource 3 HasCo-NamedResource → IsRelatingTermTo → NamedResource 4 HasCo-NamedResource → IsReciprocalOf → HasCo-NamedResource 5 HasCo-NamedResource → IsTypeOf → HasCo-AscribedResource

551	HasCo-NamingTool	Standard	The relating term between NamingTool and NamingTool	1 HasCo-NamingTool → IsRelatingTermBegottenBy → Nominate 2 HasCo-NamingTool → IsRelatingTermFrom → NamingTool 3 HasCo-NamingTool → IsRelatingTermTo → NamingTool 4 HasCo-NamingTool → IsReciprocalOf → HasCo-NamingTool 5 HasCo-NamingTool → IsTypeOf → HasCo-AscribingTool
552	HasCo-Nominator	Standard	The relating term between Namer and Namer	1 HasCo-Nominator → IsRelatingTermBegottenBy → Nominate 2 HasCo-Nominator → IsRelatingTermFrom → Namer 3 HasCo-Nominator → IsRelatingTermTo → Namer 4 HasCo-Nominator → IsReciprocalOf → HasCo-Nominator 5 HasCo-Nominator → IsTypeOf → HasCo-Ascriber
553	HasCo-OpposingTool	Standard	The relating term between OpposingTool and OpposingTool	1 HasCo-OpposingTool → IsRelatingTermBegottenBy → Oppose 2 HasCo-OpposingTool → IsRelatingTermFrom → OpposingTool 3 HasCo-OpposingTool → IsRelatingTermTo → OpposingTool 4 HasCo-OpposingTool → IsReciprocalOf → HasCo-OpposingTool 5 HasCo-OpposingTool → IsTypeOf → HasCo-RelatingTool
554	HasCo-Output	Standard	The relating term between Output and Output	1 HasCo-Output → IsRelatingTermBegottenBy → Make 2 HasCo-Output → IsRelatingTermFrom → Output 3 HasCo-Output → IsRelatingTermTo → Output 4 HasCo-Output → IsReciprocalOf → HasCo-Output 5 HasCo-Output → IsTypeOf → HasCo-Patient
555	HasCo-Part	Standard	The relating term between Part and Part	1 HasCo-Part → IsRelatingTermBegottenBy → Partition 2 HasCo-Part → IsRelatingTermFrom → Part 3 HasCo-Part → IsRelatingTermTo → Part 4 HasCo-Part → IsReciprocalOf → HasCo-Part 5 HasCo-Part → IsTypeOf → HasCo-Ascription
556	HasCo-Partitioner	Standard	The relating term between Partitioner and Partitioner	1 HasCo-Partitioner → IsRelatingTermBegottenBy → Partition 2 HasCo-Partitioner → IsRelatingTermFrom → Partitioner 3 HasCo-Partitioner → IsRelatingTermTo → Partitioner 4 HasCo-Partitioner → IsReciprocalOf → HasCo-Partitioner 5 HasCo-Partitioner → IsTypeOf → HasCo-Ascriber

557	HasCo-PartitioningTool	Standard	The relating term between PartitioningTool and PartitioningTool	1 HasCo-PartitioningTool → IsRelatingTermBegottenBy → Partition 2 HasCo-PartitioningTool → IsRelatingTermFrom → PartitioningTool 3 HasCo-PartitioningTool → IsRelatingTermTo → PartitioningTool 4 HasCo-PartitioningTool → IsReciprocalOf → HasCo-PartitioningTool 5 HasCo-PartitioningTool → IsTypeOf → HasCo-AscribingTool
558	HasCo-Patient	Standard	The relating term between Patient and Patient	1 HasCo-Patient → IsRelatingTermBegottenBy → Do 2 HasCo-Patient → IsRelatingTermFrom → Patient 3 HasCo-Patient → IsRelatingTermTo → Patient 4 HasCo-Patient → IsReciprocalOf → HasCo-Patient 5 HasCo-Patient → IsTypeOf → HasCo-Resource
559	HasCo-PlaceOfActing	Standard	The relating term between Place and Place	1 HasCo-PlaceOfActing → IsRelatingTermBegottenBy → Act 2 HasCo-PlaceOfActing → IsRelatingTermFrom → Place 3 HasCo-PlaceOfActing → IsRelatingTermTo → Place 4 HasCo-PlaceOfActing → IsReciprocalOf → HasCo-PlaceOfActing
560	HasCo-PlaceOfAdapting	Standard	The relating term between PlaceOfAdapting and PlaceOfAdapting	1 HasCo-PlaceOfAdapting → IsRelatingTermBegottenBy → Adapt 2 HasCo-PlaceOfAdapting → IsRelatingTermFrom → PlaceOfAdapting 3 HasCo-PlaceOfAdapting → IsRelatingTermTo → PlaceOfAdapting 4 HasCo-PlaceOfAdapting → IsReciprocalOf → HasCo-PlaceOfAdapting
561	HasCo-PlaceOfAdaptingFrom	Standard	The relating term between PlaceOfAdaptingFrom and PlaceOfAdaptingFrom	1 HasCo-PlaceOfAdaptingFrom → IsRelatingTermBegottenBy → Adapt 2 HasCo-PlaceOfAdaptingFrom → IsRelatingTermFrom → PlaceOfAdaptingFrom 3 HasCo-PlaceOfAdaptingFrom → IsRelatingTermTo → PlaceOfAdaptingFrom 4 HasCo-PlaceOfAdaptingFrom → IsReciprocalOf → HasCo-PlaceOfAdaptingFrom
562	HasCo-PlaceOfAdaptingTo	Standard	The relating term between PlaceOfAdaptingTo and PlaceOfAdaptingTo	1 HasCo-PlaceOfAdaptingTo → IsRelatingTermBegottenBy → Adapt 2 HasCo-PlaceOfAdaptingTo → IsRelatingTermFrom → PlaceOfAdaptingTo 3 HasCo-PlaceOfAdaptingTo → IsRelatingTermTo → PlaceOfAdaptingTo 4 HasCo-PlaceOfAdaptingTo → IsReciprocalOf → HasCo-PlaceOfAdaptingTo
563	HasCo-PlaceOfAscribing	Standard	The relating term between PlaceOfAscribing and	1 HasCo-PlaceOfAscribing → IsRelatingTermBegottenBy → Ascribe 2 HasCo-PlaceOfAscribing → IsRelatingTermFrom → PlaceOfAscribing 3 HasCo-PlaceOfAscribing → IsRelatingTermTo → PlaceOfAscribing

			PlaceOfAscribing	4 HasCo-PlaceOfAscribing → IsReciprocalOf → HasCo-PlaceOfAscribing 5 HasCo-PlaceOfAscribing → IsTypeOf → IsCo-PlaceOfRelating
564	HasCo-PlaceOfCategorizing	Standard	The relating term between PlaceOfCategorizing and PlaceOfCategorizing	1 HasCo-PlaceOfCategorizing → IsRelatingTermBegottenBy → Categorize 2 HasCo-PlaceOfCategorizing → IsRelatingTermFrom → PlaceOfCategorizing 3 HasCo-PlaceOfCategorizing → IsRelatingTermTo → PlaceOfCategorizing 4 HasCo-PlaceOfCategorizing → IsReciprocalOf → HasCo-PlaceOfCategorizing 5 HasCo-PlaceOfCategorizing → IsTypeOf → HasCo-PlaceOfAscribing
565	HasCo-PlaceOfCausation	Standard	The relating term between PlaceOfCausation and PlaceOfMaking	1 HasCo-PlaceOfCausation → IsRelatingTermBegottenBy → Cause 2 HasCo-PlaceOfCausation → IsRelatingTermFrom → PlaceOfCausation 3 HasCo-PlaceOfCausation → IsRelatingTermTo → PlaceOfMaking 4 HasCo-PlaceOfCausation → IsReciprocalOf → HasCo-PlaceOfCausation
566	HasCo-PlaceOfClassifying	Standard	The relating term between PlaceOfClassifying and PlaceOfClassifying	1 HasCo-PlaceOfClassifying → IsRelatingTermBegottenBy → Classify 2 HasCo-PlaceOfClassifying → IsRelatingTermFrom → PlaceOfClassifying 3 HasCo-PlaceOfClassifying → IsRelatingTermTo → PlaceOfClassifying 4 HasCo-PlaceOfClassifying → IsReciprocalOf → HasCo-PlaceOfClassifying 5 HasCo-PlaceOfClassifying → IsTypeOf → HasCo-PlaceOfAscribing
567	HasCo-PlaceOfCopying	Standard	The relating term between PlaceOfCopying and PlaceOfCopying	1 HasCo-PlaceOfCopying → IsRelatingTermBegottenBy → Copy 2 HasCo-PlaceOfCopying → IsRelatingTermFrom → PlaceOfCopying 3 HasCo-PlaceOfCopying → IsRelatingTermTo → PlaceOfCopying 4 HasCo-PlaceOfCopying → IsReciprocalOf → HasCo-PlaceOfCopying
568	HasCo-PlaceOfCopyingFrom	Standard	The relating term between PlaceOfCopyingFrom and PlaceOfCopyingFrom	1 HasCo-PlaceOfCopyingFrom → IsRelatingTermBegottenBy → Copy 2 HasCo-PlaceOfCopyingFrom → IsRelatingTermFrom → PlaceOfCopyingFrom 3 HasCo-PlaceOfCopyingFrom → IsRelatingTermTo → PlaceOfCopyingFrom 4 HasCo-PlaceOfCopyingFrom → IsReciprocalOf → HasCo-PlaceOfCopyingFrom
569	HasCo-PlaceOfCopyingTo	Standard	The relating term between PlaceOfCopyingTo and PlaceOfCopyingTo	1 HasCo-PlaceOfCopyingTo → IsRelatingTermBegottenBy → Copy 2 HasCo-PlaceOfCopyingTo → IsRelatingTermFrom → PlaceOfCopyingTo 3 HasCo-PlaceOfCopyingTo → IsRelatingTermTo → PlaceOfCopyingTo 4 HasCo-PlaceOfCopyingTo → IsReciprocalOf → HasCo-PlaceOfCopyingTo

570	HasCo-PlaceOfEvaluating	Standard	The relating term between PlaceOfEvaluating and PlaceOfEvaluating	1 HasCo-PlaceOfEvaluating → IsRelatingTermBegottenBy → Evaluate 2 HasCo-PlaceOfEvaluating → IsRelatingTermFrom → PlaceOfEvaluating 3 HasCo-PlaceOfEvaluating → IsRelatingTermTo → PlaceOfEvaluating 4 HasCo-PlaceOfEvaluating → IsReciprocalOf → HasCo-PlaceOfEvaluating 5 HasCo-PlaceOfEvaluating → IsTypeOf → HasCo-PlaceOfAscribing
571	HasCo-PlaceOfEvent	Standard	The relating term between PlaceOfEvent and PlaceOfEvent	1 HasCo-PlaceOfEvent → IsRelatingTermBegottenBy → Do 2 HasCo-PlaceOfEvent → IsRelatingTermFrom → PlaceOfEvent 3 HasCo-PlaceOfEvent → IsRelatingTermTo → PlaceOfEvent 4 HasCo-PlaceOfEvent → IsReciprocalOf → HasCo-PlaceOfEvent 5 HasCo-PlaceOfEvent → IsTypeOf → HasCo-PlaceOfActing
572	HasCo-PlaceOfExistence	Standard	The relating term between PlaceOfExistence and PlaceOfExistence	1 HasCo-PlaceOfExistence → IsRelatingTermBegottenBy → Existence 2 HasCo-PlaceOfExistence → IsRelatingTermFrom → PlaceOfExistence 3 HasCo-PlaceOfExistence → IsRelatingTermTo → PlaceOfExistence 4 HasCo-PlaceOfExistence → IsReciprocalOf → HasCo-PlaceOfExistence 5 HasCo-PlaceOfExistence → IsTypeOf → HasCo-PlaceOfSituation
573	HasCo-PlaceOfFormalizing	Standard	The relating term between PlaceOfFormalizing and PlaceOfFormalizing	1 HasCo-PlaceOfFormalizing → IsRelatingTermBegottenBy → Formalize 2 HasCo-PlaceOfFormalizing → IsRelatingTermFrom → PlaceOfFormalizing 3 HasCo-PlaceOfFormalizing → IsRelatingTermTo → PlaceOfFormalizing 4 HasCo-PlaceOfFormalizing → IsReciprocalOf → HasCo-PlaceOfFormalizing 5 HasCo-PlaceOfFormalizing → IsTypeOf → HasCo-PlaceOfQualifying
574	HasCo-PlaceOfIdentifying	Standard	The relating term between PlaceOfIdentifying and PlaceOfIdentifying	1 HasCo-PlaceOfIdentifying → IsRelatingTermBegottenBy → Identify 2 HasCo-PlaceOfIdentifying → IsRelatingTermFrom → PlaceOfIdentifying 3 HasCo-PlaceOfIdentifying → IsRelatingTermTo → PlaceOfIdentifying 4 HasCo-PlaceOfIdentifying → IsReciprocalOf → HasCo-PlaceOfIdentifying 5 HasCo-PlaceOfIdentifying → IsTypeOf → HasCo-PlaceOfNaming
575	HasCo-PlaceOfMaking	Standard	The relating term between PlaceOfMaking and PlaceOfMaking	1 HasCo-PlaceOfMaking → IsRelatingTermBegottenBy → Make 2 HasCo-PlaceOfMaking → IsRelatingTermFrom → PlaceOfMaking 3 HasCo-PlaceOfMaking → IsRelatingTermTo → PlaceOfMaking 4 HasCo-PlaceOfMaking → IsReciprocalOf → HasCo-PlaceOfMaking 5 HasCo-PlaceOfMaking → IsTypeOf → HasCo-PlaceOfEvent

576	HasCo-PlaceOfMeasuring	Standard	The relating term between PlaceOfMeasuring and PlaceOfMeasuring	1 HasCo-PlaceOfMeasuring → IsRelatingTermBegottenBy → Measure 2 HasCo-PlaceOfMeasuring → IsRelatingTermFrom → PlaceOfMeasuring 3 HasCo-PlaceOfMeasuring → IsRelatingTermTo → PlaceOfMeasuring 4 HasCo-PlaceOfMeasuring → IsReciprocalOf → HasCo-PlaceOfMeasuring 5 HasCo-PlaceOfMeasuring → IsTypeOf → HasCo-PlaceOfAscribing
577	HasCo-PlaceOfNaming	Standard	The relating term between PlaceOfNaming and PlaceOfNaming	1 HasCo-PlaceOfNaming → IsRelatingTermBegottenBy → Nominate 2 HasCo-PlaceOfNaming → IsRelatingTermFrom → PlaceOfNaming 3 HasCo-PlaceOfNaming → IsRelatingTermTo → PlaceOfNaming 4 HasCo-PlaceOfNaming → IsReciprocalOf → HasCo-PlaceOfNaming 5 HasCo-PlaceOfNaming → IsTypeOf → HasCo-PlaceOfAscribing
578	HasCo-PlaceOfPartitioning	Standard	The relating term between PlaceOfPartitioning and PlaceOfPartitioning	1 HasCo-PlaceOfPartitioning → IsRelatingTermBegottenBy → Partition 2 HasCo-PlaceOfPartitioning → IsRelatingTermFrom → PlaceOfPartitioning 3 HasCo-PlaceOfPartitioning → IsRelatingTermTo → PlaceOfPartitioning 4 HasCo-PlaceOfPartitioning → IsReciprocalOf → HasCo-PlaceOfPartitioning 5 HasCo-PlaceOfPartitioning → IsTypeOf → HasCo-PlaceOfAscribing
579	HasCo-PlaceOfQualifying	Standard	The relating term between PlaceOfQualifying and PlaceOfQualifying	1 HasCo-PlaceOfQualifying → IsRelatingTermBegottenBy → Qualify 2 HasCo-PlaceOfQualifying → IsRelatingTermFrom → PlaceOfQualifying 3 HasCo-PlaceOfQualifying → IsRelatingTermTo → PlaceOfQualifying 4 HasCo-PlaceOfQualifying → IsReciprocalOf → HasCo-PlaceOfQualifying 5 HasCo-PlaceOfQualifying → IsTypeOf → HasCo-PlaceOfCategorizing
580	HasCo-PlaceOfSituation	Standard	The relating term between PlaceOfSituation and PlaceOfSituation	1 HasCo-PlaceOfSituation → IsRelatingTermBegottenBy → Situation 2 HasCo-PlaceOfSituation → IsRelatingTermFrom → PlaceOfSituation 3 HasCo-PlaceOfSituation → IsRelatingTermTo → PlaceOfSituation 4 HasCo-PlaceOfSituation → IsReciprocalOf → HasCo-PlaceOfSituation 5 HasCo-PlaceOfSituation → IsTypeOf → HasCo-PlaceOfActing
581	HasCo-PlaceOfSpecializing	Standard	The relating term between PlaceOfSpecializing and PlaceOfSpecializing	1 HasCo-PlaceOfSpecializing → IsRelatingTermBegottenBy → Specialize 2 HasCo-PlaceOfSpecializing → IsRelatingTermFrom → PlaceOfSpecializing 3 HasCo-PlaceOfSpecializing → IsRelatingTermTo → PlaceOfSpecializing 4 HasCo-PlaceOfSpecializing → IsReciprocalOf → HasCo-PlaceOfSpecializing 5 HasCo-PlaceOfSpecializing → IsTypeOf → HasCo-PlaceOfAscribing

582	HasCo-QualifiedResource	Standard	The relating term between QualifiedResource and QualifiedResource	1 HasCo-QualifiedResource → IsRelatingTermBegottenBy → Qualify 2 HasCo-QualifiedResource → IsRelatingTermFrom → QualifiedResource 3 HasCo-QualifiedResource → IsRelatingTermTo → QualifiedResource 4 HasCo-QualifiedResource → IsReciprocalOf → HasCo-QualifiedResource 5 HasCo-QualifiedResource → IsTypeOf → HasCo-CategorizedResource
583	HasCo-Qualifier	Standard	The relating term between Qualifier and Qualifier	1 HasCo-Qualifier → IsRelatingTermBegottenBy → Qualify 2 HasCo-Qualifier → IsRelatingTermFrom → Qualifier 3 HasCo-Qualifier → IsRelatingTermTo → Qualifier 4 HasCo-Qualifier → IsReciprocalOf → HasCo-Qualifier 5 HasCo-Qualifier → IsTypeOf → HasCo-Categorizer
584	HasCo-QualifyingTool	Standard	The relating term between QualifyingTool and QualifyingTool	1 HasCo-QualifyingTool → IsRelatingTermBegottenBy → Qualify 2 HasCo-QualifyingTool → IsRelatingTermFrom → QualifyingTool 3 HasCo-QualifyingTool → IsRelatingTermTo → QualifyingTool 4 HasCo-QualifyingTool → IsReciprocalOf → HasCo-QualifyingTool 5 HasCo-QualifyingTool → IsTypeOf → HasCo-CategorizingTool
585	HasCo-Quality	Standard	The relating term between Quality and Quality	1 HasCo-Quality → IsRelatingTermBegottenBy → Qualify 2 HasCo-Quality → IsRelatingTermFrom → Quality 3 HasCo-Quality → IsRelatingTermTo → Quality 4 HasCo-Quality → IsReciprocalOf → HasCo-Quality 5 HasCo-Quality → IsTypeOf → HasCo-Category
586	HasCo-Quantity	Standard	The relating term between Quantity and Quantity	1 HasCo-Quantity → IsRelatingTermBegottenBy → Measure 2 HasCo-Quantity → IsRelatingTermFrom → Quantity 3 HasCo-Quantity → IsRelatingTermTo → Quantity 4 HasCo-Quantity → IsReciprocalOf → HasCo-Quantity 5 HasCo-Quantity → IsTypeOf → HasCo-Ascription
587	HasCo-RelatingTool	Standard	The relating term between RelatingTool and RelatingTool	1 HasCo-RelatingTool → IsRelatingTermBegottenBy → Relate 2 HasCo-RelatingTool → IsRelatingTermFrom → RelatingTool 3 HasCo-RelatingTool → IsRelatingTermTo → RelatingTool 4 HasCo-RelatingTool → IsReciprocalOf → HasCo-RelatingTool

588	HasCo-Replica	Standard	The relating term between Replica and Replica	1 HasCo-Replica → IsRelatingTermBegottenBy → Copy 2 HasCo-Replica → IsRelatingTermFrom → Replica 3 HasCo-Replica → IsRelatingTermTo → Replica 4 HasCo-Replica → IsReciprocalOf → HasCo-Replica
589	HasCo-Resource	Standard	The relating term between Resource and Resource	1 HasCo-Resource → IsRelatingTermBegottenBy → Act 2 HasCo-Resource → IsRelatingTermFrom → Resource 3 HasCo-Resource → IsRelatingTermTo → Resource 4 HasCo-Resource → IsReciprocalOf → HasCo-Resource
590	HasCo-Result	Standard	The relating term between Result and Result	1 HasCo-Result → IsRelatingTermBegottenBy → Cause 2 HasCo-Result → IsRelatingTermFrom → Result 3 HasCo-Result → IsRelatingTermTo → Result 4 HasCo-Result → IsReciprocalOf → HasCo-Result 5 HasCo-Result → IsTypeOf → HasCo-Output
591	HasCo-SourceOfAdaptation	Standard	The relating term between SourceOfAdaptation and SourceOfAdaptation	1 HasCo-SourceOfAdaptation → IsRelatingTermBegottenBy → Adapt 2 HasCo-SourceOfAdaptation → IsRelatingTermFrom → SourceOfAdaptation 3 HasCo-SourceOfAdaptation → IsRelatingTermTo → SourceOfAdaptation 4 HasCo-SourceOfAdaptation → IsReciprocalOf → HasCo-SourceOfAdaptation
592	HasCo-SourceOfReplica	Standard	The relating term between SourceOfReplica and SourceOfReplica	1 HasCo-SourceOfReplica → IsRelatingTermBegottenBy → Copy 2 HasCo-SourceOfReplica → IsRelatingTermFrom → SourceOfReplica 3 HasCo-SourceOfReplica → IsRelatingTermTo → SourceOfReplica 4 HasCo-SourceOfReplica → IsReciprocalOf → HasCo-SourceOfReplica
593	HasCo-Specializer	Standard	The relating term between Specializer and Specializer	1 HasCo-Specializer → IsRelatingTermBegottenBy → Specialize 2 HasCo-Specializer → IsRelatingTermFrom → Specializer 3 HasCo-Specializer → IsRelatingTermTo → Specializer 4 HasCo-Specializer → IsReciprocalOf → HasCo-Specializer 5 HasCo-Specializer → IsTypeOf → HasCo-Ascriber
594	HasCo-SpecializingTool	Standard	The relating term between SpecializingTool and	1 HasCo-SpecializingTool → IsRelatingTermBegottenBy → Specialize 2 HasCo-SpecializingTool → IsRelatingTermFrom → SpecializingTool 3 HasCo-SpecializingTool → IsRelatingTermTo → SpecializingTool

			SpecializingTool	4 HasCo-SpecializingTool → IsReciprocalOf → HasCo-SpecializingTool 5 HasCo-SpecializingTool → IsTypeOf → HasCo-AscribingTool
595	HasCo-TimeOfActing	Standard	The relating term between Time and Time	1 HasCo-TimeOfActing → IsRelatingTermBegottenBy → Act 2 HasCo-TimeOfActing → IsRelatingTermFrom → Time 3 HasCo-TimeOfActing → IsRelatingTermTo → Time 4 HasCo-TimeOfActing → IsReciprocalOf → HasCo-TimeOfActing
596	HasCo-TimeOfAdapting	Standard	The relating term between TimeOfAdapting and TimeOfAdapting	1 HasCo-TimeOfAdapting → IsRelatingTermBegottenBy → Adapt 2 HasCo-TimeOfAdapting → IsRelatingTermFrom → TimeOfAdapting 3 HasCo-TimeOfAdapting → IsRelatingTermTo → TimeOfAdapting 4 HasCo-TimeOfAdapting → IsReciprocalOf → HasCo-TimeOfAdapting
597	HasCo-TimeOfAscribing	Standard	The relating term between TimeOfAscribing and TimeOfAscribing	1 HasCo-TimeOfAscribing → IsRelatingTermBegottenBy → Ascribe 2 HasCo-TimeOfAscribing → IsRelatingTermFrom → TimeOfAscribing 3 HasCo-TimeOfAscribing → IsRelatingTermTo → TimeOfAscribing 4 HasCo-TimeOfAscribing → IsReciprocalOf → HasCo-TimeOfAscribing 5 HasCo-TimeOfAscribing → IsTypeOf → IsCo-TimeOfRelating
598	HasCo-TimeOfCategorizing	Standard	The relating term between TimeOfCategorizing and TimeOfCategorizing	1 HasCo-TimeOfCategorizing → IsRelatingTermBegottenBy → Categorize 2 HasCo-TimeOfCategorizing → IsRelatingTermFrom → TimeOfCategorizing 3 HasCo-TimeOfCategorizing → IsRelatingTermTo → TimeOfCategorizing 4 HasCo-TimeOfCategorizing → IsReciprocalOf → HasCo-TimeOfCategorizing 5 HasCo-TimeOfCategorizing → IsTypeOf → HasCo-TimeOfAscribing
599	HasCo-TimeOfCausation	Standard	The relating term between TimeOfCausation and TimeOfMaking	1 HasCo-TimeOfCausation → IsRelatingTermBegottenBy → Cause 2 HasCo-TimeOfCausation → IsRelatingTermFrom → TimeOfCausation 3 HasCo-TimeOfCausation → IsRelatingTermTo → TimeOfMaking 4 HasCo-TimeOfCausation → IsReciprocalOf → HasCo-TimeOfCausation
600	HasCo-TimeOfClassifying	Standard	The relating term between TimeOfClassifying and TimeOfClassifying	1 HasCo-TimeOfClassifying → IsRelatingTermBegottenBy → Classify 2 HasCo-TimeOfClassifying → IsRelatingTermFrom → TimeOfClassifying 3 HasCo-TimeOfClassifying → IsRelatingTermTo → TimeOfClassifying 4 HasCo-TimeOfClassifying → IsReciprocalOf → HasCo-TimeOfClassifying

				5 HasCo-TimeOfClassifying → IsTypeOf → HasCo-TimeOfAscribing
601	HasCo-TimeOfCopying	Standard	The relating term between TimeOfCopying and TimeOfCopying	1 HasCo-TimeOfCopying → IsRelatingTermBegottenBy → Copy 2 HasCo-TimeOfCopying → IsRelatingTermFrom → TimeOfCopying 3 HasCo-TimeOfCopying → IsRelatingTermTo → TimeOfCopying 4 HasCo-TimeOfCopying → IsReciprocalOf → HasCo-TimeOfCopying
602	HasCo-TimeOfEvaluating	Standard	The relating term between TimeOfEvaluating and TimeOfEvaluating	1 HasCo-TimeOfEvaluating → IsRelatingTermBegottenBy → Evaluate 2 HasCo-TimeOfEvaluating → IsRelatingTermFrom → TimeOfEvaluating 3 HasCo-TimeOfEvaluating → IsRelatingTermTo → TimeOfEvaluating 4 HasCo-TimeOfEvaluating → IsReciprocalOf → HasCo-TimeOfEvaluating 5 HasCo-TimeOfEvaluating → IsTypeOf → HasCo-TimeOfAscribing
603	HasCo-TimeOfEvent	Standard	The relating term between TimeOfEvent and TimeOfEvent	1 HasCo-TimeOfEvent → IsRelatingTermBegottenBy → Do 2 HasCo-TimeOfEvent → IsRelatingTermFrom → TimeOfEvent 3 HasCo-TimeOfEvent → IsRelatingTermTo → TimeOfEvent 4 HasCo-TimeOfEvent → IsReciprocalOf → HasCo-TimeOfEvent 5 HasCo-TimeOfEvent → IsTypeOf → HasCo-TimeOfActing
604	HasCo-TimeOfExistence	Standard	The relating term between TimeOfExistence and TimeOfExistence	1 HasCo-TimeOfExistence → IsRelatingTermBegottenBy → Existence 2 HasCo-TimeOfExistence → IsRelatingTermFrom → TimeOfExistence 3 HasCo-TimeOfExistence → IsRelatingTermTo → TimeOfExistence 4 HasCo-TimeOfExistence → IsReciprocalOf → HasCo-TimeOfExistence 5 HasCo-TimeOfExistence → IsTypeOf → HasCo-TimeOfSituation
605	HasCo-TimeOfFormalizing	Standard	The relating term between TimeOfFormalizing and TimeOfFormalizing	1 HasCo-TimeOfFormalizing → IsRelatingTermBegottenBy → Formalize 2 HasCo-TimeOfFormalizing → IsRelatingTermFrom → TimeOfFormalizing 3 HasCo-TimeOfFormalizing → IsRelatingTermTo → TimeOfFormalizing 4 HasCo-TimeOfFormalizing → IsReciprocalOf → HasCo-TimeOfFormalizing 5 HasCo-TimeOfFormalizing → IsTypeOf → HasCo-TimeOfQualifying
606	HasCo-TimeOfIdentifying	Standard	The relating term between TimeOfIdentifying and TimeOfIdentifying	1 HasCo-TimeOfIdentifying → IsRelatingTermBegottenBy → Identify 2 HasCo-TimeOfIdentifying → IsRelatingTermFrom → TimeOfIdentifying 3 HasCo-TimeOfIdentifying → IsRelatingTermTo → TimeOfIdentifying 4 HasCo-TimeOfIdentifying → IsReciprocalOf → HasCo-TimeOfIdentifying

				5 HasCo-TimeOfIdentifying → IsTypeOf → HasCo-TimeOfNaming
607	HasCo-TimeOfMaking	Standard	The relating term between TimeOfMaking and TimeOfMaking	1 HasCo-TimeOfMaking → IsRelatingTermBegottenBy → Make 2 HasCo-TimeOfMaking → IsRelatingTermFrom → TimeOfMaking 3 HasCo-TimeOfMaking → IsRelatingTermTo → TimeOfMaking 4 HasCo-TimeOfMaking → IsReciprocalOf → HasCo-TimeOfMaking 5 HasCo-TimeOfMaking → IsTypeOf → HasCo-TimeOfEvent
608	HasCo-TimeOfMeasuring	Standard	The relating term between TimeOfMeasuring and TimeOfMeasuring	1 HasCo-TimeOfMeasuring → IsRelatingTermBegottenBy → Measure 2 HasCo-TimeOfMeasuring → IsRelatingTermFrom → TimeOfMeasuring 3 HasCo-TimeOfMeasuring → IsRelatingTermTo → TimeOfMeasuring 4 HasCo-TimeOfMeasuring → IsReciprocalOf → HasCo-TimeOfMeasuring 5 HasCo-TimeOfMeasuring → IsTypeOf → HasCo-TimeOfAscribing
609	HasCo-TimeOfNaming	Standard	The relating term between TimeOfNaming and TimeOfNaming	1 HasCo-TimeOfNaming → IsRelatingTermBegottenBy → Nominate 2 HasCo-TimeOfNaming → IsRelatingTermFrom → TimeOfNaming 3 HasCo-TimeOfNaming → IsRelatingTermTo → TimeOfNaming 4 HasCo-TimeOfNaming → IsReciprocalOf → HasCo-TimeOfNaming 5 HasCo-TimeOfNaming → IsTypeOf → HasCo-TimeOfAscribing
610	HasCo-TimeOfPartitioning	Standard	The relating term between TimeOfPartitioning and TimeOfPartitioning	1 HasCo-TimeOfPartitioning → IsRelatingTermBegottenBy → Partition 2 HasCo-TimeOfPartitioning → IsRelatingTermFrom → TimeOfPartitioning 3 HasCo-TimeOfPartitioning → IsRelatingTermTo → TimeOfPartitioning 4 HasCo-TimeOfPartitioning → IsReciprocalOf → HasCo-TimeOfPartitioning 5 HasCo-TimeOfPartitioning → IsTypeOf → HasCo-TimeOfAscribing
611	HasCo-TimeOfQualifying	Standard	The relating term between TimeOfQualifying and TimeOfQualifying	1 HasCo-TimeOfQualifying → IsRelatingTermBegottenBy → Qualify 2 HasCo-TimeOfQualifying → IsRelatingTermFrom → TimeOfQualifying 3 HasCo-TimeOfQualifying → IsRelatingTermTo → TimeOfQualifying 4 HasCo-TimeOfQualifying → IsReciprocalOf → HasCo-TimeOfQualifying 5 HasCo-TimeOfQualifying → IsTypeOf → HasCo-TimeOfCategorizing
612	HasCo-TimeOfSituation	Standard	The relating term between TimeOfSituation and	1 HasCo-TimeOfSituation → IsRelatingTermBegottenBy → Situation 2 HasCo-TimeOfSituation → IsRelatingTermFrom → TimeOfSituation 3 HasCo-TimeOfSituation → IsRelatingTermTo → TimeOfSituation

			TimeOfSituation	4 HasCo-TimeOfSituation → IsReciprocalOf → HasCo-TimeOfSituation 5 HasCo-TimeOfSituation → IsTypeOf → HasCo-TimeOfActing
613	HasCo-TimeOfSpecializing	Standard	The relating term between TimeOfSpecializing and TimeOfSpecializing	1 HasCo-TimeOfSpecializing → IsRelatingTermBegottenBy → Specialize 2 HasCo-TimeOfSpecializing → IsRelatingTermFrom → TimeOfSpecializing 3 HasCo-TimeOfSpecializing → IsRelatingTermTo → TimeOfSpecializing 4 HasCo-TimeOfSpecializing → IsReciprocalOf → HasCo-TimeOfSpecializing 5 HasCo-TimeOfSpecializing → IsTypeOf → HasCo-TimeOfAscribing
614	HasCo-ToolForMaking	Standard	The relating term between MakingTool and MakingTool	1 HasCo-ToolForMaking → IsRelatingTermBegottenBy → Make 2 HasCo-ToolForMaking → IsRelatingTermFrom → MakingTool 3 HasCo-ToolForMaking → IsRelatingTermTo → MakingTool 4 HasCo-ToolForMaking → IsReciprocalOf → HasCo-ToolForMaking
615	HasCo-Type	Standard	The relating term between Type and Type	1 HasCo-Type → IsRelatingTermBegottenBy → Specialize 2 HasCo-Type → IsRelatingTermFrom → Type 3 HasCo-Type → IsRelatingTermTo → Type 4 HasCo-Type → IsReciprocalOf → HasCo-Type 5 HasCo-Type → IsTypeOf → HasCo-Ascription
616	HasCo-Value	Standard	The relating term between Value and Value	1 HasCo-Value → IsRelatingTermBegottenBy → Evaluate 2 HasCo-Value → IsRelatingTermFrom → Value 3 HasCo-Value → IsRelatingTermTo → Value 4 HasCo-Value → IsReciprocalOf → HasCo-Value 5 HasCo-Value → IsTypeOf → HasCo-Ascription
617	HasCo-Whole	Standard	The relating term between Whole and Whole	1 HasCo-Whole → IsRelatingTermBegottenBy → Partition 2 HasCo-Whole → IsRelatingTermFrom → Whole 3 HasCo-Whole → IsRelatingTermTo → Whole 4 HasCo-Whole → IsReciprocalOf → HasCo-Whole 5 HasCo-Whole → IsTypeOf → HasCo-AscribedResource
618	HasComment	Standard		

619	HasComponent	Standard	The relating term between Aggregation and Component	1 HasComponent → IsRelatingTermBegottenBy → Aggregate 2 HasComponent → IsRelatingTermFrom → Aggregation 3 HasComponent → IsRelatingTermTo → Component 4 HasComponent → IsReciprocalOf → IsComponentOf 5 HasComponent → IsTypeOf → HasSource
620	HasComponentFrom	Standard Derived	A RelatingTerm from an Entity to a TermSet, a Member of which is a Component of the Entity.	1 HasComponentFrom → IsTypeOf → HasComponent 2 HasComponentFrom → IsReciprocalOf → IsSetWithComponentOf
621	HasCondition	Standard Derived	A RelatingTerm from one Context or Relationship to another whereby the truth of the former is dependent upon an occurrence of the latter.	1 HasCondition → IsReciprocalOf → IsConditionOf 2 HasCondition → IsTypeOf → Has
622	HasCurrentStatus	Standard	The RelatingTerm from an Entity to a CurrentStatus which it possesses.	1 HasCurrentStatus → IsReciprocalOf → IsCurrentStatusOf 2 HasCurrentStatus → IsTypeOf → IsStatusOf
623	HasDefinitiveContext	Standard Partially Derived	A RelatingTerm from an Entity to a Context.	1 HasDefinitiveContext → IsTypeOf → IsRelativeOf 2 HasDefinitiveContext → IsReciprocalOf → IsDefinitiveContextOf
624	HasEntityType	Standard		
625	HasForm	Standard	The relating term between FormalizedResource and Form	1 HasForm → IsReciprocalOf → IsFormOf 2 HasForm → IsRelatingTermBegottenBy → Formalize 3 HasForm → IsRelatingTermFrom → FormalizedResource 4 HasForm → IsRelatingTermTo → Form 5 HasForm → IsTypeOf → HasQuality
626	HasHistoricStatus	Standard	The RelatingTerm from an Entity to a HistoricStatus which it	1 HasHistoricStatus → IsReciprocalOf → IsHistoricStatusOf 2 HasHistoricStatus → IsTypeOf → HasStatus

			possesses.	
627	HasIdentifier	Standard	The relating term between IdentifiedResource and Identifier	1 HasIdentifier → IsReciprocalOf → IsIdentifierOf 2 HasIdentifier → IsRelatingTermBegottenBy → Identify 3 HasIdentifier → IsRelatingTermFrom → IdentifiedResource 4 HasIdentifier → IsRelatingTermTo → Identifier 5 HasIdentifier → IsTypeOf → HasName
628	HasMember	Standard	The relating term between Set and Member	1 HasMember → IsReciprocalOf → IsMemberOf 2 HasMember → IsRelatingTermBegottenBy → MakeSet 3 HasMember → IsRelatingTermFrom → Set 4 HasMember → IsRelatingTermTo → Component 5 HasMember → IsRelatingTermTo → Member 6 HasMember → IsTypeOf → HasComponent
629	HasMemberOf	Standard Derived	A RelatingTerm from an Entity to a TermSet, a Member of which is an Attribute of the Entity.	1 HasMemberOf → IsTypeOf → Has 2 HasMemberOf → IsReciprocalOf → IsSetWithAttributeOf
630	HasName	Standard	The relating term between NamedResource and Name	1 HasName → IsReciprocalOf → IsNameof 2 HasName → IsRelatingTermBegottenBy → Nominate 3 HasName → IsRelatingTermFrom → NamedResource 4 HasName → IsRelatingTermTo → Name 5 HasName → IsTypeOf → HasAscription
631	HasPart	Standard	The relating term between Whole and Part	1 HasPart → IsReciprocalOf → IsPartOf 2 HasPart → IsRelatingTermBegottenBy → Partition 3 HasPart → IsRelatingTermFrom → Whole 4 HasPart → IsRelatingTermTo → Part 5 HasPart → IsTypeOf → HasAscription
632	HasPlace	Standard	The relating term between Entity and PlaceOfSituation	1 HasPlace → IsRelatingTermBegottenBy → Situation 2 HasPlace → IsRelatingTermFrom → Entity 3 HasPlace → IsRelatingTermTo → PlaceOfSituation 4 HasPlace → IsReciprocalOf → IsPlaceOf

				5 HasPlace → IsTypeOf → IsAgentInPlace
633	HasPlaceType	Standard		
634	HasPotentialStatus	Standard	The RelatingTerm from an Entity to a PotentialStatus which it possesses.	1 HasPotentialStatus → IsReciprocalOf → IsPotentialStatusOf 2 HasPotentialStatus → IsTypeOf → IsStatusOf
635	HasProgenitor	Standard		
636	HasProgeny	Standard		
637	HasQuality	Standard	The relating term between QualifiedResource and Quality	1 HasQuality → IsReciprocalOf → IsQualityOf 2 HasQuality → IsRelatingTermBegottenBy → Qualify 3 HasQuality → IsRelatingTermFrom → QualifiedResource 4 HasQuality → IsRelatingTermTo → Quality 5 HasQuality → IsTypeOf → Is
638	HasQuantity	Standard	The relating term between MeasuredResource and Quantity	1 HasQuantity → IsReciprocalOf → IsQuantityOf 2 HasQuantity → IsRelatingTermBegottenBy → Measure 3 HasQuantity → IsRelatingTermFrom → MeasuredResource 4 HasQuantity → IsRelatingTermTo → Quantity 5 HasQuantity → IsTypeOf → HasAscription
639	HasReplica	Standard	The relating term between SourceOfReplica and Replica	1 HasReplica → IsReciprocalOf → IsCopiedFromSource 2 HasReplica → IsRelatingTermBegottenBy → Copy 3 HasReplica → IsRelatingTermFrom → SourceOfReplica 4 HasReplica → IsRelatingTermTo → Replica 5 HasReplica → IsTypeOf → IsSourceOf
640	HasResourceType	Standard		
641	HasResourceTypeFrom	Standard	A RelatingTerm from Context to a TermSet, a Member of which is a	1 HasResourceTypeFrom → IsTypeOf → HasResourceType

		Derived	ResourceType of the Context.	2 HasResourceTypeFrom → IsReciprocalOf → IsSetWithResourceTypeOf
642	HasResult	Standard	The relating term between Causer and Result	1 HasResult → IsRelatingTermBegottenBy → Cause 2 HasResult → IsRelatingTermFrom → Causer 3 HasResult → IsRelatingTermTo → Result 4 HasResult → IsReciprocalOf → IsResultOf 5 HasResult → IsTypeOf → IsMakerOf
643	HasSource	Standard	The relating term between Derivation and Source	1 HasSource → IsRelatingTermBegottenBy → Derive 2 HasSource → IsRelatingTermFrom → Derivation 3 HasSource → IsRelatingTermTo → Source 4 HasSource → IsReciprocalOf → IsSourceOf
644	HasSourceOfCreation	Standard	The relating term between Creation and SourceOfCreation	1 HasSourceOfCreation → IsRelatingTermBegottenBy → Create 2 HasSourceOfCreation → IsRelatingTermFrom → Creation 3 HasSourceOfCreation → IsRelatingTermTo → SourceOfCreation 4 HasSourceOfCreation → IsReciprocalOf → IsSourceOfCreationOf
645	HasStateType	Standard		
646	HasStatus	Standard Derived	The RelatingTerm from an Entity to a Status which it possesses.	1 HasStatus → IsReciprocalOf → IsStatusOf 2 HasStatus → IsTypeOf → HasQuality
647	HasStatusType	Standard		
648	HasTime	Standard	The relating term between Entity and TimeOfSituation	1 HasTime → IsRelatingTermBegottenBy → Situation 2 HasTime → IsRelatingTermFrom → Entity 3 HasTime → IsRelatingTermTo → TimeOfSituation 4 HasTime → IsReciprocalOf → IsTimeOf 5 HasTime → IsTypeOf → IsAgentAtTime
649	HasTimeType	Standard		

650	HasType	Standard	The relating term between Archetype and Type	1 HasType → IsReciprocalOf → IsTypeOf 2 HasType → IsRelatingTermBegottenBy → Specialize 3 HasType → IsRelatingTermFrom → Archetype 4 HasType → IsRelatingTermTo → Type 5 HasType → IsTypeOf → HasAscription
651	HasValue	Standard	The relating term between EvaluatedResource and Value	1 HasValue → IsReciprocalOf → IsValueOf 2 HasValue → IsRelatingTermBegottenBy → Evaluate 3 HasValue → IsRelatingTermFrom → EvaluatedResource 4 HasValue → IsRelatingTermTo → Value 5 HasValue → IsTypeOf → HasAscription
652	Have Possess	Standard Derived	To possess an Attribute.	1 Have → IsActTypeBegottenBy → Situation 2 Have → IsTypeOf → Act
653	HaveAscription	Standard Derived	To Have an Ascription.	1 HaveAscription → IsActTypeBegottenBy → AscribedSituation 2 HaveAscription → IsTypeOf → HaveRelative
654	HaveCategory	Standard Derived	To belong to a Category.	1 HaveCategory → IsActTypeBegottenBy → Categorization 2 HaveCategory → IsTypeOf → HaveAscription
655	HaveClass	Standard Derived	To belong to a Class.	1 HaveClass → IsActTypeBegottenBy → Classification 2 HaveClass → IsTypeOf → HaveAscription
656	HaveEquivalent EquateTo	Standard Derived	To Have an Equivalent.	1 HaveEquivalent → IsActTypeBegottenBy → Equation 2 HaveEquivalent → IsTypeOf → HaveRelative
657	HaveForm	Standard Derived	To Have a Form.	1 HaveForm → IsActTypeBegottenBy → Formalization 2 HaveForm → IsTypeOf → HaveQuality
658	HaveIdentifier	Standard Derived	To Have an Identifier.	1 HaveIdentifier → IsActTypeBegottenBy → Identification 2 HaveIdentifier → IsTypeOf → HaveName

659	HaveName	Standard Derived	To Have a Name.	1 HaveName → IsActTypeBegottenBy → Nomination 2 HaveName → IsTypeOf → HaveAscription
660	HaveOpposite	Standard Derived	To Have an Opposite.	1 HaveOpposite → IsActTypeBegottenBy → Opposition 2 HaveOpposite → IsTypeOf → HaveRelative
661	HavePart	Standard Derived	To Have a Part.	1 HavePart → IsActTypeBegottenBy → PartitionSituation 2 HavePart → IsTypeOf → HaveAscription
662	HaveQuality	Standard Derived	To Have a Quality.	1 HaveQuality → IsActTypeBegottenBy → Qualification 2 HaveQuality → IsTypeOf → HaveCategory
663	HaveQuantity	Standard Derived	To Have a Quantity.	1 HaveQuantity → IsActTypeBegottenBy → Measurement 2 HaveQuantity → IsTypeOf → HaveAscription
664	HaveRelative RelateTo	Standard Derived	To Have a Relative.	1 HaveRelative → IsActTypeBegottenBy → Relationship 2 HaveRelative → IsTypeOf → Have
665	HaveType	Standard Derived	To have a Type.	1 HaveType → IsActTypeBegottenBy → Specialization 2 HaveType → IsTypeOf → HaveAscription
666	HaveValue	Standard Derived	To Have a Value.	1 HaveValue → IsActTypeBegottenBy → Evaluation 2 HaveValue → IsTypeOf → HaveAscription
667	Having	Standard Derived	The current status of Entity	1 Having → IsStatusTypeBegottenBy → Situation 2 Having → IsCurrentStatusOf → Entity 3 Having → IsTypeOf → Acting
668	Headword	Standard Partially Derived	The primary, human-readable Name of a Term under an Authority.	1 Headword → IsTypeOf → TermName 2 Headword → IsTypeOf → PrimaryName 3 Headword → IsNameof → Term 4 Headword → Has → Authority 5 Headword → IsA → TextualElement

669	Historic Existed	Standard Derived	The historic status of Exister	1 Historic → IsStatusTypeBegottenBy → Existence 2 Historic → IsHistoricStatusOf → Exister 3 Historic → IsTypeOf → Had
670	HistoricStatus	Standard Derived	Of an Entity which has been an AgentType or ResourceType in a Context.	1 HistoricStatus → IsTypeOf → Status
671	HostOfEmbeddedResource	Standard Partially Derived	A Creation in which another Creation is Embedded.	1 HostOfEmbeddedResource → IsResourceTypeBegottenBy → Embed 2 HostOfEmbeddedResource → IsTypeOf → HostOfIncludedResource 3 HostOfEmbeddedResource → IsA → Creation
672	HostOfIncludedResource	Standard Partially Derived	A Resource in which another Resource is Included.	1 HostOfIncludedResource → IsResourceTypeBegottenBy → Include 2 HostOfIncludedResource → IsTypeOf → Relative
673	HumanBeing	Standard Partially Derived	A human being.	1 HumanBeing → IsTypeOf → Being
674	Identifiable	Standard Derived	The potential status of IdentifiedResource	1 Identifiable → IsStatusTypeBegottenBy → Identify 2 Identifiable → IsPotentialStatusOf → IdentifiedResource 3 Identifiable → IsTypeOf → Nameable
675	Identification	Standard Derived	A Situation in which an Entity has an Identifier.	1 Identification → IsStateTypeBegottenBy → Identify 2 Identification → IsTypeOf → Nomination <i>ContextDescription</i> 1 Identification[#1] → HasActType → HaveIdentifier[#2][occ:1] 2 Identification[#1] → HasEntityType → IdentifiedResource[#3.n][occ:1-n] 3 Identification[#1] → HasAttributeType → Identifier[#4.n][occ:1-n] 4 Identification[#9.n] → HasTimeType → TimeOfIdentification[#7.n][occ:1-n] 5 Identification[#9.n] → HasPlaceType → PlaceOfIdentification[#8.n][occ:1-n] <i>ContextFamily</i>

				1 Identification → BegetsActType → HaveIdentifier 2 Identification → BegetsTimeType → TimeOfIdentification 3 Identification → BegetsPlaceType → PlaceOfIdentification
676	Identified	Standard Derived	The historic status of IdentifiedResource	1 Identified → IsStatusTypeBegottenBy → Identify 2 Identified → IsHistoricStatusOf → IdentifiedResource 3 Identified → IsTypeOf → Named
677	IdentifiedResource	Standard Derived	A Resource that is Identified.	1 IdentifiedResource → IsResourceTypeBegottenBy → Identify 2 IdentifiedResource → IsTypeOf → NamedResource
678	Identifier	Standard Partially Derived	A Name that is unique in its domain.	1 Identifier → IsResourceTypeBegottenBy → Identify 2 Identifier → IsTypeOf → Name
679	Identify	Standard Derived	To Nominate an Entity uniquely within a domain.	1 Identify → IsTypeOf → Nominate <i>ActionFamily</i> 1 Identify → BegetsContextType → IdentifyingEvent 2 Identify → BegetsAgentType → IdentifyingAgent 3 Identify → BegetsResourceType → Identifier 4 Identify → BegetsResourceType → IdentifiedResource 5 Identify → BegetsResourceType → IdentifyingTool 6 Identify → BegetsTimeType → TimeOfIdentifying 7 Identify → BegetsPlaceType → PlaceOfIdentifying 8 Identify → BegetsStateType → Identification 9 Identify → BegetsRelatingTerm → HasCo-IdentifyingAgent 10 Identify → BegetsRelatingTerm → IsIdentifyingAgentWith 11 Identify → BegetsRelatingTerm → IsIdentifierAscribedBy 12 Identify → BegetsRelatingTerm → IsIdentifyingAgentOf 13 Identify → BegetsRelatingTerm → IsIdentifiedBy 14 Identify → BegetsRelatingTerm → IsIdentifyingAgentWithTool 15 Identify → BegetsRelatingTerm → IsToolForIdentifyingBy 16 Identify → BegetsRelatingTerm → IsIdentifyingAgentAtTime 17 Identify → BegetsRelatingTerm → IsTimeOfIdentifyingBy 18 Identify → BegetsRelatingTerm → IsIdentifyingAgentInPlace

				19 Identify → BegetsRelatingTerm → IsPlaceOfIdentifyingBy 20 Identify → BegetsRelatingTerm → HasCo-Identifier 21 Identify → BegetsRelatingTerm → IsIdentifierOf 22 Identify → BegetsRelatingTerm → HasIdentifier 23 Identify → BegetsRelatingTerm → IsIdentifierMadeWithTool 24 Identify → BegetsRelatingTerm → IsToolForIdentifyingWith 25 Identify → BegetsRelatingTerm → IsIdentifierAtTime 26 Identify → BegetsRelatingTerm → IsTimeOfIdentifyingWith 27 Identify → BegetsRelatingTerm → IsIdentifierInPlace 28 Identify → BegetsRelatingTerm → IsPlaceOfIdentifyingWith 29 Identify → BegetsRelatingTerm → HasCo-IdentifiedResource 30 Identify → BegetsRelatingTerm → IsResourceIdentifiedWithTool 31 Identify → BegetsRelatingTerm → IsToolForIdentifyingOf 32 Identify → BegetsRelatingTerm → IsResourceIdentifiedAtTime 33 Identify → BegetsRelatingTerm → IsTimeOfIdentifyingOf 34 Identify → BegetsRelatingTerm → IsResourceIdentifiedInPlace 35 Identify → BegetsRelatingTerm → IsPlaceOfIdentifyingOf 36 Identify → BegetsRelatingTerm → HasCo-IdentifyingTool 37 Identify → BegetsRelatingTerm → IsIdentifyingToolAtTime 38 Identify → BegetsRelatingTerm → IsTimeOfIdentifyingWithTool 39 Identify → BegetsRelatingTerm → IsIdentifyingToolInPlace 40 Identify → BegetsRelatingTerm → IsPlaceOfIdentifyingWithTool 41 Identify → BegetsRelatingTerm → HasCo-TimeOfIdentifying 42 Identify → BegetsRelatingTerm → IsTimeOfIdentifyingInPlace 43 Identify → BegetsRelatingTerm → IsPlaceOfIdentifyingAtTime 44 Identify → BegetsRelatingTerm → HasCo-PlaceOfIdentifying 45 Identify → BegetsStatusType → Identifying 46 Identify → BegetsStatusType → Identified 47 Identify → BegetsStatusType → BeingIdentified 48 Identify → BegetsStatusType → Identifiable
680	Identifying	Standard Derived	The current status of IdentifyingAgent	1 Identifying → IsStatusTypeBegottenBy → Identify 2 Identifying → IsCurrentStatusOf → IdentifyingAgent 3 Identifying → IsTypeOf → Naming
681	IdentifyingAgent	Standard	An Agent that Identifies a	1 IdentifyingAgent → IsAgentTypeBegottenBy → Identify

		Derived	Resource.	2 IdentifyingAgent → IsTypeOf → Namer
682	IdentifyingEvent	Standard Derived	An Event in which a Resource is Identified.	1 IdentifyingEvent → IsContextTypeBegottenBy → Identify 2 IdentifyingEvent → IsTypeOf → NamingEvent <i>ContextDescription</i> 1 IdentifyingEvent[#1] → HasActType → Identify[#2][occ:1] 2 IdentifyingEvent[#1] → HasAgentType → IdentifyingAgent[#3.n][occ:1-n] 3 IdentifyingEvent[#1] → HasResourceType → Identifier[#4.n][occ:1-n] 4 IdentifyingEvent[#1] → HasResourceType → IdentifiedResource[#5.n][occ:1-n] 5 Identification[#9.n] → HasTimeType → TimeOfIdentification[#7.n][occ:1-n] 6 IdentifyingEvent[#1] → HasResourceType → IdentifyingTool[#6.n][occ:0-n] 7 Identification[#9.n] → HasPlaceType → PlaceOfIdentification[#8.n][occ:1-n] 8 IdentifyingEvent[#1] → HasTimeType → TimeOfIdentifying[#7.n][occ:1-n] 9 IdentifyingEvent[#1] → HasPlaceType → PlaceOfIdentifying[#8.n][occ:1-n] 10 IdentifyingEvent[#1] → HasStateType → Identification[#9.n][occ:1-n] 11 Identification[#9.n] → HasAgentType → Entity[#5.n][occ:1-n] 12 Identification[#9.n] → HasResourceType → Attribute[#4.n][occ:1-n] 13 TimeOfIdentification[#7.n] → IsA → StartTime
683	IdentifyingTool	Standard Derived	A Tool with which something is Identified.	1 IdentifyingTool → IsResourceTypeBegottenBy → Identify 2 IdentifyingTool → IsTypeOf → NamingTool
684	Inactive	Standard Derived	The current status of DeactivatedResource	1 Inactive → IsStatusTypeBegottenBy → Deactivate 2 Inactive → IsCurrentStatusOf → DeactivatedResource 3 Inactive → IsTypeOf → Dynamic
685	Includable	Standard Derived	The potential status of IncludedResource	1 Includable → IsStatusTypeBegottenBy → Include 2 Includable → IsPotentialStatusOf → IncludedResource 3 Includable → IsTypeOf → Relatable
686	Include	Standard Derived	To put an Entity into another Entity.	1 Include → IsTypeOf → Relate <i>ActionFamily</i> 1 Include → BegetsContextType → IncludingEvent 2 Include → BegetsAgentType → Includer

				3 Include → BegetsResourceType → IncludedResource 4 Include → BegetsResourceType → HostOfIncludedResource 5 Include → BegetsResourceType → IncludingTool 6 Include → BegetsTimeType → TimeOfIncluding 7 Include → BegetsPlaceType → PlaceOfIncluding 8 Include → BegetsStateType → Inclusion 9 Include → BegetsStatusType → Including 10 Include → BegetsStatusType → Included 11 Include → BegetsStatusType → BeingIncluded 12 Include → BegetsStatusType → Includable
687	Included	Standard Derived	The historic status of IncludedResource	1 Included → IsStatusTypeBegottenBy → Include 2 Included → IsHistoricStatusOf → IncludedResource 3 Included → IsTypeOf → Related
688	IncludedResource	Standard Partially Derived	A Resource Included in another Resource.	1 IncludedResource → IsResourceTypeBegottenBy → Include 2 IncludedResource → IsTypeOf → Relative
689	Includer	Standard Derived	An Agent that Includes.	1 Includer → IsAgentTypeBegottenBy → Include 2 Includer → IsTypeOf → Relator
690	Including	Standard Derived	The current status of Includer	1 Including → IsStatusTypeBegottenBy → Include 2 Including → IsCurrentStatusOf → Includer 3 Including → IsTypeOf → Relating
691	IncludingEvent	Standard Derived	An Event in which something is Included in something else.	1 IncludingEvent → IsContextTypeBegottenBy → Include 2 IncludingEvent → IsTypeOf → RelatingEvent <i>ContextDescription</i> 1 IncludingEvent[#1] → HasActType → Include[#2][occ:1] 2 IncludingEvent[#1] → HasAgentType → Includer[#3.n][occ:1-n] 3 IncludingEvent[#1] → HasResourceType → IncludedResource[#4.n][occ:1-n] 4 IncludingEvent[#1] → HasResourceType → HostOfIncludedResource[#5][occ:1] 5 IncludingEvent[#1] → HasResourceType → IncludingTool[#6.n][occ:0-n] 6 IncludingEvent[#1] → HasTimeType → TimeOfIncluding[#7.n][occ:1-n]

				7 IncludingEvent[#1] → HasPlaceType → PlaceOfIncluding[#8.n][occ:1-n]
692	IncludingTool	Standard Derived	A Tool Used for Including.	1 IncludingTool → IsResourceTypeBegottenBy → Include 2 IncludingTool → IsTypeOf → RelatingTool
693	Inclusion	Standard Derived	A Situation in which one Entity is Included in another.	1 Inclusion → IsStateTypeBegottenBy → Include 2 Inclusion → IsTypeOf → Relation
694	InheritedMeaning	Standard Partially Derived	A Meaning wholly derived from a combination of two or more existing Meanings inherited from related Terms.	1 InheritedMeaning → IsTypeOf → Meaning
695	Input	Standard Partially Derived	A Resource in relation to which an Agent Does something. Interactor and Input Where two entities Interact together without either being exclusively active or passive (for example, in a chemical reaction) both entities are identified as being both Interactors and Inputs.	1 Input → IsResourceTypeBegottenBy → InteractWith 2 Input → IsTypeOf → Patient
696	Install	Standard Derived	To follow the instructions provided by an InstallingResource.	1 Install → IsTypeOf → InteractWith 2 Install → IsOpposedTo → Uninstall <i>ContextDescription</i> 1 Install[#1] → HasActType → Install[#2][occ:1] 2 Install[#1] → HasAgentType → Installer[#3.n][occ:1-n] 3 Install[#1] → HasResourceType → InstallingResource[#4.n][occ:1-n] 4 Install[#1] → HasTimeType → TimeOfInstalling[#5.n][occ:1-n] 5 Install[#1] → HasPlaceType → PlaceOfInstalling[#6.n][occ:1-n] <i>ActionFamily</i> 1 Install → BegetsContextType → InstallingEvent

				2 Install → BegetsAgentType → Installer 3 Install → BegetsResourceType → InstallingResource 4 Install → BegetsTimeType → TimeOfInstalling 5 Install → BegetsPlaceType → PlaceOfInstalling 6 Install → BegetsStatusType → Installing 7 Install → BegetsStatusType → InstalledFrom 8 Install → BegetsStatusType → BeingInstalledFrom 9 Install → BegetsStatusType → InstallableFrom
697	InstallableFrom	Standard Derived	The potential status of InstallingResource	1 InstallableFrom → IsStatusTypeBegottenBy → Install 2 InstallableFrom → IsPotentialStatusOf → InstallingResource 3 InstallableFrom → IsTypeOf → InteractableWith
698	InstalledFrom	Standard Derived	The historic status of InstallingResource	1 InstalledFrom → IsStatusTypeBegottenBy → Install 2 InstalledFrom → IsHistoricStatusOf → InstallingResource 3 InstalledFrom → IsTypeOf → InteractedWith
699	Installer	Standard Derived	An Agent that Installs.	1 Installer → IsAgentTypeBegottenBy → Install 2 Installer → IsTypeOf → Interactor
700	Installing	Standard Derived	The current status of Installer	1 Installing → IsStatusTypeBegottenBy → Install 2 Installing → IsCurrentStatusOf → Installer 3 Installing → IsTypeOf → InteractingWith
701	InstallingEvent	Standard Derived	An Event in which something is Installed.	1 InstallingEvent → IsContextTypeBegottenBy → Install 2 InstallingEvent → IsTypeOf → Interaction
702	InstallingResource	Standard Partially Derived	A Resource that provides instructions which when followed result in one or more Resources that are Outputs, or Enabled, or Enabled Outputs.	1 InstallingResource → IsResourceTypeBegottenBy → Install 2 InstallingResource → IsTypeOf → Input
703	InteractableWith	Standard	The potential status of Input	1 InteractableWith → IsStatusTypeBegottenBy → InteractWith 2 InteractableWith → IsPotentialStatusOf → Input

		Derived		3 InteractableWith → IsTypeOf → Doable
704	InteractedWith	Standard Derived	The historic status of Input	1 InteractedWith → IsStatusTypeBegottenBy → InteractWith 2 InteractedWith → IsHistoricStatusOf → Input 3 InteractedWith → IsTypeOf → Done
705	InteractingWith	Standard Derived	The current status of Interactor	1 InteractingWith → IsStatusTypeBegottenBy → InteractWith 2 InteractingWith → IsCurrentStatusOf → Interactor 3 InteractingWith → IsTypeOf → Doing
706	Interaction	Standard Derived	An Event in which something InteractsWith something else.	1 Interaction → IsContextTypeBegottenBy → InteractWith 2 Interaction → IsTypeOf → Event <i>ContextDescription</i> 1 Interaction[#1] → HasActType → InteractWith[#2][occ:1] 2 Interaction[#1] → HasAgentType → Interactor[#3.n][occ:1-n] 3 Interaction[#1] → HasResourceType → Input[#4.n][occ:1-n] 4 Interaction[#1] → HasTimeType → TimeOfInteraction[#5.n][occ:1-n] 5 Interaction[#1] → HasPlaceType → PlaceOfInteraction[#6.n][occ:1-n]
707	Interactor	Standard Derived	An Agent that InteractsWith a Resource. Interactor and Input Where two entities Interact together without either being exclusively active or passive (for example, in a chemical reaction) both entities are identified as being both Interactors and Inputs.	1 Interactor → IsAgentTypeBegottenBy → InteractWith 2 Interactor → IsTypeOf → Doer
708	InteractWith	Standard Derived	To Do something in relation to something that already exists.	1 InteractWith → IsTypeOf → Do <i>ActionFamily</i> 1 InteractWith → BegetsContextType → Interaction 2 InteractWith → BegetsAgentType → Interactor

				3 InteractWith → BegetsResourceType → Input 4 InteractWith → BegetsTimeType → TimeOfInteraction 5 InteractWith → BegetsPlaceType → PlaceOfInteraction 6 InteractWith → BegetsStatusType → InteractingWith 7 InteractWith → BegetsStatusType → InteractedWith 8 InteractWith → BegetsStatusType → BeingInteractedWith 9 InteractWith → BegetsStatusType → InteractableWith
709	Is	Standard	The relating term between CategorizedResource and Category	1 Is → IsReciprocalOf → IsCategoryOf 2 Is → IsRelatingTermBegottenBy → Categorize 3 Is → IsRelatingTermFrom → CategorizedResource 4 Is → IsRelatingTermTo → Category 5 Is → IsTypeOf → HasAscription
710	IsA	Standard	The relating term between ClassifiedResource and Class	1 IsA → IsReciprocalOf → IsClassOf 2 IsA → IsRelatingTermBegottenBy → Classify 3 IsA → IsRelatingTermFrom → ClassifiedResource 4 IsA → IsRelatingTermTo → Class 5 IsA → IsTypeOf → HasAscription
711	IsAClassFrom	Standard Derived	A RelatingTerm from an Entity to a TermSet, a Member of which is a Class to which the Entity belongs.	1 IsAClassFrom → IsTypeOf → IsA 2 IsAClassFrom → IsReciprocalOf → IsSetWithClassOf
712	IsActTypeBegottenBy	Standard	The relating term between ActType and Begetter_9	1 IsActTypeBegottenBy → IsReciprocalOf → BegetsActType 2 IsActTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_9 3 IsActTypeBegottenBy → IsRelatingTermFrom → ActType 4 IsActTypeBegottenBy → IsRelatingTermTo → Begetter_9 5 IsActTypeBegottenBy → IsTypeOf → IsBegottenBy
713	IsActTypeInContext	Standard		
714	IsAdaptedAtTime	Standard	The relating term between	1 IsAdaptedAtTime → IsRelatingTermBegottenBy → Adapt 2 IsAdaptedAtTime → IsRelatingTermFrom → Adaptation

			Adaptation and TimeOfAdapting	3 IsAdaptedAtTime → IsRelatingTermTo → TimeOfAdapting 4 IsAdaptedAtTime → IsReciprocalOf → IsTimeOfAdapting
715	IsAdaptedBy	Standard	The relating term between Adaptation and Adaptor	1 IsAdaptedBy → IsReciprocalOf → IsAdaptorOf 2 IsAdaptedBy → IsRelatingTermBegottenBy → Adapt 3 IsAdaptedBy → IsRelatingTermFrom → Adaptation 4 IsAdaptedBy → IsRelatingTermTo → Adaptor
716	IsAdaptedFromFromPlace	Standard	The relating term between SourceOfAdaptation and PlaceOfAdaptingFrom	1 IsAdaptedFromFromPlace → IsRelatingTermBegottenBy → Adapt 2 IsAdaptedFromFromPlace → IsRelatingTermFrom → SourceOfAdaptation 3 IsAdaptedFromFromPlace → IsRelatingTermTo → PlaceOfAdaptingFrom 4 IsAdaptedFromFromPlace → IsReciprocalOf → IsPlaceOfAdaptingFromFromSource
717	IsAdaptedFromPlace	Standard	The relating term between Adaptation and PlaceOfAdaptingFrom	1 IsAdaptedFromPlace → IsRelatingTermBegottenBy → Adapt 2 IsAdaptedFromPlace → IsRelatingTermFrom → Adaptation 3 IsAdaptedFromPlace → IsRelatingTermTo → PlaceOfAdaptingFrom 4 IsAdaptedFromPlace → IsReciprocalOf → IsPlaceOfAdaptingFromOf
718	IsAdaptedFromSource	Standard	The relating term between Adaptation and SourceOfAdaptation	1 IsAdaptedFromSource → IsRelatingTermBegottenBy → Adapt 2 IsAdaptedFromSource → IsRelatingTermFrom → Adaptation 3 IsAdaptedFromSource → IsRelatingTermTo → SourceOfAdaptation 4 IsAdaptedFromSource → IsReciprocalOf → HasAdaptation 5 IsAdaptedFromSource → IsTypeOf → HasSource
719	IsAdaptedInPlace	Standard	The relating term between Adaptation and PlaceOfAdapting	1 IsAdaptedInPlace → IsRelatingTermBegottenBy → Adapt 2 IsAdaptedInPlace → IsRelatingTermFrom → Adaptation 3 IsAdaptedInPlace → IsRelatingTermTo → PlaceOfAdapting 4 IsAdaptedInPlace → IsReciprocalOf → IsPlaceOfAdapting
720	IsAdaptedToPlace	Standard	The relating term between Adaptation and PlaceOfAdaptingTo	1 IsAdaptedToPlace → IsRelatingTermBegottenBy → Adapt 2 IsAdaptedToPlace → IsRelatingTermFrom → Adaptation 3 IsAdaptedToPlace → IsRelatingTermTo → PlaceOfAdaptingTo 4 IsAdaptedToPlace → IsReciprocalOf → IsPlaceOfAdaptingToOf

721	IsAdaptedWithTool	Standard	The relating term between Adaptation and AdaptingTool	1 IsAdaptedWithTool → IsRelatingTermBegottenBy → Adapt 2 IsAdaptedWithTool → IsRelatingTermFrom → Adaptation 3 IsAdaptedWithTool → IsRelatingTermTo → AdaptingTool 4 IsAdaptedWithTool → IsReciprocalOf → IsToolForAdapting
722	IsAdaptingToolAtTime	Standard	The relating term between AdaptingTool and TimeOfAdapting	1 IsAdaptingToolAtTime → IsRelatingTermBegottenBy → Adapt 2 IsAdaptingToolAtTime → IsRelatingTermFrom → AdaptingTool 3 IsAdaptingToolAtTime → IsRelatingTermTo → TimeOfAdapting 4 IsAdaptingToolAtTime → IsReciprocalOf → IsTimeOfAdaptingWithTool
723	IsAdaptingToolInPlace	Standard	The relating term between AdaptingTool and PlaceOfAdapting	1 IsAdaptingToolInPlace → IsRelatingTermBegottenBy → Adapt 2 IsAdaptingToolInPlace → IsRelatingTermFrom → AdaptingTool 3 IsAdaptingToolInPlace → IsRelatingTermTo → PlaceOfAdapting 4 IsAdaptingToolInPlace → IsReciprocalOf → IsPlaceOfAdaptingWithTool
724	IsAdaptorAtTime	Standard	The relating term between Adaptor and TimeOfAdapting	1 IsAdaptorAtTime → IsRelatingTermBegottenBy → Adapt 2 IsAdaptorAtTime → IsRelatingTermFrom → Adaptor 3 IsAdaptorAtTime → IsRelatingTermTo → TimeOfAdapting 4 IsAdaptorAtTime → IsReciprocalOf → IsTimeOfAdaptingBy
725	IsAdaptorFromPlace	Standard	The relating term between Adaptor and PlaceOfAdaptingFrom	1 IsAdaptorFromPlace → IsRelatingTermBegottenBy → Adapt 2 IsAdaptorFromPlace → IsRelatingTermFrom → Adaptor 3 IsAdaptorFromPlace → IsRelatingTermTo → PlaceOfAdaptingFrom 4 IsAdaptorFromPlace → IsReciprocalOf → IsPlaceOfAdaptingFromBy
726	IsAdaptorFromSource	Standard	The relating term between Adaptor and SourceOfAdaptation	1 IsAdaptorFromSource → IsRelatingTermBegottenBy → Adapt 2 IsAdaptorFromSource → IsRelatingTermFrom → Adaptor 3 IsAdaptorFromSource → IsRelatingTermTo → SourceOfAdaptation 4 IsAdaptorFromSource → IsReciprocalOf → IsSourceAdaptedFromBy
727	IsAdaptorInPlace	Standard	The relating term between Adaptor and PlaceOfAdapting	1 IsAdaptorInPlace → IsRelatingTermBegottenBy → Adapt 2 IsAdaptorInPlace → IsRelatingTermFrom → Adaptor 3 IsAdaptorInPlace → IsRelatingTermTo → PlaceOfAdapting 4 IsAdaptorInPlace → IsReciprocalOf → IsPlaceOfAdaptingBy

728	IsAdaptorOf	Standard	The relating term between Adaptor and Adaptation	1 IsAdaptorOf → IsRelatingTermBegottenBy → Adapt 2 IsAdaptorOf → IsRelatingTermFrom → Adaptor 3 IsAdaptorOf → IsRelatingTermTo → Adaptation 4 IsAdaptorOf → IsReciprocalOf → IsAdaptedBy
729	IsAdaptorToPlace	Standard	The relating term between Adaptor and PlaceOfAdaptingTo	1 IsAdaptorToPlace → IsRelatingTermBegottenBy → Adapt 2 IsAdaptorToPlace → IsRelatingTermFrom → Adaptor 3 IsAdaptorToPlace → IsRelatingTermTo → PlaceOfAdaptingTo 4 IsAdaptorToPlace → IsReciprocalOf → IsPlaceOfAdaptingToBy
730	IsAdaptorWithTool	Standard	The relating term between Adaptor and AdaptingTool	1 IsAdaptorWithTool → IsRelatingTermBegottenBy → Adapt 2 IsAdaptorWithTool → IsRelatingTermFrom → Adaptor 3 IsAdaptorWithTool → IsRelatingTermTo → AdaptingTool 4 IsAdaptorWithTool → IsReciprocalOf → IsToolForAdaptingBy
731	IsAgentActingOn	Standard	The relating term between Agent and Resource	1 IsAgentActingOn → IsRelatingTermBegottenBy → Act 2 IsAgentActingOn → IsRelatingTermFrom → Agent 3 IsAgentActingOn → IsRelatingTermTo → Resource 4 IsAgentActingOn → IsReciprocalOf → IsResourceActedOnBy
732	IsAgentAtTime	Standard	The relating term between Agent and Time	1 IsAgentAtTime → IsRelatingTermBegottenBy → Act 2 IsAgentAtTime → IsRelatingTermFrom → Agent 3 IsAgentAtTime → IsRelatingTermTo → Time 4 IsAgentAtTime → IsReciprocalOf → IsTimeOfActingBy
733	IsAgentInPlace	Standard	The relating term between Agent and Place	1 IsAgentInPlace → IsRelatingTermBegottenBy → Act 2 IsAgentInPlace → IsRelatingTermFrom → Agent 3 IsAgentInPlace → IsRelatingTermTo → Place 4 IsAgentInPlace → IsReciprocalOf → IsPlaceOfActingBy
734	IsAgentTypeBegottenBy	Standard	The relating term between AgentType and Begetter_1	1 IsAgentTypeBegottenBy → IsReciprocalOf → BegetsAgentType 2 IsAgentTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_1 3 IsAgentTypeBegottenBy → IsRelatingTermFrom → AgentType 4 IsAgentTypeBegottenBy → IsRelatingTermTo → Begetter_1

				5 IsAgentTypeBegottenBy → IsTypeOf → IsBegottenBy
735	IsAgentTypeInContext	Standard		
736	IsAllowedValueOf	Standard Partially Derived	A RelatingTerm from an AllowedValue to a Term of which it is an AllowedValue.	1 IsAllowedValueOf → IsTypeOf → IsValueOf 2 IsAllowedValueOf → IsReciprocalOf → HasAllowedValue
737	IsAscribedBy	Standard	The relating term between AscribedResource and Ascriber	1 IsAscribedBy → IsReciprocalOf → IsAscriberOf 2 IsAscribedBy → IsRelatingTermBegottenBy → Ascribe 3 IsAscribedBy → IsRelatingTermFrom → AscribedResource 4 IsAscribedBy → IsRelatingTermTo → Ascriber 5 IsAscribedBy → IsTypeOf → IsRelatedBy
738	IsAscriberAtTime	Standard	The relating term between Ascriber and TimeOfAscribing	1 IsAscriberAtTime → IsRelatingTermBegottenBy → Ascribe 2 IsAscriberAtTime → IsRelatingTermFrom → Ascriber 3 IsAscriberAtTime → IsRelatingTermTo → TimeOfAscribing 4 IsAscriberAtTime → IsReciprocalOf → IsTimeOfAscribingBy 5 IsAscriberAtTime → IsTypeOf → IsRelatorAtTime
739	IsAscriberInPlace	Standard	The relating term between Ascriber and PlaceOfAscribing	1 IsAscriberInPlace → IsRelatingTermBegottenBy → Ascribe 2 IsAscriberInPlace → IsRelatingTermFrom → Ascriber 3 IsAscriberInPlace → IsRelatingTermTo → PlaceOfAscribing 4 IsAscriberInPlace → IsReciprocalOf → IsPlaceOfAscribingBy 5 IsAscriberInPlace → IsTypeOf → IsRelatorInPlace
740	IsAscriberOf	Standard	The relating term between Ascriber and AscribedResource	1 IsAscriberOf → IsRelatingTermBegottenBy → Ascribe 2 IsAscriberOf → IsRelatingTermFrom → Ascriber 3 IsAscriberOf → IsRelatingTermTo → AscribedResource 4 IsAscriberOf → IsReciprocalOf → IsAscribedBy 5 IsAscriberOf → IsTypeOf → IsRelatorOf
741	IsAscriberWith	Standard	The relating term between Ascriber and Ascription	1 IsAscriberWith → IsRelatingTermBegottenBy → Ascribe 2 IsAscriberWith → IsRelatingTermFrom → Ascriber 3 IsAscriberWith → IsRelatingTermTo → Ascription

				4 IsAscriberWith → IsReciprocalOf → IsAscriptionBy 5 IsAscriberWith → IsTypeOf → IsRelatorOf
742	IsAscriberWithTool	Standard	The relating term between Ascriber and AscribingTool	1 IsAscriberWithTool → IsRelatingTermBegottenBy → Ascribe 2 IsAscriberWithTool → IsRelatingTermFrom → Ascriber 3 IsAscriberWithTool → IsRelatingTermTo → AscribingTool 4 IsAscriberWithTool → IsReciprocalOf → IsToolForAscribingBy 5 IsAscriberWithTool → IsTypeOf → IsRelatorWithTool
743	IsAscribingToolAtTime	Standard	The relating term between AscribingTool and TimeOfAscribing	1 IsAscribingToolAtTime → IsRelatingTermBegottenBy → Ascribe 2 IsAscribingToolAtTime → IsRelatingTermFrom → AscribingTool 3 IsAscribingToolAtTime → IsRelatingTermTo → TimeOfAscribing 4 IsAscribingToolAtTime → IsReciprocalOf → IsTimeOfAscribingWithTool 5 IsAscribingToolAtTime → IsTypeOf → IsRelatingToolAtTime
744	IsAscribingToolInPlace	Standard	The relating term between AscribingTool and PlaceOfAscribing	1 IsAscribingToolInPlace → IsRelatingTermBegottenBy → Ascribe 2 IsAscribingToolInPlace → IsRelatingTermFrom → AscribingTool 3 IsAscribingToolInPlace → IsRelatingTermTo → PlaceOfAscribing 4 IsAscribingToolInPlace → IsReciprocalOf → IsPlaceOfAscribingWithTool 5 IsAscribingToolInPlace → IsTypeOf → IsRelatingToolInPlace
745	IsAscriptionAtTime	Standard	The relating term between Ascription and TimeOfAscribing	1 IsAscriptionAtTime → IsRelatingTermBegottenBy → Ascribe 2 IsAscriptionAtTime → IsRelatingTermFrom → Ascription 3 IsAscriptionAtTime → IsRelatingTermTo → TimeOfAscribing 4 IsAscriptionAtTime → IsReciprocalOf → IsTimeOfAscribingWith 5 IsAscriptionAtTime → IsTypeOf → IsRelativeAtTime
746	IsAscriptionBy	Standard	The relating term between Ascription and Ascriber	1 IsAscriptionBy → IsReciprocalOf → IsAscriberWith 2 IsAscriptionBy → IsRelatingTermBegottenBy → Ascribe 3 IsAscriptionBy → IsRelatingTermFrom → Ascription 4 IsAscriptionBy → IsRelatingTermTo → Ascriber 5 IsAscriptionBy → IsTypeOf → IsRelatedBy
747	IsAscriptionInPlace	Standard	The relating term between	1 IsAscriptionInPlace → IsRelatingTermBegottenBy → Ascribe 2 IsAscriptionInPlace → IsRelatingTermFrom → Ascription

			Ascription and PlaceOfAscribing	3 IsAscriptionInPlace → IsRelatingTermTo → PlaceOfAscribing 4 IsAscriptionInPlace → IsReciprocalOf → IsPlaceOfAscribingWith 5 IsAscriptionInPlace → IsTypeOf → IsRelativeInPlace
748	IsAscriptionMadeWithTool	Standard	The relating term between Ascription and AscribingTool	1 IsAscriptionMadeWithTool → IsRelatingTermBegottenBy → Ascribe 2 IsAscriptionMadeWithTool → IsRelatingTermFrom → Ascription 3 IsAscriptionMadeWithTool → IsRelatingTermTo → AscribingTool 4 IsAscriptionMadeWithTool → IsReciprocalOf → IsToolForAscribingWith 5 IsAscriptionMadeWithTool → IsTypeOf → IsRelatedWithTool
749	IsAscriptionTo	Standard	The relating term between Ascription and AscribedResource	1 IsAscriptionTo → IsRelatingTermBegottenBy → Ascribe 2 IsAscriptionTo → IsRelatingTermFrom → Ascription 3 IsAscriptionTo → IsRelatingTermTo → AscribedResource 4 IsAscriptionTo → IsReciprocalOf → HasAscription 5 IsAscriptionTo → IsTypeOf → IsRelativeOf
750	IsAttributeAtTime	Standard	The relating term between Attribute and TimeOfSituation	1 IsAttributeAtTime → IsRelatingTermBegottenBy → Situation 2 IsAttributeAtTime → IsRelatingTermFrom → Attribute 3 IsAttributeAtTime → IsRelatingTermTo → TimeOfSituation 4 IsAttributeAtTime → IsReciprocalOf → IsTimeOfAttributionOf 5 IsAttributeAtTime → IsTypeOf → IsResourceAtTime
751	IsAttributeInPlace	Standard	The relating term between Attribute and PlaceOfSituation	1 IsAttributeInPlace → IsRelatingTermBegottenBy → Situation 2 IsAttributeInPlace → IsRelatingTermFrom → Attribute 3 IsAttributeInPlace → IsRelatingTermTo → PlaceOfSituation 4 IsAttributeInPlace → IsReciprocalOf → IsPlaceOfAttributionOf 5 IsAttributeInPlace → IsTypeOf → IsResourceInPlace
752	IsAttributeOf	Standard	The relating term between Attribute and Entity	1 IsAttributeOf → IsReciprocalOf → Has 2 IsAttributeOf → IsRelatingTermBegottenBy → Situation 3 IsAttributeOf → IsRelatingTermFrom → Attribute 4 IsAttributeOf → IsRelatingTermTo → Entity 5 IsAttributeOf → IsTypeOf → IsResourceActedOnBy

753	IsAttributeTypeBegottenBy	Standard	The relating term between AttributeType and Begetter_11	1 IsAttributeTypeBegottenBy → IsReciprocalOf → BegetsAttributeType 2 IsAttributeTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_11 3 IsAttributeTypeBegottenBy → IsRelatingTermFrom → AttributeType 4 IsAttributeTypeBegottenBy → IsRelatingTermTo → Begetter_11 5 IsAttributeTypeBegottenBy → IsTypeOf → IsBegottenBy
754	IsAttributeTypeInContext	Standard		
755	IsBegetterOf	Standard	The relating term between Begetter and BegottenTerm	1 IsBegetterOf → IsRelatingTermBegottenBy → Beget 2 IsBegetterOf → IsRelatingTermFrom → Begetter 3 IsBegetterOf → IsRelatingTermTo → BegottenTerm 4 IsBegetterOf → IsReciprocalOf → IsBegottenBy
756	IsBegottenBy	Standard	The relating term between BegottenTerm and Begetter	1 IsBegottenBy → IsReciprocalOf → IsBegetterOf 2 IsBegottenBy → IsRelatingTermBegottenBy → Beget 3 IsBegottenBy → IsRelatingTermFrom → BegottenTerm 4 IsBegottenBy → IsRelatingTermTo → Begetter
757	IsCategorizedBy	Standard	The relating term between CategorizedResource and Categorizer	1 IsCategorizedBy → IsReciprocalOf → IsCategorizerOf 2 IsCategorizedBy → IsRelatingTermBegottenBy → Categorize 3 IsCategorizedBy → IsRelatingTermFrom → CategorizedResource 4 IsCategorizedBy → IsRelatingTermTo → Categorizer 5 IsCategorizedBy → IsTypeOf → IsAscribedBy
758	IsCategorizerAtTime	Standard	The relating term between Categorizer and TimeOfCategorizing	1 IsCategorizerAtTime → IsRelatingTermBegottenBy → Categorize 2 IsCategorizerAtTime → IsRelatingTermFrom → Categorizer 3 IsCategorizerAtTime → IsRelatingTermTo → TimeOfCategorizing 4 IsCategorizerAtTime → IsReciprocalOf → IsTimeOfCategorizingBy 5 IsCategorizerAtTime → IsTypeOf → IsAscriberAtTime
759	IsCategorizerInPlace	Standard	The relating term between Categorizer and PlaceOfCategorizing	1 IsCategorizerInPlace → IsRelatingTermBegottenBy → Categorize 2 IsCategorizerInPlace → IsRelatingTermFrom → Categorizer 3 IsCategorizerInPlace → IsRelatingTermTo → PlaceOfCategorizing 4 IsCategorizerInPlace → IsReciprocalOf → IsPlaceOfCategorizingBy

				5 IsCategorizerInPlace → IsTypeOf → IsAscriberInPlace
760	IsCategorizerOf	Standard	The relating term between Categorizer and CategorizedResource	1 IsCategorizerOf → IsRelatingTermBegottenBy → Categorize 2 IsCategorizerOf → IsRelatingTermFrom → Categorizer 3 IsCategorizerOf → IsRelatingTermTo → CategorizedResource 4 IsCategorizerOf → IsReciprocalOf → IsCategorizedBy 5 IsCategorizerOf → IsTypeOf → IsAscriberOf
761	IsCategorizerWith	Standard	The relating term between Categorizer and Category	1 IsCategorizerWith → IsRelatingTermBegottenBy → Categorize 2 IsCategorizerWith → IsRelatingTermFrom → Categorizer 3 IsCategorizerWith → IsRelatingTermTo → Category 4 IsCategorizerWith → IsReciprocalOf → IsCategoryAscribedBy 5 IsCategorizerWith → IsTypeOf → IsAscriberWith
762	IsCategorizerWithTool	Standard	The relating term between Categorizer and CategorizingTool	1 IsCategorizerWithTool → IsRelatingTermBegottenBy → Categorize 2 IsCategorizerWithTool → IsRelatingTermFrom → Categorizer 3 IsCategorizerWithTool → IsRelatingTermTo → CategorizingTool 4 IsCategorizerWithTool → IsReciprocalOf → IsToolForCategorizingBy 5 IsCategorizerWithTool → IsTypeOf → IsAscriberWithTool
763	IsCategorizingToolAtTime	Standard	The relating term between CategorizingTool and TimeOfCategorizing	1 IsCategorizingToolAtTime → IsRelatingTermBegottenBy → Categorize 2 IsCategorizingToolAtTime → IsRelatingTermFrom → CategorizingTool 3 IsCategorizingToolAtTime → IsRelatingTermTo → TimeOfCategorizing 4 IsCategorizingToolAtTime → IsReciprocalOf → IsTimeOfCategorizingWithTool 5 IsCategorizingToolAtTime → IsTypeOf → IsAscribingToolAtTime
764	IsCategorizingToolInPlace	Standard	The relating term between CategorizingTool and PlaceOfCategorizing	1 IsCategorizingToolInPlace → IsRelatingTermBegottenBy → Categorize 2 IsCategorizingToolInPlace → IsRelatingTermFrom → CategorizingTool 3 IsCategorizingToolInPlace → IsRelatingTermTo → PlaceOfCategorizing 4 IsCategorizingToolInPlace → IsReciprocalOf → IsPlaceOfCategorizingWithTool 5 IsCategorizingToolInPlace → IsTypeOf → IsAscribingToolInPlace
765	IsCategoryAscribedBy	Standard	The relating term between Category and Categorizer	1 IsCategoryAscribedBy → IsReciprocalOf → IsCategorizerWith 2 IsCategoryAscribedBy → IsRelatingTermBegottenBy → Categorize 3 IsCategoryAscribedBy → IsRelatingTermFrom → Category

				4 IsCategoryAscribedBy → IsRelatingTermTo → Categorizer 5 IsCategoryAscribedBy → IsTypeOf → IsAscriptionBy
766	IsCategoryAscribedWithTool	Standard	The relating term between Category and CategorizingTool	1 IsCategoryAscribedWithTool → IsRelatingTermBegottenBy → Categorize 2 IsCategoryAscribedWithTool → IsRelatingTermFrom → Category 3 IsCategoryAscribedWithTool → IsRelatingTermTo → CategorizingTool 4 IsCategoryAscribedWithTool → IsReciprocalOf → IsToolForCategorizingWith 5 IsCategoryAscribedWithTool → IsTypeOf → IsAscriptionMadeWithTool
767	IsCategoryAtTime	Standard	The relating term between Category and TimeOfCategorizing	1 IsCategoryAtTime → IsRelatingTermBegottenBy → Categorize 2 IsCategoryAtTime → IsRelatingTermFrom → Category 3 IsCategoryAtTime → IsRelatingTermTo → TimeOfCategorizing 4 IsCategoryAtTime → IsReciprocalOf → IsTimeOfCategorizingWith 5 IsCategoryAtTime → IsTypeOf → IsAscriptionAtTime
768	IsCategoryInPlace	Standard	The relating term between Category and PlaceOfCategorizing	1 IsCategoryInPlace → IsRelatingTermBegottenBy → Categorize 2 IsCategoryInPlace → IsRelatingTermFrom → Category 3 IsCategoryInPlace → IsRelatingTermTo → PlaceOfCategorizing 4 IsCategoryInPlace → IsReciprocalOf → IsPlaceOfCategorizingWith 5 IsCategoryInPlace → IsTypeOf → IsAscriptionInPlace
769	IsCategoryOf	Standard	The relating term between Category and CategorizedResource	1 IsCategoryOf → IsRelatingTermBegottenBy → Categorize 2 IsCategoryOf → IsRelatingTermFrom → Category 3 IsCategoryOf → IsRelatingTermTo → CategorizedResource 4 IsCategoryOf → IsReciprocalOf → Is 5 IsCategoryOf → IsTypeOf → IsAscriptionTo
770	IsCauserAtTime	Standard	The relating term between Causer and TimeOfCausation	1 IsCauserAtTime → IsRelatingTermBegottenBy → Cause 2 IsCauserAtTime → IsRelatingTermFrom → Causer 3 IsCauserAtTime → IsRelatingTermTo → TimeOfMaking 4 IsCauserAtTime → IsReciprocalOf → IsTimeOfCausationBy 5 IsCauserAtTime → IsRelatingTermTo → TimeOfCausation 6 IsCauserAtTime → IsTypeOf → IsMakerAtTime

771	IsCauserInPlace	Standard	The relating term between Causer and PlaceOfCausation	1 IsCauserInPlace → IsRelatingTermBegottenBy → Cause 2 IsCauserInPlace → IsRelatingTermFrom → Causer 3 IsCauserInPlace → IsRelatingTermTo → PlaceOfMaking 4 IsCauserInPlace → IsReciprocalOf → IsPlaceOfCausationBy 5 IsCauserInPlace → IsRelatingTermTo → PlaceOfCausation 6 IsCauserInPlace → IsTypeOf → IsMakerInPlace
772	IsClassAscribedBy	Standard	The relating term between Class and Classifier	1 IsClassAscribedBy → IsReciprocalOf → IsClassifierWith 2 IsClassAscribedBy → IsRelatingTermBegottenBy → Classify 3 IsClassAscribedBy → IsRelatingTermFrom → Class 4 IsClassAscribedBy → IsRelatingTermTo → Classifier 5 IsClassAscribedBy → IsTypeOf → IsAscriptionBy
773	IsClassAscribedWithTool	Standard	The relating term between Class and ClassifyingTool	1 IsClassAscribedWithTool → IsRelatingTermBegottenBy → Classify 2 IsClassAscribedWithTool → IsRelatingTermFrom → Class 3 IsClassAscribedWithTool → IsRelatingTermTo → ClassifyingTool 4 IsClassAscribedWithTool → IsReciprocalOf → IsToolForClassifyingWith 5 IsClassAscribedWithTool → IsTypeOf → IsAscriptionMadeWithTool
774	IsClassAtTime	Standard	The relating term between Class and TimeOfClassifying	1 IsClassAtTime → IsRelatingTermBegottenBy → Classify 2 IsClassAtTime → IsRelatingTermFrom → Class 3 IsClassAtTime → IsRelatingTermTo → TimeOfClassifying 4 IsClassAtTime → IsReciprocalOf → IsTimeOfClassifyingWith 5 IsClassAtTime → IsTypeOf → IsAscriptionAtTime
775	IsClassifiedBy	Standard	The relating term between ClassifiedResource and Classifier	1 IsClassifiedBy → IsReciprocalOf → IsClassifierOf 2 IsClassifiedBy → IsRelatingTermBegottenBy → Classify 3 IsClassifiedBy → IsRelatingTermFrom → ClassifiedResource 4 IsClassifiedBy → IsRelatingTermTo → Classifier 5 IsClassifiedBy → IsTypeOf → IsAscribedBy
776	IsClassifierAtTime	Standard	The relating term between Classifier and TimeOfClassifying	1 IsClassifierAtTime → IsRelatingTermBegottenBy → Classify 2 IsClassifierAtTime → IsRelatingTermFrom → Classifier 3 IsClassifierAtTime → IsRelatingTermTo → TimeOfClassifying 4 IsClassifierAtTime → IsReciprocalOf → IsTimeOfClassifyingBy

				5 IsClassifierAtTime → IsTypeOf → IsAscriberAtTime
777	IsClassifierInPlace	Standard	The relating term between Classifier and PlaceOfClassifying	1 IsClassifierInPlace → IsRelatingTermBegottenBy → Classify 2 IsClassifierInPlace → IsRelatingTermFrom → Classifier 3 IsClassifierInPlace → IsRelatingTermTo → PlaceOfClassifying 4 IsClassifierInPlace → IsReciprocalOf → IsPlaceOfClassifyingBy 5 IsClassifierInPlace → IsTypeOf → IsAscriberInPlace
778	IsClassifierOf	Standard	The relating term between Classifier and ClassifiedResource	1 IsClassifierOf → IsRelatingTermBegottenBy → Classify 2 IsClassifierOf → IsRelatingTermFrom → Classifier 3 IsClassifierOf → IsRelatingTermTo → ClassifiedResource 4 IsClassifierOf → IsReciprocalOf → IsClassifiedBy 5 IsClassifierOf → IsTypeOf → IsAscriberOf
779	IsClassifierWith	Standard	The relating term between Classifier and Class	1 IsClassifierWith → IsRelatingTermBegottenBy → Classify 2 IsClassifierWith → IsRelatingTermFrom → Classifier 3 IsClassifierWith → IsRelatingTermTo → Class 4 IsClassifierWith → IsReciprocalOf → IsClassAscribedBy 5 IsClassifierWith → IsTypeOf → IsAscriberWith
780	IsClassifierWithTool	Standard	The relating term between Classifier and ClassifyingTool	1 IsClassifierWithTool → IsRelatingTermBegottenBy → Classify 2 IsClassifierWithTool → IsRelatingTermFrom → Classifier 3 IsClassifierWithTool → IsRelatingTermTo → ClassifyingTool 4 IsClassifierWithTool → IsReciprocalOf → IsToolForClassifyingBy 5 IsClassifierWithTool → IsTypeOf → IsAscriberWithTool
781	IsClassifyingToolAtTime	Standard	The relating term between ClassifyingTool and TimeOfClassifying	1 IsClassifyingToolAtTime → IsRelatingTermBegottenBy → Classify 2 IsClassifyingToolAtTime → IsRelatingTermFrom → ClassifyingTool 3 IsClassifyingToolAtTime → IsRelatingTermTo → TimeOfClassifying 4 IsClassifyingToolAtTime → IsReciprocalOf → IsTimeOfClassifyingWithTool 5 IsClassifyingToolAtTime → IsTypeOf → IsAscribingToolAtTime
782	IsClassifyingToolInPlace	Standard	The relating term between ClassifyingTool and	1 IsClassifyingToolInPlace → IsRelatingTermBegottenBy → Classify 2 IsClassifyingToolInPlace → IsRelatingTermFrom → ClassifyingTool 3 IsClassifyingToolInPlace → IsRelatingTermTo → PlaceOfClassifying

			PlaceOfClassifying	4 IsClassifyingToolInPlace → IsReciprocalOf → IsPlaceOfClassifyingWithTool 5 IsClassifyingToolInPlace → IsTypeOf → IsAscribingToolInPlace
783	IsClassInPlace	Standard	The relating term between Class and PlaceOfClassifying	1 IsClassInPlace → IsRelatingTermBegottenBy → Classify 2 IsClassInPlace → IsRelatingTermFrom → Class 3 IsClassInPlace → IsRelatingTermTo → PlaceOfClassifying 4 IsClassInPlace → IsReciprocalOf → IsPlaceOfClassifyingWith 5 IsClassInPlace → IsTypeOf → IsAscriptionInPlace
784	IsClassOf	Standard	The relating term between Class and ClassifiedResource	1 IsClassOf → IsReciprocalOf → IsA 2 IsClassOf → IsRelatingTermBegottenBy → Classify 3 IsClassOf → IsRelatingTermFrom → Class 4 IsClassOf → IsRelatingTermTo → ClassifiedResource 5 IsClassOf → IsTypeOf → IsAscriptionTo
785	IsCo-Equater	Standard	The relating term between Equater and Equater	1 IsCo-Equater → IsRelatingTermBegottenBy → Equate 2 IsCo-Equater → IsRelatingTermFrom → Equater 3 IsCo-Equater → IsRelatingTermTo → Equater 4 IsCo-Equater → IsReciprocalOf → IsCo-Equater 5 IsCo-Equater → IsTypeOf → IsCo-Relator
786	IsCo-Opposer	Standard	The relating term between Opposer and Opposer	1 IsCo-Opposer → IsRelatingTermBegottenBy → Oppose 2 IsCo-Opposer → IsRelatingTermFrom → Opposer 3 IsCo-Opposer → IsRelatingTermTo → Opposer 4 IsCo-Opposer → IsReciprocalOf → IsCo-Opposer 5 IsCo-Opposer → IsTypeOf → IsCo-Relator
787	IsCo-PlaceOfEquating	Standard	The relating term between PlaceOfEquating and PlaceOfEquating	1 IsCo-PlaceOfEquating → IsRelatingTermBegottenBy → Equate 2 IsCo-PlaceOfEquating → IsRelatingTermFrom → PlaceOfEquating 3 IsCo-PlaceOfEquating → IsRelatingTermTo → PlaceOfEquating 4 IsCo-PlaceOfEquating → IsReciprocalOf → IsCo-PlaceOfEquating 5 IsCo-PlaceOfEquating → IsTypeOf → IsCo-PlaceOfRelating
788	IsCo-PlaceOfOpposing	Standard	The relating term between PlaceOfOpposing and	1 IsCo-PlaceOfOpposing → IsRelatingTermBegottenBy → Oppose 2 IsCo-PlaceOfOpposing → IsRelatingTermFrom → PlaceOfOpposing

			PlaceOfOpposing	3 IsCo-PlaceOfOpposing → IsRelatingTermTo → PlaceOfOpposing 4 IsCo-PlaceOfOpposing → IsReciprocalOf → IsCo-PlaceOfOpposing 5 IsCo-PlaceOfOpposing → IsTypeOf → IsCo-PlaceOfRelating
789	IsCo-PlaceOfRelating	Standard	The relating term between PlaceOfRelating and PlaceOfRelating	1 IsCo-PlaceOfRelating → IsRelatingTermBegottenBy → Relate 2 IsCo-PlaceOfRelating → IsRelatingTermFrom → PlaceOfRelating 3 IsCo-PlaceOfRelating → IsRelatingTermTo → PlaceOfRelating 4 IsCo-PlaceOfRelating → IsReciprocalOf → IsCo-PlaceOfRelating 5 IsCo-PlaceOfRelating → IsTypeOf → HasCo-PlaceOfEvent
790	IsCo-Relator	Standard	The relating term between Relator and Relator	1 IsCo-Relator → IsRelatingTermBegottenBy → Relate 2 IsCo-Relator → IsRelatingTermFrom → Relator 3 IsCo-Relator → IsRelatingTermTo → Relator 4 IsCo-Relator → IsReciprocalOf → IsCo-Relator 5 IsCo-Relator → IsTypeOf → HasCo-Doer
791	IsCo-TimeOfEquating	Standard	The relating term between TimeOfEquating and TimeOfEquating	1 IsCo-TimeOfEquating → IsRelatingTermBegottenBy → Equate 2 IsCo-TimeOfEquating → IsRelatingTermFrom → TimeOfEquating 3 IsCo-TimeOfEquating → IsRelatingTermTo → TimeOfEquating 4 IsCo-TimeOfEquating → IsReciprocalOf → IsCo-TimeOfEquating 5 IsCo-TimeOfEquating → IsTypeOf → IsCo-TimeOfRelating
792	IsCo-TimeOfOpposing	Standard	The relating term between TimeOfOpposing and TimeOfOpposing	1 IsCo-TimeOfOpposing → IsRelatingTermBegottenBy → Oppose 2 IsCo-TimeOfOpposing → IsRelatingTermFrom → TimeOfOpposing 3 IsCo-TimeOfOpposing → IsRelatingTermTo → TimeOfOpposing 4 IsCo-TimeOfOpposing → IsReciprocalOf → IsCo-TimeOfOpposing 5 IsCo-TimeOfOpposing → IsTypeOf → IsCo-TimeOfRelating
793	IsCo-TimeOfRelating	Standard	The relating term between TimeOfRelating and TimeOfRelating	1 IsCo-TimeOfRelating → IsRelatingTermBegottenBy → Relate 2 IsCo-TimeOfRelating → IsRelatingTermFrom → TimeOfRelating 3 IsCo-TimeOfRelating → IsRelatingTermTo → TimeOfRelating 4 IsCo-TimeOfRelating → IsReciprocalOf → IsCo-TimeOfRelating 5 IsCo-TimeOfRelating → IsTypeOf → HasCo-TimeOfEvent

794	IsCommentRelatingTo	Standard		
795	IsComponentOf	Standard	The relating term between Component and Aggregation	1 IsComponentOf → IsReciprocalOf → HasComponent 2 IsComponentOf → IsRelatingTermBegottenBy → Aggregate 3 IsComponentOf → IsRelatingTermFrom → Component 4 IsComponentOf → IsRelatingTermTo → Aggregation 5 IsComponentOf → IsTypeOf → IsSourceOf
796	IsConditionOf	Standard Derived	A RelatingTerm from one Context or Relationship to another whereby the truth of the latter is dependent upon an occurrence of the former.	1 IsConditionOf → IsReciprocalOf → HasCondition 2 IsConditionOf → IsTypeOf → IsAttributeOf
797	IsContextTypeBegottenBy	Standard	The relating term between ContextType and Begetter_8	1 IsContextTypeBegottenBy → IsReciprocalOf → BegetsContextType 2 IsContextTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_8 3 IsContextTypeBegottenBy → IsRelatingTermFrom → ContextType 4 IsContextTypeBegottenBy → IsRelatingTermTo → Begetter_8 5 IsContextTypeBegottenBy → IsTypeOf → IsBegottenBy
798	IsCopiedAtTime	Standard	The relating term between Replica and TimeOfCopying	1 IsCopiedAtTime → IsRelatingTermBegottenBy → Copy 2 IsCopiedAtTime → IsRelatingTermFrom → Replica 3 IsCopiedAtTime → IsRelatingTermTo → TimeOfCopying 4 IsCopiedAtTime → IsReciprocalOf → IsTimeOfCopying
799	IsCopiedBy	Standard	The relating term between Replica and Copier	1 IsCopiedBy → IsReciprocalOf → IsCopierOf 2 IsCopiedBy → IsRelatingTermBegottenBy → Copy 3 IsCopiedBy → IsRelatingTermFrom → Replica 4 IsCopiedBy → IsRelatingTermTo → Copier
800	IsCopiedFromFromPlace	Standard	The relating term between SourceOfReplica and PlaceOfCopyingFrom	1 IsCopiedFromFromPlace → IsRelatingTermBegottenBy → Copy 2 IsCopiedFromFromPlace → IsRelatingTermFrom → SourceOfReplica 3 IsCopiedFromFromPlace → IsRelatingTermTo → PlaceOfCopyingFrom 4 IsCopiedFromFromPlace → IsReciprocalOf →

				IsPlaceOfCopyingFromFromSource
801	IsCopiedFromPlace	Standard	The relating term between Replica and PlaceOfCopyingFrom	1 IsCopiedFromPlace → IsRelatingTermBegottenBy → Copy 2 IsCopiedFromPlace → IsRelatingTermFrom → Replica 3 IsCopiedFromPlace → IsRelatingTermTo → PlaceOfCopyingFrom 4 IsCopiedFromPlace → IsReciprocalOf → IsPlaceOfCopyingFromOf
802	IsCopiedFromSource	Standard	The relating term between Replica and SourceOfReplica	1 IsCopiedFromSource → IsRelatingTermBegottenBy → Copy 2 IsCopiedFromSource → IsRelatingTermFrom → Replica 3 IsCopiedFromSource → IsRelatingTermTo → SourceOfReplica 4 IsCopiedFromSource → IsReciprocalOf → HasReplica 5 IsCopiedFromSource → IsTypeOf → HasSource
803	IsCopiedInPlace	Standard	The relating term between Replica and PlaceOfCopying	1 IsCopiedInPlace → IsRelatingTermBegottenBy → Copy 2 IsCopiedInPlace → IsRelatingTermFrom → Replica 3 IsCopiedInPlace → IsRelatingTermTo → PlaceOfCopying 4 IsCopiedInPlace → IsReciprocalOf → IsPlaceOfCopying
804	IsCopiedToPlace	Standard	The relating term between Replica and PlaceOfCopyingTo	1 IsCopiedToPlace → IsRelatingTermBegottenBy → Copy 2 IsCopiedToPlace → IsRelatingTermFrom → Replica 3 IsCopiedToPlace → IsRelatingTermTo → PlaceOfCopyingTo 4 IsCopiedToPlace → IsReciprocalOf → IsPlaceOfCopyingToOf
805	IsCopiedWithTool	Standard	The relating term between Replica and CopyingTool	1 IsCopiedWithTool → IsRelatingTermBegottenBy → Copy 2 IsCopiedWithTool → IsRelatingTermFrom → Replica 3 IsCopiedWithTool → IsRelatingTermTo → CopyingTool 4 IsCopiedWithTool → IsReciprocalOf → IsToolForCopying
806	IsCopierAtTime	Standard	The relating term between Copier and TimeOfCopying	1 IsCopierAtTime → IsRelatingTermBegottenBy → Copy 2 IsCopierAtTime → IsRelatingTermFrom → Copier 3 IsCopierAtTime → IsRelatingTermTo → TimeOfCopying 4 IsCopierAtTime → IsReciprocalOf → IsTimeOfCopyingBy
807	IsCopierFromPlace	Standard	The relating term between Copier	1 IsCopierFromPlace → IsRelatingTermBegottenBy → Copy 2 IsCopierFromPlace → IsRelatingTermFrom → Copier

			and PlaceOfCopyingFrom	3 IsCopierFromPlace → IsRelatingTermTo → PlaceOfCopyingFrom 4 IsCopierFromPlace → IsReciprocalOf → IsPlaceOfCopyingFromBy
808	IsCopierFromSource	Standard	The relating term between Copier and SourceOfReplica	1 IsCopierFromSource → IsRelatingTermBegottenBy → Copy 2 IsCopierFromSource → IsRelatingTermFrom → Copier 3 IsCopierFromSource → IsRelatingTermTo → SourceOfReplica 4 IsCopierFromSource → IsReciprocalOf → IsSourceCopiedFromBy
809	IsCopierInPlace	Standard	The relating term between Copier and PlaceOfCopying	1 IsCopierInPlace → IsRelatingTermBegottenBy → Copy 2 IsCopierInPlace → IsRelatingTermFrom → Copier 3 IsCopierInPlace → IsRelatingTermTo → PlaceOfCopying 4 IsCopierInPlace → IsReciprocalOf → IsPlaceOfCopyingBy
810	IsCopierOf	Standard	The relating term between Copier and Replica	1 IsCopierOf → IsRelatingTermBegottenBy → Copy 2 IsCopierOf → IsRelatingTermFrom → Copier 3 IsCopierOf → IsRelatingTermTo → Replica 4 IsCopierOf → IsReciprocalOf → IsCopiedBy
811	IsCopierToPlace	Standard	The relating term between Copier and PlaceOfCopyingTo	1 IsCopierToPlace → IsRelatingTermBegottenBy → Copy 2 IsCopierToPlace → IsRelatingTermFrom → Copier 3 IsCopierToPlace → IsRelatingTermTo → PlaceOfCopyingTo 4 IsCopierToPlace → IsReciprocalOf → IsPlaceOfCopyingToBy
812	IsCopierWithTool	Standard	The relating term between Copier and CopyingTool	1 IsCopierWithTool → IsRelatingTermBegottenBy → Copy 2 IsCopierWithTool → IsRelatingTermFrom → Copier 3 IsCopierWithTool → IsRelatingTermTo → CopyingTool 4 IsCopierWithTool → IsReciprocalOf → IsToolForCopyingBy
813	IsCopyingToolAtTime	Standard	The relating term between CopyingTool and TimeOfCopying	1 IsCopyingToolAtTime → IsRelatingTermBegottenBy → Copy 2 IsCopyingToolAtTime → IsRelatingTermFrom → CopyingTool 3 IsCopyingToolAtTime → IsRelatingTermTo → TimeOfCopying 4 IsCopyingToolAtTime → IsReciprocalOf → IsTimeOfCopyingWithTool
814	IsCopyingToolInPlace	Standard	The relating term between CopyingTool and	1 IsCopyingToolInPlace → IsRelatingTermBegottenBy → Copy 2 IsCopyingToolInPlace → IsRelatingTermFrom → CopyingTool

			PlaceOfCopying	3 IsCopyingToolInPlace → IsRelatingTermTo → PlaceOfCopying 4 IsCopyingToolInPlace → IsReciprocalOf → IsPlaceOfCopyingWithTool
815	IsCurrentStatusOf	Standard	The RelatingTerm from a CurrentStatus to an Entity which possesses it.	1 IsCurrentStatusOf → IsReciprocalOf → HasCurrentStatus 2 IsCurrentStatusOf → IsTypeOf → IsStatusOf
816	IsDefinitiveContextOf	Standard Partially Derived	A RelatingTerm from a Context to an Entity.	1 IsDefinitiveContextOf → IsReciprocalOf → HasDefinitiveContext 2 IsDefinitiveContextOf → IsTypeOf → IsRelativeOf
817	IsDoerAtTime	Standard	The relating term between Doer and TimeOfEvent	1 IsDoerAtTime → IsRelatingTermBegottenBy → Do 2 IsDoerAtTime → IsRelatingTermFrom → Doer 3 IsDoerAtTime → IsRelatingTermTo → TimeOfEvent 4 IsDoerAtTime → IsReciprocalOf → IsTimeOfDoingBy 5 IsDoerAtTime → IsTypeOf → IsAgentAtTime
818	IsDoerDoingTo	Standard	The relating term between Doer and Patient	1 IsDoerDoingTo → IsRelatingTermBegottenBy → Do 2 IsDoerDoingTo → IsRelatingTermFrom → Doer 3 IsDoerDoingTo → IsRelatingTermTo → Patient 4 IsDoerDoingTo → IsReciprocalOf → IsDoneToBy 5 IsDoerDoingTo → IsTypeOf → IsAgentActingOn
819	IsDoerInPlace	Standard	The relating term between Doer and PlaceOfEvent	1 IsDoerInPlace → IsRelatingTermBegottenBy → Do 2 IsDoerInPlace → IsRelatingTermFrom → Doer 3 IsDoerInPlace → IsRelatingTermTo → PlaceOfEvent 4 IsDoerInPlace → IsReciprocalOf → IsPlaceOfDoingBy 5 IsDoerInPlace → IsTypeOf → IsAgentInPlace
820	IsDoneToBy	Standard	The relating term between Patient and Doer	1 IsDoneToBy → IsReciprocalOf → IsDoerDoingTo 2 IsDoneToBy → IsRelatingTermBegottenBy → Do 3 IsDoneToBy → IsRelatingTermFrom → Patient 4 IsDoneToBy → IsRelatingTermTo → Doer 5 IsDoneToBy → IsTypeOf → IsResourceActedOnBy

821	IsEntityTypeBegottenBy	Standard	The relating term between EntityType and Begetter_10	1 IsEntityTypeBegottenBy → IsReciprocalOf → BegetsEntityType 2 IsEntityTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_10 3 IsEntityTypeBegottenBy → IsRelatingTermFrom → EntityType 4 IsEntityTypeBegottenBy → IsRelatingTermTo → Begetter_10 5 IsEntityTypeBegottenBy → IsTypeOf → IsBegottenBy
822	IsEntityTypeInContext	Standard		
823	IsEqualTo	Standard	The relating term between Equivalent and Equivalent	1 IsEqualTo → IsRelatingTermBegottenBy → Equate 2 IsEqualTo → IsRelatingTermFrom → Equivalent 3 IsEqualTo → IsRelatingTermTo → Equivalent 4 IsEqualTo → IsReciprocalOf → IsEqualTo 5 IsEqualTo → IsTypeOf → IsRelativeOf
824	IsEquatedBy	Standard	The relating term between Equivalent and Equater	1 IsEquatedBy → IsReciprocalOf → IsEquaterOf 2 IsEquatedBy → IsRelatingTermBegottenBy → Equate 3 IsEquatedBy → IsRelatingTermFrom → Equivalent 4 IsEquatedBy → IsRelatingTermTo → Equater 5 IsEquatedBy → IsTypeOf → IsRelatedBy
825	IsEquatedWithTool	Standard	The relating term between Equivalent and EquatingTool	1 IsEquatedWithTool → IsRelatingTermBegottenBy → Equate 2 IsEquatedWithTool → IsRelatingTermFrom → Equivalent 3 IsEquatedWithTool → IsRelatingTermTo → EquatingTool 4 IsEquatedWithTool → IsReciprocalOf → IsToolForEquating 5 IsEquatedWithTool → IsTypeOf → IsRelatedWithTool
826	IsEquaterAtTime	Standard	The relating term between Equater and TimeOfEquating	1 IsEquaterAtTime → IsRelatingTermBegottenBy → Equate 2 IsEquaterAtTime → IsRelatingTermFrom → Equater 3 IsEquaterAtTime → IsRelatingTermTo → TimeOfEquating 4 IsEquaterAtTime → IsReciprocalOf → IsTimeOfEquatingBy 5 IsEquaterAtTime → IsTypeOf → IsRelatorAtTime
827	IsEquaterInPlace	Standard	The relating term between Equater and PlaceOfEquating	1 IsEquaterInPlace → IsRelatingTermBegottenBy → Equate 2 IsEquaterInPlace → IsRelatingTermFrom → Equater 3 IsEquaterInPlace → IsRelatingTermTo → PlaceOfEquating

				4 IsEquaterInPlace → IsReciprocalOf → IsPlaceOfEquatingBy 5 IsEquaterInPlace → IsTypeOf → IsRelatorInPlace
828	IsEquaterOf	Standard	The relating term between Equater and Equivalent	1 IsEquaterOf → IsRelatingTermBegottenBy → Equate 2 IsEquaterOf → IsRelatingTermFrom → Equater 3 IsEquaterOf → IsRelatingTermTo → Equivalent 4 IsEquaterOf → IsReciprocalOf → IsEquatedBy 5 IsEquaterOf → IsTypeOf → IsRelatorOf
829	IsEquaterWithTool	Standard	The relating term between Equater and EquatingTool	1 IsEquaterWithTool → IsRelatingTermBegottenBy → Equate 2 IsEquaterWithTool → IsRelatingTermFrom → Equater 3 IsEquaterWithTool → IsRelatingTermTo → EquatingTool 4 IsEquaterWithTool → IsReciprocalOf → IsToolForEquatingBy 5 IsEquaterWithTool → IsTypeOf → IsRelatorWithTool
830	IsEquatingToolAtTime	Standard	The relating term between EquatingTool and TimeOfEquating	1 IsEquatingToolAtTime → IsRelatingTermBegottenBy → Equate 2 IsEquatingToolAtTime → IsRelatingTermFrom → EquatingTool 3 IsEquatingToolAtTime → IsRelatingTermTo → TimeOfEquating 4 IsEquatingToolAtTime → IsReciprocalOf → IsTimeOfEquatingWithTool 5 IsEquatingToolAtTime → IsTypeOf → IsRelatingToolAtTime
831	IsEquatingToolInPlace	Standard	The relating term between EquatingTool and PlaceOfEquating	1 IsEquatingToolInPlace → IsRelatingTermBegottenBy → Equate 2 IsEquatingToolInPlace → IsRelatingTermFrom → EquatingTool 3 IsEquatingToolInPlace → IsRelatingTermTo → PlaceOfEquating 4 IsEquatingToolInPlace → IsReciprocalOf → IsPlaceOfEquatingWithTool 5 IsEquatingToolInPlace → IsTypeOf → IsRelatingToolInPlace
832	IsEquivalentAtTime	Standard	The relating term between Equivalent and TimeOfEquating	1 IsEquivalentAtTime → IsRelatingTermBegottenBy → Equate 2 IsEquivalentAtTime → IsRelatingTermFrom → Equivalent 3 IsEquivalentAtTime → IsRelatingTermTo → TimeOfEquating 4 IsEquivalentAtTime → IsReciprocalOf → IsTimeOfEquating 5 IsEquivalentAtTime → IsTypeOf → IsRelativeAtTime
833	IsEquivalentInPlace	Standard	The relating term between	1 IsEquivalentInPlace → IsRelatingTermBegottenBy → Equate 2 IsEquivalentInPlace → IsRelatingTermFrom → Equivalent

			Equivalent and PlaceOfEquating	3 IsEquivalentInPlace → IsRelatingTermTo → PlaceOfEquating 4 IsEquivalentInPlace → IsReciprocalOf → IsPlaceOfEquating 5 IsEquivalentInPlace → IsTypeOf → IsRelativeInPlace
834	IsEvaluatedBy	Standard	The relating term between EvaluatedResource and Evaluator	1 IsEvaluatedBy → IsReciprocalOf → IsEvaluatorOf 2 IsEvaluatedBy → IsRelatingTermBegottenBy → Evaluate 3 IsEvaluatedBy → IsRelatingTermFrom → EvaluatedResource 4 IsEvaluatedBy → IsRelatingTermTo → Evaluator 5 IsEvaluatedBy → IsTypeOf → IsAscribedBy
835	IsEvaluatingToolAtTime	Standard	The relating term between EvaluatingTool and TimeOfEvaluating	1 IsEvaluatingToolAtTime → IsRelatingTermBegottenBy → Evaluate 2 IsEvaluatingToolAtTime → IsRelatingTermFrom → EvaluatingTool 3 IsEvaluatingToolAtTime → IsRelatingTermTo → TimeOfEvaluating 4 IsEvaluatingToolAtTime → IsReciprocalOf → IsTimeOfEvaluatingWithTool 5 IsEvaluatingToolAtTime → IsTypeOf → IsAscribingToolAtTime
836	IsEvaluatingToolInPlace	Standard	The relating term between EvaluatingTool and PlaceOfEvaluating	1 IsEvaluatingToolInPlace → IsRelatingTermBegottenBy → Evaluate 2 IsEvaluatingToolInPlace → IsRelatingTermFrom → EvaluatingTool 3 IsEvaluatingToolInPlace → IsRelatingTermTo → PlaceOfEvaluating 4 IsEvaluatingToolInPlace → IsReciprocalOf → IsPlaceOfEvaluatingWithTool 5 IsEvaluatingToolInPlace → IsTypeOf → IsAscribingToolInPlace
837	IsEvaluatorAtTime	Standard	The relating term between Evaluator and TimeOfEvaluating	1 IsEvaluatorAtTime → IsRelatingTermBegottenBy → Evaluate 2 IsEvaluatorAtTime → IsRelatingTermFrom → Evaluator 3 IsEvaluatorAtTime → IsRelatingTermTo → TimeOfEvaluating 4 IsEvaluatorAtTime → IsReciprocalOf → IsTimeOfEvaluatingBy 5 IsEvaluatorAtTime → IsTypeOf → IsAscriberAtTime
838	IsEvaluatorInPlace	Standard	The relating term between Evaluator and PlaceOfEvaluating	1 IsEvaluatorInPlace → IsRelatingTermBegottenBy → Evaluate 2 IsEvaluatorInPlace → IsRelatingTermFrom → Evaluator 3 IsEvaluatorInPlace → IsRelatingTermTo → PlaceOfEvaluating 4 IsEvaluatorInPlace → IsReciprocalOf → IsPlaceOfEvaluatingBy 5 IsEvaluatorInPlace → IsTypeOf → IsAscriberInPlace

839	IsEvaluatorOf	Standard	The relating term between Evaluator and EvaluatedResource	1 IsEvaluatorOf → IsRelatingTermBegottenBy → Evaluate 2 IsEvaluatorOf → IsRelatingTermFrom → Evaluator 3 IsEvaluatorOf → IsRelatingTermTo → EvaluatedResource 4 IsEvaluatorOf → IsReciprocalOf → IsEvaluatedBy 5 IsEvaluatorOf → IsTypeOf → IsAscriberOf
840	IsEvaluatorWith	Standard	The relating term between Evaluator and Value	1 IsEvaluatorWith → IsRelatingTermBegottenBy → Evaluate 2 IsEvaluatorWith → IsRelatingTermFrom → Evaluator 3 IsEvaluatorWith → IsRelatingTermTo → Value 4 IsEvaluatorWith → IsReciprocalOf → IsValueAscribedBy 5 IsEvaluatorWith → IsTypeOf → IsAscriberWith
841	IsEvaluatorWithTool	Standard	The relating term between Evaluator and EvaluatingTool	1 IsEvaluatorWithTool → IsRelatingTermBegottenBy → Evaluate 2 IsEvaluatorWithTool → IsRelatingTermFrom → Evaluator 3 IsEvaluatorWithTool → IsRelatingTermTo → EvaluatingTool 4 IsEvaluatorWithTool → IsReciprocalOf → IsToolForEvaluatingBy 5 IsEvaluatorWithTool → IsTypeOf → IsAscriberWithTool
842	IsExisterAtTime	Standard	The relating term between Exister and TimeOfExistence	1 IsExisterAtTime → IsRelatingTermBegottenBy → Existence 2 IsExisterAtTime → IsRelatingTermFrom → Exister 3 IsExisterAtTime → IsRelatingTermTo → TimeOfExistence 4 IsExisterAtTime → IsReciprocalOf → IsTimeOfExistenceOf 5 IsExisterAtTime → IsTypeOf → HasTime
843	IsExisterInPlace	Standard	The relating term between Exister and PlaceOfExistence	1 IsExisterInPlace → IsRelatingTermBegottenBy → Existence 2 IsExisterInPlace → IsRelatingTermFrom → Exister 3 IsExisterInPlace → IsRelatingTermTo → PlaceOfExistence 4 IsExisterInPlace → IsReciprocalOf → IsPlaceOfExistenceOf 5 IsExisterInPlace → IsTypeOf → HasPlace
844	IsFormalizedBy	Standard	The relating term between FormalizedResource and Formalizer	1 IsFormalizedBy → IsReciprocalOf → IsFormalizerOf 2 IsFormalizedBy → IsRelatingTermBegottenBy → Formalize 3 IsFormalizedBy → IsRelatingTermFrom → FormalizedResource 4 IsFormalizedBy → IsRelatingTermTo → Formalizer 5 IsFormalizedBy → IsTypeOf → IsQualifiedBy

845	IsFormalizerAtTime	Standard	The relating term between Formalizer and TimeOfFormalizing	1 IsFormalizerAtTime → IsRelatingTermBegottenBy → Formalize 2 IsFormalizerAtTime → IsRelatingTermFrom → Formalizer 3 IsFormalizerAtTime → IsRelatingTermTo → TimeOfFormalizing 4 IsFormalizerAtTime → IsReciprocalOf → IsTimeOfFormalizingBy 5 IsFormalizerAtTime → IsTypeOf → IsQualifierAtTime
846	IsFormalizerInPlace	Standard	The relating term between Formalizer and PlaceOfFormalizing	1 IsFormalizerInPlace → IsRelatingTermBegottenBy → Formalize 2 IsFormalizerInPlace → IsRelatingTermFrom → Formalizer 3 IsFormalizerInPlace → IsRelatingTermTo → PlaceOfFormalizing 4 IsFormalizerInPlace → IsReciprocalOf → IsPlaceOfFormalizingBy 5 IsFormalizerInPlace → IsTypeOf → IsQualifierInPlace
847	IsFormalizerOf	Standard	The relating term between Formalizer and FormalizedResource	1 IsFormalizerOf → IsRelatingTermBegottenBy → Formalize 2 IsFormalizerOf → IsRelatingTermFrom → Formalizer 3 IsFormalizerOf → IsRelatingTermTo → FormalizedResource 4 IsFormalizerOf → IsReciprocalOf → IsFormalizedBy 5 IsFormalizerOf → IsTypeOf → IsQualifierOf
848	IsFormalizerWith	Standard	The relating term between Formalizer and Form	1 IsFormalizerWith → IsRelatingTermBegottenBy → Formalize 2 IsFormalizerWith → IsRelatingTermFrom → Formalizer 3 IsFormalizerWith → IsRelatingTermTo → Form 4 IsFormalizerWith → IsReciprocalOf → IsFormAscribedBy 5 IsFormalizerWith → IsTypeOf → IsQualifierWith
849	IsFormalizerWithTool	Standard	The relating term between Formalizer and FormalizingTool	1 IsFormalizerWithTool → IsRelatingTermBegottenBy → Formalize 2 IsFormalizerWithTool → IsRelatingTermFrom → Formalizer 3 IsFormalizerWithTool → IsRelatingTermTo → FormalizingTool 4 IsFormalizerWithTool → IsReciprocalOf → IsToolForFormalizingBy 5 IsFormalizerWithTool → IsTypeOf → IsQualifierWithTool
850	IsFormalizingToolAtTime	Standard	The relating term between FormalizingTool and TimeOfFormalizing	1 IsFormalizingToolAtTime → IsRelatingTermBegottenBy → Formalize 2 IsFormalizingToolAtTime → IsRelatingTermFrom → FormalizingTool 3 IsFormalizingToolAtTime → IsRelatingTermTo → TimeOfFormalizing 4 IsFormalizingToolAtTime → IsReciprocalOf → IsTimeOfFormalizingWithTool 5 IsFormalizingToolAtTime → IsTypeOf → IsQualifyingToolAtTime

851	IsFormalizingToolInPlace	Standard	The relating term between FormalizingTool and PlaceOfFormalizing	1 IsFormalizingToolInPlace → IsRelatingTermBegottenBy → Formalize 2 IsFormalizingToolInPlace → IsRelatingTermFrom → FormalizingTool 3 IsFormalizingToolInPlace → IsRelatingTermTo → PlaceOfFormalizing 4 IsFormalizingToolInPlace → IsReciprocalOf → IsPlaceOfFormalizingWithTool 5 IsFormalizingToolInPlace → IsTypeOf → IsQualifyingToolInPlace
852	IsFormAscribedBy	Standard	The relating term between Form and Formalizer	1 IsFormAscribedBy → IsReciprocalOf → IsFormalizerWith 2 IsFormAscribedBy → IsRelatingTermBegottenBy → Formalize 3 IsFormAscribedBy → IsRelatingTermFrom → Form 4 IsFormAscribedBy → IsRelatingTermTo → Formalizer 5 IsFormAscribedBy → IsTypeOf → IsQualityAscribedBy
853	IsFormAscribedWithTool	Standard	The relating term between Form and FormalizingTool	1 IsFormAscribedWithTool → IsRelatingTermBegottenBy → Formalize 2 IsFormAscribedWithTool → IsRelatingTermFrom → Form 3 IsFormAscribedWithTool → IsRelatingTermTo → FormalizingTool 4 IsFormAscribedWithTool → IsReciprocalOf → IsToolForFormalizingWith 5 IsFormAscribedWithTool → IsTypeOf → IsQualityAscribedWithTool
854	IsFormAtTime	Standard	The relating term between Form and TimeOfFormalizing	1 IsFormAtTime → IsRelatingTermBegottenBy → Formalize 2 IsFormAtTime → IsRelatingTermFrom → Form 3 IsFormAtTime → IsRelatingTermTo → TimeOfFormalizing 4 IsFormAtTime → IsReciprocalOf → IsTimeOfFormalizingWith 5 IsFormAtTime → IsTypeOf → IsQualityAtTime
855	IsFormInPlace	Standard	The relating term between Form and PlaceOfFormalizing	1 IsFormInPlace → IsRelatingTermBegottenBy → Formalize 2 IsFormInPlace → IsRelatingTermFrom → Form 3 IsFormInPlace → IsRelatingTermTo → PlaceOfFormalizing 4 IsFormInPlace → IsReciprocalOf → IsPlaceOfFormalizingWith 5 IsFormInPlace → IsTypeOf → IsQualityInPlace
856	IsFormOf	Standard	The relating term between Form and FormalizedResource	1 IsFormOf → IsRelatingTermBegottenBy → Formalize 2 IsFormOf → IsRelatingTermFrom → Form 3 IsFormOf → IsRelatingTermTo → FormalizedResource 4 IsFormOf → IsReciprocalOf → HasForm 5 IsFormOf → IsTypeOf → IsQualityOf

857	IsHistoricStatusOf	Standard	The RelatingTerm from a HistoricStatus to an Entity which possesses it.	1 IsHistoricStatusOf → IsReciprocalOf → HasHistoricStatus 2 IsHistoricStatusOf → IsTypeOf → IsStatusOf
858	IsIdentifiedBy	Standard	The relating term between IdentifiedResource and IdentifyingAgent	1 IsIdentifiedBy → IsReciprocalOf → IsIdentifyingAgentOf 2 IsIdentifiedBy → IsRelatingTermBegottenBy → Identify 3 IsIdentifiedBy → IsRelatingTermFrom → IdentifiedResource 4 IsIdentifiedBy → IsRelatingTermTo → IdentifyingAgent 5 IsIdentifiedBy → IsTypeOf → IsNamedBy
859	IsIdentifierAscribedBy	Standard	The relating term between Identifier and IdentifyingAgent	1 IsIdentifierAscribedBy → IsReciprocalOf → IsIdentifyingAgentWith 2 IsIdentifierAscribedBy → IsRelatingTermBegottenBy → Identify 3 IsIdentifierAscribedBy → IsRelatingTermFrom → Identifier 4 IsIdentifierAscribedBy → IsRelatingTermTo → IdentifyingAgent 5 IsIdentifierAscribedBy → IsTypeOf → IsNameAscribedBy
860	IsIdentifierAtTime	Standard	The relating term between Identifier and TimeOfIdentifying	1 IsIdentifierAtTime → IsRelatingTermBegottenBy → Identify 2 IsIdentifierAtTime → IsRelatingTermFrom → Identifier 3 IsIdentifierAtTime → IsRelatingTermTo → TimeOfIdentifying 4 IsIdentifierAtTime → IsReciprocalOf → IsTimeOfIdentifyingWith 5 IsIdentifierAtTime → IsTypeOf → IsNameAtTime
861	IsIdentifierInPlace	Standard	The relating term between Identifier and PlaceOfIdentifying	1 IsIdentifierInPlace → IsRelatingTermBegottenBy → Identify 2 IsIdentifierInPlace → IsRelatingTermFrom → Identifier 3 IsIdentifierInPlace → IsRelatingTermTo → PlaceOfIdentifying 4 IsIdentifierInPlace → IsReciprocalOf → IsPlaceOfIdentifyingWith 5 IsIdentifierInPlace → IsTypeOf → IsNameInPlace
862	IsIdentifierMadeWithTool	Standard	The relating term between Identifier and IdentifyingTool	1 IsIdentifierMadeWithTool → IsRelatingTermBegottenBy → Identify 2 IsIdentifierMadeWithTool → IsRelatingTermFrom → Identifier 3 IsIdentifierMadeWithTool → IsRelatingTermTo → IdentifyingTool 4 IsIdentifierMadeWithTool → IsReciprocalOf → IsToolForIdentifyingWith 5 IsIdentifierMadeWithTool → IsTypeOf → IsNameAscribedWithTool

863	IsIdentifierOf	Standard	The relating term between Identifier and IdentifiedResource	1 IsIdentifierOf → IsRelatingTermBegottenBy → Identify 2 IsIdentifierOf → IsRelatingTermFrom → Identifier 3 IsIdentifierOf → IsRelatingTermTo → IdentifiedResource 4 IsIdentifierOf → IsReciprocalOf → HasIdentifier 5 IsIdentifierOf → IsTypeOf → IsNameof
864	IsIdentifyingAgentAtTime	Standard	The relating term between IdentifyingAgent and TimeOfIdentifying	1 IsIdentifyingAgentAtTime → IsRelatingTermBegottenBy → Identify 2 IsIdentifyingAgentAtTime → IsRelatingTermFrom → IdentifyingAgent 3 IsIdentifyingAgentAtTime → IsRelatingTermTo → TimeOfIdentifying 4 IsIdentifyingAgentAtTime → IsReciprocalOf → IsTimeOfIdentifyingBy 5 IsIdentifyingAgentAtTime → IsTypeOf → IsNominatorAtTime
865	IsIdentifyingAgentInPlace	Standard	The relating term between IdentifyingAgent and PlaceOfIdentifying	1 IsIdentifyingAgentInPlace → IsRelatingTermBegottenBy → Identify 2 IsIdentifyingAgentInPlace → IsRelatingTermFrom → IdentifyingAgent 3 IsIdentifyingAgentInPlace → IsRelatingTermTo → PlaceOfIdentifying 4 IsIdentifyingAgentInPlace → IsReciprocalOf → IsPlaceOfIdentifyingBy 5 IsIdentifyingAgentInPlace → IsTypeOf → IsNominatorInPlace
866	IsIdentifyingAgentOf	Standard	The relating term between IdentifyingAgent and IdentifiedResource	1 IsIdentifyingAgentOf → IsRelatingTermBegottenBy → Identify 2 IsIdentifyingAgentOf → IsRelatingTermFrom → IdentifyingAgent 3 IsIdentifyingAgentOf → IsRelatingTermTo → IdentifiedResource 4 IsIdentifyingAgentOf → IsReciprocalOf → IsIdentifiedBy 5 IsIdentifyingAgentOf → IsTypeOf → IsNominatorOf
867	IsIdentifyingAgentWith	Standard	The relating term between IdentifyingAgent and Identifier	1 IsIdentifyingAgentWith → IsRelatingTermBegottenBy → Identify 2 IsIdentifyingAgentWith → IsRelatingTermFrom → IdentifyingAgent 3 IsIdentifyingAgentWith → IsRelatingTermTo → Identifier 4 IsIdentifyingAgentWith → IsReciprocalOf → IsIdentifierAscribedBy 5 IsIdentifyingAgentWith → IsTypeOf → IsNominatorWith
868	IsIdentifyingAgentWithTool	Standard	The relating term between IdentifyingAgent and IdentifyingTool	1 IsIdentifyingAgentWithTool → IsRelatingTermBegottenBy → Identify 2 IsIdentifyingAgentWithTool → IsRelatingTermFrom → IdentifyingAgent 3 IsIdentifyingAgentWithTool → IsRelatingTermTo → IdentifyingTool 4 IsIdentifyingAgentWithTool → IsReciprocalOf → IsToolForIdentifyingBy 5 IsIdentifyingAgentWithTool → IsTypeOf → IsNominatorWithTool

869	IsIdentifyingToolAtTime	Standard	The relating term between IdentifyingTool and TimeOfIdentifying	1 IsIdentifyingToolAtTime → IsRelatingTermBegottenBy → Identify 2 IsIdentifyingToolAtTime → IsRelatingTermFrom → IdentifyingTool 3 IsIdentifyingToolAtTime → IsRelatingTermTo → TimeOfIdentifying 4 IsIdentifyingToolAtTime → IsReciprocalOf → IsTimeOfIdentifyingWithTool 5 IsIdentifyingToolAtTime → IsTypeOf → IsNamingToolAtTime
870	IsIdentifyingToolInPlace	Standard	The relating term between IdentifyingTool and PlaceOfIdentifying	1 IsIdentifyingToolInPlace → IsRelatingTermBegottenBy → Identify 2 IsIdentifyingToolInPlace → IsRelatingTermFrom → IdentifyingTool 3 IsIdentifyingToolInPlace → IsRelatingTermTo → PlaceOfIdentifying 4 IsIdentifyingToolInPlace → IsReciprocalOf → IsPlaceOfIdentifyingWithTool 5 IsIdentifyingToolInPlace → IsTypeOf → IsNamingToolInPlace
871	IsMadeAtTime	Standard	The relating term between Output and TimeOfMaking	1 IsMadeAtTime → IsRelatingTermBegottenBy → Make 2 IsMadeAtTime → IsRelatingTermFrom → Output 3 IsMadeAtTime → IsRelatingTermTo → TimeOfMaking 4 IsMadeAtTime → IsReciprocalOf → IsTimeOfMakingOf 5 IsMadeAtTime → IsTypeOf → IsPatientAtTime
872	IsMadeBy	Standard	The relating term between Output and Maker	1 IsMadeBy → IsReciprocalOf → IsMakerOf 2 IsMadeBy → IsRelatingTermBegottenBy → Make 3 IsMadeBy → IsRelatingTermFrom → Output 4 IsMadeBy → IsRelatingTermTo → Maker 5 IsMadeBy → IsTypeOf → IsDoneToBy
873	IsMadeInPlace	Standard	The relating term between Output and PlaceOfMaking	1 IsMadeInPlace → IsRelatingTermBegottenBy → Make 2 IsMadeInPlace → IsRelatingTermFrom → Output 3 IsMadeInPlace → IsRelatingTermTo → PlaceOfMaking 4 IsMadeInPlace → IsReciprocalOf → IsPlaceOfMakingOf 5 IsMadeInPlace → IsTypeOf → IsPatientInPlace
874	IsMadeWithTool	Standard	The relating term between Output and MakingTool	1 IsMadeWithTool → IsRelatingTermBegottenBy → Make 2 IsMadeWithTool → IsRelatingTermFrom → Output 3 IsMadeWithTool → IsRelatingTermTo → MakingTool 4 IsMadeWithTool → IsReciprocalOf → IsToolForMaking

875	IsMakerAtTime	Standard	The relating term between Maker and TimeOfMaking	1 IsMakerAtTime → IsRelatingTermBegottenBy → Make 2 IsMakerAtTime → IsRelatingTermFrom → Maker 3 IsMakerAtTime → IsRelatingTermTo → TimeOfMaking 4 IsMakerAtTime → IsReciprocalOf → IsTimeOfMakingBy 5 IsMakerAtTime → IsTypeOf → IsDoerAtTime
876	IsMakerInPlace	Standard	The relating term between Maker and PlaceOfMaking	1 IsMakerInPlace → IsRelatingTermBegottenBy → Make 2 IsMakerInPlace → IsRelatingTermFrom → Maker 3 IsMakerInPlace → IsRelatingTermTo → PlaceOfMaking 4 IsMakerInPlace → IsReciprocalOf → IsPlaceOfMakingBy 5 IsMakerInPlace → IsTypeOf → IsDoerInPlace
877	IsMakerOf	Standard	The relating term between Maker and Output	1 IsMakerOf → IsRelatingTermBegottenBy → Make 2 IsMakerOf → IsRelatingTermFrom → Maker 3 IsMakerOf → IsRelatingTermTo → Output 4 IsMakerOf → IsReciprocalOf → IsMadeBy 5 IsMakerOf → IsTypeOf → IsDoerDoingTo
878	IsMakerWithTool	Standard	The relating term between Maker and MakingTool	1 IsMakerWithTool → IsRelatingTermBegottenBy → Make 2 IsMakerWithTool → IsRelatingTermFrom → Maker 3 IsMakerWithTool → IsRelatingTermTo → MakingTool 4 IsMakerWithTool → IsReciprocalOf → IsToolForMakingBy
879	IsMakingToolAtTime	Standard	The relating term between MakingTool and TimeOfMaking	1 IsMakingToolAtTime → IsRelatingTermBegottenBy → Make 2 IsMakingToolAtTime → IsRelatingTermFrom → MakingTool 3 IsMakingToolAtTime → IsRelatingTermTo → TimeOfMaking 4 IsMakingToolAtTime → IsReciprocalOf → IsTimeOfMakingWithTool
880	IsMakingToolInPlace	Standard	The relating term between MakingTool and PlaceOfMaking	1 IsMakingToolInPlace → IsRelatingTermBegottenBy → Make 2 IsMakingToolInPlace → IsRelatingTermFrom → MakingTool 3 IsMakingToolInPlace → IsRelatingTermTo → PlaceOfMaking 4 IsMakingToolInPlace → IsReciprocalOf → IsPlaceOfMakingWithTool
881	IsMeasuredBy	Standard	The relating term between	1 IsMeasuredBy → IsReciprocalOf → IsMeasurerOf 2 IsMeasuredBy → IsRelatingTermBegottenBy → Measure

			MeasuredResource and Measurer	3 IsMeasuredBy → IsRelatingTermFrom → MeasuredResource 4 IsMeasuredBy → IsRelatingTermTo → Measurer 5 IsMeasuredBy → IsTypeOf → IsAscribedBy
882	IsMeasurerAtTime	Standard	The relating term between Measurer and TimeOfMeasuring	1 IsMeasurerAtTime → IsRelatingTermBegottenBy → Measure 2 IsMeasurerAtTime → IsRelatingTermFrom → Measurer 3 IsMeasurerAtTime → IsRelatingTermTo → TimeOfMeasuring 4 IsMeasurerAtTime → IsReciprocalOf → IsTimeOfMeasuringBy 5 IsMeasurerAtTime → IsTypeOf → IsAscriberAtTime
883	IsMeasurerInPlace	Standard	The relating term between Measurer and PlaceOfMeasuring	1 IsMeasurerInPlace → IsRelatingTermBegottenBy → Measure 2 IsMeasurerInPlace → IsRelatingTermFrom → Measurer 3 IsMeasurerInPlace → IsRelatingTermTo → PlaceOfMeasuring 4 IsMeasurerInPlace → IsReciprocalOf → IsPlaceOfMeasuringBy 5 IsMeasurerInPlace → IsTypeOf → IsAscriberInPlace
884	IsMeasurerOf	Standard	The relating term between Measurer and MeasuredResource	1 IsMeasurerOf → IsRelatingTermBegottenBy → Measure 2 IsMeasurerOf → IsRelatingTermFrom → Measurer 3 IsMeasurerOf → IsRelatingTermTo → MeasuredResource 4 IsMeasurerOf → IsReciprocalOf → IsMeasuredBy 5 IsMeasurerOf → IsTypeOf → IsAscriberOf
885	IsMeasurerWith	Standard	The relating term between Measurer and Quantity	1 IsMeasurerWith → IsRelatingTermBegottenBy → Measure 2 IsMeasurerWith → IsRelatingTermFrom → Measurer 3 IsMeasurerWith → IsRelatingTermTo → Quantity 4 IsMeasurerWith → IsReciprocalOf → IsQuantityAscribedBy 5 IsMeasurerWith → IsTypeOf → IsAscriberWith
886	IsMeasurerWithTool	Standard	The relating term between Measurer and MeasuringTool	1 IsMeasurerWithTool → IsRelatingTermBegottenBy → Measure 2 IsMeasurerWithTool → IsRelatingTermFrom → Measurer 3 IsMeasurerWithTool → IsRelatingTermTo → MeasuringTool 4 IsMeasurerWithTool → IsReciprocalOf → IsToolForMeasuringBy 5 IsMeasurerWithTool → IsTypeOf → IsAscriberWithTool

887	IsMeasuringToolAtTime	Standard	The relating term between MeasuringTool and TimeOfMeasuring	1 IsMeasuringToolAtTime → IsRelatingTermBegottenBy → Measure 2 IsMeasuringToolAtTime → IsRelatingTermFrom → MeasuringTool 3 IsMeasuringToolAtTime → IsRelatingTermTo → TimeOfMeasuring 4 IsMeasuringToolAtTime → IsReciprocalOf → IsTimeOfMeasuringWithTool 5 IsMeasuringToolAtTime → IsTypeOf → IsAscribingToolAtTime
888	IsMeasuringToolInPlace	Standard	The relating term between MeasuringTool and PlaceOfMeasuring	1 IsMeasuringToolInPlace → IsRelatingTermBegottenBy → Measure 2 IsMeasuringToolInPlace → IsRelatingTermFrom → MeasuringTool 3 IsMeasuringToolInPlace → IsRelatingTermTo → PlaceOfMeasuring 4 IsMeasuringToolInPlace → IsReciprocalOf → IsPlaceOfMeasuringWithTool 5 IsMeasuringToolInPlace → IsTypeOf → IsAscribingToolInPlace
889	IsMemberOf	Standard	The relating term between Member and Set	1 IsMemberOf → IsReciprocalOf → HasMember 2 IsMemberOf → IsRelatingTermBegottenBy → MakeSet 3 IsMemberOf → IsRelatingTermFrom → Component 4 IsMemberOf → IsRelatingTermTo → Set 5 IsMemberOf → IsRelatingTermFrom → Member 6 IsMemberOf → IsTypeOf → IsComponentOf
890	IsNameAscribedBy	Standard	The relating term between Name and Namer	1 IsNameAscribedBy → IsReciprocalOf → IsNominatorWith 2 IsNameAscribedBy → IsRelatingTermBegottenBy → Nominate 3 IsNameAscribedBy → IsRelatingTermFrom → Name 4 IsNameAscribedBy → IsRelatingTermTo → Namer 5 IsNameAscribedBy → IsTypeOf → IsAscriptionBy
891	IsNameAscribedWithTool	Standard	The relating term between Name and NamingTool	1 IsNameAscribedWithTool → IsRelatingTermBegottenBy → Nominate 2 IsNameAscribedWithTool → IsRelatingTermFrom → Name 3 IsNameAscribedWithTool → IsRelatingTermTo → NamingTool 4 IsNameAscribedWithTool → IsReciprocalOf → IsToolForNamingWith 5 IsNameAscribedWithTool → IsTypeOf → IsAscriptionMadeWithTool
892	IsNameAtTime	Standard	The relating term between Name and TimeOfNaming	1 IsNameAtTime → IsRelatingTermBegottenBy → Nominate 2 IsNameAtTime → IsRelatingTermFrom → Name 3 IsNameAtTime → IsRelatingTermTo → TimeOfNaming 4 IsNameAtTime → IsReciprocalOf → IsTimeOfNamingWith

				5 IsNameAtTime → IsTypeOf → IsAscriptionAtTime
893	IsNamedBy	Standard	The relating term between NamedResource and Namer	1 IsNamedBy → IsReciprocalOf → IsNominatorOf 2 IsNamedBy → IsRelatingTermBegottenBy → Nominate 3 IsNamedBy → IsRelatingTermFrom → NamedResource 4 IsNamedBy → IsRelatingTermTo → Namer 5 IsNamedBy → IsTypeOf → IsAscribedBy
894	IsNameInPlace	Standard	The relating term between Name and PlaceOfNaming	1 IsNameInPlace → IsRelatingTermBegottenBy → Nominate 2 IsNameInPlace → IsRelatingTermFrom → Name 3 IsNameInPlace → IsRelatingTermTo → PlaceOfNaming 4 IsNameInPlace → IsReciprocalOf → IsPlaceOfNamingWith 5 IsNameInPlace → IsTypeOf → IsAscriptionInPlace
895	IsNameof	Standard	The relating term between Name and NamedResource	1 IsNameof → IsRelatingTermBegottenBy → Nominate 2 IsNameof → IsRelatingTermFrom → Name 3 IsNameof → IsRelatingTermTo → NamedResource 4 IsNameof → IsReciprocalOf → HasName 5 IsNameof → IsTypeOf → IsAscriptionTo
896	IsNamingToolAtTime	Standard	The relating term between NamingTool and TimeOfNaming	1 IsNamingToolAtTime → IsRelatingTermBegottenBy → Nominate 2 IsNamingToolAtTime → IsRelatingTermFrom → NamingTool 3 IsNamingToolAtTime → IsRelatingTermTo → TimeOfNaming 4 IsNamingToolAtTime → IsReciprocalOf → IsTimeOfNamingWithTool 5 IsNamingToolAtTime → IsTypeOf → IsAscribingToolAtTime
897	IsNamingToolInPlace	Standard	The relating term between NamingTool and PlaceOfNaming	1 IsNamingToolInPlace → IsRelatingTermBegottenBy → Nominate 2 IsNamingToolInPlace → IsRelatingTermFrom → NamingTool 3 IsNamingToolInPlace → IsRelatingTermTo → PlaceOfNaming 4 IsNamingToolInPlace → IsReciprocalOf → IsPlaceOfNamingWithTool 5 IsNamingToolInPlace → IsTypeOf → IsAscribingToolInPlace
898	IsNominatorAtTime	Standard	The relating term between Namer and TimeOfNaming	1 IsNominatorAtTime → IsRelatingTermBegottenBy → Nominate 2 IsNominatorAtTime → IsRelatingTermFrom → Namer 3 IsNominatorAtTime → IsRelatingTermTo → TimeOfNaming

				4 IsNominatorAtTime → IsReciprocalOf → IsTimeOfNamingBy 5 IsNominatorAtTime → IsTypeOf → IsAscriberAtTime
899	IsNominatorInPlace	Standard	The relating term between Namer and PlaceOfNaming	1 IsNominatorInPlace → IsRelatingTermBegottenBy → Nominate 2 IsNominatorInPlace → IsRelatingTermFrom → Namer 3 IsNominatorInPlace → IsRelatingTermTo → PlaceOfNaming 4 IsNominatorInPlace → IsReciprocalOf → IsPlaceOfNamingBy 5 IsNominatorInPlace → IsTypeOf → IsAscriberInPlace
900	IsNominatorOf	Standard	The relating term between Namer and NamedResource	1 IsNominatorOf → IsRelatingTermBegottenBy → Nominate 2 IsNominatorOf → IsRelatingTermFrom → Namer 3 IsNominatorOf → IsRelatingTermTo → NamedResource 4 IsNominatorOf → IsReciprocalOf → IsNamedBy 5 IsNominatorOf → IsTypeOf → IsAscriberOf
901	IsNominatorWith	Standard	The relating term between Namer and Name	1 IsNominatorWith → IsRelatingTermBegottenBy → Nominate 2 IsNominatorWith → IsRelatingTermFrom → Namer 3 IsNominatorWith → IsRelatingTermTo → Name 4 IsNominatorWith → IsReciprocalOf → IsNameAscribedBy 5 IsNominatorWith → IsTypeOf → IsAscriberWith
902	IsNominatorWithTool	Standard	The relating term between Namer and NamingTool	1 IsNominatorWithTool → IsRelatingTermBegottenBy → Nominate 2 IsNominatorWithTool → IsRelatingTermFrom → Namer 3 IsNominatorWithTool → IsRelatingTermTo → NamingTool 4 IsNominatorWithTool → IsReciprocalOf → IsToolForNamingBy 5 IsNominatorWithTool → IsTypeOf → IsAscriberWithTool
903	IsolatedTerm	Standard Partially Derived	The Value of TermStatus for a Term under an Authority other than the RddAuthority, which has an RddIdentifier but no Relationship with a Term which is not an Isolated Term.	1 IsolatedTerm → IsAllowedValueOf → TermStatus 2 IsolatedTerm → IsTypeOf → Term

904	IsOpposedBy	Standard	The relating term between Opposite and Opposer	1 IsOpposedBy → IsReciprocalOf → IsOpposerOf 2 IsOpposedBy → IsRelatingTermBegottenBy → Oppose 3 IsOpposedBy → IsRelatingTermFrom → Opposite 4 IsOpposedBy → IsRelatingTermTo → Opposer 5 IsOpposedBy → IsTypeOf → IsRelatedBy
905	IsOpposedTo	Standard	The relating term between Opposite and Opposite	1 IsOpposedTo → IsRelatingTermBegottenBy → Oppose 2 IsOpposedTo → IsRelatingTermFrom → Opposite 3 IsOpposedTo → IsRelatingTermTo → Opposite 4 IsOpposedTo → IsReciprocalOf → IsOpposedTo 5 IsOpposedTo → IsTypeOf → IsRelativeOf
906	IsOpposedWithTool	Standard	The relating term between Opposite and OpposingTool	1 IsOpposedWithTool → IsRelatingTermBegottenBy → Oppose 2 IsOpposedWithTool → IsRelatingTermFrom → Opposite 3 IsOpposedWithTool → IsRelatingTermTo → OpposingTool 4 IsOpposedWithTool → IsReciprocalOf → IsToolForOpposing 5 IsOpposedWithTool → IsTypeOf → IsRelatedWithTool
907	IsOpposerAtTime	Standard	The relating term between Opposer and TimeOfOpposing	1 IsOpposerAtTime → IsRelatingTermBegottenBy → Oppose 2 IsOpposerAtTime → IsRelatingTermFrom → Opposer 3 IsOpposerAtTime → IsRelatingTermTo → TimeOfOpposing 4 IsOpposerAtTime → IsReciprocalOf → IsTimeOfOpposingBy 5 IsOpposerAtTime → IsTypeOf → IsRelatorAtTime
908	IsOpposerInPlace	Standard	The relating term between Opposer and PlaceOfOpposing	1 IsOpposerInPlace → IsRelatingTermBegottenBy → Oppose 2 IsOpposerInPlace → IsRelatingTermFrom → Opposer 3 IsOpposerInPlace → IsRelatingTermTo → PlaceOfOpposing 4 IsOpposerInPlace → IsReciprocalOf → IsPlaceOfOpposingBy 5 IsOpposerInPlace → IsTypeOf → IsRelatorInPlace
909	IsOpposerOf	Standard	The relating term between Opposer and Opposite	1 IsOpposerOf → IsRelatingTermBegottenBy → Oppose 2 IsOpposerOf → IsRelatingTermFrom → Opposer 3 IsOpposerOf → IsRelatingTermTo → Opposite 4 IsOpposerOf → IsReciprocalOf → IsOpposedBy 5 IsOpposerOf → IsTypeOf → IsRelatorOf

910	IsOpposerWithTool	Standard	The relating term between Opposer and OpposingTool	1 IsOpposerWithTool → IsRelatingTermBegottenBy → Oppose 2 IsOpposerWithTool → IsRelatingTermFrom → Opposer 3 IsOpposerWithTool → IsRelatingTermTo → OpposingTool 4 IsOpposerWithTool → IsReciprocalOf → IsToolForOpposingBy 5 IsOpposerWithTool → IsTypeOf → IsRelatorWithTool
911	IsOpposingToolAtTime	Standard	The relating term between OpposingTool and TimeOfOpposing	1 IsOpposingToolAtTime → IsRelatingTermBegottenBy → Oppose 2 IsOpposingToolAtTime → IsRelatingTermFrom → OpposingTool 3 IsOpposingToolAtTime → IsRelatingTermTo → TimeOfOpposing 4 IsOpposingToolAtTime → IsReciprocalOf → IsTimeOfOpposingWithTool 5 IsOpposingToolAtTime → IsTypeOf → IsRelatingToolAtTime
912	IsOpposingToolInPlace	Standard	The relating term between OpposingTool and PlaceOfOpposing	1 IsOpposingToolInPlace → IsRelatingTermBegottenBy → Oppose 2 IsOpposingToolInPlace → IsRelatingTermFrom → OpposingTool 3 IsOpposingToolInPlace → IsRelatingTermTo → PlaceOfOpposing 4 IsOpposingToolInPlace → IsReciprocalOf → IsPlaceOfOpposingWithTool 5 IsOpposingToolInPlace → IsTypeOf → IsRelatingToolInPlace
913	IsOppositeAtTime	Standard	The relating term between Opposite and TimeOfOpposing	1 IsOppositeAtTime → IsRelatingTermBegottenBy → Oppose 2 IsOppositeAtTime → IsRelatingTermFrom → Opposite 3 IsOppositeAtTime → IsRelatingTermTo → TimeOfOpposing 4 IsOppositeAtTime → IsReciprocalOf → IsTimeOfOpposing 5 IsOppositeAtTime → IsTypeOf → IsRelativeAtTime
914	IsOppositeInPlace	Standard	The relating term between Opposite and PlaceOfOpposing	1 IsOppositeInPlace → IsRelatingTermBegottenBy → Oppose 2 IsOppositeInPlace → IsRelatingTermFrom → Opposite 3 IsOppositeInPlace → IsRelatingTermTo → PlaceOfOpposing 4 IsOppositeInPlace → IsReciprocalOf → IsPlaceOfOpposing 5 IsOppositeInPlace → IsTypeOf → IsRelativeInPlace
915	IsPartAscribedBy	Standard	The relating term between Part and Partitioner	1 IsPartAscribedBy → IsReciprocalOf → IsPartitionerInto 2 IsPartAscribedBy → IsRelatingTermBegottenBy → Partition 3 IsPartAscribedBy → IsRelatingTermFrom → Part 4 IsPartAscribedBy → IsRelatingTermTo → Partitioner 5 IsPartAscribedBy → IsTypeOf → IsAscriptionBy

916	IsPartAscribedWithTool	Standard	The relating term between Part and PartitioningTool	1 IsPartAscribedWithTool → IsRelatingTermBegottenBy → Partition 2 IsPartAscribedWithTool → IsRelatingTermFrom → Part 3 IsPartAscribedWithTool → IsRelatingTermTo → PartitioningTool 4 IsPartAscribedWithTool → IsReciprocalOf → IsToolForPartitioningWith 5 IsPartAscribedWithTool → IsTypeOf → IsAscriptionMadeWithTool
917	IsPartAtTime	Standard	The relating term between Part and TimeOfPartitioning	1 IsPartAtTime → IsRelatingTermBegottenBy → Partition 2 IsPartAtTime → IsRelatingTermFrom → Part 3 IsPartAtTime → IsRelatingTermTo → TimeOfPartitioning 4 IsPartAtTime → IsReciprocalOf → IsTimeOfPartitioningWith 5 IsPartAtTime → IsTypeOf → IsAscriptionAtTime
918	IsPartInPlace	Standard	The relating term between Part and PlaceOfPartitioning	1 IsPartInPlace → IsRelatingTermBegottenBy → Partition 2 IsPartInPlace → IsRelatingTermFrom → Part 3 IsPartInPlace → IsRelatingTermTo → PlaceOfPartitioning 4 IsPartInPlace → IsReciprocalOf → IsPlaceOfPartitioningWith 5 IsPartInPlace → IsTypeOf → IsAscriptionInPlace
919	IsPartitionedBy	Standard	The relating term between Whole and Partitioner	1 IsPartitionedBy → IsReciprocalOf → IsPartitionerOf 2 IsPartitionedBy → IsRelatingTermBegottenBy → Partition 3 IsPartitionedBy → IsRelatingTermFrom → Whole 4 IsPartitionedBy → IsRelatingTermTo → Partitioner 5 IsPartitionedBy → IsTypeOf → IsAscribedBy
920	IsPartitionerAtTime	Standard	The relating term between Partitioner and TimeOfPartitioning	1 IsPartitionerAtTime → IsRelatingTermBegottenBy → Partition 2 IsPartitionerAtTime → IsRelatingTermFrom → Partitioner 3 IsPartitionerAtTime → IsRelatingTermTo → TimeOfPartitioning 4 IsPartitionerAtTime → IsReciprocalOf → IsTimeOfPartitioningBy 5 IsPartitionerAtTime → IsTypeOf → IsAscriberAtTime
921	IsPartitionerInPlace	Standard	The relating term between Partitioner and PlaceOfPartitioning	1 IsPartitionerInPlace → IsRelatingTermBegottenBy → Partition 2 IsPartitionerInPlace → IsRelatingTermFrom → Partitioner 3 IsPartitionerInPlace → IsRelatingTermTo → PlaceOfPartitioning 4 IsPartitionerInPlace → IsReciprocalOf → IsPlaceOfPartitioningBy 5 IsPartitionerInPlace → IsTypeOf → IsAscriberInPlace

922	IsPartitionerInto	Standard	The relating term between Partitioner and Part	1 IsPartitionerInto → IsRelatingTermBegottenBy → Partition 2 IsPartitionerInto → IsRelatingTermFrom → Partitioner 3 IsPartitionerInto → IsRelatingTermTo → Part 4 IsPartitionerInto → IsReciprocalOf → IsPartAscribedBy 5 IsPartitionerInto → IsTypeOf → IsAscriberWith
923	IsPartitionerOf	Standard	The relating term between Partitioner and Whole	1 IsPartitionerOf → IsRelatingTermBegottenBy → Partition 2 IsPartitionerOf → IsRelatingTermFrom → Partitioner 3 IsPartitionerOf → IsRelatingTermTo → Whole 4 IsPartitionerOf → IsReciprocalOf → IsPartitionedBy 5 IsPartitionerOf → IsTypeOf → IsAscriberOf
924	IsPartitionerWithTool	Standard	The relating term between Partitioner and PartitioningTool	1 IsPartitionerWithTool → IsRelatingTermBegottenBy → Partition 2 IsPartitionerWithTool → IsRelatingTermFrom → Partitioner 3 IsPartitionerWithTool → IsRelatingTermTo → PartitioningTool 4 IsPartitionerWithTool → IsReciprocalOf → IsToolForPartitioningBy 5 IsPartitionerWithTool → IsTypeOf → IsAscriberWithTool
925	IsPartitioningToolAtTime	Standard	The relating term between PartitioningTool and TimeOfPartitioning	1 IsPartitioningToolAtTime → IsRelatingTermBegottenBy → Partition 2 IsPartitioningToolAtTime → IsRelatingTermFrom → PartitioningTool 3 IsPartitioningToolAtTime → IsRelatingTermTo → TimeOfPartitioning 4 IsPartitioningToolAtTime → IsReciprocalOf → IsTimeOfPartitioningWithTool 5 IsPartitioningToolAtTime → IsTypeOf → IsAscribingToolAtTime
926	IsPartitioningToolInPlace	Standard	The relating term between PartitioningTool and PlaceOfPartitioning	1 IsPartitioningToolInPlace → IsRelatingTermBegottenBy → Partition 2 IsPartitioningToolInPlace → IsRelatingTermFrom → PartitioningTool 3 IsPartitioningToolInPlace → IsRelatingTermTo → PlaceOfPartitioning 4 IsPartitioningToolInPlace → IsReciprocalOf → IsPlaceOfPartitioningWithTool 5 IsPartitioningToolInPlace → IsTypeOf → IsAscribingToolInPlace
927	IsPartOf	Standard	The relating term between Part and Whole	1 IsPartOf → IsRelatingTermBegottenBy → Partition 2 IsPartOf → IsRelatingTermFrom → Part 3 IsPartOf → IsRelatingTermTo → Whole 4 IsPartOf → IsReciprocalOf → HasPart 5 IsPartOf → IsTypeOf → IsAscriptionTo

928	IsPatientAtTime	Standard	The relating term between Patient and TimeOfEvent	1 IsPatientAtTime → IsRelatingTermBegottenBy → Do 2 IsPatientAtTime → IsRelatingTermFrom → Patient 3 IsPatientAtTime → IsRelatingTermTo → TimeOfEvent 4 IsPatientAtTime → IsReciprocalOf → IsTimeOfBeingDoneToOf 5 IsPatientAtTime → IsTypeOf → IsResourceAtTime
929	IsPatientInPlace	Standard	The relating term between Patient and PlaceOfEvent	1 IsPatientInPlace → IsRelatingTermBegottenBy → Do 2 IsPatientInPlace → IsRelatingTermFrom → Patient 3 IsPatientInPlace → IsRelatingTermTo → PlaceOfEvent 4 IsPatientInPlace → IsReciprocalOf → IsPlaceOfBeingDoneToOf 5 IsPatientInPlace → IsTypeOf → IsResourceInPlace
930	IsPlaceOf	Standard	The relating term between PlaceOfSituation and Entity	1 IsPlaceOf → IsReciprocalOf → HasPlace 2 IsPlaceOf → IsRelatingTermBegottenBy → Situation 3 IsPlaceOf → IsRelatingTermFrom → PlaceOfSituation 4 IsPlaceOf → IsRelatingTermTo → Entity 5 IsPlaceOf → IsTypeOf → IsPlaceOfActingBy
931	IsPlaceOfActingAtTime	Standard	The relating term between Place and Time	1 IsPlaceOfActingAtTime → IsReciprocalOf → IsTimeOfActingInPlace 2 IsPlaceOfActingAtTime → IsRelatingTermBegottenBy → Act 3 IsPlaceOfActingAtTime → IsRelatingTermFrom → Place 4 IsPlaceOfActingAtTime → IsRelatingTermTo → Time
932	IsPlaceOfActingBy	Standard	The relating term between Place and Agent	1 IsPlaceOfActingBy → IsReciprocalOf → IsAgentInPlace 2 IsPlaceOfActingBy → IsRelatingTermBegottenBy → Act 3 IsPlaceOfActingBy → IsRelatingTermFrom → Place 4 IsPlaceOfActingBy → IsRelatingTermTo → Agent
933	IsPlaceOfAdapting	Standard	The relating term between PlaceOfAdapting and Adaptation	1 IsPlaceOfAdapting → IsReciprocalOf → IsAdaptedInPlace 2 IsPlaceOfAdapting → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdapting → IsRelatingTermFrom → PlaceOfAdapting 4 IsPlaceOfAdapting → IsRelatingTermTo → Adaptation
934	IsPlaceOfAdaptingAtTime	Standard	The relating term between PlaceOfAdapting and	1 IsPlaceOfAdaptingAtTime → IsReciprocalOf → IsTimeOfAdaptingInPlace 2 IsPlaceOfAdaptingAtTime → IsRelatingTermBegottenBy → Adapt

			TimeOfAdapting	3 IsPlaceOfAdaptingAtTime → IsRelatingTermFrom → PlaceOfAdapting 4 IsPlaceOfAdaptingAtTime → IsRelatingTermTo → TimeOfAdapting
935	IsPlaceOfAdaptingBy	Standard	The relating term between PlaceOfAdapting and Adaptor	1 IsPlaceOfAdaptingBy → IsReciprocalOf → IsAdaptorInPlace 2 IsPlaceOfAdaptingBy → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingBy → IsRelatingTermFrom → PlaceOfAdapting 4 IsPlaceOfAdaptingBy → IsRelatingTermTo → Adaptor
936	IsPlaceOfAdaptingFromAtTime	Standard	The relating term between PlaceOfAdaptingFrom and TimeOfAdapting	1 IsPlaceOfAdaptingFromAtTime → IsReciprocalOf → IsTimeOfAdaptingFromPlace 2 IsPlaceOfAdaptingFromAtTime → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingFromAtTime → IsRelatingTermFrom → PlaceOfAdaptingFrom 4 IsPlaceOfAdaptingFromAtTime → IsRelatingTermTo → TimeOfAdapting
937	IsPlaceOfAdaptingFromBy	Standard	The relating term between PlaceOfAdaptingFrom and Adaptor	1 IsPlaceOfAdaptingFromBy → IsReciprocalOf → IsAdaptorFromPlace 2 IsPlaceOfAdaptingFromBy → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingFromBy → IsRelatingTermFrom → PlaceOfAdaptingFrom 4 IsPlaceOfAdaptingFromBy → IsRelatingTermTo → Adaptor
938	IsPlaceOfAdaptingFromFromSource	Standard	The relating term between PlaceOfAdaptingFrom and SourceOfAdaptation	1 IsPlaceOfAdaptingFromFromSource → IsReciprocalOf → IsAdaptedFromFromPlace 2 IsPlaceOfAdaptingFromFromSource → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingFromFromSource → IsRelatingTermFrom → PlaceOfAdaptingFrom 4 IsPlaceOfAdaptingFromFromSource → IsRelatingTermTo → SourceOfAdaptation
939	IsPlaceOfAdaptingFromOf	Standard	The relating term between PlaceOfAdaptingFrom and Adaptation	1 IsPlaceOfAdaptingFromOf → IsReciprocalOf → IsAdaptedFromPlace 2 IsPlaceOfAdaptingFromOf → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingFromOf → IsRelatingTermFrom → PlaceOfAdaptingFrom 4 IsPlaceOfAdaptingFromOf → IsRelatingTermTo → Adaptation
940	IsPlaceOfAdaptingFromSource	Standard	The relating term between PlaceOfAdapting and SourceOfAdaptation	1 IsPlaceOfAdaptingFromSource → IsReciprocalOf → IsSourceOfAdaptationInPlace 2 IsPlaceOfAdaptingFromSource → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingFromSource → IsRelatingTermFrom → PlaceOfAdapting

				4 IsPlaceOfAdaptingFromSource → IsRelatingTermTo → SourceOfAdaptation
941	IsPlaceOfAdaptingFromTo	Standard	The relating term between PlaceOfAdaptingFrom and PlaceOfAdaptingTo	1 IsPlaceOfAdaptingFromTo → IsRelatingTermBegottenBy → Adapt 2 IsPlaceOfAdaptingFromTo → IsRelatingTermFrom → PlaceOfAdaptingFrom 3 IsPlaceOfAdaptingFromTo → IsRelatingTermTo → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingFromTo → IsReciprocalOf → IsPlaceOfAdaptingToFrom
942	IsPlaceOfAdaptingFromWithin PlaceOfAdapting	Standard	The relating term between PlaceOfAdaptingFrom and PlaceOfAdapting	1 IsPlaceOfAdaptingFromWithinPlaceOfAdapting → IsReciprocalOf → IsPlaceOfAdaptingIncludingPlaceOfAdaptingFrom 2 IsPlaceOfAdaptingFromWithinPlaceOfAdapting → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingFromWithinPlaceOfAdapting → IsRelatingTermFrom → PlaceOfAdaptingFrom 4 IsPlaceOfAdaptingFromWithinPlaceOfAdapting → IsRelatingTermTo → PlaceOfAdapting
943	IsPlaceOfAdaptingFromWithTool	Standard	The relating term between PlaceOfAdaptingFrom and AdaptingTool	1 IsPlaceOfAdaptingFromWithTool → IsReciprocalOf → IsToolForAdaptingFromPlace 2 IsPlaceOfAdaptingFromWithTool → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingFromWithTool → IsRelatingTermFrom → PlaceOfAdaptingFrom 4 IsPlaceOfAdaptingFromWithTool → IsRelatingTermTo → AdaptingTool
944	IsPlaceOfAdaptingIncluding PlaceOfAdaptingFrom	Standard	The relating term between PlaceOfAdapting and PlaceOfAdaptingFrom	1 IsPlaceOfAdaptingIncludingPlaceOfAdaptingFrom → IsRelatingTermBegottenBy → Adapt 2 IsPlaceOfAdaptingIncludingPlaceOfAdaptingFrom → IsRelatingTermFrom → PlaceOfAdapting 3 IsPlaceOfAdaptingIncludingPlaceOfAdaptingFrom → IsRelatingTermTo → PlaceOfAdaptingFrom 4 IsPlaceOfAdaptingIncludingPlaceOfAdaptingFrom → IsReciprocalOf → IsPlaceOfAdaptingFromWithinPlaceOfAdapting
945	IsPlaceOfAdaptingIncluding PlaceOfAdaptingTo	Standard	The relating term between PlaceOfAdapting and PlaceOfAdaptingTo	1 IsPlaceOfAdaptingIncludingPlaceOfAdaptingTo → IsRelatingTermBegottenBy → Adapt 2 IsPlaceOfAdaptingIncludingPlaceOfAdaptingTo → IsRelatingTermFrom → PlaceOfAdapting

				3 IsPlaceOfAdaptingIncludingPlaceOfAdaptingTo → IsRelatingTermTo → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingIncludingPlaceOfAdaptingTo → IsReciprocalOf → IsPlaceOfAdaptingToWithinPlaceOfAdapting
946	IsPlaceOfAdaptingToAtTime	Standard	The relating term between PlaceOfAdaptingTo and TimeOfAdapting	1 IsPlaceOfAdaptingToAtTime → IsReciprocalOf → IsTimeOfAdaptingToPlace 2 IsPlaceOfAdaptingToAtTime → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingToAtTime → IsRelatingTermFrom → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingToAtTime → IsRelatingTermTo → TimeOfAdapting
947	IsPlaceOfAdaptingToBy	Standard	The relating term between PlaceOfAdaptingTo and Adaptor	1 IsPlaceOfAdaptingToBy → IsReciprocalOf → IsAdaptorToPlace 2 IsPlaceOfAdaptingToBy → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingToBy → IsRelatingTermFrom → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingToBy → IsRelatingTermTo → Adaptor
948	IsPlaceOfAdaptingToFrom	Standard	The relating term between PlaceOfAdaptingTo and PlaceOfAdaptingFrom	1 IsPlaceOfAdaptingToFrom → IsReciprocalOf → IsPlaceOfAdaptingFromTo 2 IsPlaceOfAdaptingToFrom → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingToFrom → IsRelatingTermFrom → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingToFrom → IsRelatingTermTo → PlaceOfAdaptingFrom
949	IsPlaceOfAdaptingToFromSource	Standard	The relating term between PlaceOfAdaptingTo and SourceOfAdaptation	1 IsPlaceOfAdaptingToFromSource → IsReciprocalOf → IsSourceAdaptedFromToPlace 2 IsPlaceOfAdaptingToFromSource → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingToFromSource → IsRelatingTermFrom → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingToFromSource → IsRelatingTermTo → SourceOfAdaptation
950	IsPlaceOfAdaptingToOf	Standard	The relating term between PlaceOfAdaptingTo and Adaptation	1 IsPlaceOfAdaptingToOf → IsReciprocalOf → IsAdaptedToPlace 2 IsPlaceOfAdaptingToOf → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingToOf → IsRelatingTermFrom → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingToOf → IsRelatingTermTo → Adaptation
951	IsPlaceOfAdaptingToWithin PlaceOfAdapting	Standard	The relating term between PlaceOfAdaptingTo and PlaceOfAdapting	1 IsPlaceOfAdaptingToWithinPlaceOfAdapting → IsReciprocalOf → IsPlaceOfAdaptingIncludingPlaceOfAdaptingTo 2 IsPlaceOfAdaptingToWithinPlaceOfAdapting → IsRelatingTermBegottenBy → Adapt

				3 IsPlaceOfAdaptingToWithinPlaceOfAdapting → IsRelatingTermFrom → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingToWithinPlaceOfAdapting → IsRelatingTermTo → PlaceOfAdapting
952	IsPlaceOfAdaptingToWithTool	Standard	The relating term between PlaceOfAdaptingTo and AdaptingTool	1 IsPlaceOfAdaptingToWithTool → IsReciprocalOf → IsToolForAdaptingToPlace 2 IsPlaceOfAdaptingToWithTool → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingToWithTool → IsRelatingTermFrom → PlaceOfAdaptingTo 4 IsPlaceOfAdaptingToWithTool → IsRelatingTermTo → AdaptingTool
953	IsPlaceOfAdaptingWithTool	Standard	The relating term between PlaceOfAdapting and AdaptingTool	1 IsPlaceOfAdaptingWithTool → IsReciprocalOf → IsAdaptingToolInPlace 2 IsPlaceOfAdaptingWithTool → IsRelatingTermBegottenBy → Adapt 3 IsPlaceOfAdaptingWithTool → IsRelatingTermFrom → PlaceOfAdapting 4 IsPlaceOfAdaptingWithTool → IsRelatingTermTo → AdaptingTool
954	IsPlaceOfAscribingAtTime	Standard	The relating term between PlaceOfAscribing and TimeOfAscribing	1 IsPlaceOfAscribingAtTime → IsReciprocalOf → IsTimeOfAscribingInPlace 2 IsPlaceOfAscribingAtTime → IsRelatingTermBegottenBy → Ascribe 3 IsPlaceOfAscribingAtTime → IsRelatingTermFrom → PlaceOfAscribing 4 IsPlaceOfAscribingAtTime → IsRelatingTermTo → TimeOfAscribing 5 IsPlaceOfAscribingAtTime → IsTypeOf → IsPlaceOfRelatingAtTime
955	IsPlaceOfAscribingBy	Standard	The relating term between PlaceOfAscribing and Ascriber	1 IsPlaceOfAscribingBy → IsReciprocalOf → IsAscriberInPlace 2 IsPlaceOfAscribingBy → IsRelatingTermBegottenBy → Ascribe 3 IsPlaceOfAscribingBy → IsRelatingTermFrom → PlaceOfAscribing 4 IsPlaceOfAscribingBy → IsRelatingTermTo → Ascriber 5 IsPlaceOfAscribingBy → IsTypeOf → IsPlaceOfRelatingBy
956	IsPlaceOfAscribingOf	Standard	The relating term between PlaceOfAscribing and AscribedResource	1 IsPlaceOfAscribingOf → IsReciprocalOf → IsResourceAscribedInPlace 2 IsPlaceOfAscribingOf → IsRelatingTermBegottenBy → Ascribe 3 IsPlaceOfAscribingOf → IsRelatingTermFrom → PlaceOfAscribing 4 IsPlaceOfAscribingOf → IsRelatingTermTo → AscribedResource 5 IsPlaceOfAscribingOf → IsTypeOf → IsPlaceOfRelatingOf
957	IsPlaceOfAscribingWith	Standard	The relating term between	1 IsPlaceOfAscribingWith → IsReciprocalOf → IsAscriptionInPlace 2 IsPlaceOfAscribingWith → IsRelatingTermBegottenBy → Ascribe

			PlaceOfAscribing and Ascription	3 IsPlaceOfAscribingWith → IsRelatingTermFrom → PlaceOfAscribing 4 IsPlaceOfAscribingWith → IsRelatingTermTo → Ascription 5 IsPlaceOfAscribingWith → IsTypeOf → IsPlaceOfRelatingOf
958	IsPlaceOfAscribingWithTool	Standard	The relating term between PlaceOfAscribing and AscribingTool	1 IsPlaceOfAscribingWithTool → IsReciprocalOf → IsAscribingToolInPlace 2 IsPlaceOfAscribingWithTool → IsRelatingTermBegottenBy → Ascribe 3 IsPlaceOfAscribingWithTool → IsRelatingTermFrom → PlaceOfAscribing 4 IsPlaceOfAscribingWithTool → IsRelatingTermTo → AscribingTool 5 IsPlaceOfAscribingWithTool → IsTypeOf → IsPlaceOfRelatingWithTool
959	IsPlaceOfAttributionOf	Standard	The relating term between PlaceOfSituation and Attribute	1 IsPlaceOfAttributionOf → IsReciprocalOf → IsAttributeInPlace 2 IsPlaceOfAttributionOf → IsRelatingTermBegottenBy → Situation 3 IsPlaceOfAttributionOf → IsRelatingTermFrom → PlaceOfSituation 4 IsPlaceOfAttributionOf → IsRelatingTermTo → Attribute 5 IsPlaceOfAttributionOf → IsTypeOf → IsPlaceOfBeingActedOnOf
960	IsPlaceOfBeingActedOnOf	Standard	The relating term between Place and Resource	1 IsPlaceOfBeingActedOnOf → IsReciprocalOf → IsResourceInPlace 2 IsPlaceOfBeingActedOnOf → IsRelatingTermBegottenBy → Act 3 IsPlaceOfBeingActedOnOf → IsRelatingTermFrom → Place 4 IsPlaceOfBeingActedOnOf → IsRelatingTermTo → Resource
961	IsPlaceOfBeingDoneToOf	Standard	The relating term between PlaceOfEvent and Patient	1 IsPlaceOfBeingDoneToOf → IsReciprocalOf → IsPatientInPlace 2 IsPlaceOfBeingDoneToOf → IsRelatingTermBegottenBy → Do 3 IsPlaceOfBeingDoneToOf → IsRelatingTermFrom → PlaceOfEvent 4 IsPlaceOfBeingDoneToOf → IsRelatingTermTo → Patient 5 IsPlaceOfBeingDoneToOf → IsTypeOf → IsPlaceOfBeingActedOnOf
962	IsPlaceOfCategorizingAtTime	Standard	The relating term between PlaceOfCategorizing and TimeOfCategorizing	1 IsPlaceOfCategorizingAtTime → IsReciprocalOf → IsTimeOfCategorizingInPlace 2 IsPlaceOfCategorizingAtTime → IsRelatingTermBegottenBy → Categorize 3 IsPlaceOfCategorizingAtTime → IsRelatingTermFrom → PlaceOfCategorizing 4 IsPlaceOfCategorizingAtTime → IsRelatingTermTo → TimeOfCategorizing 5 IsPlaceOfCategorizingAtTime → IsTypeOf → IsPlaceOfAscribingAtTime
963	IsPlaceOfCategorizingBy	Standard	The relating term between PlaceOfCategorizing and	1 IsPlaceOfCategorizingBy → IsReciprocalOf → IsCategorizerInPlace 2 IsPlaceOfCategorizingBy → IsRelatingTermBegottenBy → Categorize

			Categorizer	3 IsPlaceOfCategorizingBy → IsRelatingTermFrom → PlaceOfCategorizing 4 IsPlaceOfCategorizingBy → IsRelatingTermTo → Categorizer 5 IsPlaceOfCategorizingBy → IsTypeOf → IsPlaceOfAscribingBy
964	IsPlaceOfCategorizingOf	Standard	The relating term between PlaceOfCategorizing and CategorizedResource	1 IsPlaceOfCategorizingOf → IsReciprocalOf → IsResourceCategorizedInPlace 2 IsPlaceOfCategorizingOf → IsRelatingTermBegottenBy → Categorize 3 IsPlaceOfCategorizingOf → IsRelatingTermFrom → PlaceOfCategorizing 4 IsPlaceOfCategorizingOf → IsRelatingTermTo → CategorizedResource 5 IsPlaceOfCategorizingOf → IsTypeOf → IsPlaceOfAscribingOf
965	IsPlaceOfCategorizingWith	Standard	The relating term between PlaceOfCategorizing and Category	1 IsPlaceOfCategorizingWith → IsReciprocalOf → IsCategoryInPlace 2 IsPlaceOfCategorizingWith → IsRelatingTermBegottenBy → Categorize 3 IsPlaceOfCategorizingWith → IsRelatingTermFrom → PlaceOfCategorizing 4 IsPlaceOfCategorizingWith → IsRelatingTermTo → Category 5 IsPlaceOfCategorizingWith → IsTypeOf → IsPlaceOfAscribingWith
966	IsPlaceOfCategorizingWithTool	Standard	The relating term between PlaceOfCategorizing and CategorizingTool	1 IsPlaceOfCategorizingWithTool → IsReciprocalOf → IsCategorizingToolInPlace 2 IsPlaceOfCategorizingWithTool → IsRelatingTermBegottenBy → Categorize 3 IsPlaceOfCategorizingWithTool → IsRelatingTermFrom → PlaceOfCategorizing 4 IsPlaceOfCategorizingWithTool → IsRelatingTermTo → CategorizingTool 5 IsPlaceOfCategorizingWithTool → IsTypeOf → IsPlaceOfAscribingWithTool
967	IsPlaceOfCausationAtTime	Standard	The relating term between PlaceOfCausation and TimeOfMaking	1 IsPlaceOfCausationAtTime → IsReciprocalOf → IsTimeOfCausationInPlace 2 IsPlaceOfCausationAtTime → IsRelatingTermBegottenBy → Cause 3 IsPlaceOfCausationAtTime → IsRelatingTermFrom → PlaceOfMaking 4 IsPlaceOfCausationAtTime → IsRelatingTermTo → TimeOfCausation 5 IsPlaceOfCausationAtTime → IsRelatingTermFrom → PlaceOfCausation 6 IsPlaceOfCausationAtTime → IsRelatingTermTo → TimeOfMaking
968	IsPlaceOfCausationBy	Standard	The relating term between PlaceOfCausation and Causer	1 IsPlaceOfCausationBy → IsReciprocalOf → IsCauserInPlace 2 IsPlaceOfCausationBy → IsRelatingTermBegottenBy → Cause 3 IsPlaceOfCausationBy → IsRelatingTermFrom → PlaceOfMaking 4 IsPlaceOfCausationBy → IsRelatingTermTo → Causer 5 IsPlaceOfCausationBy → IsRelatingTermFrom → PlaceOfCausation 6 IsPlaceOfCausationBy → IsTypeOf → IsPlaceOfMakingBy

969	IsPlaceOfCausationOf	Standard	The relating term between PlaceOfCausation and Result	1 IsPlaceOfCausationOf → IsReciprocalOf → IsResultInPlace 2 IsPlaceOfCausationOf → IsRelatingTermBegottenBy → Cause 3 IsPlaceOfCausationOf → IsRelatingTermFrom → PlaceOfMaking 4 IsPlaceOfCausationOf → IsRelatingTermTo → Result 5 IsPlaceOfCausationOf → IsRelatingTermFrom → PlaceOfCausation 6 IsPlaceOfCausationOf → IsTypeOf → IsPlaceOfMakingOf
970	IsPlaceOfClassifyingAtTime	Standard	The relating term between PlaceOfClassifying and TimeOfClassifying	1 IsPlaceOfClassifyingAtTime → IsReciprocalOf → IsTimeOfClassifyingInPlace 2 IsPlaceOfClassifyingAtTime → IsRelatingTermBegottenBy → Classify 3 IsPlaceOfClassifyingAtTime → IsRelatingTermFrom → PlaceOfClassifying 4 IsPlaceOfClassifyingAtTime → IsRelatingTermTo → TimeOfClassifying 5 IsPlaceOfClassifyingAtTime → IsTypeOf → IsPlaceOfAscribingAtTime
971	IsPlaceOfClassifyingBy	Standard	The relating term between PlaceOfClassifying and Classifier	1 IsPlaceOfClassifyingBy → IsReciprocalOf → IsClassifierInPlace 2 IsPlaceOfClassifyingBy → IsRelatingTermBegottenBy → Classify 3 IsPlaceOfClassifyingBy → IsRelatingTermFrom → PlaceOfClassifying 4 IsPlaceOfClassifyingBy → IsRelatingTermTo → Classifier 5 IsPlaceOfClassifyingBy → IsTypeOf → IsPlaceOfAscribingBy
972	IsPlaceOfClassifyingOf	Standard	The relating term between PlaceOfClassifying and ClassifiedResource	1 IsPlaceOfClassifyingOf → IsReciprocalOf → IsResourceClassifiedInPlace 2 IsPlaceOfClassifyingOf → IsRelatingTermBegottenBy → Classify 3 IsPlaceOfClassifyingOf → IsRelatingTermFrom → PlaceOfClassifying 4 IsPlaceOfClassifyingOf → IsRelatingTermTo → ClassifiedResource 5 IsPlaceOfClassifyingOf → IsTypeOf → IsPlaceOfAscribingOf
973	IsPlaceOfClassifyingWith	Standard	The relating term between PlaceOfClassifying and Class	1 IsPlaceOfClassifyingWith → IsReciprocalOf → IsClassInPlace 2 IsPlaceOfClassifyingWith → IsRelatingTermBegottenBy → Classify 3 IsPlaceOfClassifyingWith → IsRelatingTermFrom → PlaceOfClassifying 4 IsPlaceOfClassifyingWith → IsRelatingTermTo → Class 5 IsPlaceOfClassifyingWith → IsTypeOf → IsPlaceOfAscribingWith
974	IsPlaceOfClassifyingWithTool	Standard	The relating term between PlaceOfClassifying and ClassifyingTool	1 IsPlaceOfClassifyingWithTool → IsReciprocalOf → IsClassifyingToolInPlace 2 IsPlaceOfClassifyingWithTool → IsRelatingTermBegottenBy → Classify 3 IsPlaceOfClassifyingWithTool → IsRelatingTermFrom → PlaceOfClassifying 4 IsPlaceOfClassifyingWithTool → IsRelatingTermTo → ClassifyingTool

				5 IsPlaceOfClassifyingWithTool → IsTypeOf → IsPlaceOfAscribingWithTool
975	IsPlaceOfCopying	Standard	The relating term between PlaceOfCopying and Replica	1 IsPlaceOfCopying → IsReciprocalOf → IsCopiedInPlace 2 IsPlaceOfCopying → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopying → IsRelatingTermFrom → PlaceOfCopying 4 IsPlaceOfCopying → IsRelatingTermTo → Replica
976	IsPlaceOfCopyingAtTime	Standard	The relating term between PlaceOfCopying and TimeOfCopying	1 IsPlaceOfCopyingAtTime → IsReciprocalOf → IsTimeOfCopyingInPlace 2 IsPlaceOfCopyingAtTime → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingAtTime → IsRelatingTermFrom → PlaceOfCopying 4 IsPlaceOfCopyingAtTime → IsRelatingTermTo → TimeOfCopying
977	IsPlaceOfCopyingBy	Standard	The relating term between PlaceOfCopying and Copier	1 IsPlaceOfCopyingBy → IsReciprocalOf → IsCopierInPlace 2 IsPlaceOfCopyingBy → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingBy → IsRelatingTermFrom → PlaceOfCopying 4 IsPlaceOfCopyingBy → IsRelatingTermTo → Copier
978	IsPlaceOfCopyingFromAtTime	Standard	The relating term between PlaceOfCopyingFrom and TimeOfCopying	1 IsPlaceOfCopyingFromAtTime → IsReciprocalOf → IsTimeOfCopyingFromPlace 2 IsPlaceOfCopyingFromAtTime → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingFromAtTime → IsRelatingTermFrom → PlaceOfCopyingFrom 4 IsPlaceOfCopyingFromAtTime → IsRelatingTermTo → TimeOfCopying
979	IsPlaceOfCopyingFromBy	Standard	The relating term between PlaceOfCopyingFrom and Copier	1 IsPlaceOfCopyingFromBy → IsReciprocalOf → IsCopierFromPlace 2 IsPlaceOfCopyingFromBy → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingFromBy → IsRelatingTermFrom → PlaceOfCopyingFrom 4 IsPlaceOfCopyingFromBy → IsRelatingTermTo → Copier
980	IsPlaceOfCopyingFromFromSource	Standard	The relating term between PlaceOfCopyingFrom and SourceOfReplica	1 IsPlaceOfCopyingFromFromSource → IsReciprocalOf → IsCopiedFromFromPlace 2 IsPlaceOfCopyingFromFromSource → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingFromFromSource → IsRelatingTermFrom → PlaceOfCopyingFrom 4 IsPlaceOfCopyingFromFromSource → IsRelatingTermTo → SourceOfReplica

981	IsPlaceOfCopyingFromOf	Standard	The relating term between PlaceOfCopyingFrom and Replica	1 IsPlaceOfCopyingFromOf → IsReciprocalOf → IsCopiedFromPlace 2 IsPlaceOfCopyingFromOf → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingFromOf → IsRelatingTermFrom → PlaceOfCopyingFrom 4 IsPlaceOfCopyingFromOf → IsRelatingTermTo → Replica
982	IsPlaceOfCopyingFromSource	Standard	The relating term between PlaceOfCopying and SourceOfReplica	1 IsPlaceOfCopyingFromSource → IsReciprocalOf → IsSourceOfReplicaInPlace 2 IsPlaceOfCopyingFromSource → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingFromSource → IsRelatingTermFrom → PlaceOfCopying 4 IsPlaceOfCopyingFromSource → IsRelatingTermTo → SourceOfReplica
983	IsPlaceOfCopyingFromTo	Standard	The relating term between PlaceOfCopyingFrom and PlaceOfCopyingTo	1 IsPlaceOfCopyingFromTo → IsRelatingTermBegottenBy → Copy 2 IsPlaceOfCopyingFromTo → IsRelatingTermFrom → PlaceOfCopyingFrom 3 IsPlaceOfCopyingFromTo → IsRelatingTermTo → PlaceOfCopyingTo 4 IsPlaceOfCopyingFromTo → IsReciprocalOf → IsPlaceOfCopyingToFrom
984	IsPlaceOfCopyingFromWithin PlaceOfCopying	Standard	The relating term between PlaceOfCopyingFrom and PlaceOfCopying	1 IsPlaceOfCopyingFromWithinPlaceOfCopying → IsReciprocalOf → IsPlaceOfCopyingIncludingPlaceOfCopyingFrom 2 IsPlaceOfCopyingFromWithinPlaceOfCopying → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingFromWithinPlaceOfCopying → IsRelatingTermFrom → PlaceOfCopyingFrom 4 IsPlaceOfCopyingFromWithinPlaceOfCopying → IsRelatingTermTo → PlaceOfCopying
985	IsPlaceOfCopyingFromWithTool	Standard	The relating term between PlaceOfCopyingFrom and CopyingTool	1 IsPlaceOfCopyingFromWithTool → IsReciprocalOf → IsToolForCopyingFromPlace 2 IsPlaceOfCopyingFromWithTool → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingFromWithTool → IsRelatingTermFrom → PlaceOfCopyingFrom 4 IsPlaceOfCopyingFromWithTool → IsRelatingTermTo → CopyingTool
986	IsPlaceOfCopyingIncluding PlaceOfCopyingFrom	Standard	The relating term between PlaceOfCopying and PlaceOfCopyingFrom	1 IsPlaceOfCopyingIncludingPlaceOfCopyingFrom → IsRelatingTermBegottenBy → Copy 2 IsPlaceOfCopyingIncludingPlaceOfCopyingFrom → IsRelatingTermFrom → PlaceOfCopying 3 IsPlaceOfCopyingIncludingPlaceOfCopyingFrom → IsRelatingTermTo → PlaceOfCopyingFrom

				4 IsPlaceOfCopyingIncludingPlaceOfCopyingFrom → IsReciprocalOf → IsPlaceOfCopyingFromWithinPlaceOfCopying
987	IsPlaceOfCopyingIncludingPlaceOfCopyingTo	Standard	The relating term between PlaceOfCopying and PlaceOfCopyingTo	1 IsPlaceOfCopyingIncludingPlaceOfCopyingTo → IsRelatingTermBegottenBy → Copy 2 IsPlaceOfCopyingIncludingPlaceOfCopyingTo → IsRelatingTermFrom → PlaceOfCopying 3 IsPlaceOfCopyingIncludingPlaceOfCopyingTo → IsRelatingTermTo → PlaceOfCopyingTo 4 IsPlaceOfCopyingIncludingPlaceOfCopyingTo → IsReciprocalOf → IsPlaceOfCopyingToWithinPlaceOfCopying
988	IsPlaceOfCopyingToAtTime	Standard	The relating term between PlaceOfCopyingTo and TimeOfCopying	1 IsPlaceOfCopyingToAtTime → IsReciprocalOf → IsTimeOfCopyingToPlace 2 IsPlaceOfCopyingToAtTime → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingToAtTime → IsRelatingTermFrom → PlaceOfCopyingTo 4 IsPlaceOfCopyingToAtTime → IsRelatingTermTo → TimeOfCopying
989	IsPlaceOfCopyingToBy	Standard	The relating term between PlaceOfCopyingTo and Copier	1 IsPlaceOfCopyingToBy → IsReciprocalOf → IsCopierToPlace 2 IsPlaceOfCopyingToBy → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingToBy → IsRelatingTermFrom → PlaceOfCopyingTo 4 IsPlaceOfCopyingToBy → IsRelatingTermTo → Copier
990	IsPlaceOfCopyingToFrom	Standard	The relating term between PlaceOfCopyingTo and PlaceOfCopyingFrom	1 IsPlaceOfCopyingToFrom → IsReciprocalOf → IsPlaceOfCopyingFromTo 2 IsPlaceOfCopyingToFrom → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingToFrom → IsRelatingTermFrom → PlaceOfCopyingTo 4 IsPlaceOfCopyingToFrom → IsRelatingTermTo → PlaceOfCopyingFrom
991	IsPlaceOfCopyingToFromSource	Standard	The relating term between PlaceOfCopyingTo and SourceOfReplica	1 IsPlaceOfCopyingToFromSource → IsReciprocalOf → IsSourceCopiedFromToPlace 2 IsPlaceOfCopyingToFromSource → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingToFromSource → IsRelatingTermFrom → PlaceOfCopyingTo 4 IsPlaceOfCopyingToFromSource → IsRelatingTermTo → SourceOfReplica
992	IsPlaceOfCopyingToOf	Standard	The relating term between	1 IsPlaceOfCopyingToOf → IsReciprocalOf → IsCopiedToPlace 2 IsPlaceOfCopyingToOf → IsRelatingTermBegottenBy → Copy

			PlaceOfCopyingTo and Replica	3 IsPlaceOfCopyingToOf → IsRelatingTermFrom → PlaceOfCopyingTo 4 IsPlaceOfCopyingToOf → IsRelatingTermTo → Replica
993	IsPlaceOfCopyingToWithin PlaceOfCopying	Standard	The relating term between PlaceOfCopyingTo and PlaceOfCopying	1 IsPlaceOfCopyingToWithinPlaceOfCopying → IsReciprocalOf → IsPlaceOfCopyingIncludingPlaceOfCopyingTo 2 IsPlaceOfCopyingToWithinPlaceOfCopying → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingToWithinPlaceOfCopying → IsRelatingTermFrom → PlaceOfCopyingTo 4 IsPlaceOfCopyingToWithinPlaceOfCopying → IsRelatingTermTo → PlaceOfCopying
994	IsPlaceOfCopyingToWithTool	Standard	The relating term between PlaceOfCopyingTo and CopyingTool	1 IsPlaceOfCopyingToWithTool → IsReciprocalOf → IsToolForCopyingToPlace 2 IsPlaceOfCopyingToWithTool → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingToWithTool → IsRelatingTermFrom → PlaceOfCopyingTo 4 IsPlaceOfCopyingToWithTool → IsRelatingTermTo → CopyingTool
995	IsPlaceOfCopyingWithTool	Standard	The relating term between PlaceOfCopying and CopyingTool	1 IsPlaceOfCopyingWithTool → IsReciprocalOf → IsCopyingToolInPlace 2 IsPlaceOfCopyingWithTool → IsRelatingTermBegottenBy → Copy 3 IsPlaceOfCopyingWithTool → IsRelatingTermFrom → PlaceOfCopying 4 IsPlaceOfCopyingWithTool → IsRelatingTermTo → CopyingTool
996	IsPlaceOfDoingBy	Standard	The relating term between PlaceOfEvent and Doer	1 IsPlaceOfDoingBy → IsReciprocalOf → IsDoerInPlace 2 IsPlaceOfDoingBy → IsRelatingTermBegottenBy → Do 3 IsPlaceOfDoingBy → IsRelatingTermFrom → PlaceOfEvent 4 IsPlaceOfDoingBy → IsRelatingTermTo → Doer 5 IsPlaceOfDoingBy → IsTypeOf → IsPlaceOfActingBy
997	IsPlaceOfEquating	Standard	The relating term between PlaceOfEquating and Equivalent	1 IsPlaceOfEquating → IsReciprocalOf → IsEquivalentInPlace 2 IsPlaceOfEquating → IsRelatingTermBegottenBy → Equate 3 IsPlaceOfEquating → IsRelatingTermFrom → PlaceOfEquating 4 IsPlaceOfEquating → IsRelatingTermTo → Equivalent 5 IsPlaceOfEquating → IsTypeOf → IsPlaceOfRelatingOf

998	IsPlaceOfEquatingAtTime	Standard	The relating term between PlaceOfEquating and TimeOfEquating	1 IsPlaceOfEquatingAtTime → IsReciprocalOf → IsTimeOfEquatingInPlace 2 IsPlaceOfEquatingAtTime → IsRelatingTermBegottenBy → Equate 3 IsPlaceOfEquatingAtTime → IsRelatingTermFrom → PlaceOfEquating 4 IsPlaceOfEquatingAtTime → IsRelatingTermTo → TimeOfEquating 5 IsPlaceOfEquatingAtTime → IsTypeOf → IsPlaceOfRelatingAtTime
999	IsPlaceOfEquatingBy	Standard	The relating term between PlaceOfEquating and Equater	1 IsPlaceOfEquatingBy → IsReciprocalOf → IsEquaterInPlace 2 IsPlaceOfEquatingBy → IsRelatingTermBegottenBy → Equate 3 IsPlaceOfEquatingBy → IsRelatingTermFrom → PlaceOfEquating 4 IsPlaceOfEquatingBy → IsRelatingTermTo → Equater 5 IsPlaceOfEquatingBy → IsTypeOf → IsPlaceOfRelatingBy
1000	IsPlaceOfEquatingWithTool	Standard	The relating term between PlaceOfEquating and EquatingTool	1 IsPlaceOfEquatingWithTool → IsReciprocalOf → IsEquatingToolInPlace 2 IsPlaceOfEquatingWithTool → IsRelatingTermBegottenBy → Equate 3 IsPlaceOfEquatingWithTool → IsRelatingTermFrom → PlaceOfEquating 4 IsPlaceOfEquatingWithTool → IsRelatingTermTo → EquatingTool 5 IsPlaceOfEquatingWithTool → IsTypeOf → IsPlaceOfRelatingWithTool
1001	IsPlaceOfEvaluatingAtTime	Standard	The relating term between PlaceOfEvaluating and TimeOfEvaluating	1 IsPlaceOfEvaluatingAtTime → IsReciprocalOf → IsTimeOfEvaluatingInPlace 2 IsPlaceOfEvaluatingAtTime → IsRelatingTermBegottenBy → Evaluate 3 IsPlaceOfEvaluatingAtTime → IsRelatingTermFrom → PlaceOfEvaluating 4 IsPlaceOfEvaluatingAtTime → IsRelatingTermTo → TimeOfEvaluating 5 IsPlaceOfEvaluatingAtTime → IsTypeOf → IsPlaceOfAscribingAtTime
1002	IsPlaceOfEvaluatingBy	Standard	The relating term between PlaceOfEvaluating and Evaluator	1 IsPlaceOfEvaluatingBy → IsReciprocalOf → IsEvaluatorInPlace 2 IsPlaceOfEvaluatingBy → IsRelatingTermBegottenBy → Evaluate 3 IsPlaceOfEvaluatingBy → IsRelatingTermFrom → PlaceOfEvaluating 4 IsPlaceOfEvaluatingBy → IsRelatingTermTo → Evaluator 5 IsPlaceOfEvaluatingBy → IsTypeOf → IsPlaceOfAscribingBy
1003	IsPlaceOfEvaluatingOf	Standard	The relating term between PlaceOfEvaluating and EvaluatedResource	1 IsPlaceOfEvaluatingOf → IsReciprocalOf → IsResourceEvaluatedInPlace 2 IsPlaceOfEvaluatingOf → IsRelatingTermBegottenBy → Evaluate 3 IsPlaceOfEvaluatingOf → IsRelatingTermFrom → PlaceOfEvaluating 4 IsPlaceOfEvaluatingOf → IsRelatingTermTo → EvaluatedResource 5 IsPlaceOfEvaluatingOf → IsTypeOf → IsPlaceOfAscribingOf

1004	IsPlaceOfEvaluatingWith	Standard	The relating term between PlaceOfEvaluating and Value	1 IsPlaceOfEvaluatingWith → IsReciprocalOf → IsValueInPlace 2 IsPlaceOfEvaluatingWith → IsRelatingTermBegottenBy → Evaluate 3 IsPlaceOfEvaluatingWith → IsRelatingTermFrom → PlaceOfEvaluating 4 IsPlaceOfEvaluatingWith → IsRelatingTermTo → Value 5 IsPlaceOfEvaluatingWith → IsTypeOf → IsPlaceOfAscribingWith
1005	IsPlaceOfEvaluatingWithTool	Standard	The relating term between PlaceOfEvaluating and EvaluatingTool	1 IsPlaceOfEvaluatingWithTool → IsReciprocalOf → IsEvaluatingToolInPlace 2 IsPlaceOfEvaluatingWithTool → IsRelatingTermBegottenBy → Evaluate 3 IsPlaceOfEvaluatingWithTool → IsRelatingTermFrom → PlaceOfEvaluating 4 IsPlaceOfEvaluatingWithTool → IsRelatingTermTo → EvaluatingTool 5 IsPlaceOfEvaluatingWithTool → IsTypeOf → IsPlaceOfAscribingWithTool
1006	IsPlaceOfEventInTime	Standard	The relating term between PlaceOfEvent and TimeOfEvent	1 IsPlaceOfEventInTime → IsReciprocalOf → IsTimeOfEventInPlace 2 IsPlaceOfEventInTime → IsRelatingTermBegottenBy → Do 3 IsPlaceOfEventInTime → IsRelatingTermFrom → PlaceOfEvent 4 IsPlaceOfEventInTime → IsRelatingTermTo → TimeOfEvent 5 IsPlaceOfEventInTime → IsTypeOf → IsPlaceOfActingAtTime
1007	IsPlaceOfExistenceAtTime	Standard	The relating term between PlaceOfExistence and TimeOfExistence	1 IsPlaceOfExistenceAtTime → IsReciprocalOf → IsTimeOfExistenceInPlace 2 IsPlaceOfExistenceAtTime → IsRelatingTermBegottenBy → Existence 3 IsPlaceOfExistenceAtTime → IsRelatingTermFrom → PlaceOfExistence 4 IsPlaceOfExistenceAtTime → IsRelatingTermTo → TimeOfExistence 5 IsPlaceOfExistenceAtTime → IsTypeOf → IsPlaceOfSituationInTime
1008	IsPlaceOfExistenceOf	Standard	The relating term between PlaceOfExistence and Exister	1 IsPlaceOfExistenceOf → IsReciprocalOf → IsExisterInPlace 2 IsPlaceOfExistenceOf → IsRelatingTermBegottenBy → Existence 3 IsPlaceOfExistenceOf → IsRelatingTermFrom → PlaceOfExistence 4 IsPlaceOfExistenceOf → IsRelatingTermTo → Exister 5 IsPlaceOfExistenceOf → IsTypeOf → IsPlaceOf
1009	IsPlaceOfFormalizingAtTime	Standard	The relating term between PlaceOfFormalizing and TimeOfFormalizing	1 IsPlaceOfFormalizingAtTime → IsReciprocalOf → IsTimeOfFormalizingInPlace 2 IsPlaceOfFormalizingAtTime → IsRelatingTermBegottenBy → Formalize 3 IsPlaceOfFormalizingAtTime → IsRelatingTermFrom → PlaceOfFormalizing 4 IsPlaceOfFormalizingAtTime → IsRelatingTermTo → TimeOfFormalizing 5 IsPlaceOfFormalizingAtTime → IsTypeOf → IsPlaceOfQualifyingAtTime

1010	IsPlaceOfFormalizingBy	Standard	The relating term between PlaceOfFormalizing and Formalizer	1 IsPlaceOfFormalizingBy → IsReciprocalOf → IsFormalizerInPlace 2 IsPlaceOfFormalizingBy → IsRelatingTermBegottenBy → Formalize 3 IsPlaceOfFormalizingBy → IsRelatingTermFrom → PlaceOfFormalizing 4 IsPlaceOfFormalizingBy → IsRelatingTermTo → Formalizer 5 IsPlaceOfFormalizingBy → IsTypeOf → IsPlaceOfQualifyingBy
1011	IsPlaceOfFormalizingOf	Standard	The relating term between PlaceOfFormalizing and FormalizedResource	1 IsPlaceOfFormalizingOf → IsReciprocalOf → IsResourceFormalizedInPlace 2 IsPlaceOfFormalizingOf → IsRelatingTermBegottenBy → Formalize 3 IsPlaceOfFormalizingOf → IsRelatingTermFrom → PlaceOfFormalizing 4 IsPlaceOfFormalizingOf → IsRelatingTermTo → FormalizedResource 5 IsPlaceOfFormalizingOf → IsTypeOf → IsPlaceOfQualifying
1012	IsPlaceOfFormalizingWith	Standard	The relating term between PlaceOfFormalizing and Form	1 IsPlaceOfFormalizingWith → IsReciprocalOf → IsFormInPlace 2 IsPlaceOfFormalizingWith → IsRelatingTermBegottenBy → Formalize 3 IsPlaceOfFormalizingWith → IsRelatingTermFrom → PlaceOfFormalizing 4 IsPlaceOfFormalizingWith → IsRelatingTermTo → Form 5 IsPlaceOfFormalizingWith → IsTypeOf → IsPlaceOfQualifyingWith
1013	IsPlaceOfFormalizingWithTool	Standard	The relating term between PlaceOfFormalizing and FormalizingTool	1 IsPlaceOfFormalizingWithTool → IsReciprocalOf → IsFormalizingToolInPlace 2 IsPlaceOfFormalizingWithTool → IsRelatingTermBegottenBy → Formalize 3 IsPlaceOfFormalizingWithTool → IsRelatingTermFrom → PlaceOfFormalizing 4 IsPlaceOfFormalizingWithTool → IsRelatingTermTo → FormalizingTool 5 IsPlaceOfFormalizingWithTool → IsTypeOf → IsPlaceOfQualifyingWithTool
1014	IsPlaceOfIdentifyingAtTime	Standard	The relating term between PlaceOfIdentifying and TimeOfIdentifying	1 IsPlaceOfIdentifyingAtTime → IsReciprocalOf → IsTimeOfIdentifyingInPlace 2 IsPlaceOfIdentifyingAtTime → IsRelatingTermBegottenBy → Identify 3 IsPlaceOfIdentifyingAtTime → IsRelatingTermFrom → PlaceOfIdentifying 4 IsPlaceOfIdentifyingAtTime → IsRelatingTermTo → TimeOfIdentifying 5 IsPlaceOfIdentifyingAtTime → IsTypeOf → IsPlaceOfNamingAtTime
1015	IsPlaceOfIdentifyingBy	Standard	The relating term between PlaceOfIdentifying and IdentifyingAgent	1 IsPlaceOfIdentifyingBy → IsReciprocalOf → IsIdentifyingAgentInPlace 2 IsPlaceOfIdentifyingBy → IsRelatingTermBegottenBy → Identify 3 IsPlaceOfIdentifyingBy → IsRelatingTermFrom → PlaceOfIdentifying 4 IsPlaceOfIdentifyingBy → IsRelatingTermTo → IdentifyingAgent 5 IsPlaceOfIdentifyingBy → IsTypeOf → IsPlaceOfNamingBy

1016	IsPlaceOfIdentifyingOf	Standard	The relating term between PlaceOfIdentifying and IdentifiedResource	1 IsPlaceOfIdentifyingOf → IsReciprocalOf → IsResourceIdentifiedInPlace 2 IsPlaceOfIdentifyingOf → IsRelatingTermBegottenBy → Identify 3 IsPlaceOfIdentifyingOf → IsRelatingTermFrom → PlaceOfIdentifying 4 IsPlaceOfIdentifyingOf → IsRelatingTermTo → IdentifiedResource 5 IsPlaceOfIdentifyingOf → IsTypeOf → IsPlaceOfNamingOf
1017	IsPlaceOfIdentifyingWith	Standard	The relating term between PlaceOfIdentifying and Identifier	1 IsPlaceOfIdentifyingWith → IsReciprocalOf → IsIdentifierInPlace 2 IsPlaceOfIdentifyingWith → IsRelatingTermBegottenBy → Identify 3 IsPlaceOfIdentifyingWith → IsRelatingTermFrom → PlaceOfIdentifying 4 IsPlaceOfIdentifyingWith → IsRelatingTermTo → Identifier 5 IsPlaceOfIdentifyingWith → IsTypeOf → IsPlaceOfNamingWith
1018	IsPlaceOfIdentifyingWithTool	Standard	The relating term between PlaceOfIdentifying and IdentifyingTool	1 IsPlaceOfIdentifyingWithTool → IsReciprocalOf → IsIdentifyingToolInPlace 2 IsPlaceOfIdentifyingWithTool → IsRelatingTermBegottenBy → Identify 3 IsPlaceOfIdentifyingWithTool → IsRelatingTermFrom → PlaceOfIdentifying 4 IsPlaceOfIdentifyingWithTool → IsRelatingTermTo → IdentifyingTool 5 IsPlaceOfIdentifyingWithTool → IsTypeOf → IsPlaceOfNamingWithTool
1019	IsPlaceOfMakingAtTime	Standard	The relating term between PlaceOfMaking and TimeOfMaking	1 IsPlaceOfMakingAtTime → IsReciprocalOf → IsTimeOfMakingInPlace 2 IsPlaceOfMakingAtTime → IsRelatingTermBegottenBy → Make 3 IsPlaceOfMakingAtTime → IsRelatingTermFrom → PlaceOfMaking 4 IsPlaceOfMakingAtTime → IsRelatingTermTo → TimeOfMaking 5 IsPlaceOfMakingAtTime → IsTypeOf → IsPlaceOfEventInTime
1020	IsPlaceOfMakingBy	Standard	The relating term between PlaceOfMaking and Maker	1 IsPlaceOfMakingBy → IsReciprocalOf → IsMakerInPlace 2 IsPlaceOfMakingBy → IsRelatingTermBegottenBy → Make 3 IsPlaceOfMakingBy → IsRelatingTermFrom → PlaceOfMaking 4 IsPlaceOfMakingBy → IsRelatingTermTo → Maker 5 IsPlaceOfMakingBy → IsTypeOf → IsPlaceOfDoingBy
1021	IsPlaceOfMakingOf	Standard	The relating term between PlaceOfMaking and Output	1 IsPlaceOfMakingOf → IsReciprocalOf → IsMadeInPlace 2 IsPlaceOfMakingOf → IsRelatingTermBegottenBy → Make 3 IsPlaceOfMakingOf → IsRelatingTermFrom → PlaceOfMaking 4 IsPlaceOfMakingOf → IsRelatingTermTo → Output 5 IsPlaceOfMakingOf → IsTypeOf → IsPlaceOfBeingDoneToOf

1022	IsPlaceOfMakingWithTool	Standard	The relating term between PlaceOfMaking and MakingTool	1 IsPlaceOfMakingWithTool → IsReciprocalOf → IsMakingToolInPlace 2 IsPlaceOfMakingWithTool → IsRelatingTermBegottenBy → Make 3 IsPlaceOfMakingWithTool → IsRelatingTermFrom → PlaceOfMaking 4 IsPlaceOfMakingWithTool → IsRelatingTermTo → MakingTool
1023	IsPlaceOfMeasuringAtTime	Standard	The relating term between PlaceOfMeasuring and TimeOfMeasuring	1 IsPlaceOfMeasuringAtTime → IsReciprocalOf → IsTimeOfMeasuringInPlace 2 IsPlaceOfMeasuringAtTime → IsRelatingTermBegottenBy → Measure 3 IsPlaceOfMeasuringAtTime → IsRelatingTermFrom → PlaceOfMeasuring 4 IsPlaceOfMeasuringAtTime → IsRelatingTermTo → TimeOfMeasuring 5 IsPlaceOfMeasuringAtTime → IsTypeOf → IsPlaceOfAscribingAtTime
1024	IsPlaceOfMeasuringBy	Standard	The relating term between PlaceOfMeasuring and Measurer	1 IsPlaceOfMeasuringBy → IsReciprocalOf → IsMeasurerInPlace 2 IsPlaceOfMeasuringBy → IsRelatingTermBegottenBy → Measure 3 IsPlaceOfMeasuringBy → IsRelatingTermFrom → PlaceOfMeasuring 4 IsPlaceOfMeasuringBy → IsRelatingTermTo → Measurer 5 IsPlaceOfMeasuringBy → IsTypeOf → IsPlaceOfAscribingBy
1025	IsPlaceOfMeasuringOf	Standard	The relating term between PlaceOfMeasuring and MeasuredResource	1 IsPlaceOfMeasuringOf → IsReciprocalOf → IsResourceMeasuredInPlace 2 IsPlaceOfMeasuringOf → IsRelatingTermBegottenBy → Measure 3 IsPlaceOfMeasuringOf → IsRelatingTermFrom → PlaceOfMeasuring 4 IsPlaceOfMeasuringOf → IsRelatingTermTo → MeasuredResource 5 IsPlaceOfMeasuringOf → IsTypeOf → IsPlaceOfAscribingOf
1026	IsPlaceOfMeasuringWith	Standard	The relating term between PlaceOfMeasuring and Quantity	1 IsPlaceOfMeasuringWith → IsReciprocalOf → IsQuantityInPlace 2 IsPlaceOfMeasuringWith → IsRelatingTermBegottenBy → Measure 3 IsPlaceOfMeasuringWith → IsRelatingTermFrom → PlaceOfMeasuring 4 IsPlaceOfMeasuringWith → IsRelatingTermTo → Quantity 5 IsPlaceOfMeasuringWith → IsTypeOf → IsPlaceOfAscribingWith
1027	IsPlaceOfMeasuringWithTool	Standard	The relating term between PlaceOfMeasuring and MeasuringTool	1 IsPlaceOfMeasuringWithTool → IsReciprocalOf → IsMeasuringToolInPlace 2 IsPlaceOfMeasuringWithTool → IsRelatingTermBegottenBy → Measure 3 IsPlaceOfMeasuringWithTool → IsRelatingTermFrom → PlaceOfMeasuring 4 IsPlaceOfMeasuringWithTool → IsRelatingTermTo → MeasuringTool 5 IsPlaceOfMeasuringWithTool → IsTypeOf → IsPlaceOfAscribingWithTool

1028	IsPlaceOfNamingAtTime	Standard	The relating term between PlaceOfNaming and TimeOfNaming	1 IsPlaceOfNamingAtTime → IsReciprocalOf → IsTimeOfNamingInPlace 2 IsPlaceOfNamingAtTime → IsRelatingTermBegottenBy → Nominate 3 IsPlaceOfNamingAtTime → IsRelatingTermFrom → PlaceOfNaming 4 IsPlaceOfNamingAtTime → IsRelatingTermTo → TimeOfNaming 5 IsPlaceOfNamingAtTime → IsTypeOf → IsPlaceOfAscribingAtTime
1029	IsPlaceOfNamingBy	Standard	The relating term between PlaceOfNaming and Namer	1 IsPlaceOfNamingBy → IsReciprocalOf → IsNominatorInPlace 2 IsPlaceOfNamingBy → IsRelatingTermBegottenBy → Nominate 3 IsPlaceOfNamingBy → IsRelatingTermFrom → PlaceOfNaming 4 IsPlaceOfNamingBy → IsRelatingTermTo → Namer 5 IsPlaceOfNamingBy → IsTypeOf → IsPlaceOfAscribingBy
1030	IsPlaceOfNamingOf	Standard	The relating term between PlaceOfNaming and NamedResource	1 IsPlaceOfNamingOf → IsReciprocalOf → IsResourceNamedInPlace 2 IsPlaceOfNamingOf → IsRelatingTermBegottenBy → Nominate 3 IsPlaceOfNamingOf → IsRelatingTermFrom → PlaceOfNaming 4 IsPlaceOfNamingOf → IsRelatingTermTo → NamedResource 5 IsPlaceOfNamingOf → IsTypeOf → IsPlaceOfAscribingOf
1031	IsPlaceOfNamingWith	Standard	The relating term between PlaceOfNaming and Name	1 IsPlaceOfNamingWith → IsReciprocalOf → IsNameInPlace 2 IsPlaceOfNamingWith → IsRelatingTermBegottenBy → Nominate 3 IsPlaceOfNamingWith → IsRelatingTermFrom → PlaceOfNaming 4 IsPlaceOfNamingWith → IsRelatingTermTo → Name 5 IsPlaceOfNamingWith → IsTypeOf → IsPlaceOfAscribingWith
1032	IsPlaceOfNamingWithTool	Standard	The relating term between PlaceOfNaming and NamingTool	1 IsPlaceOfNamingWithTool → IsReciprocalOf → IsNamingToolInPlace 2 IsPlaceOfNamingWithTool → IsRelatingTermBegottenBy → Nominate 3 IsPlaceOfNamingWithTool → IsRelatingTermFrom → PlaceOfNaming 4 IsPlaceOfNamingWithTool → IsRelatingTermTo → NamingTool 5 IsPlaceOfNamingWithTool → IsTypeOf → IsPlaceOfAscribingWithTool
1033	IsPlaceOfOpposing	Standard	The relating term between PlaceOfOpposing and Opposite	1 IsPlaceOfOpposing → IsReciprocalOf → IsOppositeInPlace 2 IsPlaceOfOpposing → IsRelatingTermBegottenBy → Oppose 3 IsPlaceOfOpposing → IsRelatingTermFrom → PlaceOfOpposing 4 IsPlaceOfOpposing → IsRelatingTermTo → Opposite 5 IsPlaceOfOpposing → IsTypeOf → IsPlaceOfRelatingOf

1034	IsPlaceOfOpposingAtTime	Standard	The relating term between PlaceOfOpposing and TimeOfOpposing	1 IsPlaceOfOpposingAtTime → IsReciprocalOf → IsTimeOfOpposingInPlace 2 IsPlaceOfOpposingAtTime → IsRelatingTermBegottenBy → Oppose 3 IsPlaceOfOpposingAtTime → IsRelatingTermFrom → PlaceOfOpposing 4 IsPlaceOfOpposingAtTime → IsRelatingTermTo → TimeOfOpposing 5 IsPlaceOfOpposingAtTime → IsTypeOf → IsPlaceOfRelatingAtTime
1035	IsPlaceOfOpposingBy	Standard	The relating term between PlaceOfOpposing and Opposer	1 IsPlaceOfOpposingBy → IsReciprocalOf → IsOpposerInPlace 2 IsPlaceOfOpposingBy → IsRelatingTermBegottenBy → Oppose 3 IsPlaceOfOpposingBy → IsRelatingTermFrom → PlaceOfOpposing 4 IsPlaceOfOpposingBy → IsRelatingTermTo → Opposer 5 IsPlaceOfOpposingBy → IsTypeOf → IsPlaceOfRelatingBy
1036	IsPlaceOfOpposingWithTool	Standard	The relating term between PlaceOfOpposing and OpposingTool	1 IsPlaceOfOpposingWithTool → IsReciprocalOf → IsOpposingToolInPlace 2 IsPlaceOfOpposingWithTool → IsRelatingTermBegottenBy → Oppose 3 IsPlaceOfOpposingWithTool → IsRelatingTermFrom → PlaceOfOpposing 4 IsPlaceOfOpposingWithTool → IsRelatingTermTo → OpposingTool 5 IsPlaceOfOpposingWithTool → IsTypeOf → IsPlaceOfRelatingWithTool
1037	IsPlaceOfPartitioningAtTime	Standard	The relating term between PlaceOfPartitioning and TimeOfPartitioning	1 IsPlaceOfPartitioningAtTime → IsReciprocalOf → IsTimeOfPartitioningInPlace 2 IsPlaceOfPartitioningAtTime → IsRelatingTermBegottenBy → Partition 3 IsPlaceOfPartitioningAtTime → IsRelatingTermFrom → PlaceOfPartitioning 4 IsPlaceOfPartitioningAtTime → IsRelatingTermTo → TimeOfPartitioning 5 IsPlaceOfPartitioningAtTime → IsTypeOf → IsPlaceOfAscribingAtTime
1038	IsPlaceOfPartitioningBy	Standard	The relating term between PlaceOfPartitioning and Partitioner	1 IsPlaceOfPartitioningBy → IsReciprocalOf → IsPartitionerInPlace 2 IsPlaceOfPartitioningBy → IsRelatingTermBegottenBy → Partition 3 IsPlaceOfPartitioningBy → IsRelatingTermFrom → PlaceOfPartitioning 4 IsPlaceOfPartitioningBy → IsRelatingTermTo → Partitioner 5 IsPlaceOfPartitioningBy → IsTypeOf → IsPlaceOfAscribingBy
1039	IsPlaceOfPartitioningOf	Standard	The relating term between PlaceOfPartitioning and Whole	1 IsPlaceOfPartitioningOf → IsReciprocalOf → IsResourcePartitionedInPlace 2 IsPlaceOfPartitioningOf → IsRelatingTermBegottenBy → Partition 3 IsPlaceOfPartitioningOf → IsRelatingTermFrom → PlaceOfPartitioning 4 IsPlaceOfPartitioningOf → IsRelatingTermTo → Whole 5 IsPlaceOfPartitioningOf → IsTypeOf → IsPlaceOfAscribingOf

1040	IsPlaceOfPartitioningWith	Standard	The relating term between PlaceOfPartitioning and Part	1 IsPlaceOfPartitioningWith → IsReciprocalOf → IsPartInPlace 2 IsPlaceOfPartitioningWith → IsRelatingTermBegottenBy → Partition 3 IsPlaceOfPartitioningWith → IsRelatingTermFrom → PlaceOfPartitioning 4 IsPlaceOfPartitioningWith → IsRelatingTermTo → Part 5 IsPlaceOfPartitioningWith → IsTypeOf → IsPlaceOfAscribingWith
1041	IsPlaceOfPartitioningWithTool	Standard	The relating term between PlaceOfPartitioning and PartitioningTool	1 IsPlaceOfPartitioningWithTool → IsReciprocalOf → IsPartitioningToolInPlace 2 IsPlaceOfPartitioningWithTool → IsRelatingTermBegottenBy → Partition 3 IsPlaceOfPartitioningWithTool → IsRelatingTermFrom → PlaceOfPartitioning 4 IsPlaceOfPartitioningWithTool → IsRelatingTermTo → PartitioningTool 5 IsPlaceOfPartitioningWithTool → IsTypeOf → IsPlaceOfAscribingWithTool
1042	IsPlaceOfQualifying	Standard	The relating term between PlaceOfQualifying and QualifiedResource	1 IsPlaceOfQualifying → IsReciprocalOf → IsResourceQualifiedInPlace 2 IsPlaceOfQualifying → IsRelatingTermBegottenBy → Qualify 3 IsPlaceOfQualifying → IsRelatingTermFrom → PlaceOfQualifying 4 IsPlaceOfQualifying → IsRelatingTermTo → QualifiedResource 5 IsPlaceOfQualifying → IsTypeOf → IsPlaceOfCategorizingOf
1043	IsPlaceOfQualifyingAtTime	Standard	The relating term between PlaceOfQualifying and TimeOfQualifying	1 IsPlaceOfQualifyingAtTime → IsReciprocalOf → IsTimeOfQualifyingInPlace 2 IsPlaceOfQualifyingAtTime → IsRelatingTermBegottenBy → Qualify 3 IsPlaceOfQualifyingAtTime → IsRelatingTermFrom → PlaceOfQualifying 4 IsPlaceOfQualifyingAtTime → IsRelatingTermTo → TimeOfQualifying 5 IsPlaceOfQualifyingAtTime → IsTypeOf → IsPlaceOfCategorizingAtTime
1044	IsPlaceOfQualifyingBy	Standard	The relating term between PlaceOfQualifying and Qualifier	1 IsPlaceOfQualifyingBy → IsReciprocalOf → IsQualifierInPlace 2 IsPlaceOfQualifyingBy → IsRelatingTermBegottenBy → Qualify 3 IsPlaceOfQualifyingBy → IsRelatingTermFrom → PlaceOfQualifying 4 IsPlaceOfQualifyingBy → IsRelatingTermTo → Qualifier 5 IsPlaceOfQualifyingBy → IsTypeOf → IsPlaceOfCategorizingBy
1045	IsPlaceOfQualifyingWith	Standard	The relating term between PlaceOfQualifying and Quality	1 IsPlaceOfQualifyingWith → IsReciprocalOf → IsQualityInPlace 2 IsPlaceOfQualifyingWith → IsRelatingTermBegottenBy → Qualify 3 IsPlaceOfQualifyingWith → IsRelatingTermFrom → PlaceOfQualifying 4 IsPlaceOfQualifyingWith → IsRelatingTermTo → Quality 5 IsPlaceOfQualifyingWith → IsTypeOf → IsPlaceOfCategorizingWith

1046	IsPlaceOfQualifyingWithTool	Standard	The relating term between PlaceOfQualifying and QualifyingTool	1 IsPlaceOfQualifyingWithTool → IsReciprocalOf → IsQualifyingToolInPlace 2 IsPlaceOfQualifyingWithTool → IsRelatingTermBegottenBy → Qualify 3 IsPlaceOfQualifyingWithTool → IsRelatingTermFrom → PlaceOfQualifying 4 IsPlaceOfQualifyingWithTool → IsRelatingTermTo → QualifyingTool 5 IsPlaceOfQualifyingWithTool → IsTypeOf → IsPlaceOfCategorizingWithTool
1047	IsPlaceOfRelatingAtTime	Standard	The relating term between PlaceOfRelating and TimeOfRelating	1 IsPlaceOfRelatingAtTime → IsReciprocalOf → IsTimeOfRelatingInPlace 2 IsPlaceOfRelatingAtTime → IsRelatingTermBegottenBy → Relate 3 IsPlaceOfRelatingAtTime → IsRelatingTermFrom → PlaceOfRelating 4 IsPlaceOfRelatingAtTime → IsRelatingTermTo → TimeOfRelating 5 IsPlaceOfRelatingAtTime → IsTypeOf → IsPlaceOfEventInTime
1048	IsPlaceOfRelatingBy	Standard	The relating term between PlaceOfRelating and Relator	1 IsPlaceOfRelatingBy → IsReciprocalOf → IsRelatorInPlace 2 IsPlaceOfRelatingBy → IsRelatingTermBegottenBy → Relate 3 IsPlaceOfRelatingBy → IsRelatingTermFrom → PlaceOfRelating 4 IsPlaceOfRelatingBy → IsRelatingTermTo → Relator 5 IsPlaceOfRelatingBy → IsTypeOf → IsPlaceOfDoingBy
1049	IsPlaceOfRelatingOf	Standard	The relating term between PlaceOfRelating and Relative	1 IsPlaceOfRelatingOf → IsReciprocalOf → IsRelativeInPlace 2 IsPlaceOfRelatingOf → IsRelatingTermBegottenBy → Relate 3 IsPlaceOfRelatingOf → IsRelatingTermFrom → PlaceOfRelating 4 IsPlaceOfRelatingOf → IsRelatingTermTo → Relative 5 IsPlaceOfRelatingOf → IsTypeOf → IsPlaceOfBeingDoneToOf
1050	IsPlaceOfRelatingWithTool	Standard	The relating term between PlaceOfRelating and RelatingTool	1 IsPlaceOfRelatingWithTool → IsReciprocalOf → IsRelatingToolInPlace 2 IsPlaceOfRelatingWithTool → IsRelatingTermBegottenBy → Relate 3 IsPlaceOfRelatingWithTool → IsRelatingTermFrom → PlaceOfRelating 4 IsPlaceOfRelatingWithTool → IsRelatingTermTo → RelatingTool
1051	IsPlaceOfSituationInTime	Standard	The relating term between PlaceOfSituation and TimeOfSituation	1 IsPlaceOfSituationInTime → IsReciprocalOf → IsTimeOfSituationInPlace 2 IsPlaceOfSituationInTime → IsRelatingTermBegottenBy → Situation 3 IsPlaceOfSituationInTime → IsRelatingTermFrom → PlaceOfSituation 4 IsPlaceOfSituationInTime → IsRelatingTermTo → TimeOfSituation 5 IsPlaceOfSituationInTime → IsTypeOf → IsPlaceOfActingAtTime

1052	IsPlaceOfSpecializingAtTime	Standard	The relating term between PlaceOfSpecializing and TimeOfSpecializing	1 IsPlaceOfSpecializingAtTime → IsReciprocalOf → IsTimeOfSpecializingInPlace 2 IsPlaceOfSpecializingAtTime → IsRelatingTermBegottenBy → Specialize 3 IsPlaceOfSpecializingAtTime → IsRelatingTermFrom → PlaceOfSpecializing 4 IsPlaceOfSpecializingAtTime → IsRelatingTermTo → TimeOfSpecializing 5 IsPlaceOfSpecializingAtTime → IsTypeOf → IsPlaceOfAscribingAtTime
1053	IsPlaceOfSpecializingBy	Standard	The relating term between PlaceOfSpecializing and Specializer	1 IsPlaceOfSpecializingBy → IsReciprocalOf → IsSpecializerInPlace 2 IsPlaceOfSpecializingBy → IsRelatingTermBegottenBy → Specialize 3 IsPlaceOfSpecializingBy → IsRelatingTermFrom → PlaceOfSpecializing 4 IsPlaceOfSpecializingBy → IsRelatingTermTo → Specializer 5 IsPlaceOfSpecializingBy → IsTypeOf → IsPlaceOfAscribingBy
1054	IsPlaceOfSpecializingOf	Standard	The relating term between PlaceOfSpecializing and Archetype	1 IsPlaceOfSpecializingOf → IsReciprocalOf → IsSpecializedInPlace 2 IsPlaceOfSpecializingOf → IsRelatingTermBegottenBy → Specialize 3 IsPlaceOfSpecializingOf → IsRelatingTermFrom → PlaceOfSpecializing 4 IsPlaceOfSpecializingOf → IsRelatingTermTo → Archetype 5 IsPlaceOfSpecializingOf → IsTypeOf → IsPlaceOfAscribingOf
1055	IsPlaceOfSpecializingWith	Standard	The relating term between PlaceOfSpecializing and Type	1 IsPlaceOfSpecializingWith → IsReciprocalOf → IsTypeInPlace 2 IsPlaceOfSpecializingWith → IsRelatingTermBegottenBy → Specialize 3 IsPlaceOfSpecializingWith → IsRelatingTermFrom → PlaceOfSpecializing 4 IsPlaceOfSpecializingWith → IsRelatingTermTo → Type 5 IsPlaceOfSpecializingWith → IsTypeOf → IsPlaceOfAscribingWith
1056	IsPlaceOfSpecializingWithTool	Standard	The relating term between PlaceOfSpecializing and SpecializingTool	1 IsPlaceOfSpecializingWithTool → IsReciprocalOf → IsSpecializingToolInPlace 2 IsPlaceOfSpecializingWithTool → IsRelatingTermBegottenBy → Specialize 3 IsPlaceOfSpecializingWithTool → IsRelatingTermFrom → PlaceOfSpecializing 4 IsPlaceOfSpecializingWithTool → IsRelatingTermTo → SpecializingTool 5 IsPlaceOfSpecializingWithTool → IsTypeOf → IsPlaceOfAscribingWithTool
1057	IsPlaceTypeBegottenBy	Standard	The relating term between PlaceType and Begetter_4	1 IsPlaceTypeBegottenBy → IsReciprocalOf → BegetsPlaceType 2 IsPlaceTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_4 3 IsPlaceTypeBegottenBy → IsRelatingTermFrom → PlaceType 4 IsPlaceTypeBegottenBy → IsRelatingTermTo → Begetter_4 5 IsPlaceTypeBegottenBy → IsTypeOf → IsBegottenBy

1058	IsPlaceTypeInContext	Standard		
1059	IsPotentialStatusOf	Standard	The RelatingTerm from a PotentialStatus to an Entity which possesses it.	1 IsPotentialStatusOf → IsReciprocalOf → HasPotentialStatus 2 IsPotentialStatusOf → IsTypeOf → IsStatusOf
1060	IsQualifiedBy	Standard	The relating term between QualifiedResource and Qualifier	1 IsQualifiedBy → IsReciprocalOf → IsQualifierOf 2 IsQualifiedBy → IsRelatingTermBegottenBy → Qualify 3 IsQualifiedBy → IsRelatingTermFrom → QualifiedResource 4 IsQualifiedBy → IsRelatingTermTo → Qualifier 5 IsQualifiedBy → IsTypeOf → IsCategorizedBy
1061	IsQualifierAtTime	Standard	The relating term between Qualifier and TimeOfQualifying	1 IsQualifierAtTime → IsRelatingTermBegottenBy → Qualify 2 IsQualifierAtTime → IsRelatingTermFrom → Qualifier 3 IsQualifierAtTime → IsRelatingTermTo → TimeOfQualifying 4 IsQualifierAtTime → IsReciprocalOf → IsTimeOfQualifyingBy 5 IsQualifierAtTime → IsTypeOf → IsCategorizerAtTime
1062	IsQualifierInPlace	Standard	The relating term between Qualifier and PlaceOfQualifying	1 IsQualifierInPlace → IsRelatingTermBegottenBy → Qualify 2 IsQualifierInPlace → IsRelatingTermFrom → Qualifier 3 IsQualifierInPlace → IsRelatingTermTo → PlaceOfQualifying 4 IsQualifierInPlace → IsReciprocalOf → IsPlaceOfQualifyingBy 5 IsQualifierInPlace → IsTypeOf → IsCategorizerInPlace
1063	IsQualifierOf	Standard	The relating term between Qualifier and QualifiedResource	1 IsQualifierOf → IsRelatingTermBegottenBy → Qualify 2 IsQualifierOf → IsRelatingTermFrom → Qualifier 3 IsQualifierOf → IsRelatingTermTo → QualifiedResource 4 IsQualifierOf → IsReciprocalOf → IsQualifiedBy 5 IsQualifierOf → IsTypeOf → IsCategorizerOf
1064	IsQualifierWith	Standard	The relating term between Qualifier and Quality	1 IsQualifierWith → IsRelatingTermBegottenBy → Qualify 2 IsQualifierWith → IsRelatingTermFrom → Qualifier 3 IsQualifierWith → IsRelatingTermTo → Quality 4 IsQualifierWith → IsReciprocalOf → IsQualityAscribedBy

				5 IsQualifierWith → IsTypeOf → IsCategorizerWith
1065	IsQualifierWithTool	Standard	The relating term between Qualifier and QualifyingTool	1 IsQualifierWithTool → IsRelatingTermBegottenBy → Qualify 2 IsQualifierWithTool → IsRelatingTermFrom → Qualifier 3 IsQualifierWithTool → IsRelatingTermTo → QualifyingTool 4 IsQualifierWithTool → IsReciprocalOf → IsToolForQualifyingBy 5 IsQualifierWithTool → IsTypeOf → IsCategorizerWithTool
1066	IsQualifyingToolAtTime	Standard	The relating term between QualifyingTool and TimeOfQualifying	1 IsQualifyingToolAtTime → IsRelatingTermBegottenBy → Qualify 2 IsQualifyingToolAtTime → IsRelatingTermFrom → QualifyingTool 3 IsQualifyingToolAtTime → IsRelatingTermTo → TimeOfQualifying 4 IsQualifyingToolAtTime → IsReciprocalOf → IsTimeOfQualifyingWithTool 5 IsQualifyingToolAtTime → IsTypeOf → IsCategorizingToolAtTime
1067	IsQualifyingToolInPlace	Standard	The relating term between QualifyingTool and PlaceOfQualifying	1 IsQualifyingToolInPlace → IsRelatingTermBegottenBy → Qualify 2 IsQualifyingToolInPlace → IsRelatingTermFrom → QualifyingTool 3 IsQualifyingToolInPlace → IsRelatingTermTo → PlaceOfQualifying 4 IsQualifyingToolInPlace → IsReciprocalOf → IsPlaceOfQualifyingWithTool 5 IsQualifyingToolInPlace → IsTypeOf → IsCategorizingToolInPlace
1068	IsQualityAscribedBy	Standard	The relating term between Quality and Qualifier	1 IsQualityAscribedBy → IsReciprocalOf → IsQualifierWith 2 IsQualityAscribedBy → IsRelatingTermBegottenBy → Qualify 3 IsQualityAscribedBy → IsRelatingTermFrom → Quality 4 IsQualityAscribedBy → IsRelatingTermTo → Qualifier 5 IsQualityAscribedBy → IsTypeOf → IsCategoryAscribedBy
1069	IsQualityAscribedWithTool	Standard	The relating term between Quality and QualifyingTool	1 IsQualityAscribedWithTool → IsRelatingTermBegottenBy → Qualify 2 IsQualityAscribedWithTool → IsRelatingTermFrom → Quality 3 IsQualityAscribedWithTool → IsRelatingTermTo → QualifyingTool 4 IsQualityAscribedWithTool → IsReciprocalOf → IsToolForQualifyingWith 5 IsQualityAscribedWithTool → IsTypeOf → IsCategoryAscribedWithTool
1070	IsQualityAtTime	Standard	The relating term between Quality and TimeOfQualifying	1 IsQualityAtTime → IsRelatingTermBegottenBy → Qualify 2 IsQualityAtTime → IsRelatingTermFrom → Quality 3 IsQualityAtTime → IsRelatingTermTo → TimeOfQualifying

				4 IsQualityAtTime → IsReciprocalOf → IsTimeOfQualifyingWith 5 IsQualityAtTime → IsTypeOf → IsCategoryAtTime
1071	IsQualityInPlace	Standard	The relating term between Quality and PlaceOfQualifying	1 IsQualityInPlace → IsRelatingTermBegottenBy → Qualify 2 IsQualityInPlace → IsRelatingTermFrom → Quality 3 IsQualityInPlace → IsRelatingTermTo → PlaceOfQualifying 4 IsQualityInPlace → IsReciprocalOf → IsPlaceOfQualifyingWith 5 IsQualityInPlace → IsTypeOf → IsCategoryInPlace
1072	IsQualityOf	Standard	The relating term between Quality and QualifiedResource	1 IsQualityOf → IsRelatingTermBegottenBy → Qualify 2 IsQualityOf → IsRelatingTermFrom → Quality 3 IsQualityOf → IsRelatingTermTo → QualifiedResource 4 IsQualityOf → IsReciprocalOf → HasQuality 5 IsQualityOf → IsTypeOf → IsCategoryOf
1073	IsQuantityAscribedBy	Standard	The relating term between Quantity and Measurer	1 IsQuantityAscribedBy → IsReciprocalOf → IsMeasurerWith 2 IsQuantityAscribedBy → IsRelatingTermBegottenBy → Measure 3 IsQuantityAscribedBy → IsRelatingTermFrom → Quantity 4 IsQuantityAscribedBy → IsRelatingTermTo → Measurer 5 IsQuantityAscribedBy → IsTypeOf → IsAscriptionBy
1074	IsQuantityAscribedWithTool	Standard	The relating term between Quantity and MeasuringTool	1 IsQuantityAscribedWithTool → IsRelatingTermBegottenBy → Measure 2 IsQuantityAscribedWithTool → IsRelatingTermFrom → Quantity 3 IsQuantityAscribedWithTool → IsRelatingTermTo → MeasuringTool 4 IsQuantityAscribedWithTool → IsReciprocalOf → IsToolForMeasuringWith 5 IsQuantityAscribedWithTool → IsTypeOf → IsAscriptionMadeWithTool
1075	IsQuantityAtTime	Standard	The relating term between Quantity and TimeOfMeasuring	1 IsQuantityAtTime → IsRelatingTermBegottenBy → Measure 2 IsQuantityAtTime → IsRelatingTermFrom → Quantity 3 IsQuantityAtTime → IsRelatingTermTo → TimeOfMeasuring 4 IsQuantityAtTime → IsReciprocalOf → IsTimeOfMeasuringWith 5 IsQuantityAtTime → IsTypeOf → IsAscriptionAtTime
1076	IsQuantityInPlace	Standard	The relating term between	1 IsQuantityInPlace → IsRelatingTermBegottenBy → Measure 2 IsQuantityInPlace → IsRelatingTermFrom → Quantity

			Quantity and PlaceOfMeasuring	3 IsQuantityInPlace → IsRelatingTermTo → PlaceOfMeasuring 4 IsQuantityInPlace → IsReciprocalOf → IsPlaceOfMeasuringWith 5 IsQuantityInPlace → IsTypeOf → IsAscriptionInPlace
1077	IsQuantityOf	Standard	The relating term between Quantity and MeasuredResource	1 IsQuantityOf → IsRelatingTermBegottenBy → Measure 2 IsQuantityOf → IsRelatingTermFrom → Quantity 3 IsQuantityOf → IsRelatingTermTo → MeasuredResource 4 IsQuantityOf → IsReciprocalOf → HasQuantity 5 IsQuantityOf → IsTypeOf → IsAscriptionTo
1078	IsReciprocalOf	Standard	The RelatingTerm from one RelatingTerm to another of which it is the Reciprocal.	1 IsReciprocalOf → IsTypeOf → IsRelativeOf
1079	IsRelatedBy	Standard	The relating term between Relative and Relator	1 IsRelatedBy → IsReciprocalOf → IsRelatorOf 2 IsRelatedBy → IsRelatingTermBegottenBy → Relate 3 IsRelatedBy → IsRelatingTermFrom → Relative 4 IsRelatedBy → IsRelatingTermTo → Relator 5 IsRelatedBy → IsTypeOf → IsDoneToBy
1080	IsRelatedFromBy	Standard		
1081	IsRelatedToBy	Standard		
1082	IsRelatedWithTool	Standard	The relating term between Relative and RelatingTool	1 IsRelatedWithTool → IsRelatingTermBegottenBy → Relate 2 IsRelatedWithTool → IsRelatingTermFrom → Relative 3 IsRelatedWithTool → IsRelatingTermTo → RelatingTool 4 IsRelatedWithTool → IsReciprocalOf → IsToolForRelatingOf
1083	IsRelatingTermBegottenBy	Standard	The relating term between RelatingTerm and Begetter_5	1 IsRelatingTermBegottenBy → IsReciprocalOf → BegetsRelatingTerm 2 IsRelatingTermBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_5 3 IsRelatingTermBegottenBy → IsRelatingTermFrom → RelatingTerm 4 IsRelatingTermBegottenBy → IsRelatingTermTo → Begetter_5 5 IsRelatingTermBegottenBy → IsTypeOf → IsBegottenBy

1084	IsRelatingTermFrom	Standard		
1085	IsRelatingTermTo	Standard		
1086	IsRelatingToolAtTime	Standard	The relating term between RelatingTool and TimeOfRelating	1 IsRelatingToolAtTime → IsRelatingTermBegottenBy → Relate 2 IsRelatingToolAtTime → IsRelatingTermFrom → RelatingTool 3 IsRelatingToolAtTime → IsRelatingTermTo → TimeOfRelating 4 IsRelatingToolAtTime → IsReciprocalOf → IsTimeOfRelatingWithTool
1087	IsRelatingToolInPlace	Standard	The relating term between RelatingTool and PlaceOfRelating	1 IsRelatingToolInPlace → IsRelatingTermBegottenBy → Relate 2 IsRelatingToolInPlace → IsRelatingTermFrom → RelatingTool 3 IsRelatingToolInPlace → IsRelatingTermTo → PlaceOfRelating 4 IsRelatingToolInPlace → IsReciprocalOf → IsPlaceOfRelatingWithTool
1088	IsRelativeAtTime	Standard	The relating term between Relative and TimeOfRelating	1 IsRelativeAtTime → IsRelatingTermBegottenBy → Relate 2 IsRelativeAtTime → IsRelatingTermFrom → Relative 3 IsRelativeAtTime → IsRelatingTermTo → TimeOfRelating 4 IsRelativeAtTime → IsReciprocalOf → IsTimeOfRelatingOf 5 IsRelativeAtTime → IsTypeOf → IsPatientAtTime
1089	IsRelativeInPlace	Standard	The relating term between Relative and PlaceOfRelating	1 IsRelativeInPlace → IsRelatingTermBegottenBy → Relate 2 IsRelativeInPlace → IsRelatingTermFrom → Relative 3 IsRelativeInPlace → IsRelatingTermTo → PlaceOfRelating 4 IsRelativeInPlace → IsReciprocalOf → IsPlaceOfRelatingOf 5 IsRelativeInPlace → IsTypeOf → IsPatientInPlace
1090	IsRelativeOf	Standard	The relating term between Relative and Relative	1 IsRelativeOf → IsRelatingTermBegottenBy → Relate 2 IsRelativeOf → IsRelatingTermFrom → Relative 3 IsRelativeOf → IsRelatingTermTo → Relative 4 IsRelativeOf → IsReciprocalOf → IsRelativeOf 5 IsRelativeOf → IsTypeOf → HasCo-Patient
1091	IsRelatorAtTime	Standard	The relating term between Relator and TimeOfRelating	1 IsRelatorAtTime → IsRelatingTermBegottenBy → Relate 2 IsRelatorAtTime → IsRelatingTermFrom → Relator 3 IsRelatorAtTime → IsRelatingTermTo → TimeOfRelating

				4 IsRelatorAtTime → IsReciprocalOf → IsTimeOfRelatingBy 5 IsRelatorAtTime → IsTypeOf → IsDoerAtTime
1092	IsRelatorInPlace	Standard	The relating term between Relator and PlaceOfRelating	1 IsRelatorInPlace → IsRelatingTermBegottenBy → Relate 2 IsRelatorInPlace → IsRelatingTermFrom → Relator 3 IsRelatorInPlace → IsRelatingTermTo → PlaceOfRelating 4 IsRelatorInPlace → IsReciprocalOf → IsPlaceOfRelatingBy 5 IsRelatorInPlace → IsTypeOf → IsDoerInPlace
1093	IsRelatorOf	Standard	The relating term between Relator and Relative	1 IsRelatorOf → IsRelatingTermBegottenBy → Relate 2 IsRelatorOf → IsRelatingTermFrom → Relator 3 IsRelatorOf → IsRelatingTermTo → Relative 4 IsRelatorOf → IsReciprocalOf → IsRelatedBy 5 IsRelatorOf → IsTypeOf → IsDoerDoingTo
1094	IsRelatorWithTool	Standard	The relating term between Relator and RelatingTool	1 IsRelatorWithTool → IsRelatingTermBegottenBy → Relate 2 IsRelatorWithTool → IsRelatingTermFrom → Relator 3 IsRelatorWithTool → IsRelatingTermTo → RelatingTool 4 IsRelatorWithTool → IsReciprocalOf → IsToolForRelatingBy
1095	IsResourceActedOnBy	Standard	The relating term between Resource and Agent	1 IsResourceActedOnBy → IsReciprocalOf → IsAgentActingOn 2 IsResourceActedOnBy → IsRelatingTermBegottenBy → Act 3 IsResourceActedOnBy → IsRelatingTermFrom → Resource 4 IsResourceActedOnBy → IsRelatingTermTo → Agent
1096	IsResourceAscribedAtTime	Standard	The relating term between AscribedResource and TimeOfAscribing	1 IsResourceAscribedAtTime → IsRelatingTermBegottenBy → Ascribe 2 IsResourceAscribedAtTime → IsRelatingTermFrom → AscribedResource 3 IsResourceAscribedAtTime → IsRelatingTermTo → TimeOfAscribing 4 IsResourceAscribedAtTime → IsReciprocalOf → IsTimeOfAscribingOf 5 IsResourceAscribedAtTime → IsTypeOf → IsRelativeAtTime
1097	IsResourceAscribedInPlace	Standard	The relating term between AscribedResource and PlaceOfAscribing	1 IsResourceAscribedInPlace → IsRelatingTermBegottenBy → Ascribe 2 IsResourceAscribedInPlace → IsRelatingTermFrom → AscribedResource 3 IsResourceAscribedInPlace → IsRelatingTermTo → PlaceOfAscribing 4 IsResourceAscribedInPlace → IsReciprocalOf → IsPlaceOfAscribingOf

				5 IsResourceAscribedInPlace → IsTypeOf → IsRelativeInPlace
1098	IsResourceAscribedWithTool	Standard	The relating term between AscribedResource and AscribingTool	1 IsResourceAscribedWithTool → IsRelatingTermBegottenBy → Ascribe 2 IsResourceAscribedWithTool → IsRelatingTermFrom → AscribedResource 3 IsResourceAscribedWithTool → IsRelatingTermTo → AscribingTool 4 IsResourceAscribedWithTool → IsReciprocalOf → IsToolForAscribingOf 5 IsResourceAscribedWithTool → IsTypeOf → IsRelatedWithTool
1099	IsResourceAtTime	Standard	The relating term between Resource and Time	1 IsResourceAtTime → IsRelatingTermBegottenBy → Act 2 IsResourceAtTime → IsRelatingTermFrom → Resource 3 IsResourceAtTime → IsRelatingTermTo → Time 4 IsResourceAtTime → IsReciprocalOf → IsTimeOfBeingActedOnOf
1100	IsResourceCategorizedAtTime	Standard	The relating term between CategorizedResource and TimeOfCategorizing	1 IsResourceCategorizedAtTime → IsRelatingTermBegottenBy → Categorize 2 IsResourceCategorizedAtTime → IsRelatingTermFrom → CategorizedResource 3 IsResourceCategorizedAtTime → IsRelatingTermTo → TimeOfCategorizing 4 IsResourceCategorizedAtTime → IsReciprocalOf → IsTimeOfCategorizingOf 5 IsResourceCategorizedAtTime → IsTypeOf → IsResourceAscribedAtTime
1101	IsResourceCategorizedInPlace	Standard	The relating term between CategorizedResource and PlaceOfCategorizing	1 IsResourceCategorizedInPlace → IsRelatingTermBegottenBy → Categorize 2 IsResourceCategorizedInPlace → IsRelatingTermFrom → CategorizedResource 3 IsResourceCategorizedInPlace → IsRelatingTermTo → PlaceOfCategorizing 4 IsResourceCategorizedInPlace → IsReciprocalOf → IsPlaceOfCategorizingOf 5 IsResourceCategorizedInPlace → IsTypeOf → IsResourceAscribedInPlace
1102	IsResourceCategorizedWithTool	Standard	The relating term between CategorizedResource and CategorizingTool	1 IsResourceCategorizedWithTool → IsRelatingTermBegottenBy → Categorize 2 IsResourceCategorizedWithTool → IsRelatingTermFrom → CategorizedResource 3 IsResourceCategorizedWithTool → IsRelatingTermTo → CategorizingTool 4 IsResourceCategorizedWithTool → IsReciprocalOf → IsToolForCategorizingOf 5 IsResourceCategorizedWithTool → IsTypeOf → IsResourceAscribedWithTool
1103	IsResourceClassifiedAtTime	Standard	The relating term between ClassifiedResource and TimeOfClassifying	1 IsResourceClassifiedAtTime → IsRelatingTermBegottenBy → Classify 2 IsResourceClassifiedAtTime → IsRelatingTermFrom → ClassifiedResource 3 IsResourceClassifiedAtTime → IsRelatingTermTo → TimeOfClassifying 4 IsResourceClassifiedAtTime → IsReciprocalOf → IsTimeOfClassifyingOf

				5 IsResourceClassifiedAtTime → IsTypeOf → IsResourceAscribedAtTime
1104	IsResourceClassifiedInPlace	Standard	The relating term between ClassifiedResource and PlaceOfClassifying	1 IsResourceClassifiedInPlace → IsRelatingTermBegottenBy → Classify 2 IsResourceClassifiedInPlace → IsRelatingTermFrom → ClassifiedResource 3 IsResourceClassifiedInPlace → IsRelatingTermTo → PlaceOfClassifying 4 IsResourceClassifiedInPlace → IsReciprocalOf → IsPlaceOfClassifyingOf 5 IsResourceClassifiedInPlace → IsTypeOf → IsResourceAscribedInPlace
1105	IsResourceClassifiedWithTool	Standard	The relating term between ClassifiedResource and ClassifyingTool	1 IsResourceClassifiedWithTool → IsRelatingTermBegottenBy → Classify 2 IsResourceClassifiedWithTool → IsRelatingTermFrom → ClassifiedResource 3 IsResourceClassifiedWithTool → IsRelatingTermTo → ClassifyingTool 4 IsResourceClassifiedWithTool → IsReciprocalOf → IsToolForClassifyingOf 5 IsResourceClassifiedWithTool → IsTypeOf → IsResourceAscribedWithTool
1106	IsResourceEvaluatedAtTime	Standard	The relating term between EvaluatedResource and TimeOfEvaluating	1 IsResourceEvaluatedAtTime → IsRelatingTermBegottenBy → Evaluate 2 IsResourceEvaluatedAtTime → IsRelatingTermFrom → EvaluatedResource 3 IsResourceEvaluatedAtTime → IsRelatingTermTo → TimeOfEvaluating 4 IsResourceEvaluatedAtTime → IsReciprocalOf → IsTimeOfEvaluatingOf 5 IsResourceEvaluatedAtTime → IsTypeOf → IsResourceAscribedAtTime
1107	IsResourceEvaluatedInPlace	Standard	The relating term between EvaluatedResource and PlaceOfEvaluating	1 IsResourceEvaluatedInPlace → IsRelatingTermBegottenBy → Evaluate 2 IsResourceEvaluatedInPlace → IsRelatingTermFrom → EvaluatedResource 3 IsResourceEvaluatedInPlace → IsRelatingTermTo → PlaceOfEvaluating 4 IsResourceEvaluatedInPlace → IsReciprocalOf → IsPlaceOfEvaluatingOf 5 IsResourceEvaluatedInPlace → IsTypeOf → IsResourceAscribedInPlace
1108	IsResourceEvaluatedWithTool	Standard	The relating term between EvaluatedResource and EvaluatingTool	1 IsResourceEvaluatedWithTool → IsRelatingTermBegottenBy → Evaluate 2 IsResourceEvaluatedWithTool → IsRelatingTermFrom → EvaluatedResource 3 IsResourceEvaluatedWithTool → IsRelatingTermTo → EvaluatingTool 4 IsResourceEvaluatedWithTool → IsReciprocalOf → IsToolForEvaluatingOf 5 IsResourceEvaluatedWithTool → IsTypeOf → IsResourceAscribedWithTool
1109	IsResourceFormalizedAtTime	Standard	The relating term between FormalizedResource and	1 IsResourceFormalizedAtTime → IsRelatingTermBegottenBy → Formalize 2 IsResourceFormalizedAtTime → IsRelatingTermFrom → FormalizedResource 3 IsResourceFormalizedAtTime → IsRelatingTermTo → TimeOfFormalizing

			TimeOfFormalizing	4 IsResourceFormalizedAtTime → IsReciprocalOf → IsTimeOfFormalizingOf 5 IsResourceFormalizedAtTime → IsTypeOf → IsResourceQualifiedAtTime
1110	IsResourceFormalizedInPlace	Standard	The relating term between FormalizedResource and PlaceOfFormalizing	1 IsResourceFormalizedInPlace → IsRelatingTermBegottenBy → Formalize 2 IsResourceFormalizedInPlace → IsRelatingTermFrom → FormalizedResource 3 IsResourceFormalizedInPlace → IsRelatingTermTo → PlaceOfFormalizing 4 IsResourceFormalizedInPlace → IsReciprocalOf → IsPlaceOfFormalizingOf 5 IsResourceFormalizedInPlace → IsTypeOf → IsResourceQualifiedInPlace
1111	IsResourceFormalizedWithTool	Standard	The relating term between FormalizedResource and FormalizingTool	1 IsResourceFormalizedWithTool → IsRelatingTermBegottenBy → Formalize 2 IsResourceFormalizedWithTool → IsRelatingTermFrom → FormalizedResource 3 IsResourceFormalizedWithTool → IsRelatingTermTo → FormalizingTool 4 IsResourceFormalizedWithTool → IsReciprocalOf → IsToolForFormalizingOf 5 IsResourceFormalizedWithTool → IsTypeOf → IsResourceQualifiedWithTool
1112	IsResourceIdentifiedAtTime	Standard	The relating term between IdentifiedResource and TimeOfIdentifying	1 IsResourceIdentifiedAtTime → IsRelatingTermBegottenBy → Identify 2 IsResourceIdentifiedAtTime → IsRelatingTermFrom → IdentifiedResource 3 IsResourceIdentifiedAtTime → IsRelatingTermTo → TimeOfIdentifying 4 IsResourceIdentifiedAtTime → IsReciprocalOf → IsTimeOfIdentifyingOf 5 IsResourceIdentifiedAtTime → IsTypeOf → IsResourceNamedAtTime
1113	IsResourceIdentifiedInPlace	Standard	The relating term between IdentifiedResource and PlaceOfIdentifying	1 IsResourceIdentifiedInPlace → IsRelatingTermBegottenBy → Identify 2 IsResourceIdentifiedInPlace → IsRelatingTermFrom → IdentifiedResource 3 IsResourceIdentifiedInPlace → IsRelatingTermTo → PlaceOfIdentifying 4 IsResourceIdentifiedInPlace → IsReciprocalOf → IsPlaceOfIdentifyingOf 5 IsResourceIdentifiedInPlace → IsTypeOf → IsResourceNamedInPlace
1114	IsResourceIdentifiedWithTool	Standard	The relating term between IdentifiedResource and IdentifyingTool	1 IsResourceIdentifiedWithTool → IsRelatingTermBegottenBy → Identify 2 IsResourceIdentifiedWithTool → IsRelatingTermFrom → IdentifiedResource 3 IsResourceIdentifiedWithTool → IsRelatingTermTo → IdentifyingTool 4 IsResourceIdentifiedWithTool → IsReciprocalOf → IsToolForIdentifyingOf 5 IsResourceIdentifiedWithTool → IsTypeOf → IsResourceNamedWithTool
1115	IsResourceInPlace	Standard	The relating term between	1 IsResourceInPlace → IsRelatingTermBegottenBy → Act 2 IsResourceInPlace → IsRelatingTermFrom → Resource

			Resource and Place	3 IsResourceInPlace → IsRelatingTermTo → Place 4 IsResourceInPlace → IsReciprocalOf → IsPlaceOfBeingActedOnOf
1116	IsResourceMeasuredAtTime	Standard	The relating term between MeasuredResource and TimeOfMeasuring	1 IsResourceMeasuredAtTime → IsRelatingTermBegottenBy → Measure 2 IsResourceMeasuredAtTime → IsRelatingTermFrom → MeasuredResource 3 IsResourceMeasuredAtTime → IsRelatingTermTo → TimeOfMeasuring 4 IsResourceMeasuredAtTime → IsReciprocalOf → IsTimeOfMeasuringOf 5 IsResourceMeasuredAtTime → IsTypeOf → IsResourceAscribedAtTime
1117	IsResourceMeasuredInPlace	Standard	The relating term between MeasuredResource and PlaceOfMeasuring	1 IsResourceMeasuredInPlace → IsRelatingTermBegottenBy → Measure 2 IsResourceMeasuredInPlace → IsRelatingTermFrom → MeasuredResource 3 IsResourceMeasuredInPlace → IsRelatingTermTo → PlaceOfMeasuring 4 IsResourceMeasuredInPlace → IsReciprocalOf → IsPlaceOfMeasuringOf 5 IsResourceMeasuredInPlace → IsTypeOf → IsResourceAscribedInPlace
1118	IsResourceMeasuredWithTool	Standard	The relating term between MeasuredResource and MeasuringTool	1 IsResourceMeasuredWithTool → IsRelatingTermBegottenBy → Measure 2 IsResourceMeasuredWithTool → IsRelatingTermFrom → MeasuredResource 3 IsResourceMeasuredWithTool → IsRelatingTermTo → MeasuringTool 4 IsResourceMeasuredWithTool → IsReciprocalOf → IsToolForMeasuringOf 5 IsResourceMeasuredWithTool → IsTypeOf → IsResourceAscribedWithTool
1119	IsResourceNamedAtTime	Standard	The relating term between NamedResource and TimeOfNaming	1 IsResourceNamedAtTime → IsRelatingTermBegottenBy → Nominate 2 IsResourceNamedAtTime → IsRelatingTermFrom → NamedResource 3 IsResourceNamedAtTime → IsRelatingTermTo → TimeOfNaming 4 IsResourceNamedAtTime → IsReciprocalOf → IsTimeOfNamingOf 5 IsResourceNamedAtTime → IsTypeOf → IsResourceAscribedAtTime
1120	IsResourceNamedInPlace	Standard	The relating term between NamedResource and PlaceOfNaming	1 IsResourceNamedInPlace → IsRelatingTermBegottenBy → Nominate 2 IsResourceNamedInPlace → IsRelatingTermFrom → NamedResource 3 IsResourceNamedInPlace → IsRelatingTermTo → PlaceOfNaming 4 IsResourceNamedInPlace → IsReciprocalOf → IsPlaceOfNamingOf 5 IsResourceNamedInPlace → IsTypeOf → IsResourceAscribedInPlace
1121	IsResourceNamedWithTool	Standard	The relating term between	1 IsResourceNamedWithTool → IsRelatingTermBegottenBy → Nominate 2 IsResourceNamedWithTool → IsRelatingTermFrom → NamedResource

			NamedResource and NamingTool	3 IsResourceNamedWithTool → IsRelatingTermTo → NamingTool 4 IsResourceNamedWithTool → IsReciprocalOf → IsToolForNamingOf 5 IsResourceNamedWithTool → IsTypeOf → IsResourceAscribedWithTool
1122	IsResourcePartitionedAtTime	Standard	The relating term between Whole and TimeOfPartitioning	1 IsResourcePartitionedAtTime → IsRelatingTermBegottenBy → Partition 2 IsResourcePartitionedAtTime → IsRelatingTermFrom → Whole 3 IsResourcePartitionedAtTime → IsRelatingTermTo → TimeOfPartitioning 4 IsResourcePartitionedAtTime → IsReciprocalOf → IsTimeOfPartitioningOf 5 IsResourcePartitionedAtTime → IsTypeOf → IsResourceAscribedAtTime
1123	IsResourcePartitionedInPlace	Standard	The relating term between Whole and PlaceOfPartitioning	1 IsResourcePartitionedInPlace → IsRelatingTermBegottenBy → Partition 2 IsResourcePartitionedInPlace → IsRelatingTermFrom → Whole 3 IsResourcePartitionedInPlace → IsRelatingTermTo → PlaceOfPartitioning 4 IsResourcePartitionedInPlace → IsReciprocalOf → IsPlaceOfPartitioningOf 5 IsResourcePartitionedInPlace → IsTypeOf → IsResourceAscribedInPlace
1124	IsResourcePartitionedWithTool	Standard	The relating term between Whole and PartitioningTool	1 IsResourcePartitionedWithTool → IsRelatingTermBegottenBy → Partition 2 IsResourcePartitionedWithTool → IsRelatingTermFrom → Whole 3 IsResourcePartitionedWithTool → IsRelatingTermTo → PartitioningTool 4 IsResourcePartitionedWithTool → IsReciprocalOf → IsToolForPartitioningOf 5 IsResourcePartitionedWithTool → IsTypeOf → IsResourceAscribedWithTool
1125	IsResourceQualifiedAtTime	Standard	The relating term between QualifiedResource and TimeOfQualifying	1 IsResourceQualifiedAtTime → IsRelatingTermBegottenBy → Qualify 2 IsResourceQualifiedAtTime → IsRelatingTermFrom → QualifiedResource 3 IsResourceQualifiedAtTime → IsRelatingTermTo → TimeOfQualifying 4 IsResourceQualifiedAtTime → IsReciprocalOf → IsTimeOfQualifying 5 IsResourceQualifiedAtTime → IsTypeOf → IsResourceCategorizedAtTime
1126	IsResourceQualifiedInPlace	Standard	The relating term between QualifiedResource and PlaceOfQualifying	1 IsResourceQualifiedInPlace → IsRelatingTermBegottenBy → Qualify 2 IsResourceQualifiedInPlace → IsRelatingTermFrom → QualifiedResource 3 IsResourceQualifiedInPlace → IsRelatingTermTo → PlaceOfQualifying 4 IsResourceQualifiedInPlace → IsReciprocalOf → IsPlaceOfQualifying 5 IsResourceQualifiedInPlace → IsTypeOf → IsResourceCategorizedInPlace

1127	IsResourceQualifiedWithTool	Standard	The relating term between QualifiedResource and QualifyingTool	1 IsResourceQualifiedWithTool → IsRelatingTermBegottenBy → Qualify 2 IsResourceQualifiedWithTool → IsRelatingTermFrom → QualifiedResource 3 IsResourceQualifiedWithTool → IsRelatingTermTo → QualifyingTool 4 IsResourceQualifiedWithTool → IsReciprocalOf → IsToolForQualifying 5 IsResourceQualifiedWithTool → IsTypeOf → IsResourceCategorizedWithTool
1128	IsResourceTypeBegottenBy	Standard	The relating term between ResourceType and Begetter_2	1 IsResourceTypeBegottenBy → IsReciprocalOf → BegetsResourceType 2 IsResourceTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_2 3 IsResourceTypeBegottenBy → IsRelatingTermFrom → ResourceType 4 IsResourceTypeBegottenBy → IsRelatingTermTo → Begetter_2 5 IsResourceTypeBegottenBy → IsTypeOf → IsBegottenBy
1129	IsResourceTypeInContext	Standard		
1130	IsResultAtTime	Standard	The relating term between Result and TimeOfCausation	1 IsResultAtTime → IsRelatingTermBegottenBy → Cause 2 IsResultAtTime → IsRelatingTermFrom → Result 3 IsResultAtTime → IsRelatingTermTo → TimeOfMaking 4 IsResultAtTime → IsReciprocalOf → IsTimeOfCausationOf 5 IsResultAtTime → IsRelatingTermTo → TimeOfCausation 6 IsResultAtTime → IsTypeOf → IsMadeAtTime
1131	IsResultInPlace	Standard	The relating term between Result and PlaceOfCausation	1 IsResultInPlace → IsRelatingTermBegottenBy → Cause 2 IsResultInPlace → IsRelatingTermFrom → Result 3 IsResultInPlace → IsRelatingTermTo → PlaceOfMaking 4 IsResultInPlace → IsReciprocalOf → IsPlaceOfCausationOf 5 IsResultInPlace → IsRelatingTermTo → PlaceOfCausation 6 IsResultInPlace → IsTypeOf → IsMadeInPlace
1132	IsResultOf	Standard	The relating term between Result and Causer	1 IsResultOf → IsReciprocalOf → HasResult 2 IsResultOf → IsRelatingTermBegottenBy → Cause 3 IsResultOf → IsRelatingTermFrom → Result 4 IsResultOf → IsRelatingTermTo → Causer 5 IsResultOf → IsTypeOf → IsMadeBy

1133	IsSetWithActTypeOf	Standard Derived	A RelatingTerm from a TermSet to a Context which has an ActType that is one of the Members of the TermSet.	1 IsSetWithActTypeOf → IsReciprocalOf → HasActTypeFrom 2 IsSetWithActTypeOf → IsTypeOf → IsActTypeInContext
1134	IsSetWithAgentTypeOf	Standard Derived	A RelatingTerm from a TermSet to a Context which has an AgentType that is one of the Members of the TermSet.	1 IsSetWithAgentTypeOf → IsReciprocalOf → HasAgentTypeFrom 2 IsSetWithAgentTypeOf → IsTypeOf → IsAgentTypeInContext
1135	IsSetWithAttributeOf	Standard Derived	A RelatingTerm from a TermSet to an Entity which has an Attribute that is one of the Members of the TermSet.	1 IsSetWithAttributeOf → IsReciprocalOf → HasMemberOf 2 IsSetWithAttributeOf → IsTypeOf → IsCategoryOf
1136	IsSetWithClassOf	Standard Derived	A RelatingTerm from a TermSet to an Entity which belongs to a Class that is one of the Members of the TermSet.	1 IsSetWithClassOf → IsReciprocalOf → IsAClassFrom 2 IsSetWithClassOf → IsTypeOf → IsCategoryOf
1137	IsSetWithComponentOf	Standard Derived	A RelatingTerm from a TermSet to an Entity which has a Component that is one of the Members of the TermSet.	1 IsSetWithComponentOf → IsReciprocalOf → HasComponentFrom 2 IsSetWithComponentOf → IsTypeOf → IsCategoryOf
1138	IsSetWithResourceTypeOf	Standard Derived	A RelatingTerm from a TermSet to a Context which has a ResourceType that is one of the Members of the TermSet.	1 IsSetWithResourceTypeOf → IsReciprocalOf → HasResourceTypeFrom 2 IsSetWithResourceTypeOf → IsTypeOf → IsResourceTypeInContext
1139	IsSourceAdaptedFromBy	Standard	The relating term between SourceOfAdaptation and Adaptor	1 IsSourceAdaptedFromBy → IsReciprocalOf → IsAdaptorFromSource 2 IsSourceAdaptedFromBy → IsRelatingTermBegottenBy → Adapt 3 IsSourceAdaptedFromBy → IsRelatingTermFrom → SourceOfAdaptation 4 IsSourceAdaptedFromBy → IsRelatingTermTo → Adaptor

1140	IsSourceAdaptedFromToPlace	Standard	The relating term between SourceOfAdaptation and PlaceOfAdaptingTo	1 IsSourceAdaptedFromToPlace → IsRelatingTermBegottenBy → Adapt 2 IsSourceAdaptedFromToPlace → IsRelatingTermFrom → SourceOfAdaptation 3 IsSourceAdaptedFromToPlace → IsRelatingTermTo → PlaceOfAdaptingTo 4 IsSourceAdaptedFromToPlace → IsReciprocalOf → IsPlaceOfAdaptingToFromSource
1141	IsSourceAdaptedFromWithTool	Standard	The relating term between SourceOfAdaptation and AdaptingTool	1 IsSourceAdaptedFromWithTool → IsRelatingTermBegottenBy → Adapt 2 IsSourceAdaptedFromWithTool → IsRelatingTermFrom → SourceOfAdaptation 3 IsSourceAdaptedFromWithTool → IsRelatingTermTo → AdaptingTool 4 IsSourceAdaptedFromWithTool → IsReciprocalOf → IsToolForAdaptingFromSource
1142	IsSourceCopiedFromBy	Standard	The relating term between SourceOfReplica and Copier	1 IsSourceCopiedFromBy → IsReciprocalOf → IsCopierFromSource 2 IsSourceCopiedFromBy → IsRelatingTermBegottenBy → Copy 3 IsSourceCopiedFromBy → IsRelatingTermFrom → SourceOfReplica 4 IsSourceCopiedFromBy → IsRelatingTermTo → Copier
1143	IsSourceCopiedFromToPlace	Standard	The relating term between SourceOfReplica and PlaceOfCopyingTo	1 IsSourceCopiedFromToPlace → IsRelatingTermBegottenBy → Copy 2 IsSourceCopiedFromToPlace → IsRelatingTermFrom → SourceOfReplica 3 IsSourceCopiedFromToPlace → IsRelatingTermTo → PlaceOfCopyingTo 4 IsSourceCopiedFromToPlace → IsReciprocalOf → IsPlaceOfCopyingToFromSource
1144	IsSourceCopiedFromWithTool	Standard	The relating term between SourceOfReplica and CopyingTool	1 IsSourceCopiedFromWithTool → IsRelatingTermBegottenBy → Copy 2 IsSourceCopiedFromWithTool → IsRelatingTermFrom → SourceOfReplica 3 IsSourceCopiedFromWithTool → IsRelatingTermTo → CopyingTool 4 IsSourceCopiedFromWithTool → IsReciprocalOf → IsToolForCopyingFromSource
1145	IsSourceOf	Standard	The relating term between Source and Derivation	1 IsSourceOf → IsReciprocalOf → HasSource 2 IsSourceOf → IsRelatingTermBegottenBy → Derive 3 IsSourceOf → IsRelatingTermFrom → Source 4 IsSourceOf → IsRelatingTermTo → Derivation

1146	IsSourceOfAdaptationAtTime	Standard	The relating term between SourceOfAdaptation and TimeOfAdapting	1 IsSourceOfAdaptationAtTime → IsRelatingTermBegottenBy → Adapt 2 IsSourceOfAdaptationAtTime → IsRelatingTermFrom → SourceOfAdaptation 3 IsSourceOfAdaptationAtTime → IsRelatingTermTo → TimeOfAdapting 4 IsSourceOfAdaptationAtTime → IsReciprocalOf → IsTimeOfAdaptingFromSource
1147	IsSourceOfAdaptationInPlace	Standard	The relating term between SourceOfAdaptation and PlaceOfAdapting	1 IsSourceOfAdaptationInPlace → IsRelatingTermBegottenBy → Adapt 2 IsSourceOfAdaptationInPlace → IsRelatingTermFrom → SourceOfAdaptation 3 IsSourceOfAdaptationInPlace → IsRelatingTermTo → PlaceOfAdapting 4 IsSourceOfAdaptationInPlace → IsReciprocalOf → IsPlaceOfAdaptingFromSource
1148	IsSourceOfCreationOf	Standard	The relating term between SourceOfCreation and Creation	1 IsSourceOfCreationOf → IsReciprocalOf → HasSourceOfCreation 2 IsSourceOfCreationOf → IsRelatingTermBegottenBy → Create 3 IsSourceOfCreationOf → IsRelatingTermFrom → SourceOfCreation 4 IsSourceOfCreationOf → IsRelatingTermTo → Creation
1149	IsSourceOfReplicaAtTime	Standard	The relating term between SourceOfReplica and TimeOfCopying	1 IsSourceOfReplicaAtTime → IsRelatingTermBegottenBy → Copy 2 IsSourceOfReplicaAtTime → IsRelatingTermFrom → SourceOfReplica 3 IsSourceOfReplicaAtTime → IsRelatingTermTo → TimeOfCopying 4 IsSourceOfReplicaAtTime → IsReciprocalOf → IsTimeOfCopyingFromSource
1150	IsSourceOfReplicaInPlace	Standard	The relating term between SourceOfReplica and PlaceOfCopying	1 IsSourceOfReplicaInPlace → IsRelatingTermBegottenBy → Copy 2 IsSourceOfReplicaInPlace → IsRelatingTermFrom → SourceOfReplica 3 IsSourceOfReplicaInPlace → IsRelatingTermTo → PlaceOfCopying 4 IsSourceOfReplicaInPlace → IsReciprocalOf → IsPlaceOfCopyingFromSource
1151	IsSpecializedAtTime	Standard	The relating term between Archetype and TimeOfSpecializing	1 IsSpecializedAtTime → IsRelatingTermBegottenBy → Specialize 2 IsSpecializedAtTime → IsRelatingTermFrom → Archetype 3 IsSpecializedAtTime → IsRelatingTermTo → TimeOfSpecializing 4 IsSpecializedAtTime → IsReciprocalOf → IsTimeOfSpecializingOf 5 IsSpecializedAtTime → IsTypeOf → IsResourceAscribedAtTime
1152	IsSpecializedBy	Standard	The relating term between Archetype and Specializer	1 IsSpecializedBy → IsReciprocalOf → IsSpecializerOf 2 IsSpecializedBy → IsRelatingTermBegottenBy → Specialize 3 IsSpecializedBy → IsRelatingTermFrom → Archetype

				4 IsSpecializedBy → IsRelatingTermTo → Specializer 5 IsSpecializedBy → IsTypeOf → IsAscribedBy
1153	IsSpecializedInPlace	Standard	The relating term between Archetype and PlaceOfSpecializing	1 IsSpecializedInPlace → IsRelatingTermBegottenBy → Specialize 2 IsSpecializedInPlace → IsRelatingTermFrom → Archetype 3 IsSpecializedInPlace → IsRelatingTermTo → PlaceOfSpecializing 4 IsSpecializedInPlace → IsReciprocalOf → IsPlaceOfSpecializingOf 5 IsSpecializedInPlace → IsTypeOf → IsResourceAscribedInPlace
1154	IsSpecializedWithTool	Standard	The relating term between Archetype and SpecializingTool	1 IsSpecializedWithTool → IsRelatingTermBegottenBy → Specialize 2 IsSpecializedWithTool → IsRelatingTermFrom → Archetype 3 IsSpecializedWithTool → IsRelatingTermTo → SpecializingTool 4 IsSpecializedWithTool → IsReciprocalOf → IsToolForSpecializingOf 5 IsSpecializedWithTool → IsTypeOf → IsResourceAscribedWithTool
1155	IsSpecializerAtTime	Standard	The relating term between Specializer and TimeOfSpecializing	1 IsSpecializerAtTime → IsRelatingTermBegottenBy → Specialize 2 IsSpecializerAtTime → IsRelatingTermFrom → Specializer 3 IsSpecializerAtTime → IsRelatingTermTo → TimeOfSpecializing 4 IsSpecializerAtTime → IsReciprocalOf → IsTimeOfSpecializingBy 5 IsSpecializerAtTime → IsTypeOf → IsAscriberAtTime
1156	IsSpecializerInPlace	Standard	The relating term between Specializer and PlaceOfSpecializing	1 IsSpecializerInPlace → IsRelatingTermBegottenBy → Specialize 2 IsSpecializerInPlace → IsRelatingTermFrom → Specializer 3 IsSpecializerInPlace → IsRelatingTermTo → PlaceOfSpecializing 4 IsSpecializerInPlace → IsReciprocalOf → IsPlaceOfSpecializingBy 5 IsSpecializerInPlace → IsTypeOf → IsAscriberInPlace
1157	IsSpecializerOf	Standard	The relating term between Specializer and Archetype	1 IsSpecializerOf → IsRelatingTermBegottenBy → Specialize 2 IsSpecializerOf → IsRelatingTermFrom → Specializer 3 IsSpecializerOf → IsRelatingTermTo → Archetype 4 IsSpecializerOf → IsReciprocalOf → IsSpecializedBy 5 IsSpecializerOf → IsTypeOf → IsAscriberOf
1158	IsSpecializerWith	Standard	The relating term between	1 IsSpecializerWith → IsRelatingTermBegottenBy → Specialize 2 IsSpecializerWith → IsRelatingTermFrom → Specializer

			Specializer and Type	3 IsSpecializerWith → IsRelatingTermTo → Type 4 IsSpecializerWith → IsReciprocalOf → IsTypeAscribedBy 5 IsSpecializerWith → IsTypeOf → IsAscriberWith
1159	IsSpecializerWithTool	Standard	The relating term between Specializer and SpecializingTool	1 IsSpecializerWithTool → IsRelatingTermBegottenBy → Specialize 2 IsSpecializerWithTool → IsRelatingTermFrom → Specializer 3 IsSpecializerWithTool → IsRelatingTermTo → SpecializingTool 4 IsSpecializerWithTool → IsReciprocalOf → IsToolForSpecializingBy 5 IsSpecializerWithTool → IsTypeOf → IsAscriberWithTool
1160	IsSpecializingToolAtTime	Standard	The relating term between SpecializingTool and TimeOfSpecializing	1 IsSpecializingToolAtTime → IsRelatingTermBegottenBy → Specialize 2 IsSpecializingToolAtTime → IsRelatingTermFrom → SpecializingTool 3 IsSpecializingToolAtTime → IsRelatingTermTo → TimeOfSpecializing 4 IsSpecializingToolAtTime → IsReciprocalOf → IsTimeOfSpecializingWithTool 5 IsSpecializingToolAtTime → IsTypeOf → IsAscribingToolAtTime
1161	IsSpecializingToolInPlace	Standard	The relating term between SpecializingTool and PlaceOfSpecializing	1 IsSpecializingToolInPlace → IsRelatingTermBegottenBy → Specialize 2 IsSpecializingToolInPlace → IsRelatingTermFrom → SpecializingTool 3 IsSpecializingToolInPlace → IsRelatingTermTo → PlaceOfSpecializing 4 IsSpecializingToolInPlace → IsReciprocalOf → IsPlaceOfSpecializingWithTool 5 IsSpecializingToolInPlace → IsTypeOf → IsAscribingToolInPlace
1162	IsStateTypeBegottenBy	Standard	The relating term between StateType and Begetter_7	1 IsStateTypeBegottenBy → IsReciprocalOf → BegetsStateType 2 IsStateTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_7 3 IsStateTypeBegottenBy → IsRelatingTermFrom → StateType 4 IsStateTypeBegottenBy → IsRelatingTermTo → Begetter_7 5 IsStateTypeBegottenBy → IsTypeOf → IsBegottenBy
1163	IsStateTypeInContext	Standard		
1164	IsStatusOf	Standard Derived	The RelatingTerm from a Status to an Entity which possesses it.	1 IsStatusOf → IsTypeOf → IsQualityOf 2 IsStatusOf → IsReciprocalOf → HasStatus
1165	IsStatusTypeBegottenBy	Standard	The relating term between	1 IsStatusTypeBegottenBy → IsReciprocalOf → BegetsStatusType 2 IsStatusTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_6

			StatusType and Begetter_6	3 IsStatusTypeBegottenBy → IsRelatingTermFrom → StatusType 4 IsStatusTypeBegottenBy → IsRelatingTermTo → Begetter_6 5 IsStatusTypeBegottenBy → IsTypeOf → IsBegottenBy
1166	IsStatusTypeInContext	Standard		
1167	IsTimeOf	Standard	The relating term between TimeOfSituation and Entity	1 IsTimeOf → IsReciprocalOf → HasTime 2 IsTimeOf → IsRelatingTermBegottenBy → Situation 3 IsTimeOf → IsRelatingTermFrom → TimeOfSituation 4 IsTimeOf → IsRelatingTermTo → Entity 5 IsTimeOf → IsTypeOf → IsTimeOfActingBy
1168	IsTimeOfActingBy	Standard	The relating term between Time and Agent	1 IsTimeOfActingBy → IsReciprocalOf → IsAgentAtTime 2 IsTimeOfActingBy → IsRelatingTermBegottenBy → Act 3 IsTimeOfActingBy → IsRelatingTermFrom → Time 4 IsTimeOfActingBy → IsRelatingTermTo → Agent
1169	IsTimeOfActingInPlace	Standard	The relating term between Time and Place	1 IsTimeOfActingInPlace → IsRelatingTermBegottenBy → Act 2 IsTimeOfActingInPlace → IsRelatingTermFrom → Time 3 IsTimeOfActingInPlace → IsRelatingTermTo → Place 4 IsTimeOfActingInPlace → IsReciprocalOf → IsPlaceOfActingAtTime
1170	IsTimeOfAdapting	Standard	The relating term between TimeOfAdapting and Adaptation	1 IsTimeOfAdapting → IsReciprocalOf → IsAdaptedAtTime 2 IsTimeOfAdapting → IsRelatingTermBegottenBy → Adapt 3 IsTimeOfAdapting → IsRelatingTermFrom → TimeOfAdapting 4 IsTimeOfAdapting → IsRelatingTermTo → Adaptation
1171	IsTimeOfAdaptingBy	Standard	The relating term between TimeOfAdapting and Adaptor	1 IsTimeOfAdaptingBy → IsReciprocalOf → IsAdaptorAtTime 2 IsTimeOfAdaptingBy → IsRelatingTermBegottenBy → Adapt 3 IsTimeOfAdaptingBy → IsRelatingTermFrom → TimeOfAdapting 4 IsTimeOfAdaptingBy → IsRelatingTermTo → Adaptor
1172	IsTimeOfAdaptingFromPlace	Standard	The relating term between TimeOfAdapting and	1 IsTimeOfAdaptingFromPlace → IsRelatingTermBegottenBy → Adapt 2 IsTimeOfAdaptingFromPlace → IsRelatingTermFrom → TimeOfAdapting 3 IsTimeOfAdaptingFromPlace → IsRelatingTermTo → PlaceOfAdaptingFrom

			PlaceOfAdaptingFrom	4 IsTimeOfAdaptingFromPlace → IsReciprocalOf → IsPlaceOfAdaptingFromAtTime
1173	IsTimeOfAdaptingFromSource	Standard	The relating term between TimeOfAdapting and SourceOfAdaptation	1 IsTimeOfAdaptingFromSource → IsReciprocalOf → IsSourceOfAdaptationAtTime 2 IsTimeOfAdaptingFromSource → IsRelatingTermBegottenBy → Adapt 3 IsTimeOfAdaptingFromSource → IsRelatingTermFrom → TimeOfAdapting 4 IsTimeOfAdaptingFromSource → IsRelatingTermTo → SourceOfAdaptation
1174	IsTimeOfAdaptingInPlace	Standard	The relating term between TimeOfAdapting and PlaceOfAdapting	1 IsTimeOfAdaptingInPlace → IsRelatingTermBegottenBy → Adapt 2 IsTimeOfAdaptingInPlace → IsRelatingTermFrom → TimeOfAdapting 3 IsTimeOfAdaptingInPlace → IsRelatingTermTo → PlaceOfAdapting 4 IsTimeOfAdaptingInPlace → IsReciprocalOf → IsPlaceOfAdaptingAtTime
1175	IsTimeOfAdaptingToPlace	Standard	The relating term between TimeOfAdapting and PlaceOfAdaptingTo	1 IsTimeOfAdaptingToPlace → IsRelatingTermBegottenBy → Adapt 2 IsTimeOfAdaptingToPlace → IsRelatingTermFrom → TimeOfAdapting 3 IsTimeOfAdaptingToPlace → IsRelatingTermTo → PlaceOfAdaptingTo 4 IsTimeOfAdaptingToPlace → IsReciprocalOf → IsPlaceOfAdaptingToAtTime
1176	IsTimeOfAdaptingWithTool	Standard	The relating term between TimeOfAdapting and AdaptingTool	1 IsTimeOfAdaptingWithTool → IsReciprocalOf → IsAdaptingToolAtTime 2 IsTimeOfAdaptingWithTool → IsRelatingTermBegottenBy → Adapt 3 IsTimeOfAdaptingWithTool → IsRelatingTermFrom → TimeOfAdapting 4 IsTimeOfAdaptingWithTool → IsRelatingTermTo → AdaptingTool
1177	IsTimeOfAscribingBy	Standard	The relating term between TimeOfAscribing and Ascriber	1 IsTimeOfAscribingBy → IsReciprocalOf → IsAscriberAtTime 2 IsTimeOfAscribingBy → IsRelatingTermBegottenBy → Ascribe 3 IsTimeOfAscribingBy → IsRelatingTermFrom → TimeOfAscribing 4 IsTimeOfAscribingBy → IsRelatingTermTo → Ascriber 5 IsTimeOfAscribingBy → IsTypeOf → IsTimeOfRelatingBy
1178	IsTimeOfAscribingInPlace	Standard	The relating term between TimeOfAscribing and PlaceOfAscribing	1 IsTimeOfAscribingInPlace → IsRelatingTermBegottenBy → Ascribe 2 IsTimeOfAscribingInPlace → IsRelatingTermFrom → TimeOfAscribing 3 IsTimeOfAscribingInPlace → IsRelatingTermTo → PlaceOfAscribing 4 IsTimeOfAscribingInPlace → IsReciprocalOf → IsPlaceOfAscribingAtTime 5 IsTimeOfAscribingInPlace → IsTypeOf → IsTimeOfRelatingInPlace

1179	IsTimeOfAscribingOf	Standard	The relating term between TimeOfAscribing and AscribedResource	1 IsTimeOfAscribingOf → IsReciprocalOf → IsResourceAscribedAtTime 2 IsTimeOfAscribingOf → IsRelatingTermBegottenBy → Ascribe 3 IsTimeOfAscribingOf → IsRelatingTermFrom → TimeOfAscribing 4 IsTimeOfAscribingOf → IsRelatingTermTo → AscribedResource 5 IsTimeOfAscribingOf → IsTypeOf → IsTimeOfRelatingOf
1180	IsTimeOfAscribingWith	Standard	The relating term between TimeOfAscribing and Ascription	1 IsTimeOfAscribingWith → IsReciprocalOf → IsAscriptionAtTime 2 IsTimeOfAscribingWith → IsRelatingTermBegottenBy → Ascribe 3 IsTimeOfAscribingWith → IsRelatingTermFrom → TimeOfAscribing 4 IsTimeOfAscribingWith → IsRelatingTermTo → Ascription 5 IsTimeOfAscribingWith → IsTypeOf → IsTimeOfRelatingOf
1181	IsTimeOfAscribingWithTool	Standard	The relating term between TimeOfAscribing and AscribingTool	1 IsTimeOfAscribingWithTool → IsReciprocalOf → IsAscribingToolAtTime 2 IsTimeOfAscribingWithTool → IsRelatingTermBegottenBy → Ascribe 3 IsTimeOfAscribingWithTool → IsRelatingTermFrom → TimeOfAscribing 4 IsTimeOfAscribingWithTool → IsRelatingTermTo → AscribingTool 5 IsTimeOfAscribingWithTool → IsTypeOf → IsTimeOfRelatingWithTool
1182	IsTimeOfAttributionOf	Standard	The relating term between TimeOfSituation and Attribute	1 IsTimeOfAttributionOf → IsReciprocalOf → IsAttributeAtTime 2 IsTimeOfAttributionOf → IsRelatingTermBegottenBy → Situation 3 IsTimeOfAttributionOf → IsRelatingTermFrom → TimeOfSituation 4 IsTimeOfAttributionOf → IsRelatingTermTo → Attribute 5 IsTimeOfAttributionOf → IsTypeOf → IsTimeOfBeingActedOnOf
1183	IsTimeOfBeingActedOnOf	Standard	The relating term between Time and Resource	1 IsTimeOfBeingActedOnOf → IsReciprocalOf → IsResourceAtTime 2 IsTimeOfBeingActedOnOf → IsRelatingTermBegottenBy → Act 3 IsTimeOfBeingActedOnOf → IsRelatingTermFrom → Time 4 IsTimeOfBeingActedOnOf → IsRelatingTermTo → Resource
1184	IsTimeOfBeingDoneToOf	Standard	The relating term between TimeOfEvent and Patient	1 IsTimeOfBeingDoneToOf → IsReciprocalOf → IsPatientAtTime 2 IsTimeOfBeingDoneToOf → IsRelatingTermBegottenBy → Do 3 IsTimeOfBeingDoneToOf → IsRelatingTermFrom → TimeOfEvent 4 IsTimeOfBeingDoneToOf → IsRelatingTermTo → Patient 5 IsTimeOfBeingDoneToOf → IsTypeOf → IsTimeOfBeingActedOnOf

1185	IsTimeOfCategorizingBy	Standard	The relating term between TimeOfCategorizing and Categorizer	1 IsTimeOfCategorizingBy → IsReciprocalOf → IsCategorizerAtTime 2 IsTimeOfCategorizingBy → IsRelatingTermBegottenBy → Categorize 3 IsTimeOfCategorizingBy → IsRelatingTermFrom → TimeOfCategorizing 4 IsTimeOfCategorizingBy → IsRelatingTermTo → Categorizer 5 IsTimeOfCategorizingBy → IsTypeOf → IsTimeOfAscribingBy
1186	IsTimeOfCategorizingInPlace	Standard	The relating term between TimeOfCategorizing and PlaceOfCategorizing	1 IsTimeOfCategorizingInPlace → IsRelatingTermBegottenBy → Categorize 2 IsTimeOfCategorizingInPlace → IsRelatingTermFrom → TimeOfCategorizing 3 IsTimeOfCategorizingInPlace → IsRelatingTermTo → PlaceOfCategorizing 4 IsTimeOfCategorizingInPlace → IsReciprocalOf → IsPlaceOfCategorizingAtTime 5 IsTimeOfCategorizingInPlace → IsTypeOf → IsTimeOfAscribingInPlace
1187	IsTimeOfCategorizingOf	Standard	The relating term between TimeOfCategorizing and CategorizedResource	1 IsTimeOfCategorizingOf → IsReciprocalOf → IsResourceCategorizedAtTime 2 IsTimeOfCategorizingOf → IsRelatingTermBegottenBy → Categorize 3 IsTimeOfCategorizingOf → IsRelatingTermFrom → TimeOfCategorizing 4 IsTimeOfCategorizingOf → IsRelatingTermTo → CategorizedResource 5 IsTimeOfCategorizingOf → IsTypeOf → IsTimeOfAscribingOf
1188	IsTimeOfCategorizingWith	Standard	The relating term between TimeOfCategorizing and Category	1 IsTimeOfCategorizingWith → IsReciprocalOf → IsCategoryAtTime 2 IsTimeOfCategorizingWith → IsRelatingTermBegottenBy → Categorize 3 IsTimeOfCategorizingWith → IsRelatingTermFrom → TimeOfCategorizing 4 IsTimeOfCategorizingWith → IsRelatingTermTo → Category 5 IsTimeOfCategorizingWith → IsTypeOf → IsTimeOfAscribingWith
1189	IsTimeOfCategorizingWithTool	Standard	The relating term between TimeOfCategorizing and CategorizingTool	1 IsTimeOfCategorizingWithTool → IsReciprocalOf → IsCategorizingToolAtTime 2 IsTimeOfCategorizingWithTool → IsRelatingTermBegottenBy → Categorize 3 IsTimeOfCategorizingWithTool → IsRelatingTermFrom → TimeOfCategorizing 4 IsTimeOfCategorizingWithTool → IsRelatingTermTo → CategorizingTool 5 IsTimeOfCategorizingWithTool → IsTypeOf → IsTimeOfAscribingWithTool
1190	IsTimeOfCausationBy	Standard	The relating term between TimeOfCausation and Causer	1 IsTimeOfCausationBy → IsReciprocalOf → IsCauserAtTime 2 IsTimeOfCausationBy → IsRelatingTermBegottenBy → Cause 3 IsTimeOfCausationBy → IsRelatingTermFrom → TimeOfMaking 4 IsTimeOfCausationBy → IsRelatingTermTo → Causer 5 IsTimeOfCausationBy → IsRelatingTermFrom → TimeOfCausation

				6 IsTimeOfCausationBy → IsTypeOf → IsTimeOfMakingBy
1191	IsTimeOfCausationInPlace	Standard	The relating term between TimeOfMaking and PlaceOfCausation	1 IsTimeOfCausationInPlace → IsRelatingTermBegottenBy → Cause 2 IsTimeOfCausationInPlace → IsRelatingTermFrom → TimeOfCausation 3 IsTimeOfCausationInPlace → IsRelatingTermTo → PlaceOfMaking 4 IsTimeOfCausationInPlace → IsReciprocalOf → IsPlaceOfCausationAtTime 5 IsTimeOfCausationInPlace → IsRelatingTermFrom → TimeOfMaking 6 IsTimeOfCausationInPlace → IsRelatingTermTo → PlaceOfCausation
1192	IsTimeOfCausationOf	Standard	The relating term between TimeOfCausation and Result	1 IsTimeOfCausationOf → IsReciprocalOf → IsResultAtTime 2 IsTimeOfCausationOf → IsRelatingTermBegottenBy → Cause 3 IsTimeOfCausationOf → IsRelatingTermFrom → TimeOfMaking 4 IsTimeOfCausationOf → IsRelatingTermTo → Result 5 IsTimeOfCausationOf → IsRelatingTermFrom → TimeOfCausation 6 IsTimeOfCausationOf → IsTypeOf → IsTimeOfMakingOf
1193	IsTimeOfClassifyingBy	Standard	The relating term between TimeOfClassifying and Classifier	1 IsTimeOfClassifyingBy → IsReciprocalOf → IsClassifierAtTime 2 IsTimeOfClassifyingBy → IsRelatingTermBegottenBy → Classify 3 IsTimeOfClassifyingBy → IsRelatingTermFrom → TimeOfClassifying 4 IsTimeOfClassifyingBy → IsRelatingTermTo → Classifier 5 IsTimeOfClassifyingBy → IsTypeOf → IsTimeOfAscribingBy
1194	IsTimeOfClassifyingInPlace	Standard	The relating term between TimeOfClassifying and PlaceOfClassifying	1 IsTimeOfClassifyingInPlace → IsRelatingTermBegottenBy → Classify 2 IsTimeOfClassifyingInPlace → IsRelatingTermFrom → TimeOfClassifying 3 IsTimeOfClassifyingInPlace → IsRelatingTermTo → PlaceOfClassifying 4 IsTimeOfClassifyingInPlace → IsReciprocalOf → IsPlaceOfClassifyingAtTime 5 IsTimeOfClassifyingInPlace → IsTypeOf → IsTimeOfAscribingInPlace
1195	IsTimeOfClassifyingOf	Standard	The relating term between TimeOfClassifying and ClassifiedResource	1 IsTimeOfClassifyingOf → IsReciprocalOf → IsResourceClassifiedAtTime 2 IsTimeOfClassifyingOf → IsRelatingTermBegottenBy → Classify 3 IsTimeOfClassifyingOf → IsRelatingTermFrom → TimeOfClassifying 4 IsTimeOfClassifyingOf → IsRelatingTermTo → ClassifiedResource 5 IsTimeOfClassifyingOf → IsTypeOf → IsTimeOfAscribingOf

1196	IsTimeOfClassifyingWith	Standard	The relating term between TimeOfClassifying and Class	1 IsTimeOfClassifyingWith → IsReciprocalOf → IsClassAtTime 2 IsTimeOfClassifyingWith → IsRelatingTermBegottenBy → Classify 3 IsTimeOfClassifyingWith → IsRelatingTermFrom → TimeOfClassifying 4 IsTimeOfClassifyingWith → IsRelatingTermTo → Class 5 IsTimeOfClassifyingWith → IsTypeOf → IsTimeOfAscribingWith
1197	IsTimeOfClassifyingWithTool	Standard	The relating term between TimeOfClassifying and ClassifyingTool	1 IsTimeOfClassifyingWithTool → IsReciprocalOf → IsClassifyingToolAtTime 2 IsTimeOfClassifyingWithTool → IsRelatingTermBegottenBy → Classify 3 IsTimeOfClassifyingWithTool → IsRelatingTermFrom → TimeOfClassifying 4 IsTimeOfClassifyingWithTool → IsRelatingTermTo → ClassifyingTool 5 IsTimeOfClassifyingWithTool → IsTypeOf → IsTimeOfAscribingWithTool
1198	IsTimeOfCopying	Standard	The relating term between TimeOfCopying and Replica	1 IsTimeOfCopying → IsReciprocalOf → IsCopiedAtTime 2 IsTimeOfCopying → IsRelatingTermBegottenBy → Copy 3 IsTimeOfCopying → IsRelatingTermFrom → TimeOfCopying 4 IsTimeOfCopying → IsRelatingTermTo → Replica
1199	IsTimeOfCopyingBy	Standard	The relating term between TimeOfCopying and Copier	1 IsTimeOfCopyingBy → IsReciprocalOf → IsCopierAtTime 2 IsTimeOfCopyingBy → IsRelatingTermBegottenBy → Copy 3 IsTimeOfCopyingBy → IsRelatingTermFrom → TimeOfCopying 4 IsTimeOfCopyingBy → IsRelatingTermTo → Copier
1200	IsTimeOfCopyingFromPlace	Standard	The relating term between TimeOfCopying and PlaceOfCopyingFrom	1 IsTimeOfCopyingFromPlace → IsRelatingTermBegottenBy → Copy 2 IsTimeOfCopyingFromPlace → IsRelatingTermFrom → TimeOfCopying 3 IsTimeOfCopyingFromPlace → IsRelatingTermTo → PlaceOfCopyingFrom 4 IsTimeOfCopyingFromPlace → IsReciprocalOf → IsPlaceOfCopyingFromAtTime
1201	IsTimeOfCopyingFromSource	Standard	The relating term between TimeOfCopying and SourceOfReplica	1 IsTimeOfCopyingFromSource → IsReciprocalOf → IsSourceOfReplicaAtTime 2 IsTimeOfCopyingFromSource → IsRelatingTermBegottenBy → Copy 3 IsTimeOfCopyingFromSource → IsRelatingTermFrom → TimeOfCopying 4 IsTimeOfCopyingFromSource → IsRelatingTermTo → SourceOfReplica
1202	IsTimeOfCopyingInPlace	Standard	The relating term between TimeOfCopying and	1 IsTimeOfCopyingInPlace → IsRelatingTermBegottenBy → Copy 2 IsTimeOfCopyingInPlace → IsRelatingTermFrom → TimeOfCopying 3 IsTimeOfCopyingInPlace → IsRelatingTermTo → PlaceOfCopying

			PlaceOfCopying	4 IsTimeOfCopyingInPlace → IsReciprocalOf → IsPlaceOfCopyingAtTime
1203	IsTimeOfCopyingToPlace	Standard	The relating term between TimeOfCopying and PlaceOfCopyingTo	1 IsTimeOfCopyingToPlace → IsRelatingTermBegottenBy → Copy 2 IsTimeOfCopyingToPlace → IsRelatingTermFrom → TimeOfCopying 3 IsTimeOfCopyingToPlace → IsRelatingTermTo → PlaceOfCopyingTo 4 IsTimeOfCopyingToPlace → IsReciprocalOf → IsPlaceOfCopyingToAtTime
1204	IsTimeOfCopyingWithTool	Standard	The relating term between TimeOfCopying and CopyingTool	1 IsTimeOfCopyingWithTool → IsReciprocalOf → IsCopyingToolAtTime 2 IsTimeOfCopyingWithTool → IsRelatingTermBegottenBy → Copy 3 IsTimeOfCopyingWithTool → IsRelatingTermFrom → TimeOfCopying 4 IsTimeOfCopyingWithTool → IsRelatingTermTo → CopyingTool
1205	IsTimeOfDoingBy	Standard	The relating term between TimeOfEvent and Doer	1 IsTimeOfDoingBy → IsReciprocalOf → IsDoerAtTime 2 IsTimeOfDoingBy → IsRelatingTermBegottenBy → Do 3 IsTimeOfDoingBy → IsRelatingTermFrom → TimeOfEvent 4 IsTimeOfDoingBy → IsRelatingTermTo → Doer 5 IsTimeOfDoingBy → IsTypeOf → IsTimeOfActingBy
1206	IsTimeOfEquating	Standard	The relating term between TimeOfEquating and Equivalent	1 IsTimeOfEquating → IsReciprocalOf → IsEquivalentAtTime 2 IsTimeOfEquating → IsRelatingTermBegottenBy → Equate 3 IsTimeOfEquating → IsRelatingTermFrom → TimeOfEquating 4 IsTimeOfEquating → IsRelatingTermTo → Equivalent 5 IsTimeOfEquating → IsTypeOf → IsTimeOfRelatingOf
1207	IsTimeOfEquatingBy	Standard	The relating term between TimeOfEquating and Equater	1 IsTimeOfEquatingBy → IsReciprocalOf → IsEquaterAtTime 2 IsTimeOfEquatingBy → IsRelatingTermBegottenBy → Equate 3 IsTimeOfEquatingBy → IsRelatingTermFrom → TimeOfEquating 4 IsTimeOfEquatingBy → IsRelatingTermTo → Equater 5 IsTimeOfEquatingBy → IsTypeOf → IsTimeOfRelatingBy
1208	IsTimeOfEquatingInPlace	Standard	The relating term between TimeOfEquating and PlaceOfEquating	1 IsTimeOfEquatingInPlace → IsRelatingTermBegottenBy → Equate 2 IsTimeOfEquatingInPlace → IsRelatingTermFrom → TimeOfEquating 3 IsTimeOfEquatingInPlace → IsRelatingTermTo → PlaceOfEquating 4 IsTimeOfEquatingInPlace → IsReciprocalOf → IsPlaceOfEquatingAtTime

				5 IsTimeOfEquatingInPlace → IsTypeOf → IsTimeOfRelatingInPlace
1209	IsTimeOfEquatingWithTool	Standard	The relating term between TimeOfEquating and EquatingTool	1 IsTimeOfEquatingWithTool → IsReciprocalOf → IsEquatingToolAtTime 2 IsTimeOfEquatingWithTool → IsRelatingTermBegottenBy → Equate 3 IsTimeOfEquatingWithTool → IsRelatingTermFrom → TimeOfEquating 4 IsTimeOfEquatingWithTool → IsRelatingTermTo → EquatingTool 5 IsTimeOfEquatingWithTool → IsTypeOf → IsTimeOfRelatingWithTool
1210	IsTimeOfEvaluatingBy	Standard	The relating term between TimeOfEvaluating and Evaluator	1 IsTimeOfEvaluatingBy → IsReciprocalOf → IsEvaluatorAtTime 2 IsTimeOfEvaluatingBy → IsRelatingTermBegottenBy → Evaluate 3 IsTimeOfEvaluatingBy → IsRelatingTermFrom → TimeOfEvaluating 4 IsTimeOfEvaluatingBy → IsRelatingTermTo → Evaluator 5 IsTimeOfEvaluatingBy → IsTypeOf → IsTimeOfAscribingBy
1211	IsTimeOfEvaluatingInPlace	Standard	The relating term between TimeOfEvaluating and PlaceOfEvaluating	1 IsTimeOfEvaluatingInPlace → IsRelatingTermBegottenBy → Evaluate 2 IsTimeOfEvaluatingInPlace → IsRelatingTermFrom → TimeOfEvaluating 3 IsTimeOfEvaluatingInPlace → IsRelatingTermTo → PlaceOfEvaluating 4 IsTimeOfEvaluatingInPlace → IsReciprocalOf → IsPlaceOfEvaluatingAtTime 5 IsTimeOfEvaluatingInPlace → IsTypeOf → IsTimeOfAscribingInPlace
1212	IsTimeOfEvaluatingOf	Standard	The relating term between TimeOfEvaluating and EvaluatedResource	1 IsTimeOfEvaluatingOf → IsReciprocalOf → IsResourceEvaluatedAtTime 2 IsTimeOfEvaluatingOf → IsRelatingTermBegottenBy → Evaluate 3 IsTimeOfEvaluatingOf → IsRelatingTermFrom → TimeOfEvaluating 4 IsTimeOfEvaluatingOf → IsRelatingTermTo → EvaluatedResource 5 IsTimeOfEvaluatingOf → IsTypeOf → IsTimeOfAscribingOf
1213	IsTimeOfEvaluatingWith	Standard	The relating term between TimeOfEvaluating and Value	1 IsTimeOfEvaluatingWith → IsReciprocalOf → IsValueAtTime 2 IsTimeOfEvaluatingWith → IsRelatingTermBegottenBy → Evaluate 3 IsTimeOfEvaluatingWith → IsRelatingTermFrom → TimeOfEvaluating 4 IsTimeOfEvaluatingWith → IsRelatingTermTo → Value 5 IsTimeOfEvaluatingWith → IsTypeOf → IsTimeOfAscribingWith
1214	IsTimeOfEvaluatingWithTool	Standard	The relating term between TimeOfEvaluating and	1 IsTimeOfEvaluatingWithTool → IsReciprocalOf → IsEvaluatingToolAtTime 2 IsTimeOfEvaluatingWithTool → IsRelatingTermBegottenBy → Evaluate 3 IsTimeOfEvaluatingWithTool → IsRelatingTermFrom → TimeOfEvaluating

			EvaluatingTool	4 IsTimeOfEvaluatingWithTool → IsRelatingTermTo → EvaluatingTool 5 IsTimeOfEvaluatingWithTool → IsTypeOf → IsTimeOfAscribingWithTool
1215	IsTimeOfEventInPlace	Standard	The relating term between TimeOfEvent and PlaceOfEvent	1 IsTimeOfEventInPlace → IsRelatingTermBegottenBy → Do 2 IsTimeOfEventInPlace → IsRelatingTermFrom → TimeOfEvent 3 IsTimeOfEventInPlace → IsRelatingTermTo → PlaceOfEvent 4 IsTimeOfEventInPlace → IsReciprocalOf → IsPlaceOfEventInTime 5 IsTimeOfEventInPlace → IsTypeOf → IsTimeOfActingInPlace
1216	IsTimeOfExistenceInPlace	Standard	The relating term between TimeOfExistence and PlaceOfExistence	1 IsTimeOfExistenceInPlace → IsRelatingTermBegottenBy → Existence 2 IsTimeOfExistenceInPlace → IsRelatingTermFrom → TimeOfExistence 3 IsTimeOfExistenceInPlace → IsRelatingTermTo → PlaceOfExistence 4 IsTimeOfExistenceInPlace → IsReciprocalOf → IsPlaceOfExistenceAtTime 5 IsTimeOfExistenceInPlace → IsTypeOf → IsTimeOfSituationInPlace
1217	IsTimeOfExistenceOf	Standard	The relating term between TimeOfExistence and Exister	1 IsTimeOfExistenceOf → IsReciprocalOf → IsExisterAtTime 2 IsTimeOfExistenceOf → IsRelatingTermBegottenBy → Existence 3 IsTimeOfExistenceOf → IsRelatingTermFrom → TimeOfExistence 4 IsTimeOfExistenceOf → IsRelatingTermTo → Exister 5 IsTimeOfExistenceOf → IsTypeOf → IsTimeOf
1218	IsTimeOfFormalizingBy	Standard	The relating term between TimeOfFormalizing and Formalizer	1 IsTimeOfFormalizingBy → IsReciprocalOf → IsFormalizerAtTime 2 IsTimeOfFormalizingBy → IsRelatingTermBegottenBy → Formalize 3 IsTimeOfFormalizingBy → IsRelatingTermFrom → TimeOfFormalizing 4 IsTimeOfFormalizingBy → IsRelatingTermTo → Formalizer 5 IsTimeOfFormalizingBy → IsTypeOf → IsTimeOfQualifyingBy
1219	IsTimeOfFormalizingInPlace	Standard	The relating term between TimeOfFormalizing and PlaceOfFormalizing	1 IsTimeOfFormalizingInPlace → IsRelatingTermBegottenBy → Formalize 2 IsTimeOfFormalizingInPlace → IsRelatingTermFrom → TimeOfFormalizing 3 IsTimeOfFormalizingInPlace → IsRelatingTermTo → PlaceOfFormalizing 4 IsTimeOfFormalizingInPlace → IsReciprocalOf → IsPlaceOfFormalizingAtTime 5 IsTimeOfFormalizingInPlace → IsTypeOf → IsTimeOfQualifyingInPlace
1220	IsTimeOfFormalizingOf	Standard	The relating term between TimeOfFormalizing and	1 IsTimeOfFormalizingOf → IsReciprocalOf → IsResourceFormalizedAtTime 2 IsTimeOfFormalizingOf → IsRelatingTermBegottenBy → Formalize

			FormalizedResource	3 IsTimeOfFormalizingOf → IsRelatingTermFrom → TimeOfFormalizing 4 IsTimeOfFormalizingOf → IsRelatingTermTo → FormalizedResource 5 IsTimeOfFormalizingOf → IsTypeOf → IsTimeOfQualifying
1221	IsTimeOfFormalizingWith	Standard	The relating term between TimeOfFormalizing and Form	1 IsTimeOfFormalizingWith → IsReciprocalOf → IsFormAtTime 2 IsTimeOfFormalizingWith → IsRelatingTermBegottenBy → Formalize 3 IsTimeOfFormalizingWith → IsRelatingTermFrom → TimeOfFormalizing 4 IsTimeOfFormalizingWith → IsRelatingTermTo → Form 5 IsTimeOfFormalizingWith → IsTypeOf → IsTimeOfQualifyingWith
1222	IsTimeOfFormalizingWithTool	Standard	The relating term between TimeOfFormalizing and FormalizingTool	1 IsTimeOfFormalizingWithTool → IsReciprocalOf → IsFormalizingToolAtTime 2 IsTimeOfFormalizingWithTool → IsRelatingTermBegottenBy → Formalize 3 IsTimeOfFormalizingWithTool → IsRelatingTermFrom → TimeOfFormalizing 4 IsTimeOfFormalizingWithTool → IsRelatingTermTo → FormalizingTool 5 IsTimeOfFormalizingWithTool → IsTypeOf → IsTimeOfQualifyingWithTool
1223	IsTimeOfIdentifyingBy	Standard	The relating term between TimeOfIdentifying and IdentifyingAgent	1 IsTimeOfIdentifyingBy → IsReciprocalOf → IsIdentifyingAgentAtTime 2 IsTimeOfIdentifyingBy → IsRelatingTermBegottenBy → Identify 3 IsTimeOfIdentifyingBy → IsRelatingTermFrom → TimeOfIdentifying 4 IsTimeOfIdentifyingBy → IsRelatingTermTo → IdentifyingAgent 5 IsTimeOfIdentifyingBy → IsTypeOf → IsTimeOfNamingBy
1224	IsTimeOfIdentifyingInPlace	Standard	The relating term between TimeOfIdentifying and PlaceOfIdentifying	1 IsTimeOfIdentifyingInPlace → IsRelatingTermBegottenBy → Identify 2 IsTimeOfIdentifyingInPlace → IsRelatingTermFrom → TimeOfIdentifying 3 IsTimeOfIdentifyingInPlace → IsRelatingTermTo → PlaceOfIdentifying 4 IsTimeOfIdentifyingInPlace → IsReciprocalOf → IsPlaceOfIdentifyingAtTime 5 IsTimeOfIdentifyingInPlace → IsTypeOf → IsTimeOfNamingInPlace
1225	IsTimeOfIdentifyingOf	Standard	The relating term between TimeOfIdentifying and IdentifiedResource	1 IsTimeOfIdentifyingOf → IsReciprocalOf → IsResourceIdentifiedAtTime 2 IsTimeOfIdentifyingOf → IsRelatingTermBegottenBy → Identify 3 IsTimeOfIdentifyingOf → IsRelatingTermFrom → TimeOfIdentifying 4 IsTimeOfIdentifyingOf → IsRelatingTermTo → IdentifiedResource 5 IsTimeOfIdentifyingOf → IsTypeOf → IsTimeOfNamingOf

1226	IsTimeOfIdentifyingWith	Standard	The relating term between TimeOfIdentifying and Identifier	1 IsTimeOfIdentifyingWith → IsReciprocalOf → IsIdentifierAtTime 2 IsTimeOfIdentifyingWith → IsRelatingTermBegottenBy → Identify 3 IsTimeOfIdentifyingWith → IsRelatingTermFrom → TimeOfIdentifying 4 IsTimeOfIdentifyingWith → IsRelatingTermTo → Identifier 5 IsTimeOfIdentifyingWith → IsTypeOf → IsTimeOfNamingWith
1227	IsTimeOfIdentifyingWithTool	Standard	The relating term between TimeOfIdentifying and IdentifyingTool	1 IsTimeOfIdentifyingWithTool → IsReciprocalOf → IsIdentifyingToolAtTime 2 IsTimeOfIdentifyingWithTool → IsRelatingTermBegottenBy → Identify 3 IsTimeOfIdentifyingWithTool → IsRelatingTermFrom → TimeOfIdentifying 4 IsTimeOfIdentifyingWithTool → IsRelatingTermTo → IdentifyingTool 5 IsTimeOfIdentifyingWithTool → IsTypeOf → IsTimeOfNamingWithTool
1228	IsTimeOfMakingBy	Standard	The relating term between TimeOfMaking and Maker	1 IsTimeOfMakingBy → IsReciprocalOf → IsMakerAtTime 2 IsTimeOfMakingBy → IsRelatingTermBegottenBy → Make 3 IsTimeOfMakingBy → IsRelatingTermFrom → TimeOfMaking 4 IsTimeOfMakingBy → IsRelatingTermTo → Maker 5 IsTimeOfMakingBy → IsTypeOf → IsTimeOfDoingBy
1229	IsTimeOfMakingInPlace	Standard	The relating term between TimeOfMaking and PlaceOfMaking	1 IsTimeOfMakingInPlace → IsRelatingTermBegottenBy → Make 2 IsTimeOfMakingInPlace → IsRelatingTermFrom → TimeOfMaking 3 IsTimeOfMakingInPlace → IsRelatingTermTo → PlaceOfMaking 4 IsTimeOfMakingInPlace → IsReciprocalOf → IsPlaceOfMakingAtTime 5 IsTimeOfMakingInPlace → IsTypeOf → IsTimeOfEventInPlace
1230	IsTimeOfMakingOf	Standard	The relating term between TimeOfMaking and Output	1 IsTimeOfMakingOf → IsReciprocalOf → IsMadeAtTime 2 IsTimeOfMakingOf → IsRelatingTermBegottenBy → Make 3 IsTimeOfMakingOf → IsRelatingTermFrom → TimeOfMaking 4 IsTimeOfMakingOf → IsRelatingTermTo → Output 5 IsTimeOfMakingOf → IsTypeOf → IsTimeOfBeingDoneToOf
1231	IsTimeOfMakingWithTool	Standard	The relating term between TimeOfMaking and MakingTool	1 IsTimeOfMakingWithTool → IsReciprocalOf → IsMakingToolAtTime 2 IsTimeOfMakingWithTool → IsRelatingTermBegottenBy → Make 3 IsTimeOfMakingWithTool → IsRelatingTermFrom → TimeOfMaking 4 IsTimeOfMakingWithTool → IsRelatingTermTo → MakingTool

1232	IsTimeOfMeasuringBy	Standard	The relating term between TimeOfMeasuring and Measurer	1 IsTimeOfMeasuringBy → IsReciprocalOf → IsMeasurerAtTime 2 IsTimeOfMeasuringBy → IsRelatingTermBegottenBy → Measure 3 IsTimeOfMeasuringBy → IsRelatingTermFrom → TimeOfMeasuring 4 IsTimeOfMeasuringBy → IsRelatingTermTo → Measurer 5 IsTimeOfMeasuringBy → IsTypeOf → IsTimeOfAscribingBy
1233	IsTimeOfMeasuringInPlace	Standard	The relating term between TimeOfMeasuring and PlaceOfMeasuring	1 IsTimeOfMeasuringInPlace → IsRelatingTermBegottenBy → Measure 2 IsTimeOfMeasuringInPlace → IsRelatingTermFrom → TimeOfMeasuring 3 IsTimeOfMeasuringInPlace → IsRelatingTermTo → PlaceOfMeasuring 4 IsTimeOfMeasuringInPlace → IsReciprocalOf → IsPlaceOfMeasuringAtTime 5 IsTimeOfMeasuringInPlace → IsTypeOf → IsTimeOfAscribingInPlace
1234	IsTimeOfMeasuringOf	Standard	The relating term between TimeOfMeasuring and MeasuredResource	1 IsTimeOfMeasuringOf → IsReciprocalOf → IsResourceMeasuredAtTime 2 IsTimeOfMeasuringOf → IsRelatingTermBegottenBy → Measure 3 IsTimeOfMeasuringOf → IsRelatingTermFrom → TimeOfMeasuring 4 IsTimeOfMeasuringOf → IsRelatingTermTo → MeasuredResource 5 IsTimeOfMeasuringOf → IsTypeOf → IsTimeOfAscribingOf
1235	IsTimeOfMeasuringWith	Standard	The relating term between TimeOfMeasuring and Quantity	1 IsTimeOfMeasuringWith → IsReciprocalOf → IsQuantityAtTime 2 IsTimeOfMeasuringWith → IsRelatingTermBegottenBy → Measure 3 IsTimeOfMeasuringWith → IsRelatingTermFrom → TimeOfMeasuring 4 IsTimeOfMeasuringWith → IsRelatingTermTo → Quantity 5 IsTimeOfMeasuringWith → IsTypeOf → IsTimeOfAscribingWith
1236	IsTimeOfMeasuringWithTool	Standard	The relating term between TimeOfMeasuring and MeasuringTool	1 IsTimeOfMeasuringWithTool → IsReciprocalOf → IsMeasuringToolAtTime 2 IsTimeOfMeasuringWithTool → IsRelatingTermBegottenBy → Measure 3 IsTimeOfMeasuringWithTool → IsRelatingTermFrom → TimeOfMeasuring 4 IsTimeOfMeasuringWithTool → IsRelatingTermTo → MeasuringTool 5 IsTimeOfMeasuringWithTool → IsTypeOf → IsTimeOfAscribingWithTool
1237	IsTimeOfNamingBy	Standard	The relating term between TimeOfNaming and Namer	1 IsTimeOfNamingBy → IsReciprocalOf → IsNominatorAtTime 2 IsTimeOfNamingBy → IsRelatingTermBegottenBy → Nominate 3 IsTimeOfNamingBy → IsRelatingTermFrom → TimeOfNaming 4 IsTimeOfNamingBy → IsRelatingTermTo → Namer 5 IsTimeOfNamingBy → IsTypeOf → IsTimeOfAscribingBy

1238	IsTimeOfNamingInPlace	Standard	The relating term between TimeOfNaming and PlaceOfNaming	1 IsTimeOfNamingInPlace → IsRelatingTermBegottenBy → Nominate 2 IsTimeOfNamingInPlace → IsRelatingTermFrom → TimeOfNaming 3 IsTimeOfNamingInPlace → IsRelatingTermTo → PlaceOfNaming 4 IsTimeOfNamingInPlace → IsReciprocalOf → IsPlaceOfNamingAtTime 5 IsTimeOfNamingInPlace → IsTypeOf → IsTimeOfAscribingInPlace
1239	IsTimeOfNamingOf	Standard	The relating term between TimeOfNaming and NamedResource	1 IsTimeOfNamingOf → IsReciprocalOf → IsResourceNamedAtTime 2 IsTimeOfNamingOf → IsRelatingTermBegottenBy → Nominate 3 IsTimeOfNamingOf → IsRelatingTermFrom → TimeOfNaming 4 IsTimeOfNamingOf → IsRelatingTermTo → NamedResource 5 IsTimeOfNamingOf → IsTypeOf → IsTimeOfAscribingOf
1240	IsTimeOfNamingWith	Standard	The relating term between TimeOfNaming and Name	1 IsTimeOfNamingWith → IsReciprocalOf → IsNameAtTime 2 IsTimeOfNamingWith → IsRelatingTermBegottenBy → Nominate 3 IsTimeOfNamingWith → IsRelatingTermFrom → TimeOfNaming 4 IsTimeOfNamingWith → IsRelatingTermTo → Name 5 IsTimeOfNamingWith → IsTypeOf → IsTimeOfAscribingWith
1241	IsTimeOfNamingWithTool	Standard	The relating term between TimeOfNaming and NamingTool	1 IsTimeOfNamingWithTool → IsReciprocalOf → IsNamingToolAtTime 2 IsTimeOfNamingWithTool → IsRelatingTermBegottenBy → Nominate 3 IsTimeOfNamingWithTool → IsRelatingTermFrom → TimeOfNaming 4 IsTimeOfNamingWithTool → IsRelatingTermTo → NamingTool 5 IsTimeOfNamingWithTool → IsTypeOf → IsTimeOfAscribingWithTool
1242	IsTimeOfOpposing	Standard	The relating term between TimeOfOpposing and Opposite	1 IsTimeOfOpposing → IsReciprocalOf → IsOppositeAtTime 2 IsTimeOfOpposing → IsRelatingTermBegottenBy → Oppose 3 IsTimeOfOpposing → IsRelatingTermFrom → TimeOfOpposing 4 IsTimeOfOpposing → IsRelatingTermTo → Opposite 5 IsTimeOfOpposing → IsTypeOf → IsTimeOfRelatingOf
1243	IsTimeOfOpposingBy	Standard	The relating term between TimeOfOpposing and Opposer	1 IsTimeOfOpposingBy → IsReciprocalOf → IsOpposerAtTime 2 IsTimeOfOpposingBy → IsRelatingTermBegottenBy → Oppose 3 IsTimeOfOpposingBy → IsRelatingTermFrom → TimeOfOpposing 4 IsTimeOfOpposingBy → IsRelatingTermTo → Opposer 5 IsTimeOfOpposingBy → IsTypeOf → IsTimeOfRelatingBy

1244	IsTimeOfOpposingInPlace	Standard	The relating term between TimeOfOpposing and PlaceOfOpposing	1 IsTimeOfOpposingInPlace → IsRelatingTermBegottenBy → Oppose 2 IsTimeOfOpposingInPlace → IsRelatingTermFrom → TimeOfOpposing 3 IsTimeOfOpposingInPlace → IsRelatingTermTo → PlaceOfOpposing 4 IsTimeOfOpposingInPlace → IsReciprocalOf → IsPlaceOfOpposingAtTime 5 IsTimeOfOpposingInPlace → IsTypeOf → IsTimeOfRelatingInPlace
1245	IsTimeOfOpposingWithTool	Standard	The relating term between TimeOfOpposing and OpposingTool	1 IsTimeOfOpposingWithTool → IsReciprocalOf → IsOpposingToolAtTime 2 IsTimeOfOpposingWithTool → IsRelatingTermBegottenBy → Oppose 3 IsTimeOfOpposingWithTool → IsRelatingTermFrom → TimeOfOpposing 4 IsTimeOfOpposingWithTool → IsRelatingTermTo → OpposingTool 5 IsTimeOfOpposingWithTool → IsTypeOf → IsTimeOfRelatingWithTool
1246	IsTimeOfPartitioningBy	Standard	The relating term between TimeOfPartitioning and Partitioner	1 IsTimeOfPartitioningBy → IsReciprocalOf → IsPartitionerAtTime 2 IsTimeOfPartitioningBy → IsRelatingTermBegottenBy → Partition 3 IsTimeOfPartitioningBy → IsRelatingTermFrom → TimeOfPartitioning 4 IsTimeOfPartitioningBy → IsRelatingTermTo → Partitioner 5 IsTimeOfPartitioningBy → IsTypeOf → IsTimeOfAscribingBy
1247	IsTimeOfPartitioningInPlace	Standard	The relating term between TimeOfPartitioning and PlaceOfPartitioning	1 IsTimeOfPartitioningInPlace → IsRelatingTermBegottenBy → Partition 2 IsTimeOfPartitioningInPlace → IsRelatingTermFrom → TimeOfPartitioning 3 IsTimeOfPartitioningInPlace → IsRelatingTermTo → PlaceOfPartitioning 4 IsTimeOfPartitioningInPlace → IsReciprocalOf → IsPlaceOfPartitioningAtTime 5 IsTimeOfPartitioningInPlace → IsTypeOf → IsTimeOfAscribingInPlace
1248	IsTimeOfPartitioningOf	Standard	The relating term between TimeOfPartitioning and Whole	1 IsTimeOfPartitioningOf → IsReciprocalOf → IsResourcePartitionedAtTime 2 IsTimeOfPartitioningOf → IsRelatingTermBegottenBy → Partition 3 IsTimeOfPartitioningOf → IsRelatingTermFrom → TimeOfPartitioning 4 IsTimeOfPartitioningOf → IsRelatingTermTo → Whole 5 IsTimeOfPartitioningOf → IsTypeOf → IsTimeOfAscribingOf
1249	IsTimeOfPartitioningWith	Standard	The relating term between TimeOfPartitioning and Part	1 IsTimeOfPartitioningWith → IsReciprocalOf → IsPartAtTime 2 IsTimeOfPartitioningWith → IsRelatingTermBegottenBy → Partition 3 IsTimeOfPartitioningWith → IsRelatingTermFrom → TimeOfPartitioning 4 IsTimeOfPartitioningWith → IsRelatingTermTo → Part 5 IsTimeOfPartitioningWith → IsTypeOf → IsTimeOfAscribingWith

1250	IsTimeOfPartitioningWithTool	Standard	The relating term between TimeOfPartitioning and PartitioningTool	1 IsTimeOfPartitioningWithTool → IsReciprocalOf → IsPartitioningToolAtTime 2 IsTimeOfPartitioningWithTool → IsRelatingTermBegottenBy → Partition 3 IsTimeOfPartitioningWithTool → IsRelatingTermFrom → TimeOfPartitioning 4 IsTimeOfPartitioningWithTool → IsRelatingTermTo → PartitioningTool 5 IsTimeOfPartitioningWithTool → IsTypeOf → IsTimeOfAscribingWithTool
1251	IsTimeOfQualifying	Standard	The relating term between TimeOfQualifying and QualifiedResource	1 IsTimeOfQualifying → IsReciprocalOf → IsResourceQualifiedAtTime 2 IsTimeOfQualifying → IsRelatingTermBegottenBy → Qualify 3 IsTimeOfQualifying → IsRelatingTermFrom → TimeOfQualifying 4 IsTimeOfQualifying → IsRelatingTermTo → QualifiedResource 5 IsTimeOfQualifying → IsTypeOf → IsTimeOfCategorizingOf
1252	IsTimeOfQualifyingBy	Standard	The relating term between TimeOfQualifying and Qualifier	1 IsTimeOfQualifyingBy → IsReciprocalOf → IsQualifierAtTime 2 IsTimeOfQualifyingBy → IsRelatingTermBegottenBy → Qualify 3 IsTimeOfQualifyingBy → IsRelatingTermFrom → TimeOfQualifying 4 IsTimeOfQualifyingBy → IsRelatingTermTo → Qualifier 5 IsTimeOfQualifyingBy → IsTypeOf → IsTimeOfCategorizingBy
1253	IsTimeOfQualifyingInPlace	Standard	The relating term between TimeOfQualifying and PlaceOfQualifying	1 IsTimeOfQualifyingInPlace → IsRelatingTermBegottenBy → Qualify 2 IsTimeOfQualifyingInPlace → IsRelatingTermFrom → TimeOfQualifying 3 IsTimeOfQualifyingInPlace → IsRelatingTermTo → PlaceOfQualifying 4 IsTimeOfQualifyingInPlace → IsReciprocalOf → IsPlaceOfQualifyingAtTime 5 IsTimeOfQualifyingInPlace → IsTypeOf → IsTimeOfCategorizingInPlace
1254	IsTimeOfQualifyingWith	Standard	The relating term between TimeOfQualifying and Quality	1 IsTimeOfQualifyingWith → IsReciprocalOf → IsQualityAtTime 2 IsTimeOfQualifyingWith → IsRelatingTermBegottenBy → Qualify 3 IsTimeOfQualifyingWith → IsRelatingTermFrom → TimeOfQualifying 4 IsTimeOfQualifyingWith → IsRelatingTermTo → Quality 5 IsTimeOfQualifyingWith → IsTypeOf → IsTimeOfCategorizingWith
1255	IsTimeOfQualifyingWithTool	Standard	The relating term between TimeOfQualifying and QualifyingTool	1 IsTimeOfQualifyingWithTool → IsReciprocalOf → IsQualifyingToolAtTime 2 IsTimeOfQualifyingWithTool → IsRelatingTermBegottenBy → Qualify 3 IsTimeOfQualifyingWithTool → IsRelatingTermFrom → TimeOfQualifying 4 IsTimeOfQualifyingWithTool → IsRelatingTermTo → QualifyingTool 5 IsTimeOfQualifyingWithTool → IsTypeOf → IsTimeOfCategorizingWithTool

1256	IsTimeOfRelatingBy	Standard	The relating term between TimeOfRelating and Relator	1 IsTimeOfRelatingBy → IsReciprocalOf → IsRelatorAtTime 2 IsTimeOfRelatingBy → IsRelatingTermBegottenBy → Relate 3 IsTimeOfRelatingBy → IsRelatingTermFrom → TimeOfRelating 4 IsTimeOfRelatingBy → IsRelatingTermTo → Relator 5 IsTimeOfRelatingBy → IsTypeOf → IsTimeOfDoingBy
1257	IsTimeOfRelatingInPlace	Standard	The relating term between TimeOfRelating and PlaceOfRelating	1 IsTimeOfRelatingInPlace → IsRelatingTermBegottenBy → Relate 2 IsTimeOfRelatingInPlace → IsRelatingTermFrom → TimeOfRelating 3 IsTimeOfRelatingInPlace → IsRelatingTermTo → PlaceOfRelating 4 IsTimeOfRelatingInPlace → IsReciprocalOf → IsPlaceOfRelatingAtTime 5 IsTimeOfRelatingInPlace → IsTypeOf → IsTimeOfEventInPlace
1258	IsTimeOfRelatingOf	Standard	The relating term between TimeOfRelating and Relative	1 IsTimeOfRelatingOf → IsReciprocalOf → IsRelativeAtTime 2 IsTimeOfRelatingOf → IsRelatingTermBegottenBy → Relate 3 IsTimeOfRelatingOf → IsRelatingTermFrom → TimeOfRelating 4 IsTimeOfRelatingOf → IsRelatingTermTo → Relative 5 IsTimeOfRelatingOf → IsTypeOf → IsTimeOfBeingDoneToOf
1259	IsTimeOfRelatingWithTool	Standard	The relating term between TimeOfRelating and RelatingTool	1 IsTimeOfRelatingWithTool → IsReciprocalOf → IsRelatingToolAtTime 2 IsTimeOfRelatingWithTool → IsRelatingTermBegottenBy → Relate 3 IsTimeOfRelatingWithTool → IsRelatingTermFrom → TimeOfRelating 4 IsTimeOfRelatingWithTool → IsRelatingTermTo → RelatingTool
1260	IsTimeOfSituationInPlace	Standard	The relating term between TimeOfSituation and PlaceOfSituation	1 IsTimeOfSituationInPlace → IsRelatingTermBegottenBy → Situation 2 IsTimeOfSituationInPlace → IsRelatingTermFrom → TimeOfSituation 3 IsTimeOfSituationInPlace → IsRelatingTermTo → PlaceOfSituation 4 IsTimeOfSituationInPlace → IsReciprocalOf → IsPlaceOfSituationInTime 5 IsTimeOfSituationInPlace → IsTypeOf → IsTimeOfActingInPlace
1261	IsTimeOfSpecializingBy	Standard	The relating term between TimeOfSpecializing and Specializer	1 IsTimeOfSpecializingBy → IsReciprocalOf → IsSpecializerAtTime 2 IsTimeOfSpecializingBy → IsRelatingTermBegottenBy → Specialize 3 IsTimeOfSpecializingBy → IsRelatingTermFrom → TimeOfSpecializing 4 IsTimeOfSpecializingBy → IsRelatingTermTo → Specializer 5 IsTimeOfSpecializingBy → IsTypeOf → IsTimeOfAscribingBy

1262	IsTimeOfSpecializingInPlace	Standard	The relating term between TimeOfSpecializing and PlaceOfSpecializing	1 IsTimeOfSpecializingInPlace → IsRelatingTermBegottenBy → Specialize 2 IsTimeOfSpecializingInPlace → IsRelatingTermFrom → TimeOfSpecializing 3 IsTimeOfSpecializingInPlace → IsRelatingTermTo → PlaceOfSpecializing 4 IsTimeOfSpecializingInPlace → IsReciprocalOf → IsPlaceOfSpecializingAtTime 5 IsTimeOfSpecializingInPlace → IsTypeOf → IsTimeOfAscribingInPlace
1263	IsTimeOfSpecializingOf	Standard	The relating term between TimeOfSpecializing and Archetype	1 IsTimeOfSpecializingOf → IsReciprocalOf → IsSpecializedAtTime 2 IsTimeOfSpecializingOf → IsRelatingTermBegottenBy → Specialize 3 IsTimeOfSpecializingOf → IsRelatingTermFrom → TimeOfSpecializing 4 IsTimeOfSpecializingOf → IsRelatingTermTo → Archetype 5 IsTimeOfSpecializingOf → IsTypeOf → IsTimeOfAscribingOf
1264	IsTimeOfSpecializingWith	Standard	The relating term between TimeOfSpecializing and Type	1 IsTimeOfSpecializingWith → IsReciprocalOf → IsTypeAtTime 2 IsTimeOfSpecializingWith → IsRelatingTermBegottenBy → Specialize 3 IsTimeOfSpecializingWith → IsRelatingTermFrom → TimeOfSpecializing 4 IsTimeOfSpecializingWith → IsRelatingTermTo → Type 5 IsTimeOfSpecializingWith → IsTypeOf → IsTimeOfAscribingWith
1265	IsTimeOfSpecializingWithTool	Standard	The relating term between TimeOfSpecializing and SpecializingTool	1 IsTimeOfSpecializingWithTool → IsReciprocalOf → IsSpecializingToolAtTime 2 IsTimeOfSpecializingWithTool → IsRelatingTermBegottenBy → Specialize 3 IsTimeOfSpecializingWithTool → IsRelatingTermFrom → TimeOfSpecializing 4 IsTimeOfSpecializingWithTool → IsRelatingTermTo → SpecializingTool 5 IsTimeOfSpecializingWithTool → IsTypeOf → IsTimeOfAscribingWithTool
1266	IsTimeTypeBegottenBy	Standard	The relating term between TimeType and Begetter_3	1 IsTimeTypeBegottenBy → IsReciprocalOf → BegetsTimeType 2 IsTimeTypeBegottenBy → IsRelatingTermBegottenBy → BegettingEvent_3 3 IsTimeTypeBegottenBy → IsRelatingTermFrom → TimeType 4 IsTimeTypeBegottenBy → IsRelatingTermTo → Begetter_3 5 IsTimeTypeBegottenBy → IsTypeOf → IsBegottenBy
1267	IsTimeTypeInContext	Standard		
1268	IsToolForAdapting	Standard	The relating term between AdaptingTool and Adaptation	1 IsToolForAdapting → IsReciprocalOf → IsAdaptedWithTool 2 IsToolForAdapting → IsRelatingTermBegottenBy → Adapt 3 IsToolForAdapting → IsRelatingTermFrom → AdaptingTool

				4 IsToolForAdapting → IsRelatingTermTo → Adaptation
1269	IsToolForAdaptingBy	Standard	The relating term between AdaptingTool and Adaptor	1 IsToolForAdaptingBy → IsReciprocalOf → IsAdaptorWithTool 2 IsToolForAdaptingBy → IsRelatingTermBegottenBy → Adapt 3 IsToolForAdaptingBy → IsRelatingTermFrom → AdaptingTool 4 IsToolForAdaptingBy → IsRelatingTermTo → Adaptor
1270	IsToolForAdaptingFromPlace	Standard	The relating term between AdaptingTool and PlaceOfAdaptingFrom	1 IsToolForAdaptingFromPlace → IsRelatingTermBegottenBy → Adapt 2 IsToolForAdaptingFromPlace → IsRelatingTermFrom → AdaptingTool 3 IsToolForAdaptingFromPlace → IsRelatingTermTo → PlaceOfAdaptingFrom 4 IsToolForAdaptingFromPlace → IsReciprocalOf → IsPlaceOfAdaptingFromWithTool
1271	IsToolForAdaptingFromSource	Standard	The relating term between AdaptingTool and SourceOfAdaptation	1 IsToolForAdaptingFromSource → IsReciprocalOf → IsSourceAdaptedFromWithTool 2 IsToolForAdaptingFromSource → IsRelatingTermBegottenBy → Adapt 3 IsToolForAdaptingFromSource → IsRelatingTermFrom → AdaptingTool 4 IsToolForAdaptingFromSource → IsRelatingTermTo → SourceOfAdaptation
1272	IsToolForAdaptingToPlace	Standard	The relating term between AdaptingTool and PlaceOfAdaptingTo	1 IsToolForAdaptingToPlace → IsRelatingTermBegottenBy → Adapt 2 IsToolForAdaptingToPlace → IsRelatingTermFrom → AdaptingTool 3 IsToolForAdaptingToPlace → IsRelatingTermTo → PlaceOfAdaptingTo 4 IsToolForAdaptingToPlace → IsReciprocalOf → IsPlaceOfAdaptingToWithTool
1273	IsToolForAscribingBy	Standard	The relating term between AscribingTool and Ascriber	1 IsToolForAscribingBy → IsReciprocalOf → IsAscriberWithTool 2 IsToolForAscribingBy → IsRelatingTermBegottenBy → Ascribe 3 IsToolForAscribingBy → IsRelatingTermFrom → AscribingTool 4 IsToolForAscribingBy → IsRelatingTermTo → Ascriber 5 IsToolForAscribingBy → IsTypeOf → IsToolForRelatingBy
1274	IsToolForAscribingOf	Standard	The relating term between AscribingTool and AscribedResource	1 IsToolForAscribingOf → IsReciprocalOf → IsResourceAscribedWithTool 2 IsToolForAscribingOf → IsRelatingTermBegottenBy → Ascribe 3 IsToolForAscribingOf → IsRelatingTermFrom → AscribingTool 4 IsToolForAscribingOf → IsRelatingTermTo → AscribedResource

				5 IsToolForAscribingOf → IsTypeOf → IsToolForRelatingOf
1275	IsToolForAscribingWith	Standard	The relating term between AscribingTool and Ascription	1 IsToolForAscribingWith → IsReciprocalOf → IsAscriptionMadeWithTool 2 IsToolForAscribingWith → IsRelatingTermBegottenBy → Ascribe 3 IsToolForAscribingWith → IsRelatingTermFrom → AscribingTool 4 IsToolForAscribingWith → IsRelatingTermTo → Ascription 5 IsToolForAscribingWith → IsTypeOf → IsToolForRelatingOf
1276	IsToolForCategorizingBy	Standard	The relating term between CategorizingTool and Categorizer	1 IsToolForCategorizingBy → IsReciprocalOf → IsCategorizerWithTool 2 IsToolForCategorizingBy → IsRelatingTermBegottenBy → Categorize 3 IsToolForCategorizingBy → IsRelatingTermFrom → CategorizingTool 4 IsToolForCategorizingBy → IsRelatingTermTo → Categorizer 5 IsToolForCategorizingBy → IsTypeOf → IsToolForAscribingBy
1277	IsToolForCategorizingOf	Standard	The relating term between CategorizingTool and CategorizedResource	1 IsToolForCategorizingOf → IsReciprocalOf → IsResourceCategorizedWithTool 2 IsToolForCategorizingOf → IsRelatingTermBegottenBy → Categorize 3 IsToolForCategorizingOf → IsRelatingTermFrom → CategorizingTool 4 IsToolForCategorizingOf → IsRelatingTermTo → CategorizedResource 5 IsToolForCategorizingOf → IsTypeOf → IsToolForAscribingOf
1278	IsToolForCategorizingWith	Standard	The relating term between CategorizingTool and Category	1 IsToolForCategorizingWith → IsReciprocalOf → IsCategoryAscribedWithTool 2 IsToolForCategorizingWith → IsRelatingTermBegottenBy → Categorize 3 IsToolForCategorizingWith → IsRelatingTermFrom → CategorizingTool 4 IsToolForCategorizingWith → IsRelatingTermTo → Category 5 IsToolForCategorizingWith → IsTypeOf → IsToolForAscribingWith
1279	IsToolForClassifyingBy	Standard	The relating term between ClassifyingTool and Classifier	1 IsToolForClassifyingBy → IsReciprocalOf → IsClassifierWithTool 2 IsToolForClassifyingBy → IsRelatingTermBegottenBy → Classify 3 IsToolForClassifyingBy → IsRelatingTermFrom → ClassifyingTool 4 IsToolForClassifyingBy → IsRelatingTermTo → Classifier 5 IsToolForClassifyingBy → IsTypeOf → IsToolForAscribingBy
1280	IsToolForClassifyingOf	Standard	The relating term between ClassifyingTool and	1 IsToolForClassifyingOf → IsReciprocalOf → IsResourceClassifiedWithTool 2 IsToolForClassifyingOf → IsRelatingTermBegottenBy → Classify 3 IsToolForClassifyingOf → IsRelatingTermFrom → ClassifyingTool

			ClassifiedResource	4 IsToolForClassifyingOf → IsRelatingTermTo → ClassifiedResource 5 IsToolForClassifyingOf → IsTypeOf → IsToolForAscribingOf
1281	IsToolForClassifyingWith	Standard	The relating term between ClassifyingTool and Class	1 IsToolForClassifyingWith → IsReciprocalOf → IsClassAscribedWithTool 2 IsToolForClassifyingWith → IsRelatingTermBegottenBy → Classify 3 IsToolForClassifyingWith → IsRelatingTermFrom → ClassifyingTool 4 IsToolForClassifyingWith → IsRelatingTermTo → Class 5 IsToolForClassifyingWith → IsTypeOf → IsToolForAscribingWith
1282	IsToolForCopying	Standard	The relating term between CopyingTool and Replica	1 IsToolForCopying → IsReciprocalOf → IsCopiedWithTool 2 IsToolForCopying → IsRelatingTermBegottenBy → Copy 3 IsToolForCopying → IsRelatingTermFrom → CopyingTool 4 IsToolForCopying → IsRelatingTermTo → Replica
1283	IsToolForCopyingBy	Standard	The relating term between CopyingTool and Copier	1 IsToolForCopyingBy → IsReciprocalOf → IsCopierWithTool 2 IsToolForCopyingBy → IsRelatingTermBegottenBy → Copy 3 IsToolForCopyingBy → IsRelatingTermFrom → CopyingTool 4 IsToolForCopyingBy → IsRelatingTermTo → Copier
1284	IsToolForCopyingFromPlace	Standard	The relating term between CopyingTool and PlaceOfCopyingFrom	1 IsToolForCopyingFromPlace → IsRelatingTermBegottenBy → Copy 2 IsToolForCopyingFromPlace → IsRelatingTermFrom → CopyingTool 3 IsToolForCopyingFromPlace → IsRelatingTermTo → PlaceOfCopyingFrom 4 IsToolForCopyingFromPlace → IsReciprocalOf → IsPlaceOfCopyingFromWithTool
1285	IsToolForCopyingFromSource	Standard	The relating term between CopyingTool and SourceOfReplica	1 IsToolForCopyingFromSource → IsReciprocalOf → IsSourceCopiedFromWithTool 2 IsToolForCopyingFromSource → IsRelatingTermBegottenBy → Copy 3 IsToolForCopyingFromSource → IsRelatingTermFrom → CopyingTool 4 IsToolForCopyingFromSource → IsRelatingTermTo → SourceOfReplica
1286	IsToolForCopyingToPlace	Standard	The relating term between CopyingTool and PlaceOfCopyingTo	1 IsToolForCopyingToPlace → IsRelatingTermBegottenBy → Copy 2 IsToolForCopyingToPlace → IsRelatingTermFrom → CopyingTool 3 IsToolForCopyingToPlace → IsRelatingTermTo → PlaceOfCopyingTo

				4 IsToolForCopyingToPlace → IsReciprocalOf → IsPlaceOfCopyingToWithTool
1287	IsToolForEquating	Standard	The relating term between EquatingTool and Equivalent	1 IsToolForEquating → IsReciprocalOf → IsEquatedWithTool 2 IsToolForEquating → IsRelatingTermBegottenBy → Equate 3 IsToolForEquating → IsRelatingTermFrom → EquatingTool 4 IsToolForEquating → IsRelatingTermTo → Equivalent 5 IsToolForEquating → IsTypeOf → IsToolForRelatingOf
1288	IsToolForEquatingBy	Standard	The relating term between EquatingTool and Equater	1 IsToolForEquatingBy → IsReciprocalOf → IsEquaterWithTool 2 IsToolForEquatingBy → IsRelatingTermBegottenBy → Equate 3 IsToolForEquatingBy → IsRelatingTermFrom → EquatingTool 4 IsToolForEquatingBy → IsRelatingTermTo → Equater 5 IsToolForEquatingBy → IsTypeOf → IsToolForRelatingBy
1289	IsToolForEvaluatingBy	Standard	The relating term between EvaluatingTool and Evaluator	1 IsToolForEvaluatingBy → IsReciprocalOf → IsEvaluatorWithTool 2 IsToolForEvaluatingBy → IsRelatingTermBegottenBy → Evaluate 3 IsToolForEvaluatingBy → IsRelatingTermFrom → EvaluatingTool 4 IsToolForEvaluatingBy → IsRelatingTermTo → Evaluator 5 IsToolForEvaluatingBy → IsTypeOf → IsToolForAscribingBy
1290	IsToolForEvaluatingOf	Standard	The relating term between EvaluatingTool and EvaluatedResource	1 IsToolForEvaluatingOf → IsReciprocalOf → IsResourceEvaluatedWithTool 2 IsToolForEvaluatingOf → IsRelatingTermBegottenBy → Evaluate 3 IsToolForEvaluatingOf → IsRelatingTermFrom → EvaluatingTool 4 IsToolForEvaluatingOf → IsRelatingTermTo → EvaluatedResource 5 IsToolForEvaluatingOf → IsTypeOf → IsToolForAscribingOf
1291	IsToolForEvaluatingWith	Standard	The relating term between EvaluatingTool and Value	1 IsToolForEvaluatingWith → IsReciprocalOf → IsValueAscribedWithTool 2 IsToolForEvaluatingWith → IsRelatingTermBegottenBy → Evaluate 3 IsToolForEvaluatingWith → IsRelatingTermFrom → EvaluatingTool 4 IsToolForEvaluatingWith → IsRelatingTermTo → Value 5 IsToolForEvaluatingWith → IsTypeOf → IsToolForAscribingWith
1292	IsToolForFormalizingBy	Standard	The relating term between FormalizingTool and Formalizer	1 IsToolForFormalizingBy → IsReciprocalOf → IsFormalizerWithTool 2 IsToolForFormalizingBy → IsRelatingTermBegottenBy → Formalize 3 IsToolForFormalizingBy → IsRelatingTermFrom → FormalizingTool

				4 IsToolForFormalizingBy → IsRelatingTermTo → Formalizer 5 IsToolForFormalizingBy → IsTypeOf → IsToolForQualifyingBy
1293	IsToolForFormalizingOf	Standard	The relating term between FormalizingTool and FormalizedResource	1 IsToolForFormalizingOf → IsReciprocalOf → IsResourceFormalizedWithTool 2 IsToolForFormalizingOf → IsRelatingTermBegottenBy → Formalize 3 IsToolForFormalizingOf → IsRelatingTermFrom → FormalizingTool 4 IsToolForFormalizingOf → IsRelatingTermTo → FormalizedResource 5 IsToolForFormalizingOf → IsTypeOf → IsToolForQualifying
1294	IsToolForFormalizingWith	Standard	The relating term between FormalizingTool and Form	1 IsToolForFormalizingWith → IsReciprocalOf → IsFormAscribedWithTool 2 IsToolForFormalizingWith → IsRelatingTermBegottenBy → Formalize 3 IsToolForFormalizingWith → IsRelatingTermFrom → FormalizingTool 4 IsToolForFormalizingWith → IsRelatingTermTo → Form 5 IsToolForFormalizingWith → IsTypeOf → IsToolForQualifyingWith
1295	IsToolForIdentifyingBy	Standard	The relating term between IdentifyingTool and IdentifyingAgent	1 IsToolForIdentifyingBy → IsReciprocalOf → IsIdentifyingAgentWithTool 2 IsToolForIdentifyingBy → IsRelatingTermBegottenBy → Identify 3 IsToolForIdentifyingBy → IsRelatingTermFrom → IdentifyingTool 4 IsToolForIdentifyingBy → IsRelatingTermTo → IdentifyingAgent 5 IsToolForIdentifyingBy → IsTypeOf → IsToolForNamingBy
1296	IsToolForIdentifyingOf	Standard	The relating term between IdentifyingTool and IdentifiedResource	1 IsToolForIdentifyingOf → IsReciprocalOf → IsResourceIdentifiedWithTool 2 IsToolForIdentifyingOf → IsRelatingTermBegottenBy → Identify 3 IsToolForIdentifyingOf → IsRelatingTermFrom → IdentifyingTool 4 IsToolForIdentifyingOf → IsRelatingTermTo → IdentifiedResource 5 IsToolForIdentifyingOf → IsTypeOf → IsToolForNamingOf
1297	IsToolForIdentifyingWith	Standard	The relating term between IdentifyingTool and Identifier	1 IsToolForIdentifyingWith → IsReciprocalOf → IsIdentifierMadeWithTool 2 IsToolForIdentifyingWith → IsRelatingTermBegottenBy → Identify 3 IsToolForIdentifyingWith → IsRelatingTermFrom → IdentifyingTool 4 IsToolForIdentifyingWith → IsRelatingTermTo → Identifier 5 IsToolForIdentifyingWith → IsTypeOf → IsToolForNamingWith
1298	IsToolForMaking	Standard	The relating term between	1 IsToolForMaking → IsReciprocalOf → IsMadeWithTool 2 IsToolForMaking → IsRelatingTermBegottenBy → Make

			MakingTool and Output	3 IsToolForMaking → IsRelatingTermFrom → MakingTool 4 IsToolForMaking → IsRelatingTermTo → Output
1299	IsToolForMakingBy	Standard	The relating term between MakingTool and Maker	1 IsToolForMakingBy → IsReciprocalOf → IsMakerWithTool 2 IsToolForMakingBy → IsRelatingTermBegottenBy → Make 3 IsToolForMakingBy → IsRelatingTermFrom → MakingTool 4 IsToolForMakingBy → IsRelatingTermTo → Maker
1300	IsToolForMeasuringBy	Standard	The relating term between MeasuringTool and Measurer	1 IsToolForMeasuringBy → IsReciprocalOf → IsMeasurerWithTool 2 IsToolForMeasuringBy → IsRelatingTermBegottenBy → Measure 3 IsToolForMeasuringBy → IsRelatingTermFrom → MeasuringTool 4 IsToolForMeasuringBy → IsRelatingTermTo → Measurer 5 IsToolForMeasuringBy → IsTypeOf → IsToolForAscribingBy
1301	IsToolForMeasuringOf	Standard	The relating term between MeasuringTool and MeasuredResource	1 IsToolForMeasuringOf → IsReciprocalOf → IsResourceMeasuredWithTool 2 IsToolForMeasuringOf → IsRelatingTermBegottenBy → Measure 3 IsToolForMeasuringOf → IsRelatingTermFrom → MeasuringTool 4 IsToolForMeasuringOf → IsRelatingTermTo → MeasuredResource 5 IsToolForMeasuringOf → IsTypeOf → IsToolForAscribingOf
1302	IsToolForMeasuringWith	Standard	The relating term between MeasuringTool and Quantity	1 IsToolForMeasuringWith → IsReciprocalOf → IsQuantityAscribedWithTool 2 IsToolForMeasuringWith → IsRelatingTermBegottenBy → Measure 3 IsToolForMeasuringWith → IsRelatingTermFrom → MeasuringTool 4 IsToolForMeasuringWith → IsRelatingTermTo → Quantity 5 IsToolForMeasuringWith → IsTypeOf → IsToolForAscribingWith
1303	IsToolForNamingBy	Standard	The relating term between NamingTool and Namer	1 IsToolForNamingBy → IsReciprocalOf → IsNominatorWithTool 2 IsToolForNamingBy → IsRelatingTermBegottenBy → Nominate 3 IsToolForNamingBy → IsRelatingTermFrom → NamingTool 4 IsToolForNamingBy → IsRelatingTermTo → Namer 5 IsToolForNamingBy → IsTypeOf → IsToolForAscribingBy
1304	IsToolForNamingOf	Standard	The relating term between NamingTool and NamedResource	1 IsToolForNamingOf → IsReciprocalOf → IsResourceNamedWithTool 2 IsToolForNamingOf → IsRelatingTermBegottenBy → Nominate 3 IsToolForNamingOf → IsRelatingTermFrom → NamingTool

				4 IsToolForNamingOf → IsRelatingTermTo → NamedResource 5 IsToolForNamingOf → IsTypeOf → IsToolForAscribingOf
1305	IsToolForNamingWith	Standard	The relating term between NamingTool and Name	1 IsToolForNamingWith → IsReciprocalOf → IsNameAscribedWithTool 2 IsToolForNamingWith → IsRelatingTermBegottenBy → Nominate 3 IsToolForNamingWith → IsRelatingTermFrom → NamingTool 4 IsToolForNamingWith → IsRelatingTermTo → Name 5 IsToolForNamingWith → IsTypeOf → IsToolForAscribingWith
1306	IsToolForOpposing	Standard	The relating term between OpposingTool and Opposite	1 IsToolForOpposing → IsReciprocalOf → IsOpposedWithTool 2 IsToolForOpposing → IsRelatingTermBegottenBy → Oppose 3 IsToolForOpposing → IsRelatingTermFrom → OpposingTool 4 IsToolForOpposing → IsRelatingTermTo → Opposite 5 IsToolForOpposing → IsTypeOf → IsToolForRelatingOf
1307	IsToolForOpposingBy	Standard	The relating term between OpposingTool and Opposer	1 IsToolForOpposingBy → IsReciprocalOf → IsOpposerWithTool 2 IsToolForOpposingBy → IsRelatingTermBegottenBy → Oppose 3 IsToolForOpposingBy → IsRelatingTermFrom → OpposingTool 4 IsToolForOpposingBy → IsRelatingTermTo → Opposer 5 IsToolForOpposingBy → IsTypeOf → IsToolForRelatingBy
1308	IsToolForPartitioningBy	Standard	The relating term between PartitioningTool and Partitioner	1 IsToolForPartitioningBy → IsReciprocalOf → IsPartitionerWithTool 2 IsToolForPartitioningBy → IsRelatingTermBegottenBy → Partition 3 IsToolForPartitioningBy → IsRelatingTermFrom → PartitioningTool 4 IsToolForPartitioningBy → IsRelatingTermTo → Partitioner 5 IsToolForPartitioningBy → IsTypeOf → IsToolForAscribingBy
1309	IsToolForPartitioningOf	Standard	The relating term between PartitioningTool and Whole	1 IsToolForPartitioningOf → IsReciprocalOf → IsResourcePartitionedWithTool 2 IsToolForPartitioningOf → IsRelatingTermBegottenBy → Partition 3 IsToolForPartitioningOf → IsRelatingTermFrom → PartitioningTool 4 IsToolForPartitioningOf → IsRelatingTermTo → Whole 5 IsToolForPartitioningOf → IsTypeOf → IsToolForAscribingOf
1310	IsToolForPartitioningWith	Standard	The relating term between	1 IsToolForPartitioningWith → IsReciprocalOf → IsPartAscribedWithTool 2 IsToolForPartitioningWith → IsRelatingTermBegottenBy → Partition

			PartitioningTool and Part	3 IsToolForPartitioningWith → IsRelatingTermFrom → PartitioningTool 4 IsToolForPartitioningWith → IsRelatingTermTo → Part 5 IsToolForPartitioningWith → IsTypeOf → IsToolForAscribingWith
1311	IsToolForQualifying	Standard	The relating term between QualifyingTool and QualifiedResource	1 IsToolForQualifying → IsReciprocalOf → IsResourceQualifiedWithTool 2 IsToolForQualifying → IsRelatingTermBegottenBy → Qualify 3 IsToolForQualifying → IsRelatingTermFrom → QualifyingTool 4 IsToolForQualifying → IsRelatingTermTo → QualifiedResource 5 IsToolForQualifying → IsTypeOf → IsToolForCategorizingOf
1312	IsToolForQualifyingBy	Standard	The relating term between QualifyingTool and Qualifier	1 IsToolForQualifyingBy → IsReciprocalOf → IsQualifierWithTool 2 IsToolForQualifyingBy → IsRelatingTermBegottenBy → Qualify 3 IsToolForQualifyingBy → IsRelatingTermFrom → QualifyingTool 4 IsToolForQualifyingBy → IsRelatingTermTo → Qualifier 5 IsToolForQualifyingBy → IsTypeOf → IsToolForCategorizingBy
1313	IsToolForQualifyingWith	Standard	The relating term between QualifyingTool and Quality	1 IsToolForQualifyingWith → IsReciprocalOf → IsQualityAscribedWithTool 2 IsToolForQualifyingWith → IsRelatingTermBegottenBy → Qualify 3 IsToolForQualifyingWith → IsRelatingTermFrom → QualifyingTool 4 IsToolForQualifyingWith → IsRelatingTermTo → Quality 5 IsToolForQualifyingWith → IsTypeOf → IsToolForCategorizingWith
1314	IsToolForRelatingBy	Standard	The relating term between RelatingTool and Relator	1 IsToolForRelatingBy → IsReciprocalOf → IsRelatorWithTool 2 IsToolForRelatingBy → IsRelatingTermBegottenBy → Relate 3 IsToolForRelatingBy → IsRelatingTermFrom → RelatingTool 4 IsToolForRelatingBy → IsRelatingTermTo → Relator
1315	IsToolForRelatingOf	Standard	The relating term between RelatingTool and Relative	1 IsToolForRelatingOf → IsReciprocalOf → IsRelatedWithTool 2 IsToolForRelatingOf → IsRelatingTermBegottenBy → Relate 3 IsToolForRelatingOf → IsRelatingTermFrom → RelatingTool 4 IsToolForRelatingOf → IsRelatingTermTo → Relative
1316	IsToolForSpecializingBy	Standard	The relating term between SpecializingTool and Specializer	1 IsToolForSpecializingBy → IsReciprocalOf → IsSpecializerWithTool 2 IsToolForSpecializingBy → IsRelatingTermBegottenBy → Specialize 3 IsToolForSpecializingBy → IsRelatingTermFrom → SpecializingTool

				4 IsToolForSpecializingBy → IsRelatingTermTo → Specializer 5 IsToolForSpecializingBy → IsTypeOf → IsToolForAscribingBy
1317	IsToolForSpecializingOf	Standard	The relating term between SpecializingTool and Archetype	1 IsToolForSpecializingOf → IsReciprocalOf → IsSpecializedWithTool 2 IsToolForSpecializingOf → IsRelatingTermBegottenBy → Specialize 3 IsToolForSpecializingOf → IsRelatingTermFrom → SpecializingTool 4 IsToolForSpecializingOf → IsRelatingTermTo → Archetype 5 IsToolForSpecializingOf → IsTypeOf → IsToolForAscribingOf
1318	IsToolForSpecializingWith	Standard	The relating term between SpecializingTool and Type	1 IsToolForSpecializingWith → IsReciprocalOf → IsTypeAscribedWithTool 2 IsToolForSpecializingWith → IsRelatingTermBegottenBy → Specialize 3 IsToolForSpecializingWith → IsRelatingTermFrom → SpecializingTool 4 IsToolForSpecializingWith → IsRelatingTermTo → Type 5 IsToolForSpecializingWith → IsTypeOf → IsToolForAscribingWith
1319	IsTypeAscribedBy	Standard	The relating term between Type and Specializer	1 IsTypeAscribedBy → IsReciprocalOf → IsSpecializerWith 2 IsTypeAscribedBy → IsRelatingTermBegottenBy → Specialize 3 IsTypeAscribedBy → IsRelatingTermFrom → Type 4 IsTypeAscribedBy → IsRelatingTermTo → Specializer 5 IsTypeAscribedBy → IsTypeOf → IsAscriptionBy
1320	IsTypeAscribedWithTool	Standard	The relating term between Type and SpecializingTool	1 IsTypeAscribedWithTool → IsRelatingTermBegottenBy → Specialize 2 IsTypeAscribedWithTool → IsRelatingTermFrom → Type 3 IsTypeAscribedWithTool → IsRelatingTermTo → SpecializingTool 4 IsTypeAscribedWithTool → IsReciprocalOf → IsToolForSpecializingWith 5 IsTypeAscribedWithTool → IsTypeOf → IsAscriptionMadeWithTool
1321	IsTypeAtTime	Standard	The relating term between Type and TimeOfSpecializing	1 IsTypeAtTime → IsRelatingTermBegottenBy → Specialize 2 IsTypeAtTime → IsRelatingTermFrom → Type 3 IsTypeAtTime → IsRelatingTermTo → TimeOfSpecializing 4 IsTypeAtTime → IsReciprocalOf → IsTimeOfSpecializingWith 5 IsTypeAtTime → IsTypeOf → IsAscriptionAtTime
1322	IsTypeInPlace	Standard	The relating term between Type	1 IsTypeInPlace → IsRelatingTermBegottenBy → Specialize 2 IsTypeInPlace → IsRelatingTermFrom → Type

			and PlaceOfSpecializing	3 IsTypeInPlace → IsRelatingTermTo → PlaceOfSpecializing 4 IsTypeInPlace → IsReciprocalOf → IsPlaceOfSpecializingWith 5 IsTypeInPlace → IsTypeOf → IsAscriptionInPlace
1323	IsTypeOf	Standard	The relating term between Type and Archetype	1 IsTypeOf → IsReciprocalOf → HasType 2 IsTypeOf → IsRelatingTermBegottenBy → Specialize 3 IsTypeOf → IsRelatingTermFrom → Type 4 IsTypeOf → IsRelatingTermTo → Archetype 5 IsTypeOf → IsTypeOf → IsAscriptionTo
1324	IsValueAscribedBy	Standard	The relating term between Value and Evaluator	1 IsValueAscribedBy → IsReciprocalOf → IsEvaluatorWith 2 IsValueAscribedBy → IsRelatingTermBegottenBy → Evaluate 3 IsValueAscribedBy → IsRelatingTermFrom → Value 4 IsValueAscribedBy → IsRelatingTermTo → Evaluator 5 IsValueAscribedBy → IsTypeOf → IsAscriptionBy
1325	IsValueAscribedWithTool	Standard	The relating term between Value and EvaluatingTool	1 IsValueAscribedWithTool → IsRelatingTermBegottenBy → Evaluate 2 IsValueAscribedWithTool → IsRelatingTermFrom → Value 3 IsValueAscribedWithTool → IsRelatingTermTo → EvaluatingTool 4 IsValueAscribedWithTool → IsReciprocalOf → IsToolForEvaluatingWith 5 IsValueAscribedWithTool → IsTypeOf → IsAscriptionMadeWithTool
1326	IsValueAtTime	Standard	The relating term between Value and TimeOfEvaluating	1 IsValueAtTime → IsRelatingTermBegottenBy → Evaluate 2 IsValueAtTime → IsRelatingTermFrom → Value 3 IsValueAtTime → IsRelatingTermTo → TimeOfEvaluating 4 IsValueAtTime → IsReciprocalOf → IsTimeOfEvaluatingWith 5 IsValueAtTime → IsTypeOf → IsAscriptionAtTime
1327	IsValueInPlace	Standard	The relating term between Value and PlaceOfEvaluating	1 IsValueInPlace → IsRelatingTermBegottenBy → Evaluate 2 IsValueInPlace → IsRelatingTermFrom → Value 3 IsValueInPlace → IsRelatingTermTo → PlaceOfEvaluating 4 IsValueInPlace → IsReciprocalOf → IsPlaceOfEvaluatingWith 5 IsValueInPlace → IsTypeOf → IsAscriptionInPlace

1328	IsValueOf	Standard	The relating term between Value and EvaluatedResource	1 IsValueOf → IsRelatingTermBegottenBy → Evaluate 2 IsValueOf → IsRelatingTermFrom → Value 3 IsValueOf → IsRelatingTermTo → EvaluatedResource 4 IsValueOf → IsReciprocalOf → HasValue 5 IsValueOf → IsTypeOf → IsAscriptionTo
1329	Lexical	Standard Partially Derived	Of an Entity comprising words (in whole or in part).	1 Lexical → IsTypeOf → Form
1330	Made	Standard Derived	The historic status of Output	1 Made → IsStatusTypeBegottenBy → Make 2 Made → IsHistoricStatusOf → Output 3 Made → IsTypeOf → Done
1331	Make	Standard Derived	To bring something into existence.	1 Make → IsTypeOf → Do 2 Make → HasComponent → UseTool[true:Sometimes] <i>ActionFamily</i> 1 Make → BegetsContextType → MakingEvent 2 Make → BegetsAgentType → Maker 3 Make → BegetsResourceType → Output 4 Make → BegetsResourceType → MakingTool 5 Make → BegetsTimeType → TimeOfMaking 6 Make → BegetsPlaceType → PlaceOfMaking 7 Make → BegetsStateType → Existence 8 Make → BegetsRelatingTerm → HasCo-Maker 9 Make → BegetsRelatingTerm → IsMakerOf 10 Make → BegetsRelatingTerm → IsMadeBy 11 Make → BegetsRelatingTerm → IsMakerWithTool 12 Make → BegetsRelatingTerm → IsToolForMakingBy 13 Make → BegetsRelatingTerm → IsMakerAtTime 14 Make → BegetsRelatingTerm → IsTimeOfMakingBy 15 Make → BegetsRelatingTerm → IsMakerInPlace 16 Make → BegetsRelatingTerm → IsPlaceOfMakingBy 17 Make → BegetsRelatingTerm → HasCo-Output 18 Make → BegetsRelatingTerm → IsMadeWithTool 19 Make → BegetsRelatingTerm → IsToolForMaking

				20 Make → BegetsRelatingTerm → IsMadeAtTime 21 Make → BegetsRelatingTerm → IsTimeOfMakingOf 22 Make → BegetsRelatingTerm → IsMadeInPlace 23 Make → BegetsRelatingTerm → IsPlaceOfMakingOf 24 Make → BegetsRelatingTerm → HasCo-ToolForMaking 25 Make → BegetsRelatingTerm → IsMakingToolAtTime 26 Make → BegetsRelatingTerm → IsTimeOfMakingWithTool 27 Make → BegetsRelatingTerm → IsMakingToolInPlace 28 Make → BegetsRelatingTerm → IsPlaceOfMakingWithTool 29 Make → BegetsRelatingTerm → HasCo-TimeOfMaking 30 Make → BegetsRelatingTerm → IsTimeOfMakingInPlace 31 Make → BegetsRelatingTerm → IsPlaceOfMakingAtTime 32 Make → BegetsRelatingTerm → HasCo-PlaceOfMaking 33 Make → BegetsStatusType → Making 34 Make → BegetsStatusType → Made 35 Make → BegetsStatusType → BeingMade 36 Make → BegetsStatusType → Makeable
1332	Makeable	Standard Derived	The potential status of Output	1 Makeable → IsStatusTypeBegottenBy → Make 2 Makeable → IsPotentialStatusOf → Output 3 Makeable → IsTypeOf → Doable
1333	Maker	Standard Derived	An Agent that Makes.	1 Maker → IsAgentTypeBegottenBy → Make 2 Maker → IsTypeOf → Doer 3 Maker → HasComponent → ToolUser[true:Sometimes]
1334	MakeSet	Standard Partially Derived	To Aggregate a Set.	1 MakeSet → IsTypeOf → Aggregate <i>ActionFamily</i> 1 MakeSet → BegetsContextType → SettingEvent 2 MakeSet → BegetsAgentType → Setter 3 MakeSet → BegetsResourceType → Set 4 MakeSet → BegetsResourceType → Member 5 MakeSet → BegetsResourceType → SettingTool 6 MakeSet → BegetsTimeType → TimeOfSetting 7 MakeSet → BegetsPlaceType → PlaceOfSetting 8 MakeSet → BegetsPlaceType → PlaceOfSettingFrom

				9 MakeSet → BegetsPlaceType → PlaceOfSettingTo 10 MakeSet → BegetsRelatingTerm → HasMember 11 MakeSet → BegetsRelatingTerm → IsMemberOf 12 MakeSet → BegetsStatusType → Setting 13 MakeSet → BegetsStatusType → Setted 14 MakeSet → BegetsStatusType → BeingSetted 15 MakeSet → BegetsStatusType → Settable
1335	Making	Standard Derived	The current status of Maker	1 Making → IsStatusTypeBegottenBy → Make 2 Making → IsCurrentStatusOf → Maker 3 Making → IsTypeOf → Doing
1336	MakingEvent	Standard Derived	An Event in which something is Made.	1 MakingEvent → IsContextTypeBegottenBy → Make 2 MakingEvent → IsTypeOf → Event 3 MakingEvent → HasComponent → ToolUsage[true:Sometimes] <i>ContextDescription</i> 1 MakingEvent[#1] → HasActType → Make[#2][occ:1] 2 MakingEvent[#1] → HasAgentType → Maker[#3.n][occ:1-n] 3 MakingEvent[#1] → HasResourceType → Output[#4.n][occ:1-n] 4 MakingEvent[#1] → HasResourceType → MakingTool[#5.n][occ:0-n] 5 MakingEvent[#1] → HasTimeType → TimeOfMaking[#6.n][occ:1-n] 6 MakingEvent[#1] → HasPlaceType → PlaceOfMaking[#7.n][occ:1-n] 7 MakingEvent[#1] → HasStateType → Existence[#8.n][occ:1-n] 8 Existence[#8.n] → HasEntityType → Output[#4.n][occ:1-n] 9 Existence[#8.n] → HasTimeType → TimeOfExistence[#6.n][occ:1-n] 10 TimeOfExistence[#6.n] → IsA → StartTime 11 Existence[#8.n] → HasPlaceType → PlaceOfExistence[#7.n][occ:1-n]
1337	MakingTool	Standard Derived	A Tool Used in Making something.	1 MakingTool → IsResourceTypeBegottenBy → Make 2 MakingTool → IsTypeOf → Tool
1338	Manifestation	Standard Partially Derived	An Output which is Perceivable.	1 Manifestation → IsResourceTypeBegottenBy → Express 2 Manifestation → IsTypeOf → Output 3 Manifestation → HasComponent → Derivation[true:Sometimes]

				4 Manifestation → Is → Perceivable
1339	MappedTerm	Standard Partially Derived	The Value of TermStatus for a Term under an Authority other than the RddAuthority, which has an RddIdentifier and at least one Relationship with a Term other than an IsolatedTerm.	1 MappedTerm → IsAllowedValueOf → TermStatus 2 MappedTerm → IsTypeOf → Term
1340	Meaning	Standard Partially Derived	An abstract element of significance represented in RDD by a Term.	1 Meaning → IsTypeOf → Abstraction
1341	MeaningType	Standard Derived	A Type of Meaning.	1 MeaningType → IsTypeOf → Meaning
1342	Measurable	Standard Derived	The potential status of MeasuredResource	1 Measurable → IsStatusTypeBegottenBy → Measure 2 Measurable → IsPotentialStatusOf → MeasuredResource 3 Measurable → IsTypeOf → AscribableTo
1343	Measure Quantify	Standard Derived	To Ascribe a Quantity to an Entity.	1 Measure → IsTypeOf → Ascribe <i>ActionFamily</i> 1 Measure → BegetsContextType → MeasuringEvent 2 Measure → BegetsAgentType → Measurer 3 Measure → BegetsResourceType → Quantity 4 Measure → BegetsResourceType → MeasuredResource 5 Measure → BegetsResourceType → MeasuringTool 6 Measure → BegetsTimeType → TimeOfMeasuring 7 Measure → BegetsPlaceType → PlaceOfMeasuring 8 Measure → BegetsStateType → Measurement 9 Measure → BegetsRelatingTerm → HasCo-Measurer 10 Measure → BegetsRelatingTerm → IsMeasurerWith 11 Measure → BegetsRelatingTerm → IsQuantityAscribedBy 12 Measure → BegetsRelatingTerm → IsMeasurerOf 13 Measure → BegetsRelatingTerm → IsMeasuredBy

				14 Measure → BegetsRelatingTerm → IsMeasurerWithTool
				15 Measure → BegetsRelatingTerm → IsToolForMeasuringBy
				16 Measure → BegetsRelatingTerm → IsMeasurerAtTime
				17 Measure → BegetsRelatingTerm → IsTimeOfMeasuringBy
				18 Measure → BegetsRelatingTerm → IsMeasurerInPlace
				19 Measure → BegetsRelatingTerm → IsPlaceOfMeasuringBy
				20 Measure → BegetsRelatingTerm → HasCo-Quantity
				21 Measure → BegetsRelatingTerm → IsQuantityOf
				22 Measure → BegetsRelatingTerm → HasQuantity
				23 Measure → BegetsRelatingTerm → IsQuantityAscribedWithTool
				24 Measure → BegetsRelatingTerm → IsToolForMeasuringWith
				25 Measure → BegetsRelatingTerm → IsQuantityAtTime
				26 Measure → BegetsRelatingTerm → IsTimeOfMeasuringWith
				27 Measure → BegetsRelatingTerm → IsQuantityInPlace
				28 Measure → BegetsRelatingTerm → IsPlaceOfMeasuringWith
				29 Measure → BegetsRelatingTerm → HasCo-MeasuredResource
				30 Measure → BegetsRelatingTerm → IsResourceMeasuredWithTool
				31 Measure → BegetsRelatingTerm → IsToolForMeasuringOf
				32 Measure → BegetsRelatingTerm → IsResourceMeasuredAtTime
				33 Measure → BegetsRelatingTerm → IsTimeOfMeasuringOf
				34 Measure → BegetsRelatingTerm → IsResourceMeasuredInPlace
				35 Measure → BegetsRelatingTerm → IsPlaceOfMeasuringOf
				36 Measure → BegetsRelatingTerm → HasCo-MeasuringTool
				37 Measure → BegetsRelatingTerm → IsMeasuringToolAtTime
				38 Measure → BegetsRelatingTerm → IsTimeOfMeasuringWithTool
				39 Measure → BegetsRelatingTerm → IsMeasuringToolInPlace
				40 Measure → BegetsRelatingTerm → IsPlaceOfMeasuringWithTool
				41 Measure → BegetsRelatingTerm → HasCo-TimeOfMeasuring
				42 Measure → BegetsRelatingTerm → IsTimeOfMeasuringInPlace
				43 Measure → BegetsRelatingTerm → IsPlaceOfMeasuringAtTime
				44 Measure → BegetsRelatingTerm → HasCo-PlaceOfMeasuring
				45 Measure → BegetsStatusType → Measuring
				46 Measure → BegetsStatusType → Measured
				47 Measure → BegetsStatusType → BeingMeasured
				48 Measure → BegetsStatusType → Measurable

1344	Measured	Standard Derived	The historic status of MeasuredResource	1 Measured → IsStatusTypeBegottenBy → Measure 2 Measured → IsHistoricStatusOf → MeasuredResource 3 Measured → IsTypeOf → AscribedTo
1345	MeasuredResource QuantifiedResource	Standard Derived	An Entity which is Measured.	1 MeasuredResource → IsResourceTypeBegottenBy → Measure 2 MeasuredResource → IsTypeOf → AscribedResource
1346	Measurement Quantification	Standard Derived	A Situation in which an Entity has a Quantity.	1 Measurement → IsStateTypeBegottenBy → Measure 2 Measurement → IsTypeOf → AscribedSituation <i>ContextDescription</i> 1 Measurement[#1] → HasActType → HaveQuantity[#2][occ:1] 2 Measurement[#9.n] → HasEntityType → MeasuredResource[#5.n][occ:1-n] 3 Measurement[#9.n] → HasAttributeType → Quantity[#4.n][occ:1-n] 4 Quantity → Has → UnitOfMeasure 5 Measurement[#9.n] → HasTimeType → TimeOfMeasurement[#7.n][occ:1-n] 6 Measurement[#9.n] → HasPlaceType → PlaceOfMeasurement[#8.n][occ:1-n] <i>ContextFamily</i> 1 Measurement → BegetsActType → HaveQuantity 2 Measurement → BegetsTimeType → TimeOfMeasurement 3 Measurement → BegetsPlaceType → PlaceOfMeasurement
1347	Measurer Quantifier	Standard Derived	An Agent that Ascribes a Quantity to an Entity.	1 Measurer → IsAgentTypeBegottenBy → Measure 2 Measurer → IsTypeOf → Ascriber
1348	Measuring	Standard Derived	The current status of Measurer	1 Measuring → IsStatusTypeBegottenBy → Measure 2 Measuring → IsCurrentStatusOf → Measurer 3 Measuring → IsTypeOf → Ascribing
1349	MeasuringEvent QuantifyingEvent	Standard Derived	An Event in which an Entity is Measured.	1 MeasuringEvent → IsContextTypeBegottenBy → Measure 2 MeasuringEvent → IsTypeOf → AscribingEvent <i>ContextDescription</i> 1 MeasuringEvent[#1] → HasActType → Measure[#2][occ:1] 2 MeasuringEvent[#1] → HasAgentType → Measurer[#3.n][occ:1-n]

				3 Measurement[#9.n] → HasEntityType → MeasuredResource[#5.n][occ:1-n] 4 MeasuringEvent[#1] → HasResourceType → Quantity[#4.n][occ:1-n] 5 Measurement[#9.n] → HasAttributeType → Quantity[#4.n][occ:1-n] 6 MeasuringEvent[#1] → HasResourceType → MeasuredResource[#5.n][occ:1-n] 7 MeasuringEvent[#1] → HasResourceType → MeasuringTool[#6.n][occ:0-n] 8 Measurement[#9.n] → HasTimeType → TimeOfMeasurement[#7.n][occ:1-n] 9 MeasuringEvent[#1] → HasTimeType → TimeOfMeasuring[#7.n][occ:1-n] 10 Measurement[#9.n] → HasPlaceType → PlaceOfMeasurement[#8.n][occ:1-n] 11 MeasuringEvent[#1] → HasPlaceType → PlaceOfMeasuring[#8.n][occ:1-n] 12 MeasuringEvent[#1] → HasStateType → Measurement[#9.n][occ:1-n] 13 TimeOfMeasurement[#7.n] → IsA → StartTime
1350	MeasuringTool QuantifyingTool	Standard Derived	A Tool Used for Measuring.	1 MeasuringTool → IsResourceTypeBegottenBy → Measure 2 MeasuringTool → IsTypeOf → AscribingTool
1351	Member	Standard Partially Derived	A Resource which is put into a Set.	1 Member → IsResourceTypeBegottenBy → MakeSet 2 Member → IsTypeOf → Component
1352	Modifiable	Standard Derived	The potential status of ModifiedResource	1 Modifiable → IsStatusTypeBegottenBy → Modify 2 Modifiable → IsPotentialStatusOf → ModifiedResource 3 Modifiable → IsTypeOf → Changeable
1353	Modification	Standard Derived	An Event in which something is Modified.	1 Modification → IsContextTypeBegottenBy → Modify 2 Modification → IsTypeOf → ChangingEvent <i>ContextDescription</i> 1 Modification[#1] → HasActType → Modify[#2][occ:1] 2 Modification[#1] → HasAgentType → Modifier[#3.n][occ:1-n] 3 Modification[#1] → HasResourceType → ModifiedResource[#4.n][occ:1-n] 4 Modification[#1] → HasResourceType → ModifyingTool[#5.n][occ:0-n] 5 Modification[#1] → HasTimeType → TimeOfModifying[#6.n][occ:1-n] 6 Modification[#1] → HasPlaceType → PlaceOfModifying[#7.n][occ:1-n]
1354	Modification_1	Standard Partially	An Event in which a DigitalResource is Modified.	1 Modification_1 → IsTypeOf → Modification

		Derived	Scope of Modification_1 Modification_1 describes the context in which Modify is applied to DigitalResources in an MPEG-21 REL expression. A single resource remains at the end of the process (if a new resource is created, the act is Adapt). Changes may include the addition and removal of elements of the original resource, including the embedding of other digital resources. Modify may be used with one or more conditions that specify attributes that must remain unchanged by the process of Modifying (for example, the preservation of a header record). The repository must remain the same.	<i>ContextDescription</i> 1 Modification_1[#1] → HasActType → Modify_1[#2][occ:1] 2 Modification_1[#1] → HasAgentType → Modifier[#3.n][occ:1-n] 3 Modification_1[#1] → HasResourceType → ModifiedResource[#4.n][occ:1-n] 4 ModifiedResource[#4.n] → IsA → DigitalResource 5 Modification_1[#1] → HasResourceType → ModifyingTool[#5.n][occ:0-n] 6 Modification_1[#1] → HasTimeType → TimeOfModifying[#6.n][occ:1-n] 7 Modification_1[#1] → HasPlaceType → PlaceOfModifying[#7.n][occ:1-n] <i>ContextFamily</i> 1 Modification_1 → BegetsActType → Modify_1
1355	Modified	Standard Derived	The historic status of ModifiedResource	1 Modified → IsStatusTypeBegottenBy → Modify 2 Modified → IsHistoricStatusOf → ModifiedResource 3 Modified → IsTypeOf → Changed
1356	ModifiedResource	Standard Partially Derived	A Creation which is Changed.	1 ModifiedResource → IsResourceTypeBegottenBy → Modify 2 ModifiedResource → IsTypeOf → ChangedResource 3 ModifiedResource → IsA → Creation
1357	Modifier	Standard Derived	An Agent that Modifies a Resource.	1 Modifier → IsAgentTypeBegottenBy → Modify 2 Modifier → IsTypeOf → Changer
1358	Modify	Standard Derived	To Change a Creation.	1 Modify → IsTypeOf → Change <i>ActionFamily</i>

				1 Modify → BegetsContextType → Modification 2 Modify → BegetsAgentType → Modifier 3 Modify → BegetsResourceType → ModifiedResource 4 Modify → BegetsResourceType → ModifyingTool 5 Modify → BegetsTimeType → TimeOfModifying 6 Modify → BegetsPlaceType → PlaceOfModifying 7 Modify → BegetsStatusType → Modifying 8 Modify → BegetsStatusType → Modified 9 Modify → BegetsStatusType → BeingModified 10 Modify → BegetsStatusType → Modifiable
1359	Modify_1 ModifyDigitalResource	Standard Derived	To Modify a DigitalResource.	1 Modify_1 → IsActTypeBegottenBy → Modification_1 2 Modify_1 → IsTypeOf → Modify
1360	Modifying	Standard Derived	The current status of Modifier	1 Modifying → IsStatusTypeBegottenBy → Modify 2 Modifying → IsCurrentStatusOf → Modifier 3 Modifying → IsTypeOf → Changing
1361	ModifyingTool	Standard Derived	A Tool Used in Modifying something.	1 ModifyingTool → IsResourceTypeBegottenBy → Modify 2 ModifyingTool → IsTypeOf → ChangingTool
1362	Movable	Standard Derived	The potential status of MovedResource	1 Movable → IsStatusTypeBegottenBy → Move 2 Movable → IsPotentialStatusOf → MovedResource 3 Movable → IsTypeOf → Changeable
1363	Move	Standard Derived	To relocate a Resource from one Place to another.	1 Move → IsTypeOf → Change <i>ActionFamily</i> 1 Move → BegetsContextType → Movement 2 Move → BegetsAgentType → Mover 3 Move → BegetsResourceType → MovedResource 4 Move → BegetsResourceType → MovingTool 5 Move → BegetsTimeType → TimeOfMoving 6 Move → BegetsPlaceType → PlaceOfMoving 7 Move → BegetsPlaceType → Origin 8 Move → BegetsPlaceType → Destination

				9 Move → BegetsPlaceType → PlaceOfMovingThrough 10 Move → BegetsStatusType → Moving 11 Move → BegetsStatusType → Moved 12 Move → BegetsStatusType → BeingMoved 13 Move → BegetsStatusType → Movable
1364	Moved	Standard Derived	The historic status of MovedResource	1 Moved → IsStatusTypeBegottenBy → Move 2 Moved → IsHistoricStatusOf → MovedResource 3 Moved → IsTypeOf → Changed
1365	MovedResource	Standard Partially Derived	A Resource which is relocated from one Place to another. Scope of MovedResource A MovedResource may be anything capable of changing its location, including the Mover (that is, the Value of the Mover and MovedResource may be the same).	1 MovedResource → IsResourceTypeBegottenBy → Move 2 MovedResource → IsTypeOf → ChangedResource
1366	Movement	Standard Derived	An Event in which a Resource is Moved.	1 Movement → IsContextTypeBegottenBy → Move 2 Movement → IsTypeOf → ChangingEvent <i>ContextDescription</i> 1 Movement[#1] → HasActType → Move[#2][occ:1] 2 Movement[#1] → HasAgentType → Mover[#3.n][occ:1-n] 3 Movement[#1] → HasResourceType → MovedResource[#4.n][occ:1-n] 4 Movement[#1] → HasResourceType → MovingTool[#5.n][occ:0-n] 5 Movement[#1] → HasTimeType → TimeOfMoving[#6.n][occ:1-n] 6 Movement[#1] → HasPlaceType → PlaceOfMoving[#7.n][occ:1-n] 7 Movement[#1] → HasPlaceType → Origin[#8.n][occ:0-n] 8 Movement[#1] → HasPlaceType → Destination[#9.n][occ:0-n] 9 Movement[#1] → HasPlaceType → PlaceOfMovingThrough[#10.n][occ:0-n] 10 Origin[#8.n] → IsEqualTo → Destination[#9.n][occ:0-n][true:Never]

1367	Mover	Standard Derived	An Agent that Moves.	1 Mover → IsAgentTypeBegottenBy → Move 2 Mover → IsTypeOf → Changer
1368	Moving	Standard Derived	The current status of Mover	1 Moving → IsStatusTypeBegottenBy → Move 2 Moving → IsCurrentStatusOf → Mover 3 Moving → IsTypeOf → Changing
1369	MovingTool	Standard Derived	A Tool Used in Moving.	1 MovingTool → IsResourceTypeBegottenBy → Move 2 MovingTool → IsTypeOf → ChangingTool
1370	mx.Adapt	Standard Partially Derived	(REL Definition) Represents the Right to make changes to a resource to create a new resource.	1 mx.Adapt → IsTypeOf → Adapt 2 mx.Adapt → IsTypeOf → ActType_1
1371	mx.Copy	Standard Partially Derived	(REL Definition) Represents the Right to make a perfect reproduction of a resource.	1 mx.Copy → IsTypeOf → Copy 2 mx.Copy → IsTypeOf → ActType_1
1372	mx.Delete	Standard Partially Derived	(REL Definition) Represents the Right to remove a digital resource permanently from its source repository.	1 mx.Delete → IsTypeOf → Delete 2 mx.Delete → IsTypeOf → ActType_1
1373	mx.Disable	Standard Partially Derived	(REL Definition) Represents the Right to make a resource incapable of being interacted with.	1 mx.Disable → IsTypeOf → Disable 2 mx.Disable → IsTypeOf → ActType_1
1374	mx.Edit	Standard Partially Derived	(REL Definition) Represents the Right to adapt and/or modify a resource.	1 mx.Edit → IsTypeOf → Edit 2 mx.Edit → IsTypeOf → ActType_1

1375	mx.Embed	Standard Partially Derived	(REL Definition) Represents the Right to include a resource in another resource.	1 mx.Embed → IsTypeOf → Embed 2 mx.Embed → IsTypeOf → ActType_1
1376	mx.Enable	Standard Partially Derived	(REL Definition) Represents the Right to make a resource capable of being interacted with.	1 mx.Enable → IsTypeOf → Enable 2 mx.Enable → IsTypeOf → ActType_1
1377	mx.Enlarge	Standard Partially Derived	(REL Definition) Represents the Right to modify a resource by making it larger.	1 mx.Enlarge → IsTypeOf → Enlarge 2 mx.Enlarge → IsTypeOf → ActType_1
1378	mx.Execute	Standard Partially Derived	(REL Definition) Represents the Right to execute a software program.	1 mx.Execute → IsTypeOf → Execute 2 mx.Execute → IsTypeOf → ActType_1
1379	mx.Extract	Standard Partially Derived	(REL Definition) Represents the Right to derive a new resource by taking a fragment out of an existing resource (REL Definition) .	1 mx.Extract → IsTypeOf → Extract 2 mx.Extract → IsTypeOf → ActType_1
1380	mx.Install	Standard Partially Derived	(REL Definition) Represents the Right to follow the instructions provided by an installing resource.	1 mx.Install → IsTypeOf → Install 2 mx.Install → IsTypeOf → ActType_1
1381	mx.License/title	Standard Derived	(REL Definition) A descriptive phrase about a REL License that is intended for human consumption in user interfaces and the like.	1 mx.License/title → IsTypeOf → PermissionName 2 mx.License/title → IsAttributeOf → Permission_1
1382	mx.Modify	Standard Partially	(REL Definition) Represents the Right to make and save changes	1 mx.Modify → IsTypeOf → Modify

		Derived	to a resource without creating a new resource.	2 mx.Modify → IsTypeOf → ActType_1
1383	mx.Play	Standard Partially Derived	(REL Definition) Represents the Right to create a transient, perceivable rendition of a resource.	1 mx.Play → IsTypeOf → Play 2 mx.Play → IsTypeOf → ActType_1
1384	mx.Principal	Standard Partially Derived	(REL Definition) An encapsulation of the identification of an entity involved in the granting or exercise of rights.	1 mx.Principal → IsTypeOf → Agent
1385	mx.Print	Standard Partially Derived	(REL Definition) Represents the Right to create a fixed and directly perceivable rendition of a resource.	1 mx.Print → IsTypeOf → Print 2 mx.Print → IsTypeOf → ActType_1
1386	mx.Read	Standard Partially Derived	(REL Definition) Represents the Right to read a digital resource from a repository	1 mx.Read → IsTypeOf → Read 2 mx.Read → IsTypeOf → ActType_1
1387	mx.Transfer	Standard Partially Derived	(REL Definition) Represents the Right to relocate a resource from one place to another.	1 mx.Transfer → IsTypeOf → Move 2 mx.Transfer → IsTypeOf → ActType_1
1388	mx.Uninstall	Standard Partially Derived	(REL Definition) Represents the Right to follow the instructions provided by an uninstalling resource.	1 mx.Uninstall → IsTypeOf → Uninstall 2 mx.Uninstall → IsTypeOf → ActType_1
1389	mx.Write	Standard Partially	(REL Definition) To write a digital resource to a repository.	1 mx.Write → IsTypeOf → Write 2 mx.Write → IsTypeOf → ActType_1

		Derived		
1390	Name Nomination	Standard Partially Derived	A label that is Ascribed to something to make it referable to.	1 Name → IsResourceTypeBegottenBy → Nominate 2 Name → IsTypeOf → Ascription
1391	Nameable	Standard Derived	The potential status of NamedResource	1 Nameable → IsStatusTypeBegottenBy → Nominate 2 Nameable → IsPotentialStatusOf → NamedResource 3 Nameable → IsTypeOf → AscribableTo
1392	Named	Standard Derived	The historic status of NamedResource	1 Named → IsStatusTypeBegottenBy → Nominate 2 Named → IsHistoricStatusOf → NamedResource 3 Named → IsTypeOf → AscribedTo
1393	NamedResource NominatedResource	Standard Derived	A Resource that is Named.	1 NamedResource → IsResourceTypeBegottenBy → Nominate 2 NamedResource → IsTypeOf → AscribedResource
1394	Namer Nominator	Standard Derived	An Agent that Nominates.	1 Namer → IsAgentTypeBegottenBy → Nominate 2 Namer → IsTypeOf → Ascriber
1395	Naming	Standard Derived	The current status of Namer	1 Naming → IsStatusTypeBegottenBy → Nominate 2 Naming → IsCurrentStatusOf → Namer 3 Naming → IsTypeOf → Ascribing
1396	NamingEvent NominatingEvent	Standard Derived	An Event in which something is Named.	1 NamingEvent → IsContextTypeBegottenBy → Nominate 2 NamingEvent → IsTypeOf → AscribingEvent <i>ContextDescription</i> 1 NamingEvent[#1] → HasActType → Nominate[#2][occ:1] 2 NamingEvent[#1] → HasAgentType → Namer[#3.n][occ:1-n] 3 Nomination[#9.n] → HasEntityType → NamedResource[#5.n][occ:1-n] 4 NamingEvent[#1] → HasResourceType → Name[#4.n][occ:1-n] 5 Nomination[#9.n] → HasAttributeType → Name[#4.n][occ:1-n] 6 NamingEvent[#1] → HasResourceType → NamedResource[#5.n][occ:1-n] 7 Nomination[#9.n] → HasTimeType → TimeOfNomination[#7.n][occ:1-n]

				8 NamingEvent[#1] → HasResourceType → NamingTool[#6.n][occ:0-n] 9 Nomination[#9.n] → HasPlaceType → PlaceOfNomination[#8.n][occ:1-n] 10 NamingEvent[#1] → HasTimeType → TimeOfNaming[#7.n][occ:1-n] 11 NamingEvent[#1] → HasPlaceType → PlaceOfNaming[#8.n][occ:1-n] 12 NamingEvent[#1] → HasStateType → Nomination[#9.n][occ:1-n] 13 TimeOfNomination[#7.n] → IsA → StartTime
1397	NamingTool NominatingTool	Standard Derived	A Tool with which something is Named.	1 NamingTool → IsResourceTypeBegottenBy → Nominate 2 NamingTool → IsTypeOf → AscribingTool
1398	NativeTerm	Standard Partially Derived	The Value of TermStatus for a Term other than a StandardizedTerm that has an RddAuthorized Headword and an RddDefinition.	1 NativeTerm → IsAllowedValueOf → TermStatus 2 NativeTerm → IsTypeOf → Term
1399	Never	Standard Partially Derived	Of a Situation that is never True.	1 Never → IsAllowedValueOf → Reliability
1400	Nominate	Standard Derived	To make something referable to.	1 Nominate → IsTypeOf → Ascribe <i>ActionFamily</i> 1 Nominate → BegetsContextType → NamingEvent 2 Nominate → BegetsAgentType → Namer 3 Nominate → BegetsResourceType → Name 4 Nominate → BegetsResourceType → NamedResource 5 Nominate → BegetsResourceType → NamingTool 6 Nominate → BegetsTimeType → TimeOfNaming 7 Nominate → BegetsPlaceType → PlaceOfNaming 8 Nominate → BegetsStateType → Nomination 9 Nominate → BegetsRelatingTerm → HasCo-Nominator 10 Nominate → BegetsRelatingTerm → IsNominatorWith 11 Nominate → BegetsRelatingTerm → IsNameAscribedBy 12 Nominate → BegetsRelatingTerm → IsNominatorOf 13 Nominate → BegetsRelatingTerm → IsNamedBy

				14 Nominate → BegetsRelatingTerm → IsNominatorWithTool
				15 Nominate → BegetsRelatingTerm → IsToolForNamingBy
				16 Nominate → BegetsRelatingTerm → IsNominatorAtTime
				17 Nominate → BegetsRelatingTerm → IsTimeOfNamingBy
				18 Nominate → BegetsRelatingTerm → IsNominatorInPlace
				19 Nominate → BegetsRelatingTerm → IsPlaceOfNamingBy
				20 Nominate → BegetsRelatingTerm → HasCo-Name
				21 Nominate → BegetsRelatingTerm → IsNameof
				22 Nominate → BegetsRelatingTerm → HasName
				23 Nominate → BegetsRelatingTerm → IsNameAscribedWithTool
				24 Nominate → BegetsRelatingTerm → IsToolForNamingWith
				25 Nominate → BegetsRelatingTerm → IsNameAtTime
				26 Nominate → BegetsRelatingTerm → IsTimeOfNamingWith
				27 Nominate → BegetsRelatingTerm → IsNameInPlace
				28 Nominate → BegetsRelatingTerm → IsPlaceOfNamingWith
				29 Nominate → BegetsRelatingTerm → HasCo-NamedResource
				30 Nominate → BegetsRelatingTerm → IsResourceNamedWithTool
				31 Nominate → BegetsRelatingTerm → IsToolForNamingOf
				32 Nominate → BegetsRelatingTerm → IsResourceNamedAtTime
				33 Nominate → BegetsRelatingTerm → IsTimeOfNamingOf
				34 Nominate → BegetsRelatingTerm → IsResourceNamedInPlace
				35 Nominate → BegetsRelatingTerm → IsPlaceOfNamingOf
				36 Nominate → BegetsRelatingTerm → HasCo-NamingTool
				37 Nominate → BegetsRelatingTerm → IsNamingToolAtTime
				38 Nominate → BegetsRelatingTerm → IsTimeOfNamingWithTool
				39 Nominate → BegetsRelatingTerm → IsNamingToolInPlace
				40 Nominate → BegetsRelatingTerm → IsPlaceOfNamingWithTool
				41 Nominate → BegetsRelatingTerm → HasCo-TimeOfNaming
				42 Nominate → BegetsRelatingTerm → IsTimeOfNamingInPlace
				43 Nominate → BegetsRelatingTerm → IsPlaceOfNamingAtTime
				44 Nominate → BegetsRelatingTerm → HasCo-PlaceOfNaming
				45 Nominate → BegetsStatusType → Naming
				46 Nominate → BegetsStatusType → Named
				47 Nominate → BegetsStatusType → BeingNamed
				48 Nominate → BegetsStatusType → Nameable

1401	Nomination	Standard Derived	A Situation in which an Entity has a Name.	1 Nomination → IsStateTypeBegottenBy → Nominate 2 Nomination → IsTypeOf → AscribedSituation <i>ContextDescription</i> 1 Nomination[#1] → HasActType → HaveName[#2][occ:1] 2 Nomination[#9.n] → HasEntityType → NamedResource[#5.n][occ:1-n] 3 Nomination[#9.n] → HasAttributeType → Name[#4.n][occ:1-n] 4 Nomination[#9.n] → HasTimeType → TimeOfNomination[#7.n][occ:1-n] 5 Nomination[#9.n] → HasPlaceType → PlaceOfNomination[#8.n][occ:1-n] <i>ContextFamily</i> 1 Nomination → BegetsActType → HaveName 2 Nomination → BegetsTimeType → TimeOfNomination 3 Nomination → BegetsPlaceType → PlaceOfNomination
1402	Numerical	Standard Partially Derived	Of an Entity comprising numbers (in whole or in part).	1 Numerical → IsTypeOf → Form
1403	OpenAccess	Standard Partially Derived	Of a Term or TermAttribute which may be accessed by any RddUser.	1 OpenAccess → IsAllowedValueOf → AccessStatus
1404	Opposable	Standard Derived	The potential status of Opposite	1 Opposable → IsStatusTypeBegottenBy → Oppose 2 Opposable → IsPotentialStatusOf → Opposite 3 Opposable → IsTypeOf → Relatable
1405	Oppose	Standard Partially Derived	To Relate Entities which have contrary Values.	1 Oppose → IsTypeOf → Relate 2 Oppose → IsOpposedTo → Equate <i>ActionFamily</i> 1 Oppose → BegetsContextType → OpposingEvent 2 Oppose → BegetsAgentType → Opposer 3 Oppose → BegetsResourceType → Opposite 4 Oppose → BegetsResourceType → OpposingTool 5 Oppose → BegetsTimeType → TimeOfOpposing

				6 Oppose → BegetsPlaceType → PlaceOfOpposing 7 Oppose → BegetsStateType → Opposition 8 Oppose → BegetsRelatingTerm → IsCo-Opposer 9 Oppose → BegetsRelatingTerm → IsOpposerOf 10 Oppose → BegetsRelatingTerm → IsOpposedBy 11 Oppose → BegetsRelatingTerm → IsOpposerWithTool 12 Oppose → BegetsRelatingTerm → IsToolForOpposingBy 13 Oppose → BegetsRelatingTerm → IsOpposerAtTime 14 Oppose → BegetsRelatingTerm → IsTimeOfOpposingBy 15 Oppose → BegetsRelatingTerm → IsOpposerInPlace 16 Oppose → BegetsRelatingTerm → IsPlaceOfOpposingBy 17 Oppose → BegetsRelatingTerm → IsOpposedTo 18 Oppose → BegetsRelatingTerm → IsOpposedWithTool 19 Oppose → BegetsRelatingTerm → IsToolForOpposing 20 Oppose → BegetsRelatingTerm → IsOppositeAtTime 21 Oppose → BegetsRelatingTerm → IsTimeOfOpposing 22 Oppose → BegetsRelatingTerm → IsOppositeInPlace 23 Oppose → BegetsRelatingTerm → IsPlaceOfOpposing 24 Oppose → BegetsRelatingTerm → HasCo-OpposingTool 25 Oppose → BegetsRelatingTerm → IsOpposingToolAtTime 26 Oppose → BegetsRelatingTerm → IsTimeOfOpposingWithTool 27 Oppose → BegetsRelatingTerm → IsOpposingToolInPlace 28 Oppose → BegetsRelatingTerm → IsPlaceOfOpposingWithTool 29 Oppose → BegetsRelatingTerm → IsCo-TimeOfOpposing 30 Oppose → BegetsRelatingTerm → IsTimeOfOpposingInPlace 31 Oppose → BegetsRelatingTerm → IsPlaceOfOpposingAtTime 32 Oppose → BegetsRelatingTerm → IsCo-PlaceOfOpposing 33 Oppose → BegetsStatusType → Opposing 34 Oppose → BegetsStatusType → Opposed 35 Oppose → BegetsStatusType → BeingOpposed 36 Oppose → BegetsStatusType → Opposable
1406	Opposed	Standard Derived	The historic status of Opposite	1 Opposed → IsStatusTypeBegottenBy → Oppose 2 Opposed → IsHistoricStatusOf → Opposite 3 Opposed → IsTypeOf → Related

1407	Opposer	Standard Derived	An Agent that Opposes two or more Entities.	1 Opposer → IsAgentTypeBegottenBy → Oppose 2 Opposer → IsTypeOf → Relator
1408	Opposing	Standard Derived	The current status of Opposer	1 Opposing → IsStatusTypeBegottenBy → Oppose 2 Opposing → IsCurrentStatusOf → Opposer 3 Opposing → IsTypeOf → Relating
1409	OpposingEvent	Standard Derived	An Event in which Entities are Opposed.	1 OpposingEvent → IsContextTypeBegottenBy → Oppose 2 OpposingEvent → IsTypeOf → RelatingEvent <i>ContextDescription</i> 1 OpposingEvent[#1] → HasActType → Oppose[#2][occ:1] 2 OpposingEvent[#1] → HasAgentType → Opposer[#3.n][occ:1-n] 3 OpposingEvent[#1] → HasResourceType → Opposite[#4.n][occ:2-n] 4 OpposingEvent[#1] → HasResourceType → OpposingTool[#5.n][occ:0-n] 5 OpposingEvent[#1] → HasTimeType → TimeOfOpposing[#6.n][occ:1-n] 6 OpposingEvent[#1] → HasPlaceType → PlaceOfOpposing[#7.n][occ:1-n]
1410	OpposingTool	Standard Derived	A Tool with which Entities are Opposed.	1 OpposingTool → IsResourceTypeBegottenBy → Oppose 2 OpposingTool → IsTypeOf → RelatingTool
1411	Opposite	Standard Derived	A Resource which has a Value which is contrary to the Value of another. Occurrences of Opposite If more than two Opposites occur, then each is an Opposite of every other one (that is, a one-to-one "IsOpposedTo" Relationship exists for every pair of Opposites in an OpposingEvent).	1 Opposite → IsResourceTypeBegottenBy → Oppose 2 Opposite → IsTypeOf → Relative
1412	Opposition	Standard Derived	A Situation in which Entities have contrary Values.	1 Opposition → IsStateTypeBegottenBy → Oppose 2 Opposition → IsTypeOf → Relation

				<i>ContextDescription</i> 1 Opposition[#1] → HasActType → HaveOpposite[#2][occ:1] 2 Opposition[#1] → HasEntityType → Opposite[#3.n][occ:1-n] 3 Opposition[#1] → HasAttributeType → Opposite[#4.n][occ:1-n] 4 Opposition[#1] → HasTimeType → TimeOfOpposition[#5.n][occ:1-n] 5 Opposition[#1] → HasPlaceType → PlaceOfOpposition[#6.n][occ:1-n] <i>ContextFamily</i> 1 Opposition → BegetsActType → HaveOpposite 2 Opposition → BegetsTimeType → TimeOfOpposition 3 Opposition → BegetsPlaceType → PlaceOfOpposition
1413	Origin	Standard Partially Derived	A Place from which a Resource is Moved.	1 Origin → IsPlaceTypeBegottenBy → Move 2 Origin → IsTypeOf → PlaceOfChanging 3 Origin → IsPartOf → PlaceOfMoving
1414	Original	Standard Derived	The historic status of Origination	1 Original → IsStatusTypeBegottenBy → Originate 2 Original → IsHistoricStatusOf → Origination 3 Original → IsTypeOf → Made
1415	OriginalMeaning	Standard Partially Derived	A Meaning comprised entirely of semantic material introduced from outside of the Dictionary.	1 OriginalMeaning → IsTypeOf → Meaning
1416	Originatable	Standard Derived	The potential status of Origination	1 Originatable → IsStatusTypeBegottenBy → Originate 2 Originatable → IsPotentialStatusOf → Origination 3 Originatable → IsTypeOf → Makeable
1417	Originate	Standard Derived	(Of a human, animal or machine) To Make something original. Scope of Originate Originate means to make something which does not acknowledge the Deriving of any of its content from an existing Creation. If the content of an Output	1 Originate → IsTypeOf → Make 2 Originate → IsOpposedTo → Derive <i>ActionFamily</i> 1 Originate → BegetsContextType → OriginatingEvent 2 Originate → BegetsAgentType → Originator 3 Originate → BegetsResourceType → Origination 4 Originate → BegetsResourceType → OriginatingTool

			is partly Originated and partly Derived (for example, a sound recording which contains a sample of another) then it is covered by the composite ActType "Create".	5 Originate → BegetsTimeType → TimeOfOriginating 6 Originate → BegetsPlaceType → PlaceOfOriginating 7 Originate → BegetsStatusType → Originating 8 Originate → BegetsStatusType → Original 9 Originate → BegetsStatusType → BeingOriginated 10 Originate → BegetsStatusType → Originatable
1418	Originating	Standard Derived	The current status of Originator	1 Originating → IsStatusTypeBegottenBy → Originate 2 Originating → IsCurrentStatusOf → Originator 3 Originating → IsTypeOf → Making
1419	OriginatingEvent	Standard Derived	An Event in which something is Originated.	1 OriginatingEvent → IsContextTypeBegottenBy → Originate 2 OriginatingEvent → IsTypeOf → MakingEvent <i>ContextDescription</i> 1 OriginatingEvent[#1] → HasActType → Originate[#2][occ:1] 2 OriginatingEvent[#1] → HasAgentType → Originator[#3.n][occ:1-n] 3 OriginatingEvent[#1] → HasResourceType → Origination[#4.n][occ:1-n] 4 OriginatingEvent[#1] → HasResourceType → OriginatingTool[#5.n][occ:0-n] 5 OriginatingEvent[#1] → HasTimeType → TimeOfOriginating[#6.n][occ:1-n] 6 OriginatingEvent[#1] → HasPlaceType → PlaceOfOriginating[#7.n][occ:1-n]
1420	OriginatingTool	Standard Derived	A Tool Used for Originating.	1 OriginatingTool → IsResourceTypeBegottenBy → Originate 2 OriginatingTool → IsTypeOf → MakingTool
1421	Origination	Standard Derived	A Resource that is Originated.	1 Origination → IsResourceTypeBegottenBy → Originate 2 Origination → IsTypeOf → Output
1422	Originator	Standard Partially Derived	A human, animal or machine Agent that Makes something.	1 Originator → IsAgentTypeBegottenBy → Originate 2 Originator → IsTypeOf → Maker 3 Originator → IsA → Context[true:Never]
1423	Output	Standard Partially	A Resource that is brought into existence.	1 Output → IsResourceTypeBegottenBy → Make 2 Output → IsTypeOf → Patient

		Derived		
1424	Part	Standard Partially Derived	Something which is contained within another Entity. Component and Part A Component is something out of which something is Made; a Part is something which can be identified as being contained within something. Components must therefore be capable of separate existence; Parts need not. All Components become Parts, but not all Parts were ever Components. Scope of Part A A Part is something which is contained within something else in any way: for example, the nose of someone's face; a phrase within a melody; a paragraph in a book; a dimension of a figure; an incident in an event; an atom in a molecule; a fragment of a DigitalResource.	1 Part → IsResourceTypeBegottenBy → Partition 2 Part → IsTypeOf → Ascription
1425	Partition	Standard Derived	To Ascribe one Entity to another as a Part.	1 Partition → IsTypeOf → Ascribe <i>ActionFamily</i> 1 Partition → BegetsContextType → PartitioningEvent 2 Partition → BegetsAgentType → Partitioner 3 Partition → BegetsResourceType → Part 4 Partition → BegetsResourceType → Whole 5 Partition → BegetsResourceType → PartitioningTool 6 Partition → BegetsTimeType → TimeOfPartitioning 7 Partition → BegetsPlaceType → PlaceOfPartitioning 8 Partition → BegetsStateType → PartSituation

				9 Partition → BegetsRelatingTerm → HasCo-Partitioner
				10 Partition → BegetsRelatingTerm → IsPartitionerInto
				11 Partition → BegetsRelatingTerm → IsPartAscribedBy
				12 Partition → BegetsRelatingTerm → IsPartitionerOf
				13 Partition → BegetsRelatingTerm → IsPartitionedBy
				14 Partition → BegetsRelatingTerm → IsPartitionerWithTool
				15 Partition → BegetsRelatingTerm → IsToolForPartitioningBy
				16 Partition → BegetsRelatingTerm → IsPartitionerAtTime
				17 Partition → BegetsRelatingTerm → IsTimeOfPartitioningBy
				18 Partition → BegetsRelatingTerm → IsPartitionerInPlace
				19 Partition → BegetsRelatingTerm → IsPlaceOfPartitioningBy
				20 Partition → BegetsRelatingTerm → HasCo-Part
				21 Partition → BegetsRelatingTerm → IsPartOf
				22 Partition → BegetsRelatingTerm → HasPart
				23 Partition → BegetsRelatingTerm → IsPartAscribedWithTool
				24 Partition → BegetsRelatingTerm → IsToolForPartitioningWith
				25 Partition → BegetsRelatingTerm → IsPartAtTime
				26 Partition → BegetsRelatingTerm → IsTimeOfPartitioningWith
				27 Partition → BegetsRelatingTerm → IsPartInPlace
				28 Partition → BegetsRelatingTerm → IsPlaceOfPartitioningWith
				29 Partition → BegetsRelatingTerm → HasCo-Whole
				30 Partition → BegetsRelatingTerm → IsResourcePartitionedWithTool
				31 Partition → BegetsRelatingTerm → IsToolForPartitioningOf
				32 Partition → BegetsRelatingTerm → IsResourcePartitionedAtTime
				33 Partition → BegetsRelatingTerm → IsTimeOfPartitioningOf
				34 Partition → BegetsRelatingTerm → IsResourcePartitionedInPlace
				35 Partition → BegetsRelatingTerm → IsPlaceOfPartitioningOf
				36 Partition → BegetsRelatingTerm → HasCo-PartitioningTool
				37 Partition → BegetsRelatingTerm → IsPartitioningToolAtTime
				38 Partition → BegetsRelatingTerm → IsTimeOfPartitioningWithTool
				39 Partition → BegetsRelatingTerm → IsPartitioningToolInPlace
				40 Partition → BegetsRelatingTerm → IsPlaceOfPartitioningWithTool
				41 Partition → BegetsRelatingTerm → HasCo-TimeOfPartitioning
				42 Partition → BegetsRelatingTerm → IsTimeOfPartitioningInPlace
				43 Partition → BegetsRelatingTerm → IsPlaceOfPartitioningAtTime
				44 Partition → BegetsRelatingTerm → HasCo-PlaceOfPartitioning
				45 Partition → BegetsStatusType → Partitioning
				46 Partition → BegetsStatusType → Partitioned

				47 Partition → BegetsStatusType → BeingPartitioned 48 Partition → BegetsStatusType → Partitionable
1426	Partitionable	Standard Derived	The potential status of Whole	1 Partitionable → IsStatusTypeBegottenBy → Partition 2 Partitionable → IsPotentialStatusOf → Whole 3 Partitionable → IsTypeOf → AscribableTo
1427	Partitioned	Standard Derived	The historic status of Whole	1 Partitioned → IsStatusTypeBegottenBy → Partition 2 Partitioned → IsHistoricStatusOf → Whole 3 Partitioned → IsTypeOf → AscribedTo
1428	Partitioner	Standard Derived	An Agent that Partitions.	1 Partitioner → IsAgentTypeBegottenBy → Partition 2 Partitioner → IsTypeOf → Ascriber
1429	Partitioning	Standard Derived	The current status of Partitioner	1 Partitioning → IsStatusTypeBegottenBy → Partition 2 Partitioning → IsCurrentStatusOf → Partitioner 3 Partitioning → IsTypeOf → Ascribing
1430	PartitioningEvent	Standard Derived	An Event in which an Entity is Partitioned.	1 PartitioningEvent → IsContextTypeBegottenBy → Partition 2 PartitioningEvent → IsTypeOf → AscribingEvent <i>ContextDescription</i> 1 PartitioningEvent[#1] → HasActType → Partition[#2][occ:1] 2 PartitioningEvent[#1] → HasAgentType → Partitioner[#3.n][occ:1-n] 3 PartitioningEvent[#1] → HasResourceType → Part[#4.n][occ:1-n] 4 PartitioningEvent[#1] → HasResourceType → Whole[#5.n][occ:1] 5 PartitioningEvent[#1] → HasResourceType → PartitioningTool[#6.n][occ:0-n] 6 PartitioningEvent[#1] → HasTimeType → TimeOfPartitioning[#7.n][occ:1-n] 7 PartitioningEvent[#1] → HasPlaceType → PlaceOfPartitioning[#8.n][occ:1-n] 8 PartitioningEvent[#1] → HasStateType → PartSituation[#9.n][occ:1-n]
1431	PartitioningTool	Standard Derived	A Tool Used for Partitioning.	1 PartitioningTool → IsResourceTypeBegottenBy → Partition 2 PartitioningTool → IsTypeOf → AscribingTool

1432	PartitionSituation	Standard Derived	A Situation in which an Entity has a Part.	<i>ContextDescription</i> 1 PartitionSituation[#1] → HasActType → HavePart[#2][occ:1] 2 PartitionSituation[#1] → HasEntityType → Whole[#3.n][occ:1-n] 3 PartitionSituation[#1] → HasAttributeType → Part[#4.n][occ:1-n] 4 PartitionSituation[#1] → HasTimeType → TimeOfPartitionSituation[#5.n][occ:1-n] 5 PartitionSituation[#1] → HasPlaceType → PlaceOfPartitionSituation[#6.n][occ:1-n] <i>ContextFamily</i> 1 PartitionSituation → BegetsActType → HavePart 2 PartitionSituation → BegetsTimeType → TimeOfPartitionSituation 3 PartitionSituation → BegetsPlaceType → PlaceOfPartitionSituation
1433	PartlyInheritedMeaning	Standard Partially Derived	A Meaning comprised of original semantic material, combined with one or more existing Meanings inherited from related Terms.	1 PartlyInheritedMeaning → IsTypeOf → Meaning
1434	PartSituation	Standard Derived	A Situation in which an Entity has a Part.	1 PartSituation → IsStateTypeBegottenBy → Partition 2 PartSituation → IsTypeOf → AscribedSituation
1435	Patient	Standard Derived	A Resource to which something is Done.	1 Patient → IsResourceTypeBegottenBy → Do 2 Patient → IsTypeOf → Resource
1436	Perceivable	Standard Derived	The potential status of PerceivedResource	1 Perceivable → IsStatusTypeBegottenBy → Perceive 2 Perceivable → IsPotentialStatusOf → PerceivedResource 3 Perceivable → IsTypeOf → Usable
1437	Perceive	Standard Derived	To apprehend something with at least one of the five senses.	1 Perceive → IsTypeOf → Use <i>ActionFamily</i> 1 Perceive → BegetsContextType → Perception 2 Perceive → BegetsAgentType → Perceiver 3 Perceive → BegetsResourceType → PerceivedResource 4 Perceive → BegetsResourceType → PerceivingTool 5 Perceive → BegetsTimeType → TimeOfPerception 6 Perceive → BegetsPlaceType → PlaceOfPerception

				7 Perceive → BegetsStatusType → Perceiving 8 Perceive → BegetsStatusType → Perceptive 9 Perceive → BegetsStatusType → Perceived 10 Perceive → BegetsStatusType → BeingPerceived 11 Perceive → BegetsStatusType → Perceivable
1438	Perceived	Standard Derived	The historic status of PerceivedResource	1 Perceived → IsStatusTypeBegottenBy → Perceive 2 Perceived → IsHistoricStatusOf → PerceivedResource 3 Perceived → IsTypeOf → Used
1439	PerceivedResource	Standard Partially Derived	Something that is apprehended with at least one of the five senses.	1 PerceivedResource → IsResourceTypeBegottenBy → Perceive 2 PerceivedResource → IsTypeOf → UsedResource
1440	Perceiver	Standard Derived	An Agent that Perceives.	1 Perceiver → IsAgentTypeBegottenBy → Perceive 2 Perceiver → IsTypeOf → User
1441	Perceiving	Standard Derived	The current status of Perceiver	1 Perceiving → IsStatusTypeBegottenBy → Perceive 2 Perceiving → IsCurrentStatusOf → Perceiver 3 Perceiving → IsTypeOf → Using
1442	PerceivingTool	Standard Derived	A Tool Used in Perceiving something.	1 PerceivingTool → IsResourceTypeBegottenBy → Perceive 2 PerceivingTool → IsTypeOf → Tool
1443	Perception PerceivingEvent	Standard Derived	An Event in which something is Perceived.	1 Perception → IsContextTypeBegottenBy → Perceive 2 Perception → IsTypeOf → Usage <i>ContextDescription</i> 1 Perception[#1] → HasActType → Perceive[#2][occ:1] 2 Perception[#1] → HasAgentType → Perceiver[#3.n][occ:1-n] 3 Perception[#1] → HasResourceType → PerceivedResource[#4.n][occ:1-n] 4 Perception[#1] → HasResourceType → PerceivingTool[#5.n][occ:0-n] 5 Perception[#1] → HasTimeType → TimeOfPerception[#6.n][occ:1-n] 6 Perception[#1] → HasPlaceType → PlaceOfPerception[#7.n][occ:1-n]

1444	Perceptive	Standard Derived	The potential status of Perceiver	1 Perceptive → IsStatusTypeBegottenBy → Perceive 2 Perceptive → IsPotentialStatusOf → Perceiver
1445	Perform	Standard Derived	To Express something in a Transient form.	1 Perform → IsTypeOf → Express <i>ActionFamily</i> 1 Perform → BegetsContextType → PerformingEvent 2 Perform → BegetsAgentType → Performer 3 Perform → BegetsResourceType → Performance 4 Perform → BegetsResourceType → SourceOfPerformance 5 Perform → BegetsResourceType → PerformingTool 6 Perform → BegetsTimeType → TimeOfPerforming 7 Perform → BegetsPlaceType → PlaceOfPerforming 8 Perform → BegetsPlaceType → PlaceOfPerformance 9 Perform → BegetsPlaceType → PlaceOfPerformingFrom 10 Perform → BegetsStatusType → Performing 11 Perform → BegetsStatusType → Performed 12 Perform → BegetsStatusType → BeingPerformed 13 Perform → BegetsStatusType → Performable 14 Perform → BegetsStatusType → PerformedFrom 15 Perform → BegetsStatusType → BeingPerformedFrom 16 Perform → BegetsStatusType → PerformableFrom
1446	Performable	Standard Derived	The potential status of Performance	1 Performable → IsStatusTypeBegottenBy → Perform 2 Performable → IsPotentialStatusOf → Performance 3 Performable → IsTypeOf → Expressible
1447	PerformableFrom	Standard Derived	The potential status of SourceOfPerformance	1 PerformableFrom → IsStatusTypeBegottenBy → Perform 2 PerformableFrom → IsPotentialStatusOf → SourceOfPerformance 3 PerformableFrom → IsTypeOf → ExpressibleFrom
1448	Performance	Standard Partially Derived	A Manifestation that is Transient.	1 Performance → IsResourceTypeBegottenBy → Perform 2 Performance → IsTypeOf → Manifestation 3 Performance → Is → Transient

1449	Performed	Standard Derived	The historic status of Performance	1 Performed → IsStatusTypeBegottenBy → Perform 2 Performed → IsHistoricStatusOf → Performance 3 Performed → IsTypeOf → Expressed
1450	PerformedFrom	Standard Derived	The historic status of SourceOfPerformance	1 PerformedFrom → IsStatusTypeBegottenBy → Perform 2 PerformedFrom → IsHistoricStatusOf → SourceOfPerformance 3 PerformedFrom → IsTypeOf → ExpressedFrom
1451	Performer	Standard Derived	An Agent that Performs.	1 Performer → IsAgentTypeBegottenBy → Perform 2 Performer → IsTypeOf → Expresser
1452	Performing	Standard Derived	The current status of Performer	1 Performing → IsStatusTypeBegottenBy → Perform 2 Performing → IsCurrentStatusOf → Performer 3 Performing → IsTypeOf → Expressing
1453	PerformingEvent	Standard Derived	An Event in which something is Performed.	1 PerformingEvent → IsContextTypeBegottenBy → Perform 2 PerformingEvent → IsTypeOf → Expression <i>ContextDescription</i> 1 PerformingEvent[#1] → HasActType → Perform[#2][occ:1] 2 PerformingEvent[#1] → HasAgentType → Performer[#3.n][occ:1-n] 3 PerformingEvent[#1] → HasResourceType → Performance[#4.n][occ:1-n] 4 Performance[#4.n] → IsEqualTo → PerformingEvent[#1][true:Sometimes] 5 Performance → HasPlace → PlaceOfPerformance 6 PerformingEvent[#1] → HasResourceType → SourceOfPerformance[#5.n][occ:0-n] 7 SourceOfPerformance → HasPlace → PlaceOfPerformingFrom 8 PerformingEvent[#1] → HasResourceType → PerformingTool[#6.n][occ:0-n] 9 PerformingEvent[#1] → HasTimeType → TimeOfPerforming[#7.n][occ:1-n] 10 PerformingEvent[#1] → HasPlaceType → PlaceOfPerforming[#8.n][occ:1-n] 11 PerformingEvent[#1] → HasPlaceType → PlaceOfPerformance[#9.n][occ:0-n] 12 PerformingEvent[#1] → HasPlaceType → PlaceOfPerformingFrom[#10.n][occ:0-n]
1454	PerformingTool	Standard	A Tool Used for Performing.	1 PerformingTool → IsResourceTypeBegottenBy → Perform

		Derived		2 PerformingTool → IsTypeOf → ExpressingTool
1455	Permissable	Standard Derived	The potential status of PermittedEvent	1 Permissable → IsStatusTypeBegottenBy → Permit 2 Permissable → IsPotentialStatusOf → PermittedEvent 3 Permissable → IsTypeOf → Allowable
1456	Permission	Standard Derived	An Event in which something is Permitted to happen.	1 Permission → IsContextTypeBegottenBy → Permit 2 Permission → IsTypeOf → AllowingEvent <i>ContextDescription</i> 1 Permission[#1] → HasActType → Permit[#2][occ:1] 2 Permission[#1] → HasAgentType → Permitter[#3.n][occ:1-n] 3 Permission[#1] → HasResourceType → PermittedEvent[#4.n][occ:1-n] 4 Permission[#1] → HasTimeType → TimeOfPermitting[#5.n][occ:1-n] 5 Permission[#1] → HasPlaceType → PlaceOfPermitting[#6.n][occ:1-n]
1457	Permission_1 mx.License	Standard Partially Derived	(RDD Definition) An REL License. (REL) A container of Grants and/or GrantGroups, each one of which conveys to a particular Principal the sanction to exercise some identified Right against some identified Resource, possibly subject to the need for some Condition to be first fulfilled. Scope of Permission_1 (RDD Comment) Permission_1 describes an Event in which Permission is given by means of an MPEG-21 REL License. Scope of mx.License (REL Comment) The single most important concept in REL is that of the License. To avoid confusion, it	1 Permission_1 → IsTypeOf → Permission <i>ContextDescription</i> 1 Permission_1[#1] → HasActType → Permit_1[#2][occ:1] 2 Permission_1[#1] → HasAgentType → Permitter_1[#3.n][occ:1-n] 3 Permission_1[#1] → HasResourceType → PermittedEvent_1[#4.n][occ:0-n] 4 Event[#1] → HasTimeType → TimeOfEvent[#5.n][occ:1-n] 5 Permission_1[#1] → HasResourceType → PermittedEvent_2[#5.n][occ:0-n] 6 Event[#1] → HasPlaceType → PlaceOfEvent[#6.n][occ:1-n] 7 Permission_1[#1] → HasTimeType → TimeOfPermitting[#6.n][occ:1-n] 8 Permission_1[#1] → HasPlaceType → PlaceOfPermitting[#7.n][occ:1-n] 9 Event[#4.n] → HasActType → ActType_1[occ:1] 10 Event[#4.n] → HasAgentType → Agent[occ:1-n] 11 Event[#4.n] → HasResourceType → ResourceType_1[occ:0-n] 12 Event[#4.n] → HasResourceType → ResourceType_2[occ:0-n] 13 Event[#5.n] → HasPart → Event[#4.n][occ:0-n] <i>ContextFamily</i> 1 Permission_1 → BegetsActType → Permit_1 2 Permission_1 → BegetsAgentType → Permitter_1 3 Permission_1 → BegetsResourceType → PermittedEvent_1

			should be noted that, while a License is a conceptual container, it is not only just a container: it is also the means by which License issuers convey authorization. A License may be digitally signed by the party who issues it, signifying that the License issuer authorizes certain Grants and GrantGroups. This semantic notion of whether or not a Grant or GrantGroup has been authorized is an important one. A Grant or GrantGroup which has not been authorized conveys no authorization, it merely exists as an XML element.	4 Permission_1 → BegetsResourceType → PermittedEvent_2
1458	PermissionName	Standard Derived	A Name given to a Permission.	1 PermissionName → IsTypeOf → Name 2 PermissionName → IsAttributeOf → Permission
1459	Permit	Standard Partially Derived	To authorize something to happen.	1 Permit → IsTypeOf → Allow 2 Permit → IsOpposedTo → Prohibit <i>ActionFamily</i> 1 Permit → BegetsContextType → Permission 2 Permit → BegetsAgentType → Permitter 3 Permit → BegetsResourceType → PermittedEvent 4 Permit → BegetsTimeType → TimeOfPermitting 5 Permit → BegetsPlaceType → PlaceOfPermitting 6 Permit → BegetsStatusType → Permitting 7 Permit → BegetsStatusType → Permitted 8 Permit → BegetsStatusType → BeingPermitted 9 Permit → BegetsStatusType → Permissible
1460	Permit_1	Standard Partially	To Permit by means of an REL License.	1 Permit_1 → IsActTypeBegottenBy → Permission_1 2 Permit_1 → IsTypeOf → Permit

		Derived		
1461	Permitted	Standard Derived	The historic status of PermittedEvent	1 Permitted → IsStatusTypeBegottenBy → Permit 2 Permitted → IsHistoricStatusOf → PermittedEvent 3 Permitted → IsTypeOf → Allowed
1462	PermittedEvent	Standard Derived	An Event that is Permitted.	1 PermittedEvent → IsResourceTypeBegottenBy → Permit 2 PermittedEvent → IsTypeOf → AllowedEvent 3 PermittedEvent → IsA → Event
1463	PermittedEvent_1 mx.License/grant	Standard Partially Derived	(RDD Definition) An REL Grant within an REL License. Scope of PermittedEvent_1 (REL Comment) A Grant is an XML structure that expresses an assertion that some Principal may exercise some Right against some Resource, subject, possibly, to some Condition.	1 PermittedEvent_1 → IsResourceTypeBegottenBy → Permission_1 2 PermittedEvent_1 → IsTypeOf → PermittedEvent
1464	PermittedEvent_2 mx.License/grantGroup	Standard Partially Derived	(RDD Definition) An REL GrantGroup within an REL License.	1 PermittedEvent_2 → IsResourceTypeBegottenBy → Permission_1 2 PermittedEvent_2 → IsTypeOf → PermittedEvent
1465	Permitter	Standard Derived	An Agent that Permits.	1 Permitter → IsAgentTypeBegottenBy → Permit 2 Permitter → IsTypeOf → Allowor
1466	Permitter_1 mx.License/issuer	Standard Partially Derived	(RDD Definition) An Issuer of an REL License.	1 Permitter_1 → IsAgentTypeBegottenBy → Permission_1 2 Permitter_1 → IsTypeOf → Permitter
1467	Permitting	Standard Derived	The current status of Permitter	1 Permitting → IsStatusTypeBegottenBy → Permit 2 Permitting → IsCurrentStatusOf → Permitter

				3 Permitting → IsTypeOf → Allowing
1468	Persistent	Standard Partially Derived	Of an Entity which continues to exist within a particular context.	1 Persistent → IsAllowedValueOf → Durability
1469	Place	Standard Partially Derived	The spatial parameters of a Context. Scope of Place Place answers the contextual question: "Where?" At its most abstract, a Place may represent a set of spatial or virtual co-ordinates. At its most concrete, it may represent a percept which occupies those co-ordinates. Place is defined by the function it fulfils, so something which is generally perceived as the same entity (such as a computer) may be a Place in one Context, a Resource in another, and an Agent in yet another. Place is typically distinguished by positional prepositions such as "in", "on", "inside", "outside", "at", "to" and "from". Place and Agent Entities which are called Places sometimes function as Agents. Place and Resource Entities which function as Places often also function as Resources. For example, "I live in this house" (Place of type Residence) and "I	1 Place → IsPlaceTypeBegottenBy → Act

			paint this house" (Resource of generic type Patient); "He owns a computer" (Resource of type OwnedResource) and "I store a file in a computer" (Place of type Repository). Place is typically distinguished by positional prepositions such as "in", "on", "inside", "outside", "at", "to" and "from".	
1470	PlaceOfAbstracting	Standard Derived	A Place of an AbstractingEvent.	1 PlaceOfAbstracting → IsPlaceTypeBegottenBy → Abstract 2 PlaceOfAbstracting → IsTypeOf → PlaceOfConceiving 3 PlaceOfAbstracting → IsTypeOf → PlaceOfExtracting
1471	PlaceOfAbstractingFrom	Standard Derived	A Place in which the SourceOfAbstraction was located at the Time of Abstracting.	1 PlaceOfAbstractingFrom → IsPlaceTypeBegottenBy → Abstract 2 PlaceOfAbstractingFrom → IsTypeOf → PlaceOfExtracting 3 PlaceOfAbstractingFrom → IsPlaceOf → SourceOfAbstraction 4 PlaceOfAbstractingFrom → IsPartOf → PlaceOfAbstracting
1472	PlaceOfAbstractingTo	Standard Derived	A Place in which the Abstraction came into Existence.	1 PlaceOfAbstractingTo → IsPlaceTypeBegottenBy → Abstract 2 PlaceOfAbstractingTo → IsTypeOf → PlaceOfExtracting 3 PlaceOfAbstractingTo → IsPlaceOf → Abstraction 4 PlaceOfAbstractingTo → IsPartOf → PlaceOfAbstracting
1473	PlaceOfActivating	Standard Derived	A Place of an Activation.	1 PlaceOfActivating → IsPlaceTypeBegottenBy → Activate 2 PlaceOfActivating → IsTypeOf → PlaceOfChanging
1474	PlaceOfAdapting	Standard Derived	A Place of an AdaptingEvent.	1 PlaceOfAdapting → IsPlaceTypeBegottenBy → Adapt 2 PlaceOfAdapting → IsTypeOf → PlaceOfDeriving
1475	PlaceOfAdaptingFrom	Standard Derived	A Place in which the SourceOfAdaptation was located at the Time of Adapting.	1 PlaceOfAdaptingFrom → IsPlaceTypeBegottenBy → Adapt 2 PlaceOfAdaptingFrom → IsTypeOf → PlaceOfDerivingFrom 3 PlaceOfAdaptingFrom → IsPlaceOf → SourceOfAdaptation

				4 PlaceOfAdaptingFrom → IsPartOf → PlaceOfAdapting
1476	PlaceOfAdaptingTo	Standard Derived	A Place in which the Adaptation came into Existence.	1 PlaceOfAdaptingTo → IsPlaceTypeBegottenBy → Adapt 2 PlaceOfAdaptingTo → IsTypeOf → PlaceOfDerivingTo 3 PlaceOfAdaptingTo → IsPlaceOf → Adaptation 4 PlaceOfAdaptingTo → IsPartOf → PlaceOfAdapting
1477	PlaceOfAggregating	Standard Derived	A Place of an AggregatingEvent.	1 PlaceOfAggregating → IsPlaceTypeBegottenBy → Aggregate 2 PlaceOfAggregating → IsTypeOf → PlaceOfDeriving
1478	PlaceOfAggregatingFrom	Standard Derived	A Place in which a Component was located at the Time of Aggregating.	1 PlaceOfAggregatingFrom → IsPlaceTypeBegottenBy → Aggregate 2 PlaceOfAggregatingFrom → IsTypeOf → PlaceOfDerivingFrom 3 PlaceOfAggregatingFrom → IsPlaceOf → Component 4 PlaceOfAggregatingFrom → IsPartOf → PlaceOfAggregating
1479	PlaceOfAggregatingTo	Standard Derived	A Place in which the Aggregation came into Existence.	1 PlaceOfAggregatingTo → IsPlaceTypeBegottenBy → Aggregate 2 PlaceOfAggregatingTo → IsTypeOf → PlaceOfDerivingTo 3 PlaceOfAggregatingTo → IsPlaceOf → Aggregation 4 PlaceOfAggregatingTo → IsPartOf → PlaceOfAggregating
1480	PlaceOfAllowing	Standard Derived	A Place of an AllowingEvent.	1 PlaceOfAllowing → IsPlaceTypeBegottenBy → Allow 2 PlaceOfAllowing → IsTypeOf → PlaceOfInteraction
1481	PlaceOfAscribedSituation	Standard Derived	A Place in which an AscribedSituation persists.	1 PlaceOfAscribedSituation → IsPlaceTypeBegottenBy → AscribedSituation 2 PlaceOfAscribedSituation → IsTypeOf → PlaceOfRelation
1482	PlaceOfAscribing	Standard Derived	A Place of an AscribingEvent.	1 PlaceOfAscribing → IsPlaceTypeBegottenBy → Ascribe 2 PlaceOfAscribing → IsTypeOf → PlaceOfRelating
1483	PlaceOfAsserting	Standard Derived	A Place of an Assertion.	1 PlaceOfAsserting → IsPlaceTypeBegottenBy → Assert 2 PlaceOfAsserting → IsTypeOf → PlaceOfDeclaring
1484	PlaceOfBegetting	Standard	A Place of a BegettingEvent.	1 PlaceOfBegetting → IsPlaceTypeBegottenBy → Beget

		Derived		2 PlaceOfBegetting → IsTypeOf → PlaceOfOriginating
1485	PlaceOfCategorization	Standard Derived	A Place in which a Categorization persists.	1 PlaceOfCategorization → IsPlaceTypeBegottenBy → Categorization 2 PlaceOfCategorization → IsTypeOf → PlaceOfAscribedSituation
1486	PlaceOfCategorizing	Standard Derived	A Place of a CategorizingEvent.	1 PlaceOfCategorizing → IsPlaceTypeBegottenBy → Categorize 2 PlaceOfCategorizing → IsTypeOf → PlaceOfAscribing
1487	PlaceOfCausation	Standard Derived	A Place of a Causation.	1 PlaceOfCausation → IsPlaceTypeBegottenBy → Cause 2 PlaceOfCausation → IsTypeOf → PlaceOfMaking
1488	PlaceOfChanging	Standard Derived	A Place of a ChangingEvent.	1 PlaceOfChanging → IsPlaceTypeBegottenBy → Change 2 PlaceOfChanging → IsTypeOf → PlaceOfInteraction 3 PlaceOfChanging → HasComponent → PlaceOfToolUsage[true:Sometimes]
1489	PlaceOfClassification	Standard Derived	A Place in which a Classification persists.	1 PlaceOfClassification → IsPlaceTypeBegottenBy → Classification 2 PlaceOfClassification → IsTypeOf → PlaceOfAscribedSituation
1490	PlaceOfClassifying	Standard Derived	A Place of a ClassifyingEvent.	1 PlaceOfClassifying → IsPlaceTypeBegottenBy → Classify 2 PlaceOfClassifying → IsTypeOf → PlaceOfAscribing
1491	PlaceOfConceiving	Standard Derived	A Place of a Conception.	1 PlaceOfConceiving → IsPlaceTypeBegottenBy → Conceive 2 PlaceOfConceiving → IsTypeOf → PlaceOfOriginating 3 PlaceOfConceiving → HasComponent → PlaceOfDeriving[true:Sometimes]
1492	PlaceOfConceivingFrom	Standard Derived	A Place in which the SourceOfConcept was located at the Time of Conceiving.	1 PlaceOfConceivingFrom → IsPlaceTypeBegottenBy → Conceive 2 PlaceOfConceivingFrom → IsTypeOf → PlaceOfDerivingFrom 3 PlaceOfConceivingFrom → IsPartOf → PlaceOfConceiving 4 PlaceOfConceivingFrom → IsPlaceOf → SourceOfConcept
1493	PlaceOfCopying PlaceOfReplicating	Standard Derived	A Place of a CopyingEvent.	1 PlaceOfCopying → IsPlaceTypeBegottenBy → Copy 2 PlaceOfCopying → IsTypeOf → PlaceOfDeriving

1494	PlaceOfCopyingFrom PlaceOfReplicatingFrom	Standard Derived	A Place in which the SourceOfReplica was located at the Time of Copying.	1 PlaceOfCopyingFrom → IsPlaceTypeBegottenBy → Copy 2 PlaceOfCopyingFrom → IsTypeOf → PlaceOfDerivingFrom 3 PlaceOfCopyingFrom → IsPlaceOf → SourceOfReplica 4 PlaceOfCopyingFrom → IsPartOf → PlaceOfCopying
1495	PlaceOfCopyingTo PlaceOfReplicatingTo	Standard Derived	A Place in which the Replica came into Existence.	1 PlaceOfCopyingTo → IsPlaceTypeBegottenBy → Copy 2 PlaceOfCopyingTo → IsTypeOf → PlaceOfDerivingTo 3 PlaceOfCopyingTo → IsPlaceOf → Replica 4 PlaceOfCopyingTo → IsPartOf → PlaceOfCopying
1496	PlaceOfCreating	Standard Derived	A Place of a CreatingEvent.	1 PlaceOfCreating → IsPlaceTypeBegottenBy → Create 2 PlaceOfCreating → IsTypeOf → PlaceOfMaking 3 PlaceOfCreating → HasComponent → PlaceOfDeriving[true:Sometimes] 4 PlaceOfCreating → HasComponent → PlaceOfOriginating[true:Sometimes] 5 PlaceOfCreating → HasComponent → PlaceOfExpression[true:Sometimes] 6 PlaceOfCreating → HasComponent → PlaceOfAbstracting[true:Sometimes]
1497	PlaceOfCreatingFrom	Standard Derived	A Place in which the Source was located at the Time of Creating.	1 PlaceOfCreatingFrom → IsPlaceTypeBegottenBy → Create 2 PlaceOfCreatingFrom → IsTypeOf → PlaceOfMaking 3 PlaceOfCreatingFrom → HasComponent → PlaceOfDerivingFrom[true:Sometimes] 4 PlaceOfCreatingFrom → HasComponent → PlaceOfExpressingFrom[true:Sometimes] 5 PlaceOfCreatingFrom → HasComponent → PlaceOfAbstractingFrom[true:Sometimes]
1498	PlaceOfCreatingTo	Standard Derived	A Place in which the Creation came into Existence.	1 PlaceOfCreatingTo → IsPlaceTypeBegottenBy → Create 2 PlaceOfCreatingTo → IsTypeOf → PlaceOfMaking 3 PlaceOfCreatingTo → HasComponent → PlaceOfDerivingTo[true:Sometimes] 4 PlaceOfCreatingTo → HasComponent → PlaceOfManifestation[true:Sometimes]
1499	PlaceOfDeactivating	Standard Derived	A Place of a Deactivation.	1 PlaceOfDeactivating → IsPlaceTypeBegottenBy → Deactivate 2 PlaceOfDeactivating → IsTypeOf → PlaceOfChanging

1500	PlaceOfDeclaring	Standard Derived	A Place of a Declaration.	1 PlaceOfDeclaring → IsPlaceTypeBegottenBy → Declare 2 PlaceOfDeclaring → IsTypeOf → PlaceOfInteraction 3 PlaceOfDeclaring → HasComponent → PlaceOfToolUsage[true:Sometimes]
1501	PlaceOfDenying	Standard Derived	A Place of a Denial.	1 PlaceOfDenying → IsPlaceTypeBegottenBy → Deny 2 PlaceOfDenying → IsTypeOf → PlaceOfDeclaring
1502	PlaceOfDeriving	Standard Derived	A Place of a DerivingEvent.	1 PlaceOfDeriving → IsPlaceTypeBegottenBy → Derive 2 PlaceOfDeriving → IsTypeOf → PlaceOfMaking 3 PlaceOfDeriving → IsTypeOf → PlaceOfUsing
1503	PlaceOfDerivingFrom	Standard	A Place in which the Source was located at the Time of Deriving.	1 PlaceOfDerivingFrom → IsPlaceTypeBegottenBy → Derive 2 PlaceOfDerivingFrom → IsTypeOf → PlaceOfMaking 3 PlaceOfDerivingFrom → IsTypeOf → PlaceOfUsing 4 PlaceOfDerivingFrom → IsPlaceOf → Source 5 PlaceOfDerivingFrom → IsPartOf → PlaceOfDeriving
1504	PlaceOfDerivingTo	Standard Partially Derived	A Place in which the Derivation came into Existence.	1 PlaceOfDerivingTo → IsPlaceTypeBegottenBy → Derive 2 PlaceOfDerivingTo → IsTypeOf → PlaceOfMaking 3 PlaceOfDerivingTo → IsTypeOf → PlaceOfUsing 4 PlaceOfDerivingTo → IsPlaceOf → Derivation 5 PlaceOfDerivingTo → IsPartOf → PlaceOfDeriving
1505	PlaceOfDestroying	Standard Derived	A Place of a Destruction.	1 PlaceOfDestroying → IsPlaceTypeBegottenBy → Destroy 2 PlaceOfDestroying → IsTypeOf → PlaceOfInteraction
1506	PlaceOfDiminishing	Standard Derived	A Place of a Diminution.	1 PlaceOfDiminishing → IsPlaceTypeBegottenBy → Diminish 2 PlaceOfDiminishing → IsTypeOf → PlaceOfModifying
1507	PlaceOfDisabling	Standard Derived	A Place of a DisablingEvent.	1 PlaceOfDisabling → IsPlaceTypeBegottenBy → Disable 2 PlaceOfDisabling → IsTypeOf → PlaceOfChanging
1508	PlaceOfEditing	Standard	A Place of an EditingEvent.	1 PlaceOfEditing → IsPlaceTypeBegottenBy → Edit 2 PlaceOfEditing → IsTypeOf → PlaceOfEvent

		Derived		3 PlaceOfEditing → HasComponentFrom → TermSet_8[occ:1-n]
1509	PlaceOfEditingFrom	Standard Derived	A Place in which the SourceOfEdition was located at the Time of Editing.	1 PlaceOfEditingFrom → IsPlaceTypeBegottenBy → Edit 2 PlaceOfEditingFrom → IsTypeOf → PlaceOfAdaptingFrom 3 PlaceOfEditingFrom → IsPlaceOf → SourceOfEdition 4 PlaceOfEditingFrom → IsPartOf → PlaceOfEditing
1510	PlaceOfEditingTo	Standard Derived	A Place in which the Edition came into Existence.	1 PlaceOfEditingTo → IsPlaceTypeBegottenBy → Edit 2 PlaceOfEditingTo → IsTypeOf → PlaceOfAdaptingTo 3 PlaceOfEditingTo → IsPlaceOf → Edition 4 PlaceOfEditingTo → IsPartOf → PlaceOfEditing
1511	PlaceOfEmbedding	Standard Derived	A Place of an EmbeddingEvent.	1 PlaceOfEmbedding → IsPlaceTypeBegottenBy → Embed 2 PlaceOfEmbedding → IsTypeOf → PlaceOfIncluding
1512	PlaceOfEnabling	Standard Derived	A Place of an EnablingEvent.	1 PlaceOfEnabling → IsPlaceTypeBegottenBy → Enable 2 PlaceOfEnabling → IsTypeOf → PlaceOfChanging
1513	PlaceOfEnlarging	Standard Derived	A Place of an Enlargement.	1 PlaceOfEnlarging → IsPlaceTypeBegottenBy → Enlarge 2 PlaceOfEnlarging → IsTypeOf → PlaceOfModifying
1514	PlaceOfEquating	Standard Derived	A Place of an EquatingEvent.	1 PlaceOfEquating → IsPlaceTypeBegottenBy → Equate 2 PlaceOfEquating → IsTypeOf → PlaceOfRelating
1515	PlaceOfEquation	Standard Derived	A Place in which an Equation persists.	1 PlaceOfEquation → IsPlaceTypeBegottenBy → Equation 2 PlaceOfEquation → IsTypeOf → PlaceOfRelation
1516	PlaceOfEvaluating	Standard Derived	A Place of an EvaluatingEvent.	1 PlaceOfEvaluating → IsPlaceTypeBegottenBy → Evaluate 2 PlaceOfEvaluating → IsTypeOf → PlaceOfAscribing
1517	PlaceOfEvaluation	Standard Derived	A Place in which a Evaluation persists.	1 PlaceOfEvaluation → IsPlaceTypeBegottenBy → Evaluation 2 PlaceOfEvaluation → IsTypeOf → PlaceOfAscribedSituation

1518	PlaceOfEvent	Standard Derived	A Place of an Event.	1 PlaceOfEvent → IsPlaceTypeBegottenBy → Do 2 PlaceOfEvent → IsTypeOf → Place
1519	PlaceOfExecuting	Standard Derived	A Place of an Execution.	1 PlaceOfExecuting → IsPlaceTypeBegottenBy → Execute 2 PlaceOfExecuting → IsTypeOf → PlaceOfActivating
1520	PlaceOfExistence	Standard Derived	A Place of an Existence. Scope of PlaceOfExistence PlaceOfExistence range from mundane geographical locations and repositories to imaginary and mythical worlds and human minds.	1 PlaceOfExistence → IsPlaceTypeBegottenBy → Existence 2 PlaceOfExistence → IsTypeOf → PlaceOfSituation
1521	PlaceOfExpressingFrom	Standard Derived	A Place in which the SourceOfManifestation was located at the Time of Expression.	1 PlaceOfExpressingFrom → IsPlaceTypeBegottenBy → Express 2 PlaceOfExpressingFrom → IsTypeOf → PlaceOfMaking 3 PlaceOfExpressingFrom → IsPlaceOf → SourceOfManifestation 4 PlaceOfExpressingFrom → IsPartOf → PlaceOfExpression
1522	PlaceOfExpression	Standard Derived	A Place of an Expression.	1 PlaceOfExpression → IsPlaceTypeBegottenBy → Express 2 PlaceOfExpression → IsTypeOf → PlaceOfMaking 3 PlaceOfExpression → HasComponent → PlaceOfDeriving[true:Sometimes]
1523	PlaceOfExtracting PlaceOfExcerpting	Standard Derived	A Place of an ExtractingEvent.	1 PlaceOfExtracting → IsPlaceTypeBegottenBy → Extract 2 PlaceOfExtracting → IsTypeOf → PlaceOfDeriving
1524	PlaceOfExtractingFrom PlaceOfExcerptingFrom	Standard Derived	A Place in which the SourceOfExcerpt was located at the Time of Extracting.	1 PlaceOfExtractingFrom → IsPlaceTypeBegottenBy → Extract 2 PlaceOfExtractingFrom → IsTypeOf → PlaceOfDerivingFrom 3 PlaceOfExtractingFrom → IsPlaceOf → SourceOfExcerpt 4 PlaceOfExtractingFrom → IsPartOf → PlaceOfExtracting
1525	PlaceOfExtractingTo PlaceOfExcerptingTo	Standard Derived	A Place in which the Excerpt came into Existence.	1 PlaceOfExtractingTo → IsPlaceTypeBegottenBy → Extract 2 PlaceOfExtractingTo → IsTypeOf → PlaceOfDerivingTo 3 PlaceOfExtractingTo → IsPlaceOf → Excerpt

				4 PlaceOfExtractingTo → IsPartOf → PlaceOfExtracting
1526	PlaceOfFixation PlaceOfFixingTo	Standard Derived	A Place in which a Fixation came into Existence.	1 PlaceOfFixation → IsPlaceTypeBegottenBy → Fix 2 PlaceOfFixation → IsTypeOf → PlaceOfManifestation 3 PlaceOfFixation → IsPlaceOf → Fixation 4 PlaceOfFixation → IsPartOf → PlaceOfFixing
1527	PlaceOfFixing	Standard Derived	A Place of a FixingEvent.	1 PlaceOfFixing → IsPlaceTypeBegottenBy → Fix 2 PlaceOfFixing → IsTypeOf → PlaceOfExpression
1528	PlaceOfFixingFrom	Standard Derived	A Place in which the SourceOfFixation was located at the Time of Fixing.	1 PlaceOfFixingFrom → IsPlaceTypeBegottenBy → Fix 2 PlaceOfFixingFrom → IsTypeOf → PlaceOfExpressingFrom 3 PlaceOfFixingFrom → IsPlaceOf → SourceOfFixation 4 PlaceOfFixingFrom → IsPartOf → PlaceOfFixing
1529	PlaceOfFormalization	Standard Derived	A Place in which a Formalization persists.	1 PlaceOfFormalization → IsPlaceTypeBegottenBy → Formalization 2 PlaceOfFormalization → IsTypeOf → PlaceOfQualification
1530	PlaceOfFormalizing	Standard Derived	A Place of a FormalizingEvent.	1 PlaceOfFormalizing → IsPlaceTypeBegottenBy → Formalize 2 PlaceOfFormalizing → IsTypeOf → PlaceOfQualifying
1531	PlaceOfIdentification	Standard Derived	A Place in which an Identification persists.	1 PlaceOfIdentification → IsPlaceTypeBegottenBy → Identification 2 PlaceOfIdentification → IsTypeOf → PlaceOfNomination
1532	PlaceOfIdentifying	Standard Derived	A Place of an IdentifyingEvent.	1 PlaceOfIdentifying → IsPlaceTypeBegottenBy → Identify 2 PlaceOfIdentifying → IsTypeOf → PlaceOfNaming
1533	PlaceOfIncluding	Standard Derived	A Place of an IncludingEvent.	1 PlaceOfIncluding → IsPlaceTypeBegottenBy → Include 2 PlaceOfIncluding → IsTypeOf → PlaceOfRelating
1534	PlaceOfInstalling	Standard Derived	A Place of an InstallingEvent.	1 PlaceOfInstalling → IsPlaceTypeBegottenBy → Install 2 PlaceOfInstalling → IsTypeOf → PlaceOfInteraction

1535	PlaceOfInteraction	Standard Derived	A Place of an Interaction.	1 PlaceOfInteraction → IsPlaceTypeBegottenBy → InteractWith 2 PlaceOfInteraction → IsTypeOf → PlaceOfEvent
1536	PlaceOfMaking	Standard Derived	A Place of a MakingEvent.	1 PlaceOfMaking → IsPlaceTypeBegottenBy → Make 2 PlaceOfMaking → IsTypeOf → PlaceOfEvent 3 PlaceOfMaking → HasComponent → PlaceOfToolUsage[true:Sometimes]
1537	PlaceOfManifestation PlaceOfExpressingTo	Standard Derived	A Place in which a Manifestation came into Existence.	1 PlaceOfManifestation → IsPlaceTypeBegottenBy → Express 2 PlaceOfManifestation → IsTypeOf → PlaceOfMaking 3 PlaceOfManifestation → IsPlaceOf → Manifestation 4 PlaceOfManifestation → IsPartOf → PlaceOfExpression
1538	PlaceOfMeasurement	Standard Derived	A Place in which a Measurement persists.	1 PlaceOfMeasurement → IsPlaceTypeBegottenBy → Measurement 2 PlaceOfMeasurement → IsTypeOf → PlaceOfAscribedSituation
1539	PlaceOfMeasuring PlaceOfQuantifying	Standard Derived	A Place of a MeasuringEvent.	1 PlaceOfMeasuring → IsPlaceTypeBegottenBy → Measure 2 PlaceOfMeasuring → IsTypeOf → PlaceOfAscribing
1540	PlaceOfModifying	Standard Derived	A Place of a Modification.	1 PlaceOfModifying → IsPlaceTypeBegottenBy → Modify 2 PlaceOfModifying → IsTypeOf → PlaceOfChanging
1541	PlaceOfMoving	Standard Derived	A Place of a Movement.	1 PlaceOfMoving → IsPlaceTypeBegottenBy → Move 2 PlaceOfMoving → IsTypeOf → PlaceOfChanging
1542	PlaceOfMovingThrough	Standard Partially Derived	A Place through which a Resource is Moved.	1 PlaceOfMovingThrough → IsPlaceTypeBegottenBy → Move 2 PlaceOfMovingThrough → IsTypeOf → PlaceOfChanging 3 PlaceOfMovingThrough → IsPartOf → PlaceOfMoving
1543	PlaceOfNaming PlaceOfNominating	Standard Derived	A Place of a NamingEvent.	1 PlaceOfNaming → IsPlaceTypeBegottenBy → Nominate 2 PlaceOfNaming → IsTypeOf → PlaceOfAscribing
1544	PlaceOfNomination	Standard Derived	A Place in which a Nomination persists.	1 PlaceOfNomination → IsPlaceTypeBegottenBy → Nomination 2 PlaceOfNomination → IsTypeOf → PlaceOfAscribedSituation

1545	PlaceOfOpposing	Standard Derived	A Place of an OpposingEvent.	1 PlaceOfOpposing → IsPlaceTypeBegottenBy → Oppose 2 PlaceOfOpposing → IsTypeOf → PlaceOfRelating
1546	PlaceOfOpposition	Standard Derived	A Place in which an Opposition persists.	1 PlaceOfOpposition → IsPlaceTypeBegottenBy → Opposition 2 PlaceOfOpposition → IsTypeOf → PlaceOfRelation
1547	PlaceOfOriginating	Standard Derived	A Place of an OriginatingEvent.	1 PlaceOfOriginating → IsPlaceTypeBegottenBy → Originate 2 PlaceOfOriginating → IsTypeOf → PlaceOfMaking
1548	PlaceOfPartitioning	Standard Derived	A Place of a PartitioningEvent.	1 PlaceOfPartitioning → IsPlaceTypeBegottenBy → Partition 2 PlaceOfPartitioning → IsTypeOf → PlaceOfAscribing
1549	PlaceOfPartitionSituation	Standard Derived	A Place in which a PartitionSituation persists.	1 PlaceOfPartitionSituation → IsPlaceTypeBegottenBy → PartitionSituation 2 PlaceOfPartitionSituation → IsTypeOf → PlaceOfAscribedSituation
1550	PlaceOfPerception	Standard Derived	A Place of a Perception.	1 PlaceOfPerception → IsPlaceTypeBegottenBy → Perceive 2 PlaceOfPerception → IsTypeOf → PlaceOfUsing
1551	PlaceOfPerformance PlaceOfPerformingTo	Standard Derived	A Place in which a Performance came into Existence.	1 PlaceOfPerformance → IsPlaceTypeBegottenBy → Perform 2 PlaceOfPerformance → IsTypeOf → PlaceOfManifestation 3 PlaceOfPerformance → IsPlaceOf → Performance 4 PlaceOfPerformance → IsPartOf → PlaceOfPerforming
1552	PlaceOfPerforming	Standard Derived	A Place of a PerformingEvent.	1 PlaceOfPerforming → IsPlaceTypeBegottenBy → Perform 2 PlaceOfPerforming → IsTypeOf → PlaceOfExpression
1553	PlaceOfPerformingFrom	Standard Derived	A Place in which the SourceOfPerformance was located at the Time of Performing.	1 PlaceOfPerformingFrom → IsPlaceTypeBegottenBy → Perform 2 PlaceOfPerformingFrom → IsTypeOf → PlaceOfExpressingFrom 3 PlaceOfPerformingFrom → IsPlaceOf → SourceOfPerformance 4 PlaceOfPerformingFrom → IsPartOf → PlaceOfPerforming
1554	PlaceOfPermitting	Standard Derived	A Place of a Permission.	1 PlaceOfPermitting → IsPlaceTypeBegottenBy → Permit 2 PlaceOfPermitting → IsTypeOf → PlaceOfAllowing

1555	PlaceOfPlaying	Standard Derived	A Place of a PlayingEvent.	1 PlaceOfPlaying → IsPlaceTypeBegottenBy → Play 2 PlaceOfPlaying → IsTypeOf → PlaceOfTransforming 3 PlaceOfPlaying → IsTypeOf → PlaceOfPerforming
1556	PlaceOfPlayingFrom	Standard Derived	A Place in which the SourceForPlaying was located at the Time of Playing.	1 PlaceOfPlayingFrom → IsPlaceTypeBegottenBy → Play 2 PlaceOfPlayingFrom → IsTypeOf → PlaceOfTransformingFrom 3 PlaceOfPlayingFrom → IsTypeOf → PlaceOfPerformingFrom 4 PlaceOfPlayingFrom → IsPlaceOf → SourceForPlaying 5 PlaceOfPlayingFrom → IsPartOf → PlaceOfPlaying
1557	PlaceOfPlayingTo	Standard Derived	A Place in which the PlayedPerformance came into Existence.	1 PlaceOfPlayingTo → IsPlaceTypeBegottenBy → Play 2 PlaceOfPlayingTo → IsTypeOf → PlaceOfTransformingTo 3 PlaceOfPlayingTo → IsTypeOf → PlaceOfPerformance 4 PlaceOfPlayingTo → IsPlaceOf → PlayedPerformance 5 PlaceOfPlayingTo → IsPartOf → PlaceOfPlaying
1558	PlaceOfPreventing	Standard Derived	A Place of a Prevention.	1 PlaceOfPreventing → IsPlaceTypeBegottenBy → Prevent 2 PlaceOfPreventing → IsTypeOf → PlaceOfInteraction
1559	PlaceOfPrinting	Standard Derived	A Place of a PrintingEvent.	1 PlaceOfPrinting → IsPlaceTypeBegottenBy → Print 2 PlaceOfPrinting → IsTypeOf → PlaceOfTransforming 3 PlaceOfPrinting → IsTypeOf → PlaceOfFixing
1560	PlaceOfPrintingFrom	Standard Derived	A Place in which the SourceForPrinting was located at the Time of Printing.	1 PlaceOfPrintingFrom → IsPlaceTypeBegottenBy → Print 2 PlaceOfPrintingFrom → IsTypeOf → PlaceOfTransformingFrom 3 PlaceOfPrintingFrom → IsTypeOf → PlaceOfFixingFrom 4 PlaceOfPrintingFrom → IsPlaceOf → SourceForPrinting 5 PlaceOfPrintingFrom → IsPartOf → PlaceOfPrinting
1561	PlaceOfPrintingTo	Standard Derived	A Place in which the PrintRendition came into Existence.	1 PlaceOfPrintingTo → IsPlaceTypeBegottenBy → Print 2 PlaceOfPrintingTo → IsTypeOf → PlaceOfTransformingTo 3 PlaceOfPrintingTo → IsTypeOf → PlaceOfFixation 4 PlaceOfPrintingTo → IsPlaceOf → PrintRendition 5 PlaceOfPrintingTo → IsPartOf → PlaceOfPrinting

1562	PlaceOfProhibiting	Standard Derived	A Place of a Prohibition.	1 PlaceOfProhibiting → IsPlaceTypeBegottenBy → Prohibit 2 PlaceOfProhibiting → IsTypeOf → PlaceOfPreventing
1563	PlaceOfQualification	Standard Derived	A Place in which a Qualification persists.	1 PlaceOfQualification → IsPlaceTypeBegottenBy → Qualification 2 PlaceOfQualification → IsTypeOf → PlaceOfCategorization
1564	PlaceOfQualifying	Standard Derived	A Place of a QualifyingEvent.	1 PlaceOfQualifying → IsPlaceTypeBegottenBy → Qualify 2 PlaceOfQualifying → IsTypeOf → PlaceOfCategorizing
1565	PlaceOfReading	Standard Derived	A Place of a ReadingEvent.	1 PlaceOfReading → IsPlaceTypeBegottenBy → Read 2 PlaceOfReading → IsTypeOf → PlaceOfReading
1566	PlaceOfRelating	Standard Derived	A Place of a RelatingEvent.	1 PlaceOfRelating → IsPlaceTypeBegottenBy → Relate 2 PlaceOfRelating → IsTypeOf → PlaceOfEvent 3 PlaceOfRelating → HasComponent → PlaceOfToolUsage[true:Sometimes]
1567	PlaceOfRelation	Standard	The Place of a Relationship.	1 PlaceOfRelation → IsPlaceTypeBegottenBy → Relationship 2 PlaceOfRelation → IsTypeOf → PlaceOfSituation
1568	PlaceOfRendering	Standard Derived	A Place of a RenderingEvent.	1 PlaceOfRendering → IsPlaceTypeBegottenBy → Render 2 PlaceOfRendering → IsTypeOf → PlaceOfTransforming 3 PlaceOfRendering → IsTypeOf → PlaceOfExpression
1569	PlaceOfRenderingFrom	Standard Derived	A Place in which a SourceOfRendition was located at the Time of Rendering.	1 PlaceOfRenderingFrom → IsPlaceTypeBegottenBy → Render 2 PlaceOfRenderingFrom → IsTypeOf → PlaceOfTransformingFrom 3 PlaceOfRenderingFrom → IsTypeOf → PlaceOfExpressingFrom 4 PlaceOfRenderingFrom → IsPlaceOf → SourceOfRendition 5 PlaceOfRenderingFrom → IsPartOf → PlaceOfRendering
1570	PlaceOfRenderingTo	Standard Derived	A Place in which a Rendition came into Existence.	1 PlaceOfRenderingTo → IsPlaceTypeBegottenBy → Render 2 PlaceOfRenderingTo → IsTypeOf → PlaceOfTransformingTo 3 PlaceOfRenderingTo → IsTypeOf → PlaceOfManifestation 4 PlaceOfRenderingTo → IsPlaceOf → Rendition

				5 PlaceOfRenderingTo → IsPartOf → PlaceOfRendering
1571	PlaceOfSaying PlaceOfUttering	Standard Derived	A Place of a SayingEvent.	1 PlaceOfSaying → IsPlaceTypeBegottenBy → Say 2 PlaceOfSaying → IsTypeOf → PlaceOfExpression
1572	PlaceOfSetting	Standard Derived	A Place of a SettingEvent.	1 PlaceOfSetting → IsPlaceTypeBegottenBy → MakeSet 2 PlaceOfSetting → IsTypeOf → PlaceOfAggregating
1573	PlaceOfSettingFrom	Standard Derived	A Place in which a Member was located at the Time of Setting.	1 PlaceOfSettingFrom → IsPlaceTypeBegottenBy → MakeSet 2 PlaceOfSettingFrom → IsTypeOf → PlaceOfAggregatingFrom 3 PlaceOfSettingFrom → IsPlaceOf → Member 4 PlaceOfSettingFrom → IsPartOf → PlaceOfSetting
1574	PlaceOfSettingTo	Standard Derived	A Place in which the Set came into Existence.	1 PlaceOfSettingTo → IsPlaceTypeBegottenBy → MakeSet 2 PlaceOfSettingTo → IsTypeOf → PlaceOfAggregatingTo 3 PlaceOfSettingTo → IsPlaceOf → Set 4 PlaceOfSettingTo → IsPartOf → PlaceOfSetting
1575	PlaceOfSituation PlaceOfPossession	Standard Derived	A Place in which a Situation persists.	1 PlaceOfSituation → IsPlaceTypeBegottenBy → Situation 2 PlaceOfSituation → IsTypeOf → Place
1576	PlaceOfSpecialization	Standard Derived	A Place in which a Specialization persists.	1 PlaceOfSpecialization → IsPlaceTypeBegottenBy → Specialization 2 PlaceOfSpecialization → IsTypeOf → PlaceOfAscribedSituation
1577	PlaceOfSpecializing	Standard Derived	A Place of a SpecializingEvent.	1 PlaceOfSpecializing → IsPlaceTypeBegottenBy → Specialize 2 PlaceOfSpecializing → IsTypeOf → PlaceOfAscribing
1578	PlaceOfToolUsage	Standard Derived	A Place of a ToolUsage.	1 PlaceOfToolUsage → IsPlaceTypeBegottenBy → UseTool 2 PlaceOfToolUsage → IsTypeOf → PlaceOfUsing
1579	PlaceOfTransforming	Standard Derived	A Place of a TransformingEvent.	1 PlaceOfTransforming → IsPlaceTypeBegottenBy → Transform 2 PlaceOfTransforming → IsTypeOf → PlaceOfAdapting

1580	PlaceOfTransformingFrom	Standard Derived	A Place in which the SourceOfTransformation was located at the Time of Transforming.	1 PlaceOfTransformingFrom → IsPlaceTypeBegottenBy → Transform 2 PlaceOfTransformingFrom → IsTypeOf → PlaceOfAdaptingFrom 3 PlaceOfTransformingFrom → IsPlaceOf → SourceOfTransformation 4 PlaceOfTransformingFrom → IsPartOf → PlaceOfTransforming
1581	PlaceOfTransformingTo	Standard Derived	A Place in which the Transformation came into Existence.	1 PlaceOfTransformingTo → IsPlaceTypeBegottenBy → Transform 2 PlaceOfTransformingTo → IsTypeOf → PlaceOfAdaptingTo 3 PlaceOfTransformingTo → IsPlaceOf → Transformation 4 PlaceOfTransformingTo → IsPartOf → PlaceOfTransforming
1582	PlaceOfUninstalling	Standard Derived	A Place of an UninstallingEvent.	1 PlaceOfUninstalling → IsPlaceTypeBegottenBy → Uninstall 2 PlaceOfUninstalling → IsTypeOf → PlaceOfInteraction
1583	PlaceOfUsing	Standard Derived	A Place of a Usage.	1 PlaceOfUsing → IsPlaceTypeBegottenBy → Use 2 PlaceOfUsing → IsTypeOf → PlaceOfInteraction 3 PlaceOfUsing → HasComponent → PlaceOfToolUsage[true:Sometimes]
1584	PlaceOfWriting	Standard Derived	A Place of a WritingEvent.	1 PlaceOfWriting → IsPlaceTypeBegottenBy → Write 2 PlaceOfWriting → IsTypeOf → PlaceOfDeriving
1585	PlaceOfWritingFrom	Standard Derived	A Place in which the SourceOfDigitalResource was located at the Time of Writing.	1 PlaceOfWritingFrom → IsPlaceTypeBegottenBy → Write 2 PlaceOfWritingFrom → IsTypeOf → PlaceOfDerivingFrom 3 PlaceOfWritingFrom → IsPlaceOf → SourceOfDigitalResource 4 PlaceOfWritingFrom → IsPartOf → PlaceOfWriting 5 PlaceOfWritingFrom → IsA → Repository
1586	PlaceOfWritingTo	Standard Derived	A Place in which the DigitalResource came into Existence.	1 PlaceOfWritingTo → IsPlaceTypeBegottenBy → Write 2 PlaceOfWritingTo → IsTypeOf → PlaceOfDerivingTo 3 PlaceOfWritingTo → IsPlaceOf → DigitalResource 4 PlaceOfWritingTo → IsPartOf → PlaceOfWriting 5 PlaceOfWritingTo → IsA → Repository
1587	PlaceType	Standard	A Type of Place.	1 PlaceType → IsResourceTypeBegottenBy → BegettingEvent_4 2 PlaceType → IsTypeOf → BegottenTerm

1588	Play	Standard Partially Derived	To Transform a Fixation into a Perceivable and Transient representation of its contents.	1 Play → IsTypeOf → Transform 2 Play → IsTypeOf → Perform <i>ActionFamily</i> 1 Play → BegetsContextType → PlayingEvent 2 Play → BegetsAgentType → Player 3 Play → BegetsResourceType → PlayedPerformance 4 Play → BegetsResourceType → SourceForPlaying 5 Play → BegetsResourceType → PlayingTool 6 Play → BegetsTimeType → TimeOfPlaying 7 Play → BegetsPlaceType → PlaceOfPlaying 8 Play → BegetsPlaceType → PlaceOfPlayingFrom 9 Play → BegetsPlaceType → PlaceOfPlayingTo 10 Play → BegetsStatusType → Playing 11 Play → BegetsStatusType → Played 12 Play → BegetsStatusType → BeingPlayed 13 Play → BegetsStatusType → Playable 14 Play → BegetsStatusType → PlayedFrom 15 Play → BegetsStatusType → BeingPlayedFrom 16 Play → BegetsStatusType → PlayableFrom
1589	Play_1 PlayDigitalResource	Standard Derived	To Play a DigitalResource.	1 Play_1 → IsActTypeBegottenBy → PlayingEvent_1 2 Play_1 → IsTypeOf → Play
1590	Playable	Standard Derived	The potential status of PlayedPerformance	1 Playable → IsStatusTypeBegottenBy → Play 2 Playable → IsPotentialStatusOf → PlayedPerformance 3 Playable → IsTypeOf → Performable 4 Playable → IsTypeOf → Transformable
1591	PlayableFrom	Standard Derived	The potential status of SourceForPlaying	1 PlayableFrom → IsStatusTypeBegottenBy → Play 2 PlayableFrom → IsPotentialStatusOf → SourceForPlaying 3 PlayableFrom → IsTypeOf → PerformableFrom 4 PlayableFrom → IsTypeOf → TransformableFrom
1592	Played	Standard	The historic status of	1 Played → IsStatusTypeBegottenBy → Play 2 Played → IsHistoricStatusOf → PlayedPerformance

		Derived	PlayedPerformance	3 Played → IsTypeOf → Performed 4 Played → IsTypeOf → Transformed
1593	PlayedFrom	Standard Derived	The historic status of SourceForPlaying	1 PlayedFrom → IsStatusTypeBegottenBy → Play 2 PlayedFrom → IsHistoricStatusOf → SourceForPlaying 3 PlayedFrom → IsTypeOf → PerformedFrom 4 PlayedFrom → IsTypeOf → TransformedFrom
1594	PlayedPerformance	Standard Derived	A Performance that is the result of Playing.	1 PlayedPerformance → IsResourceTypeBegottenBy → Play 2 PlayedPerformance → IsTypeOf → Transformation 3 PlayedPerformance → IsTypeOf → Performance
1595	Player	Standard Derived	An Agent that Plays.	1 Player → IsAgentTypeBegottenBy → Play 2 Player → IsTypeOf → Transformer 3 Player → IsTypeOf → Performer
1596	Playing	Standard Derived	The current status of Player	1 Playing → IsStatusTypeBegottenBy → Play 2 Playing → IsCurrentStatusOf → Player 3 Playing → IsTypeOf → Performing 4 Playing → IsTypeOf → Transforming
1597	PlayingEvent	Standard Derived	An Event in which a Resource is Played.	1 PlayingEvent → IsContextTypeBegottenBy → Play 2 PlayingEvent → IsTypeOf → TransformingEvent 3 PlayingEvent → IsTypeOf → PerformingEvent <i>ContextDescription</i> 1 PlayingEvent[#1] → HasActType → Play[#2][occ:1] 2 PlayingEvent[#1] → HasAgentType → Player[#3.n][occ:1-n] 3 PlayingEvent[#1] → HasResourceType → PlayedPerformance[#4.n][occ:1-n] 4 PlayedPerformance → HasPlace → PlaceOfPlayingTo 5 PlayedPerformance[#4.n] → IsEqualTo → PlayingEvent[#1][true:Sometimes] 6 PlayingEvent[#1] → HasResourceType → SourceForPlaying[#5.n][occ:1-n] 7 SourceForPlaying → HasPlace → PlaceOfPlayingFrom 8 PlayingEvent[#1] → HasResourceType → PlayingTool[#6.n][occ:0-n] 9 PlayingEvent[#1] → HasTimeType → TimeOfPlaying[#7.n][occ:1-n] 10 PlayingEvent[#1] → HasPlaceType → PlaceOfPlaying[#8.n][occ:1-n]

				11 PlayingEvent[#1] → HasPlaceType → PlaceOfPlayingFrom[#9.n][occ:1-n] 12 PlayingEvent[#1] → HasPlaceType → PlaceOfPlayingTo[#10.n][occ:1-n] 13 PlaceOfPlayingTo[#10.n] → IsEqualTo → PlaceOfPlayingFrom[#9.n][occ:1-n][true:Sometimes]
1598	PlayingEvent_1	Standard Partially Derived	An Event in which a DigitalResource is Played. ScopeOfPlayingEvent_1 PlayingEvent_1 describes the context in which Play is applied to DigitalResources in an MPEG-21 REL expression. This may cover the making of any forms of transient representation that may be directly perceived (that is, without any intermediary process) with at least one of the five human senses. Play includes playing a video or audio clip, displaying an image or text document, or creating representations that may be <i>â€œtouchedâ€œ</i> with virtual reality technology. Content may be rendered in any order or sequence according to the technical constraints of the resource and renderer.	1 PlayingEvent_1 → IsTypeOf → PlayingEvent <i>ContextDescription</i> 1 PlayingEvent_1[#1] → HasActType → Play_1[#2][occ:1] 2 PlayingEvent_1[#1] → HasAgentType → Player[#3.n][occ:1-n] 3 PlayingEvent_1[#1] → HasResourceType → PlayedPerformance[#4.n][occ:1-n] 4 PlayedPerformance → HasPlace → PlaceOfPlayingTo 5 PlayedPerformance[#4.n] → IsEqualTo → PlayingEvent[#1][true:Sometimes] 6 PlayingEvent_1[#1] → HasResourceType → SourceForPlaying[#5.n][occ:1-n] 7 SourceForPlaying → HasPlace → PlaceOfPlayingFrom 8 SourceForPlaying[#5.n] → IsA → DigitalResource 9 PlayingEvent_1[#1] → HasResourceType → PlayingTool[#6.n][occ:0-n] 10 PlayingEvent_1[#1] → HasTimeType → TimeOfPlaying[#7.n][occ:1-n] 11 PlayingEvent_1[#1] → HasPlaceType → PlaceOfPlaying[#8.n][occ:1-n] 12 PlayingEvent_1[#1] → HasPlaceType → PlaceOfPlayingFrom[#9.n][occ:1-n] 13 PlaceOfPlayingFrom[#9.n] → IsA → Repository 14 PlayingEvent_1[#1] → HasPlaceType → PlaceOfPlayingTo[#10.n][occ:1-n] 15 PlaceOfPlayingTo[#10.n] → IsEqualTo → PlaceOfPlayingFrom[#9.n][occ:1-n][true:Sometimes] <i>ContextFamily</i> 1 PlayingEvent_1 → BegetsActType → Play_1
1599	PlayingTool	Standard Derived	A Tool Used for Playing.	1 PlayingTool → IsResourceTypeBegottenBy → Play 2 PlayingTool → IsTypeOf → TransformingTool 3 PlayingTool → IsTypeOf → PerformingTool
1600	Possessive	Standard Derived	The potential status of Entity	1 Possessive → IsStatusTypeBegottenBy → Situation 2 Possessive → IsPotentialStatusOf → Entity

1601	Potential	Standard Derived	The potential status of Exister	1 Potential → IsStatusTypeBegottenBy → Existence 2 Potential → IsPotentialStatusOf → Exister 3 Potential → IsTypeOf → Possessive
1602	PotentialStatus	Standard Derived	Of an Entity which may be an AgentType or ResourceType in a Context in future.	1 PotentialStatus → IsTypeOf → Status
1603	Precision	Standard Partially Derived	A Quality of accuracy in measurement.	1 Precision → IsTypeOf → QualityType
1604	Prevent	Standard Partially Derived	To Act such that something cannot happen. Scope of Prevent Like Allow, Prevent can be used actively ("he prevented him from taking the money by snatching it away") or passively ("he prevented him taking the money by locking the till").	1 Prevent → IsTypeOf → InteractWith 2 Prevent → IsOpposedTo → Allow <i>ActionFamily</i> 1 Prevent → BegetsContextType → Prevention 2 Prevent → BegetsAgentType → Preventer 3 Prevent → BegetsResourceType → PreventedEvent 4 Prevent → BegetsTimeType → TimeOfPreventing 5 Prevent → BegetsPlaceType → PlaceOfPreventing 6 Prevent → BegetsStatusType → Preventing 7 Prevent → BegetsStatusType → Prevented 8 Prevent → BegetsStatusType → BeingPrevented 9 Prevent → BegetsStatusType → Preventable
1605	Preventable	Standard Derived	The potential status of PreventedEvent	1 Preventable → IsStatusTypeBegottenBy → Prevent 2 Preventable → IsPotentialStatusOf → PreventedEvent 3 Preventable → IsTypeOf → InteractableWith
1606	Prevented	Standard Derived	The historic status of PreventedEvent	1 Prevented → IsStatusTypeBegottenBy → Prevent 2 Prevented → IsHistoricStatusOf → PreventedEvent 3 Prevented → IsTypeOf → InteractedWith

1607	PreventedEvent	Standard Partially Derived	An Event that is Prevented.	1 PreventedEvent → IsResourceTypeBegottenBy → Prevent 2 PreventedEvent → IsTypeOf → Input 3 PreventedEvent → IsA → Event
1608	Preventer	Standard Derived	An Agent that Prevents.	1 Preventer → IsAgentTypeBegottenBy → Prevent 2 Preventer → IsTypeOf → Interactor
1609	Preventing	Standard Derived	The current status of Preventer	1 Preventing → IsStatusTypeBegottenBy → Prevent 2 Preventing → IsCurrentStatusOf → Preventer 3 Preventing → IsTypeOf → InteractingWith
1610	Prevention	Standard Derived	An Event in which something is Prevented.	1 Prevention → IsContextTypeBegottenBy → Prevent 2 Prevention → IsTypeOf → Interaction <i>ContextDescription</i> 1 Prevention[#1] → HasActType → Prevent[#2][occ:1] 2 Prevention[#1] → HasAgentType → Preventer[#3.n][occ:1-n] 3 Prevention[#1] → HasResourceType → PreventedEvent[#4.n][occ:1-n] 4 Prevention[#1] → HasTimeType → TimeOfPreventing[#5.n][occ:1-n] 5 Prevention[#1] → HasPlaceType → PlaceOfPreventing[#6.n][occ:1-n]
1611	PrimaryName	Standard Partially Derived	The principal Name by which an Entity is known.	1 PrimaryName → IsTypeOf → Name 2 PrimaryName → IsOpposedTo → AlternativeName
1612	Print	Standard Partially Derived	To Transform a Fixation into a Perceivable and Persistent representation of its contents.	1 Print → IsTypeOf → Transform 2 Print → IsTypeOf → Fix <i>ActionFamily</i> 1 Print → BegetsContextType → PrintingEvent 2 Print → BegetsAgentType → Printer 3 Print → BegetsResourceType → PrintRendition 4 Print → BegetsResourceType → SourceForPrinting 5 Print → BegetsResourceType → PrintingTool 6 Print → BegetsTimeType → TimeOfPrinting 7 Print → BegetsPlaceType → PlaceOfPrinting

				8 Print → BegetsPlaceType → PlaceOfPrintingFrom 9 Print → BegetsPlaceType → PlaceOfPrintingTo 10 Print → BegetsStatusType → Printing 11 Print → BegetsStatusType → Printed 12 Print → BegetsStatusType → BeingPrinted 13 Print → BegetsStatusType → Printable 14 Print → BegetsStatusType → PrintedFrom 15 Print → BegetsStatusType → BeingPrintedFrom 16 Print → BegetsStatusType → PrintableFrom
1613	Print_1 PrintDigitalResource	Standard Derived	To Print a DigitalResource.	1 Print_1 → IsActTypeBegottenBy → PrintingEvent_1 2 Print_1 → IsTypeOf → Print
1614	Printable	Standard Derived	The potential status of PrintRendition	1 Printable → IsStatusTypeBegottenBy → Print 2 Printable → IsPotentialStatusOf → PrintRendition 3 Printable → IsTypeOf → Transformable 4 Printable → IsTypeOf → Fixable
1615	PrintableFrom	Standard Derived	The potential status of SourceForPrinting	1 PrintableFrom → IsStatusTypeBegottenBy → Print 2 PrintableFrom → IsPotentialStatusOf → SourceForPrinting 3 PrintableFrom → IsTypeOf → FixableFrom 4 PrintableFrom → IsTypeOf → TransformableFrom
1616	Printed	Standard Derived	The historic status of PrintRendition	1 Printed → IsStatusTypeBegottenBy → Print 2 Printed → IsHistoricStatusOf → PrintRendition 3 Printed → IsTypeOf → Transformed 4 Printed → IsTypeOf → Fixed
1617	PrintedFrom	Standard Derived	The historic status of SourceForPrinting	1 PrintedFrom → IsStatusTypeBegottenBy → Print 2 PrintedFrom → IsHistoricStatusOf → SourceForPrinting 3 PrintedFrom → IsTypeOf → FixedFrom 4 PrintedFrom → IsTypeOf → TransformedFrom
1618	Printer	Standard	An Agent that Prints.	1 Printer → IsAgentTypeBegottenBy → Print 2 Printer → IsTypeOf → Transformer

		Derived		3 Printer → IsTypeOf → Fixer
1619	Printing	Standard Derived	The current status of Printer	1 Printing → IsStatusTypeBegottenBy → Print 2 Printing → IsCurrentStatusOf → Printer 3 Printing → IsTypeOf → Fixing 4 Printing → IsTypeOf → Transforming
1620	PrintingEvent	Standard Derived	An Event in which a Resource is Printed.	1 PrintingEvent → IsContextTypeBegottenBy → Print 2 PrintingEvent → IsTypeOf → TransformingEvent 3 PrintingEvent → IsTypeOf → FixingEvent <i>ContextDescription</i> 1 PrintingEvent[#1] → HasActType → Print[#2][occ:1] 2 PrintingEvent[#1] → HasAgentType → Printer[#3.n][occ:1-n] 3 PrintingEvent[#1] → HasResourceType → PrintRendition[#4.n][occ:1-n] 4 PrintRendition → HasPlace → PlaceOfPrintingTo 5 PrintingEvent[#1] → HasResourceType → SourceForPrinting[#5.n][occ:1-n] 6 SourceForPrinting → HasPlace → PlaceOfPrintingFrom 7 PrintingEvent[#1] → HasResourceType → PrintingTool[#6.n][occ:0-n] 8 PrintingEvent[#1] → HasTimeType → TimeOfPrinting[#7.n][occ:1-n] 9 PrintingEvent[#1] → HasPlaceType → PlaceOfPrinting[#8.n][occ:1-n] 10 PrintingEvent[#1] → HasPlaceType → PlaceOfPrintingFrom[#9.n][occ:1-n] 11 PrintingEvent[#1] → HasPlaceType → PlaceOfPrintingTo[#10.n][occ:1-n] 12 PlaceOfPrintingTo[#10.n] → IsEqualTo → PlaceOfPrintingFrom[#9.n][occ:1-n][true:Sometimes]
1621	PrintingEvent_1	Standard Partially Derived	An Event in which a DigitalResource is Printed. Scope of PrintingEvent_1 PrintingEvent_1 describes the context in which Print is applied to DigitalResources in an MPEG-21 REL expression. When Print is applied to a digital resource, it refers to the creation of a fixed representation that may be directly	1 PrintingEvent_1 → IsTypeOf → PrintingEvent <i>ContextDescription</i> 1 PrintingEvent_1[#1] → HasActType → Print_1[#2][occ:1] 2 PrintingEvent_1[#1] → HasAgentType → Printer[#3.n][occ:1-n] 3 PrintingEvent_1[#1] → HasResourceType → PrintRendition[#4.n][occ:1-n] 4 PrintRendition → HasPlace → PlaceOfPrintingTo 5 PrintingEvent_1[#1] → HasResourceType → SourceForPrinting[#5.n][occ:1-n] 6 SourceForPrinting[#5.n] → IsA → DigitalResource 7 SourceForPrinting → HasPlace → PlaceOfPrintingFrom 8 PrintingEvent_1[#1] → HasResourceType → PrintingTool[#6.n][occ:0-n]

			perceived (that is, without any intermediary process) with one or more of the five human senses, such as hard-copy prints of images or text.	9 PrintingEvent_1[#1] → HasTimeType → TimeOfPrinting[#7.n][occ:1-n] 10 PrintingEvent_1[#1] → HasPlaceType → PlaceOfPrinting[#8.n][occ:1-n] 11 PrintingEvent_1[#1] → HasPlaceType → PlaceOfPrintingFrom[#9.n][occ:1-n] 12 PlaceOfPrintingFrom[#9.n] → IsA → Repository 13 PrintingEvent_1[#1] → HasPlaceType → PlaceOfPrintingTo[#10.n][occ:1-n] 14 PlaceOfPrintingTo[#10.n] → IsEqualTo → PlaceOfPrintingFrom[#9.n][occ:1-n][true:Sometimes] <i>ContextFamily</i> 1 PrintingEvent_1 → BegetsActType → Print_1
1622	PrintingTool	Standard Derived	A Tool Used for Printing.	1 PrintingTool → IsResourceTypeBegottenBy → Print 2 PrintingTool → IsTypeOf → TransformingTool 3 PrintingTool → IsTypeOf → FixingTool
1623	PrintRendition	Standard Derived	A Fixation that is the result of Printing.	1 PrintRendition → IsResourceTypeBegottenBy → Print 2 PrintRendition → IsTypeOf → Transformation 3 PrintRendition → IsTypeOf → Fixation
1624	Prohibit	Standard Partially Derived	To forbid something to happen.	1 Prohibit → IsTypeOf → Prevent 2 Prohibit → IsOpposedTo → Permit <i>ActionFamily</i> 1 Prohibit → BegetsContextType → Prohibition 2 Prohibit → BegetsAgentType → Prohibitor 3 Prohibit → BegetsResourceType → ProhibitedEvent 4 Prohibit → BegetsTimeType → TimeOfProhibiting 5 Prohibit → BegetsPlaceType → PlaceOfProhibiting 6 Prohibit → BegetsStatusType → Prohibiting 7 Prohibit → BegetsStatusType → Prohibited 8 Prohibit → BegetsStatusType → BeingProhibited 9 Prohibit → BegetsStatusType → Prohibitable
1625	Prohibitable	Standard Derived	The potential status of ProhibitedEvent	1 Prohibitable → IsStatusTypeBegottenBy → Prohibit 2 Prohibitable → IsPotentialStatusOf → ProhibitedEvent

				3 Prohibitable → IsTypeOf → Preventable
1626	Prohibited	Standard Derived	The historic status of ProhibitedEvent	1 Prohibited → IsStatusTypeBegottenBy → Prohibit 2 Prohibited → IsHistoricStatusOf → ProhibitedEvent 3 Prohibited → IsTypeOf → Prevented
1627	ProhibitedEvent	Standard Derived	An Event that is Prohibited.	1 ProhibitedEvent → IsResourceTypeBegottenBy → Prohibit 2 ProhibitedEvent → IsTypeOf → PreventedEvent 3 ProhibitedEvent → IsA → Event
1628	Prohibiting	Standard Derived	The current status of Prohibitor	1 Prohibiting → IsStatusTypeBegottenBy → Prohibit 2 Prohibiting → IsCurrentStatusOf → Prohibitor 3 Prohibiting → IsTypeOf → Preventing
1629	Prohibition	Standard Derived	An Event in which something is Prohibited to happen.	1 Prohibition → IsContextTypeBegottenBy → Prohibit 2 Prohibition → IsTypeOf → Prevention <i>ContextDescription</i> 1 Prohibition[#1] → HasActType → Prohibit[#2][occ:1] 2 Prohibition[#1] → HasAgentType → Prohibitor[#3.n][occ:1-n] 3 Prohibition[#1] → HasResourceType → ProhibitedEvent[#4.n][occ:1-n] 4 Prohibition[#1] → HasTimeType → TimeOfProhibiting[#5.n][occ:1-n] 5 Prohibition[#1] → HasPlaceType → PlaceOfProhibiting[#6.n][occ:1-n]
1630	Prohibitor	Standard Derived	An Agent that Prohibits.	1 Prohibitor → IsAgentTypeBegottenBy → Prohibit 2 Prohibitor → IsTypeOf → Preventer
1631	Qualifiable	Standard Derived	The potential status of QualifiedResource	1 Qualifiable → IsStatusTypeBegottenBy → Qualify 2 Qualifiable → IsPotentialStatusOf → QualifiedResource 3 Qualifiable → IsTypeOf → Categorizable
1632	Qualification	Standard Derived	A Situation in which an Entity has a Quality.	1 Qualification → IsStateTypeBegottenBy → Qualify 2 Qualification → IsTypeOf → Categorization <i>ContextDescription</i>

				1 Qualification[#1] → HasActType → HaveQuality[#2][occ:1] 2 Qualification[#9.n] → HasEntityType → QualifiedResource[#5.n][occ:1-n] 3 Qualification[#9.n] → HasAttributeType → Quality[#4.n][occ:1-n] 4 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 5 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n] <i>ContextFamily</i> 1 Qualification → BegetsActType → HaveQuality 2 Qualification → BegetsTimeType → TimeOfQualification 3 Qualification → BegetsPlaceType → PlaceOfQualification
1633	Qualified	Standard Derived	The historic status of QualifiedResource	1 Qualified → IsStatusTypeBegottenBy → Qualify 2 Qualified → IsHistoricStatusOf → QualifiedResource 3 Qualified → IsTypeOf → Categorized
1634	QualifiedResource	Standard Derived	A Resource which is Qualified.	1 QualifiedResource → IsResourceTypeBegottenBy → Qualify 2 QualifiedResource → IsTypeOf → CategorizedResource
1635	Qualifier	Standard Derived	An Agent that Qualifies a Resource.	1 Qualifier → IsAgentTypeBegottenBy → Qualify 2 Qualifier → IsTypeOf → Categorizer
1636	Qualify	Standard Derived	To Categorize an Entity according to an innate characteristic.	1 Qualify → IsTypeOf → Categorize <i>ActionFamily</i> 1 Qualify → BegetsContextType → QualifyingEvent 2 Qualify → BegetsAgentType → Qualifier 3 Qualify → BegetsResourceType → Quality 4 Qualify → BegetsResourceType → QualifiedResource 5 Qualify → BegetsResourceType → QualifyingTool 6 Qualify → BegetsTimeType → TimeOfQualifying 7 Qualify → BegetsPlaceType → PlaceOfQualifying 8 Qualify → BegetsStateType → Qualification 9 Qualify → BegetsRelatingTerm → HasCo-Qualifier 10 Qualify → BegetsRelatingTerm → IsQualifierWith 11 Qualify → BegetsRelatingTerm → IsQualityAscribedBy 12 Qualify → BegetsRelatingTerm → IsQualifierOf

				13 Qualify → BegetsRelatingTerm → IsQualifiedBy 14 Qualify → BegetsRelatingTerm → IsQualifierWithTool 15 Qualify → BegetsRelatingTerm → IsToolForQualifyingBy 16 Qualify → BegetsRelatingTerm → IsQualifierAtTime 17 Qualify → BegetsRelatingTerm → IsTimeOfQualifyingBy 18 Qualify → BegetsRelatingTerm → IsQualifierInPlace 19 Qualify → BegetsRelatingTerm → IsPlaceOfQualifyingBy 20 Qualify → BegetsRelatingTerm → HasCo-Quality 21 Qualify → BegetsRelatingTerm → IsQualityOf 22 Qualify → BegetsRelatingTerm → HasQuality 23 Qualify → BegetsRelatingTerm → IsQualityAscribedWithTool 24 Qualify → BegetsRelatingTerm → IsToolForQualifyingWith 25 Qualify → BegetsRelatingTerm → IsQualityAtTime 26 Qualify → BegetsRelatingTerm → IsTimeOfQualifyingWith 27 Qualify → BegetsRelatingTerm → IsQualityInPlace 28 Qualify → BegetsRelatingTerm → IsPlaceOfQualifyingWith 29 Qualify → BegetsRelatingTerm → HasCo-QualifiedResource 30 Qualify → BegetsRelatingTerm → IsResourceQualifiedWithTool 31 Qualify → BegetsRelatingTerm → IsToolForQualifying 32 Qualify → BegetsRelatingTerm → IsResourceQualifiedAtTime 33 Qualify → BegetsRelatingTerm → IsTimeOfQualifying 34 Qualify → BegetsRelatingTerm → IsResourceQualifiedInPlace 35 Qualify → BegetsRelatingTerm → IsPlaceOfQualifying 36 Qualify → BegetsRelatingTerm → HasCo-QualifyingTool 37 Qualify → BegetsRelatingTerm → IsQualifyingToolAtTime 38 Qualify → BegetsRelatingTerm → IsTimeOfQualifyingWithTool 39 Qualify → BegetsRelatingTerm → IsQualifyingToolInPlace 40 Qualify → BegetsRelatingTerm → IsPlaceOfQualifyingWithTool 41 Qualify → BegetsRelatingTerm → HasCo-TimeOfQualifying 42 Qualify → BegetsRelatingTerm → IsTimeOfQualifyingInPlace 43 Qualify → BegetsRelatingTerm → IsPlaceOfQualifyingAtTime 44 Qualify → BegetsRelatingTerm → HasCo-PlaceOfQualifying 45 Qualify → BegetsStatusType → Qualifying 46 Qualify → BegetsStatusType → Qualified 47 Qualify → BegetsStatusType → BeingQualified 48 Qualify → BegetsStatusType → Qualifiable
--	--	--	--	---

1637	Qualifying	Standard Derived	The current status of Qualifier	1 Qualifying → IsStatusTypeBegottenBy → Qualify 2 Qualifying → IsCurrentStatusOf → Qualifier 3 Qualifying → IsTypeOf → Categorizing
1638	QualifyingEvent	Standard Derived	An Event in which an Entity is Qualified.	1 QualifyingEvent → IsContextTypeBegottenBy → Qualify 2 QualifyingEvent → IsTypeOf → CategorizingEvent <i>ContextDescription</i> 1 QualifyingEvent[#1] → HasActType → Qualify[#2][occ:1] 2 QualifyingEvent[#1] → HasAgentType → Qualifier[#3.n][occ:1-n] 3 Qualification[#9.n] → HasEntityType → QualifiedResource[#5.n][occ:1-n] 4 QualifyingEvent[#1] → HasResourceType → Quality[#4.n][occ:1-n] 5 Qualification[#9.n] → HasAttributeType → Quality[#4.n][occ:1-n] 6 QualifyingEvent[#1] → HasResourceType → QualifiedResource[#5.n][occ:1-n] 7 QualifyingEvent[#1] → HasResourceType → QualifyingTool[#6.n][occ:0-n] 8 QualifyingEvent[#1] → HasTimeType → TimeOfQualifying[#7.n][occ:1-n] 9 QualifyingEvent[#1] → HasPlaceType → PlaceOfQualifying[#8.n][occ:1-n] 10 QualifyingEvent[#1] → HasStateType → Qualification[#9.n][occ:1-n] 11 Qualification[#8.n] → HasTimeType → TimeOfQualification[#6.n][occ:1-n] 12 TimeOfQualification[#6.n] → IsA → StartTime 13 Qualification[#8.n] → HasPlaceType → PlaceOfQualification[#7.n][occ:1-n]
1639	QualifyingTool	Standard Derived	A Tool Used for Qualifying.	1 QualifyingTool → IsResourceTypeBegottenBy → Qualify 2 QualifyingTool → IsTypeOf → CategorizingTool
1640	Quality	Standard Partially Derived	An innate characteristic of an Entity. Scope of Quality Qualities are adjectival or adverbial (like their Archetypes, Categories) but are intrinsic rather than contextual or relational. For example, "green" or "animate" is a Quality, while "British" or "married" is a Category.	1 Quality → IsResourceTypeBegottenBy → Qualify 2 Quality → IsTypeOf → Category

1641	QualityType	Standard Derived	A Type of Quality.	1 QualityType → IsClassOf → Quality
1642	Quantity	Standard Partially Derived	A numerical Ascription of an Entity.	1 Quantity → IsResourceTypeBegottenBy → Measure 2 Quantity → IsTypeOf → Ascription 3 Quantity → Is → Numerical 4 Quantity → Has → UnitOfMeasure
1643	RddAuthority	Standard Derived	The governance of RDD StandardizedTerms, NativeTerms and AdoptedTerms.	1 RddAuthority → IsTypeOf → Authority
1644	RddAuthorized	Standard Partially Derived	Of a Term or TermAttribute under RddAuthority.	1 RddAuthorized → IsTypeOf → Authorized
1645	RddDefinition	Standard Derived	An RddAuthorized Definition of a Term.	1 RddDefinition → IsTypeOf → Definition 2 RddDefinition → Is → RddAuthorized
1646	RddIdentifier	Standard Derived	The unique Identifier of a Term in the RDD Dictionary.	1 RddIdentifier → IsTypeOf → Identifier 2 RddIdentifier → IsIdentifierOf → Term
1647	RddRegistrationAuthority	Standard Partially Derived	The Registration Authority appointed to administer this standard.	1 RddRegistrationAuthority → IsTypeOf → Authority
1648	Read	Standard Partially Derived	To Read a Digital Resource from a Repository. Scope of Read The verb here refers to the primitive computing process, not to the act of reading by a human being. Accordingly its definition is self-referential.	1 Read → IsTypeOf → Use <i>ActionFamily</i> 1 Read → BegetsContextType → ReadingEvent 2 Read → BegetsAgentType → Reader 3 Read → BegetsResourceType → ReadResource 4 Read → BegetsResourceType → ReadingTool 5 Read → BegetsTimeType → TimeOfReading 6 Read → BegetsPlaceType → PlaceOfReading

				7 Read → BegetsStatusType → Reading 8 Read → BegetsStatusType → Readed 9 Read → BegetsStatusType → BeingRead 10 Read → BegetsStatusType → Readable
1649	Readable	Standard Derived	The potential status of ReadResource	1 Readable → IsStatusTypeBegottenBy → Read 2 Readable → IsPotentialStatusOf → ReadResource 3 Readable → IsTypeOf → Usable
1650	Readed	Standard Derived	The historic status of ReadResource	1 Readed → IsStatusTypeBegottenBy → Read 2 Readed → IsHistoricStatusOf → ReadResource 3 Readed → IsTypeOf → Used
1651	Reader	Standard Derived	An Agent that Reads.	1 Reader → IsAgentTypeBegottenBy → Read 2 Reader → IsTypeOf → User
1652	Reading	Standard Derived	The current status of Reader	1 Reading → IsStatusTypeBegottenBy → Read 2 Reading → IsCurrentStatusOf → Reader 3 Reading → IsTypeOf → Using
1653	ReadingEvent	Standard Derived	An Event in which a Resource is Read.	1 ReadingEvent → IsContextTypeBegottenBy → Read 2 ReadingEvent → IsTypeOf → Usage <i>ContextDescription</i> 1 ReadingEvent[#1] → HasActType → Read[#2][occ:1] 2 ReadingEvent[#1] → HasAgentType → Reader[#3.n][occ:1-n] 3 ReadingEvent[#1] → HasResourceType → ReadResource[#4.n][occ:1-n] 4 ReadingEvent[#1] → HasResourceType → ReadingTool[#5.n][occ:0-n] 5 ReadingEvent[#1] → HasTimeType → TimeOfReading[#6.n][occ:1-n] 6 ReadingEvent[#1] → HasPlaceType → PlaceOfReading[#7.n][occ:1-n]
1654	ReadingTool	Standard Partially Derived	A Tool Used for Reading.	1 ReadingTool → IsResourceTypeBegottenBy → Read 2 ReadingTool → IsTypeOf → ReadingTool 3 ReadingTool → IsAClassFrom → TermSet_2[occ:1]

1655	ReadResource	Standard Derived	A Resource that is Read.	1 ReadResource → IsResourceTypeBegottenBy → Read 2 ReadResource → IsTypeOf → UsedResource 3 ReadResource → IsA → DigitalResource
1656	Relatable	Standard Derived	The potential status of Relative	1 Relatable → IsStatusTypeBegottenBy → Relate 2 Relatable → IsPotentialStatusOf → Relative 3 Relatable → IsTypeOf → Doable
1657	Relate	Standard Partially Derived	To associate two or more Entities with one another.	1 Relate → IsTypeOf → Do 2 Relate → HasComponent → UseTool[true:Sometimes] <i>ActionFamily</i> 1 Relate → BegetsContextType → RelatingEvent 2 Relate → BegetsAgentType → Relator 3 Relate → BegetsResourceType → Relative 4 Relate → BegetsResourceType → RelatingTool 5 Relate → BegetsTimeType → TimeOfRelating 6 Relate → BegetsPlaceType → PlaceOfRelating 7 Relate → BegetsStateType → Relation 8 Relate → BegetsRelatingTerm → IsCo-Relator 9 Relate → BegetsRelatingTerm → IsRelatorOf 10 Relate → BegetsRelatingTerm → IsRelatedBy 11 Relate → BegetsRelatingTerm → IsRelatorWithTool 12 Relate → BegetsRelatingTerm → IsToolForRelatingBy 13 Relate → BegetsRelatingTerm → IsRelatorAtTime 14 Relate → BegetsRelatingTerm → IsTimeOfRelatingBy 15 Relate → BegetsRelatingTerm → IsRelatorInPlace 16 Relate → BegetsRelatingTerm → IsPlaceOfRelatingBy 17 Relate → BegetsRelatingTerm → IsRelativeOf 18 Relate → BegetsRelatingTerm → IsRelatedWithTool 19 Relate → BegetsRelatingTerm → IsToolForRelatingOf 20 Relate → BegetsRelatingTerm → IsRelativeAtTime 21 Relate → BegetsRelatingTerm → IsTimeOfRelatingOf 22 Relate → BegetsRelatingTerm → IsRelativeInPlace 23 Relate → BegetsRelatingTerm → IsPlaceOfRelatingOf 24 Relate → BegetsRelatingTerm → HasCo-RelatingTool 25 Relate → BegetsRelatingTerm → IsRelatingToolAtTime

				26 Relate → BegetsRelatingTerm → IsTimeOfRelatingWithTool 27 Relate → BegetsRelatingTerm → IsRelatingToolInPlace 28 Relate → BegetsRelatingTerm → IsPlaceOfRelatingWithTool 29 Relate → BegetsRelatingTerm → IsCo-TimeOfRelating 30 Relate → BegetsRelatingTerm → IsTimeOfRelatingInPlace 31 Relate → BegetsRelatingTerm → IsPlaceOfRelatingAtTime 32 Relate → BegetsRelatingTerm → IsCo-PlaceOfRelating 33 Relate → BegetsStatusType → Relating 34 Relate → BegetsStatusType → Related 35 Relate → BegetsStatusType → BeingRelated 36 Relate → BegetsStatusType → Relatable
1658	Related	Standard Derived	The historic status of Relative	1 Related → IsStatusTypeBegottenBy → Relate 2 Related → IsHistoricStatusOf → Relative 3 Related → IsTypeOf → Done
1659	Relating	Standard Derived	The current status of Relator	1 Relating → IsStatusTypeBegottenBy → Relate 2 Relating → IsCurrentStatusOf → Relator 3 Relating → IsTypeOf → Doing
1660	RelatingEvent	Standard Derived	An Event in which Entities are associated.	1 RelatingEvent → IsContextTypeBegottenBy → Relate 2 RelatingEvent → IsTypeOf → Event 3 RelatingEvent → HasComponent → ToolUsage[true:Sometimes] <i>ContextDescription</i> 1 RelatingEvent[#1] → HasActType → Relate[#2][occ:1] 2 RelatingEvent[#1] → HasAgentType → Relator[#3.n][occ:1-n] 3 RelatingEvent[#1] → HasResourceType → Relative[#4.n][occ:2-n] 4 RelatingEvent[#1] → HasResourceType → RelatingTool[#5.n][occ:0-n] 5 RelatingEvent[#1] → HasTimeType → TimeOfRelating[#6.n][occ:1-n] 6 RelatingEvent[#1] → HasPlaceType → PlaceOfRelating[#7.n][occ:1-n]
1661	RelatingTerm	Standard	A Term which links two other Terms.	1 RelatingTerm → IsResourceTypeBegottenBy → BegettingEvent_5 2 RelatingTerm → IsTypeOf → BegottenTerm

1662	RelatingTool	Standard Derived	A Tool with which Entities are Related.	1 RelatingTool → IsResourceTypeBegottenBy → Relate 2 RelatingTool → IsTypeOf → Tool
1663	Relation	Standard Derived	A Situation in which one Entity is a Relative of another.	1 Relation → IsStateTypeBegottenBy → Relate 2 Relation → IsTypeOf → Situation
1664	Relationship	Standard Derived	A Situation in which an Entity is related to an Attribute by a RelatingTerm. Scope of Relationship A Relationship is a specialized Situation which forms the basis for the links between Terms in the RDD. It has a restricted range of elements: describing a one-to-one association with optional qualifications of accuracy and reliability. More complex associations can be described in a Situation.	<i>ContextDescription</i> 1 Relationship[#1] → HasActType → HaveRelative[#2][occ:1] 2 Relationship[#1] → HasEntityType → Relative[#3][occ:1] 3 Relationship[#1] → HasAttributeType → Relative[#4][occ:1] 4 Relationship[#1] → HasAttributeType → RelatingTerm[#5][occ:1] 5 Relationship[#1] → HasTimeType → RelationshipStartTime[#8][occ:0-1] 6 Relationship[#1] → HasTimeType → RelationshipEndTime[#9][occ:0-1] <i>ContextFamily</i> 1 Relationship → BegetsActType → HaveRelative 2 Relationship → BegetsTimeType → TimeOfRelation 3 Relationship → BegetsTimeType → RelationshipStartTime 4 Relationship → BegetsTimeType → RelationshipEndTime 5 Relationship → BegetsPlaceType → PlaceOfRelation
1665	RelationshipEndTime	Standard Derived	A Time at which a Relationship ends.	1 RelationshipEndTime → IsTimeTypeBegottenBy → Relationship 2 RelationshipEndTime → IsTypeOf → TimeOfSituation
1666	RelationshipSet	Standard Partially Derived	Two or more Relationships or RelationshipSets grouped together under an Authority for any purpose.	1 RelationshipSet → IsTypeOf → Set 2 RelationshipSet → HasMember → Relationship[occ:1-n] 3 RelationshipSet → Has → Authority[occ:1-n]
1667	RelationshipStartTime	Standard Derived	A Time at which a Relationship begins.	1 RelationshipStartTime → IsTimeTypeBegottenBy → Relationship 2 RelationshipStartTime → IsTypeOf → TimeOfSituation
1668	Relative	Standard Partially	A Resource which is Related to another.	1 Relative → IsResourceTypeBegottenBy → Relate

		Derived	Occurrences of Relative If more than two Relatives occur, then each is a Relative of every other one (that is, a one-to-one "IsRelativeOf" Relationship exists for every pair of Relatives in a RelatingEvent).	2 Relative → IsTypeOf → Patient
1669	Relator	Standard Derived	An Agent that Relates.	1 Relator → IsAgentTypeBegottenBy → Relate 2 Relator → IsTypeOf → Doer 3 Relator → HasComponent → ToolUser[true:Sometimes]
1670	Reliability	Standard Partially Derived	A Quality that shows the frequency with which something is True.	1 Reliability → IsTypeOf → CategoryType
1671	Render	Standard Derived	To Transform a Resource into a Perceivable representation of its contents.	1 Render → IsTypeOf → Transform 2 Render → IsTypeOf → Express <i>ActionFamily</i> 1 Render → BegetsContextType → RenderingEvent 2 Render → BegetsAgentType → Renderer 3 Render → BegetsResourceType → Rendition 4 Render → BegetsResourceType → SourceOfRendition 5 Render → BegetsResourceType → RenderingTool 6 Render → BegetsTimeType → TimeOfRendering 7 Render → BegetsPlaceType → PlaceOfRendering 8 Render → BegetsPlaceType → PlaceOfRenderingFrom 9 Render → BegetsPlaceType → PlaceOfRenderingTo 10 Render → BegetsStatusType → Rendering 11 Render → BegetsStatusType → Rendered 12 Render → BegetsStatusType → BeingRendered 13 Render → BegetsStatusType → Renderable 14 Render → BegetsStatusType → RenderedFrom 15 Render → BegetsStatusType → BeingRenderedFrom 16 Render → BegetsStatusType → RenderableFrom

1672	Renderable	Standard Derived	The potential status of Rendition	1 Renderable → IsStatusTypeBegottenBy → Render 2 Renderable → IsPotentialStatusOf → Rendition 3 Renderable → IsTypeOf → Transformable 4 Renderable → IsTypeOf → Expressible
1673	RenderableFrom	Standard Derived	The potential status of SourceOfRendition	1 RenderableFrom → IsStatusTypeBegottenBy → Render 2 RenderableFrom → IsPotentialStatusOf → SourceOfRendition 3 RenderableFrom → IsTypeOf → TransformableFrom
1674	Rendered	Standard Derived	The historic status of Rendition	1 Rendered → IsStatusTypeBegottenBy → Render 2 Rendered → IsHistoricStatusOf → Rendition 3 Rendered → IsTypeOf → Transformed 4 Rendered → IsTypeOf → Expressed
1675	RenderedFrom	Standard Derived	The historic status of SourceOfRendition	1 RenderedFrom → IsStatusTypeBegottenBy → Render 2 RenderedFrom → IsHistoricStatusOf → SourceOfRendition 3 RenderedFrom → IsTypeOf → TransformedFrom
1676	Renderer	Standard Derived	An Agent that Renders.	1 Renderer → IsAgentTypeBegottenBy → Render 2 Renderer → IsTypeOf → Transformer 3 Renderer → IsTypeOf → Expresser
1677	Rendering	Standard Derived	The current status of Renderer	1 Rendering → IsStatusTypeBegottenBy → Render 2 Rendering → IsCurrentStatusOf → Renderer 3 Rendering → IsTypeOf → Expressing 4 Rendering → IsTypeOf → Transforming
1678	RenderingEvent	Standard Derived	An Event in which a Resource is Rendered.	1 RenderingEvent → IsContextTypeBegottenBy → Render 2 RenderingEvent → IsTypeOf → TransformingEvent 3 RenderingEvent → IsTypeOf → Expression <i>ContextDescription</i> 1 RenderingEvent[#1] → HasActType → Render[#2][occ:1] 2 RenderingEvent[#1] → HasAgentType → Renderer[#3.n][occ:1-n] 3 RenderingEvent[#1] → HasResourceType → Rendition[#4.n][occ:1-n]

				4 Rendition → HasPlace → PlaceOfRenderingTo 5 Rendition[#4.n] → IsEqualTo → RenderingEvent[#1][true:Sometimes] 6 Rendition[#4.n] → Has → Form[#11.n][occ:1-n] 7 RenderingEvent[#1] → HasResourceType → SourceOfRendition[#5.n][occ:1-n] 8 SourceOfRendition → HasPlace → PlaceOfRenderingFrom 9 SourceOfRendition[#5.n] → Has → Form[#12.n][occ:1-n] 10 RenderingEvent[#1] → HasResourceType → RenderingTool[#6.n][occ:0-n] 11 RenderingEvent[#1] → HasTimeType → TimeOfRendering[#7.n][occ:1-n] 12 RenderingEvent[#1] → HasPlaceType → PlaceOfRendering[#8.n][occ:1-n] 13 RenderingEvent[#1] → HasPlaceType → PlaceOfRenderingFrom[#9.n][occ:1-n] 14 RenderingEvent[#1] → HasPlaceType → PlaceOfRenderingTo[#10.n][occ:1-n] 15 PlaceOfRenderingTo[#10.n] → IsEqualTo → PlaceOfRenderingFrom[#9.n][occ:1-n][true:Sometimes] 16 Form[#11.n] → IsEqualTo → Form[#12.n][occ:1-n][true:Never]
1679	RenderingTool	Standard Derived	A Tool Used for Rendering.	1 RenderingTool → IsResourceTypeBegottenBy → Render 2 RenderingTool → IsTypeOf → TransformingTool 3 RenderingTool → IsTypeOf → ExpressingTool
1680	Rendition	Standard Derived	A Resource that is Rendered from another Resource.	1 Rendition → IsResourceTypeBegottenBy → Render 2 Rendition → IsTypeOf → Transformation 3 Rendition → IsTypeOf → Manifestation
1681	Replica	Standard Partially Derived	A Resource which is a perfect reproduction of another.	1 Replica → IsResourceTypeBegottenBy → Copy 2 Replica → IsTypeOf → Derivation
1682	Repository	Standard Partially Derived	A Place where DigitalResources are stored.	1 Repository → IsTypeOf → Place
1683	Resource	Standard Partially Derived	An Entity involved in a Context, other than as an Agent, Time or Place. Scope of Resource Resources are	1 Resource → IsResourceTypeBegottenBy → Act

			typically the direct and indirect objects of an action. They are distinguished by functional prepositions such as "with" and "to" (the latter in the sense of "done to"). For example, "I did it with this Tool", or "I did it to him". Resource never answers the questions when? and where?	
1684	ResourceType	Standard	A Type of Resource.	1 ResourceType → IsResourceTypeBegottenBy → BegettingEvent_2 2 ResourceType → IsTypeOf → BegottenTerm
1685	ResourceType_1 mx.Resource	Standard Partially Derived	(RDD Definition) A ResourceType representing an REL Resource. (REF Definition) The object to which a principal may be granted rights.	1 ResourceType_1 → IsTypeOf → ResourceType 2 ResourceType_1 → HasDefinitiveContext → Permission_1
1686	ResourceType_2 mx.Condition	Standard Partially Derived	(RDD Defintion) A ResourceType representing an REL Condition. (REL Definition) Something that must exist or be fulfilled in order for the permissions to be exercised.	1 ResourceType_2 → IsTypeOf → ResourceType 2 ResourceType_2 → HasDefinitiveContext → Permission_1
1687	RestrictedAccess	Standard Partially Derived	Of a Term or TermAttribute which may be accessed only by a specified RddUser(s).	1 RestrictedAccess → IsAllowedValueOf → AccessStatus
1688	Result	Standard Partially Derived	A Context which is a direct Output of another Context.	1 Result → IsResourceTypeBegottenBy → Cause 2 Result → IsTypeOf → Output 3 Result → IsA → Context

1689	Said	Standard Derived	The historic status of Utterance	1 Said → IsStatusTypeBegottenBy → Say 2 Said → IsHistoricStatusOf → Utterance 3 Said → IsTypeOf → Expressed
1690	Say Utter	Standard Derived	To Express something in words. Scope of Say Say introduces the concept of words in the act of Expressing. Say and Express Say is independent of any specific mode or medium of Expression (such as Speak) but is a Parent of these.	1 Say → IsTypeOf → Express <i>ActionFamily</i> 1 Say → BegetsContextType → SayingEvent 2 Say → BegetsAgentType → Sayer 3 Say → BegetsResourceType → Utterance 4 Say → BegetsResourceType → SourceOfUtterance 5 Say → BegetsResourceType → SayingTool 6 Say → BegetsTimeType → TimeOfSaying 7 Say → BegetsPlaceType → PlaceOfSaying 8 Say → BegetsStatusType → Saying 9 Say → BegetsStatusType → Said 10 Say → BegetsStatusType → BeingSaid 11 Say → BegetsStatusType → Sayable
1691	Sayable	Standard Derived	The potential status of Utterance	1 Sayable → IsStatusTypeBegottenBy → Say 2 Sayable → IsPotentialStatusOf → Utterance 3 Sayable → IsTypeOf → Expressible
1692	Sayer Utterer	Standard Derived	An Agent that Says.	1 Sayer → IsAgentTypeBegottenBy → Say 2 Sayer → IsTypeOf → Expresser
1693	Saying	Standard Derived	The current status of Sayer	1 Saying → IsStatusTypeBegottenBy → Say 2 Saying → IsCurrentStatusOf → Sayer 3 Saying → IsTypeOf → Expressing
1694	SayingEvent UtteringEvent	Standard Derived	An Event in which something is Said.	1 SayingEvent → IsContextTypeBegottenBy → Say 2 SayingEvent → IsTypeOf → Expression <i>ContextDescription</i> 1 SayingEvent[#1] → HasActType → Say[#2][occ:1] 2 SayingEvent[#1] → HasAgentType → Sayer[#3.n][occ:1-n]

				3 SayingEvent[#1] → HasResourceType → Utterance[#4.n][occ:1-n] 4 Utterance[#4.n] → IsEqualTo → SayingEvent[#1][true:Sometimes] 5 SayingEvent[#1] → HasResourceType → SourceOfUtterance[#5.n][occ:0-n] 6 SayingEvent[#1] → HasResourceType → SayingTool[#6.n][occ:0-n] 7 SayingEvent[#1] → HasTimeType → TimeOfSaying[#7.n][occ:1-n] 8 SayingEvent[#1] → HasPlaceType → PlaceOfSaying[#8.n][occ:1-n]
1695	SayingTool UtteringTool	Standard Derived	A Tool used for Saying.	1 SayingTool → IsResourceTypeBegottenBy → Say 2 SayingTool → IsTypeOf → ExpressingTool
1696	Set	Standard Derived	An Aggregation of Entities that have one or more common attribute(s) but retain their distinct identities.	1 Set → IsResourceTypeBegottenBy → MakeSet 2 Set → IsTypeOf → Aggregation
1697	Settable	Standard Derived	The potential status of Member	1 Settable → IsStatusTypeBegottenBy → MakeSet 2 Settable → IsPotentialStatusOf → Member 3 Settable → IsTypeOf → AggregatableFrom
1698	Setted	Standard Derived	The historic status of Member	1 Setted → IsStatusTypeBegottenBy → MakeSet 2 Setted → IsHistoricStatusOf → Member 3 Setted → IsTypeOf → AggregatedFrom
1699	Setter	Standard Derived	An Agent that makes Sets.	1 Setter → IsAgentTypeBegottenBy → MakeSet 2 Setter → IsTypeOf → Aggregator
1700	Setting	Standard Derived	The current status of Setter	1 Setting → IsStatusTypeBegottenBy → MakeSet 2 Setting → IsCurrentStatusOf → Setter 3 Setting → IsTypeOf → Aggregating
1701	SettingEvent	Standard Derived	An Event in which Resources are Aggregated to form a Set.	1 SettingEvent → IsContextTypeBegottenBy → MakeSet 2 SettingEvent → IsTypeOf → AggregatingEvent <i>ContextDescription</i> 1 SettingEvent[#1] → HasActType → MakeSet[#2][occ:1]

				2 SettingEvent[#1] → HasAgentType → Setter[#3.n][occ:1-n] 3 SettingEvent[#1] → HasResourceType → Set[#4.n][occ:1-n] 4 Set → HasPlace → PlaceOfSettingTo 5 SettingEvent[#1] → HasResourceType → Member[#5.n][occ:2-n] 6 Member → HasPlace → PlaceOfSettingFrom 7 SettingEvent[#1] → HasResourceType → SettingTool[#6.n][occ:0-n] 8 SettingEvent[#1] → HasTimeType → TimeOfSetting[#7.n][occ:1-n] 9 SettingEvent[#1] → HasPlaceType → PlaceOfSetting[#8.n][occ:1-n] 10 SettingEvent[#1] → HasPlaceType → PlaceOfSettingFrom[#9.n][occ:1-n] 11 SettingEvent[#1] → HasPlaceType → PlaceOfSettingTo[#10.n][occ:1-n] 12 PlaceOfSettingTo[#10.n] → IsEqualTo → PlaceOfSettingFrom[#9.n][occ:1-n][true:Sometimes]
1702	SettingTool	Standard Derived	A Tool Used for Setting.	1 SettingTool → IsResourceTypeBegottenBy → MakeSet 2 SettingTool → IsTypeOf → AggregatingTool
1703	Situation	Standard Partially Derived	A Static Context arising from an Event. Scope of Situation A Situation is brought about by one or more Events.	1 Situation → IsStateTypeBegottenBy → Do 2 Situation → IsTypeOf → State 3 Situation → IsTypeOf → Context <i>ContextDescription</i> 1 Situation[#1] → HasActType → Have[#2][occ:1] 2 Situation[#1] → HasAgentType → Entity[#3.n][occ:1-n] 3 Situation[#1] → HasResourceType → Attribute[#4.n][occ:0-n] 4 Situation[#1] → HasPlaceType → PlaceOfSituation[#6.n][occ:1-n] 5 Situation[#7.n] → HasTimeType → TimeOfSituation[#5.n][occ:1-n] <i>ContextFamily</i> 1 Situation → BegetsActType → Have 2 Situation → BegetsAgentType → Entity 3 Situation → BegetsResourceType → Attribute 4 Situation → BegetsTimeType → TimeOfSituation 5 Situation → BegetsPlaceType → PlaceOfSituation 6 Situation → BegetsRelatingTerm → Co-ExistsWith 7 Situation → BegetsRelatingTerm → Has 8 Situation → BegetsRelatingTerm → IsAttributeOf 9 Situation → BegetsRelatingTerm → HasTime

				10 Situation → BegetsRelatingTerm → IsTimeOf 11 Situation → BegetsRelatingTerm → HasPlace 12 Situation → BegetsRelatingTerm → IsPlaceOf 13 Situation → BegetsRelatingTerm → HasCo-Attribute 14 Situation → BegetsRelatingTerm → IsAttributeAtTime 15 Situation → BegetsRelatingTerm → IsTimeOfAttributionOf 16 Situation → BegetsRelatingTerm → IsAttributeInPlace 17 Situation → BegetsRelatingTerm → IsPlaceOfAttributionOf 18 Situation → BegetsRelatingTerm → HasCo-TimeOfSituation 19 Situation → BegetsRelatingTerm → IsTimeOfSituationInPlace 20 Situation → BegetsRelatingTerm → IsPlaceOfSituationInTime 21 Situation → BegetsRelatingTerm → HasCo-PlaceOfSituation 22 Situation → BegetsStatusType → Had 23 Situation → BegetsStatusType → Having 24 Situation → BegetsStatusType → Possessive 25 Situation → BegetsStatusType → Attributed 26 Situation → BegetsStatusType → BeingAttributed 27 Situation → BegetsStatusType → Attributable
1704	SituationType	Standard Derived	A Type of Situation.	1 SituationType → IsClassOf → Situation
1705	Software	Standard Partially Derived	A software program.	1 Software → IsTypeOf → Creation
1706	Sometimes	Standard Partially Derived	Of a Situation that is sometimes True.	1 Sometimes → IsAllowedValueOf → Reliability
1707	Source	Standard	Something from which something else is Made.	1 Source → IsResourceTypeBegottenBy → Derive 2 Source → IsTypeOf → UsedResource
1708	SourceForPlaying	Standard Partially	A Resource that is Played.	1 SourceForPlaying → IsResourceTypeBegottenBy → Play 2 SourceForPlaying → IsTypeOf → SourceOfTransformation 3 SourceForPlaying → IsTypeOf → SourceOfPerformance

		Derived		4 SourceForPlaying → IsA → Fixation
1709	SourceForPrinting	Standard Partially Derived	A Source of a PrintRendition.	1 SourceForPrinting → IsResourceTypeBegottenBy → Print 2 SourceForPrinting → IsTypeOf → SourceOfTransformation 3 SourceForPrinting → IsTypeOf → SourceOfFixation 4 SourceForPrinting → IsA → Fixation
1710	SourceOfAbstraction	Standard Partially Derived	A Resource from which a Abstraction is Derived.	1 SourceOfAbstraction → IsResourceTypeBegottenBy → Abstract 2 SourceOfAbstraction → IsTypeOf → SourceOfConcept 3 SourceOfAbstraction → IsTypeOf → SourceOfExcerpt 4 SourceOfAbstraction → IsA → Manifestation
1711	SourceOfAdaptation	Standard Derived	A Resource from which an Adaptation is made.	1 SourceOfAdaptation → IsResourceTypeBegottenBy → Adapt 2 SourceOfAdaptation → IsTypeOf → Source
1712	SourceOfConcept	Standard Derived	A Resource from which a Concept is Derived.	1 SourceOfConcept → IsResourceTypeBegottenBy → Conceive 2 SourceOfConcept → IsTypeOf → Source
1713	SourceOfCreation	Standard Derived	Something from which something else is Created.	1 SourceOfCreation → IsResourceTypeBegottenBy → Create 2 SourceOfCreation → IsTypeOf → UsedResource 3 SourceOfCreation → HasComponent → Source[true:Sometimes] 4 SourceOfCreation → HasComponent → SourceOfManifestation[true:Sometimes] 5 SourceOfCreation → HasComponent → SourceOfAbstraction[true:Sometimes]
1714	SourceOfDigitalResource	Standard Derived	A Resource from which a DigitalResource is Written.	1 SourceOfDigitalResource → IsResourceTypeBegottenBy → Write 2 SourceOfDigitalResource → IsTypeOf → Source
1715	SourceOfEdition	Standard Derived	A Resource from which an Edition is made.	1 SourceOfEdition → IsResourceTypeBegottenBy → Edit 2 SourceOfEdition → IsTypeOf → SourceOfAdaptation
1716	SourceOfExcerpt	Standard Derived	A Resource from which an Excerpt is taken out. Scope of SourceOfExcerpt The	1 SourceOfExcerpt → IsResourceTypeBegottenBy → Extract 2 SourceOfExcerpt → IsTypeOf → Source

			SourceOfExcerpt may or may not be Reduced as a consequence of the ExtractingEvent. The Extraction of abstract, spatio-temporal or digital material does not normally affect the SourceOfExcerpt, whereas physical Extraction does. This can be described in a separate or composite ActType.	
1717	SourceOfExpression	Standard		
1718	SourceOfFixation	Standard Derived	A Source of a Fixation.	1 SourceOfFixation → IsResourceTypeBegottenBy → Fix 2 SourceOfFixation → IsTypeOf → SourceOfManifestation
1719	SourceOfManifestation	Standard Derived	A Source of a Manifestation.	1 SourceOfManifestation → IsResourceTypeBegottenBy → Express 2 SourceOfManifestation → IsTypeOf → Source
1720	SourceOfPerformance	Standard Derived	A Source of a Performance.	1 SourceOfPerformance → IsResourceTypeBegottenBy → Perform 2 SourceOfPerformance → IsTypeOf → SourceOfManifestation
1721	SourceOfRendition	Standard Derived	A Resource that is Rendered into a Perceivable representation of its contents.	1 SourceOfRendition → IsResourceTypeBegottenBy → Render 2 SourceOfRendition → IsTypeOf → SourceOfTransformation 3 SourceOfRendition → IsTypeOf → SourceOfExpression
1722	SourceOfReplica	Standard Derived	A Resource from which a Replica is Copied.	1 SourceOfReplica → IsResourceTypeBegottenBy → Copy 2 SourceOfReplica → IsTypeOf → Source
1723	SourceOfTransformation	Standard Partially Derived	A Resource which is Adapted by changing its form but not its content.	1 SourceOfTransformation → IsResourceTypeBegottenBy → Transform 2 SourceOfTransformation → IsTypeOf → SourceOfAdaptation
1724	SourceOfUtterance	Standard	A Source of an Utterance.	1 SourceOfUtterance → IsResourceTypeBegottenBy → Say

	SaidResource	Derived	Scope of SourceOfUtterance A SourceOfUtterance describes the "content" of an Utterance - the thing that is Said independent of its specific Manifestation in this instance. For example, the abstract statement "King George III went mad" may be spoken or written in any number of Utterances by any number of Sayers for which it may be a common "Uttered Resource". Typically such a resource will be an Abstraction, but it may also be a Manifestation (for example, in the reading aloud of a speech, the written speech may be called the SourceOfUtterance and the spoken performance of it the Utterance).	2 SourceOfUtterance → IsTypeOf → SourceOfManifestation
1725	Specializable	Standard Derived	The potential status of Archetype	1 Specializable → IsStatusTypeBegottenBy → Specialize 2 Specializable → IsPotentialStatusOf → Archetype 3 Specializable → IsTypeOf → AscribableTo
1726	SpecializableTo	Standard Derived	The potential status of Type	1 SpecializableTo → IsStatusTypeBegottenBy → Specialize 2 SpecializableTo → IsPotentialStatusOf → Type 3 SpecializableTo → IsTypeOf → Ascribable
1727	Specialization	Standard Derived	A Situation in which an Entity has a Type.	1 Specialization → IsStateTypeBegottenBy → Specialize 2 Specialization → IsTypeOf → AscribedSituation <i>ContextDescription</i> 1 Specialization[#1] → HasActType → HaveType[#2][occ:1] 2 Specialization[#9.n] → HasEntityType → Archetype[#5.n][occ:1-n] 3 Specialization[#9.n] → HasAttributeType → Type[#4.n][occ:1-n] 4 Specialization[#9.n] → HasTimeType → TimeOfSpecialization[#7.n][occ:1-n] 5 Specialization[#9.n] → HasPlaceType → PlaceOfSpecialization[#8.n][occ:1-n]

				<i>ContextFamily</i> 1 Specialization → BegetsActType → HaveType 2 Specialization → BegetsTimeType → TimeOfSpecialization 3 Specialization → BegetsPlaceType → PlaceOfSpecialization
1728	Specialize	Standard Derived	To Ascribe one Entity as a Specialized Type of another. Specialize and Beget Terms which are Begotten from other Terms though the ContextModel automatically become Specialized Types. Scope of Specialize Specialization - the establishing of Types - may either be a means of defining new Terms, or a means of Relating existing Terms.	1 Specialize → IsTypeOf → Ascribe <i>ActionFamily</i> 1 Specialize → BegetsContextType → SpecializingEvent 2 Specialize → BegetsAgentType → Specializer 3 Specialize → BegetsResourceType → Type 4 Specialize → BegetsResourceType → Archetype 5 Specialize → BegetsResourceType → SpecializingTool 6 Specialize → BegetsTimeType → TimeOfSpecializing 7 Specialize → BegetsPlaceType → PlaceOfSpecializing 8 Specialize → BegetsStateType → Specialization 9 Specialize → BegetsRelatingTerm → HasCo-Specializer 10 Specialize → BegetsRelatingTerm → IsSpecializerWith 11 Specialize → BegetsRelatingTerm → IsTypeAscribedBy 12 Specialize → BegetsRelatingTerm → IsSpecializerOf 13 Specialize → BegetsRelatingTerm → IsSpecializedBy 14 Specialize → BegetsRelatingTerm → IsSpecializerWithTool 15 Specialize → BegetsRelatingTerm → IsToolForSpecializingBy 16 Specialize → BegetsRelatingTerm → IsSpecializerAtTime 17 Specialize → BegetsRelatingTerm → IsTimeOfSpecializingBy 18 Specialize → BegetsRelatingTerm → IsSpecializerInPlace 19 Specialize → BegetsRelatingTerm → IsPlaceOfSpecializingBy 20 Specialize → BegetsRelatingTerm → HasCo-Type 21 Specialize → BegetsRelatingTerm → IsTypeOf 22 Specialize → BegetsRelatingTerm → HasType 23 Specialize → BegetsRelatingTerm → IsTypeAscribedWithTool 24 Specialize → BegetsRelatingTerm → IsToolForSpecializingWith 25 Specialize → BegetsRelatingTerm → IsTypeAtTime 26 Specialize → BegetsRelatingTerm → IsTimeOfSpecializingWith 27 Specialize → BegetsRelatingTerm → IsTypeInPlace 28 Specialize → BegetsRelatingTerm → IsPlaceOfSpecializingWith 29 Specialize → BegetsRelatingTerm → HasCo-Archetype 30 Specialize → BegetsRelatingTerm → IsSpecializedWithTool

				31 Specialize → BegetsRelatingTerm → IsToolForSpecializingOf 32 Specialize → BegetsRelatingTerm → IsSpecializedAtTime 33 Specialize → BegetsRelatingTerm → IsTimeOfSpecializingOf 34 Specialize → BegetsRelatingTerm → IsSpecializedInPlace 35 Specialize → BegetsRelatingTerm → IsPlaceOfSpecializingOf 36 Specialize → BegetsRelatingTerm → HasCo-SpecializingTool 37 Specialize → BegetsRelatingTerm → IsSpecializingToolAtTime 38 Specialize → BegetsRelatingTerm → IsTimeOfSpecializingWithTool 39 Specialize → BegetsRelatingTerm → IsSpecializingToolInPlace 40 Specialize → BegetsRelatingTerm → IsPlaceOfSpecializingWithTool 41 Specialize → BegetsRelatingTerm → HasCo-TimeOfSpecializing 42 Specialize → BegetsRelatingTerm → IsTimeOfSpecializingInPlace 43 Specialize → BegetsRelatingTerm → IsPlaceOfSpecializingAtTime 44 Specialize → BegetsRelatingTerm → HasCo-PlaceOfSpecializing 45 Specialize → BegetsStatusType → Specializing 46 Specialize → BegetsStatusType → SpecializedTo 47 Specialize → BegetsStatusType → BeingSpecializedTo 48 Specialize → BegetsStatusType → SpecializableTo 49 Specialize → BegetsStatusType → Specialized 50 Specialize → BegetsStatusType → BeingSpecialized 51 Specialize → BegetsStatusType → Specializable
1729	Specialized	Standard Derived	The historic status of Archetype	1 Specialized → IsStatusTypeBegottenBy → Specialize 2 Specialized → IsHistoricStatusOf → Archetype 3 Specialized → IsTypeOf → AscribedTo
1730	SpecializedTo	Standard Derived	The historic status of Type	1 SpecializedTo → IsStatusTypeBegottenBy → Specialize 2 SpecializedTo → IsHistoricStatusOf → Type 3 SpecializedTo → IsTypeOf → Ascribed
1731	Specializer	Standard Derived	An Agent that Specializes.	1 Specializer → IsAgentTypeBegottenBy → Specialize 2 Specializer → IsTypeOf → Ascriber
1732	Specializing	Standard Derived	The current status of Specializer	1 Specializing → IsStatusTypeBegottenBy → Specialize 2 Specializing → IsCurrentStatusOf → Specializer

				3 Specializing → IsTypeOf → Ascribing
1733	SpecializingEvent	Standard Derived	An Event in which a Resource is Specialized.	1 SpecializingEvent → IsContextTypeBegottenBy → Specialize 2 SpecializingEvent → IsTypeOf → AscribingEvent <i>ContextDescription</i> 1 SpecializingEvent[#1] → HasActType → Specialize[#2][occ:1] 2 SpecializingEvent[#1] → HasAgentType → Specializer[#3.n][occ:1-n] 3 Specialization[#9.n] → HasEntityType → Archetype[#5.n][occ:1-n] 4 SpecializingEvent[#1] → HasResourceType → Type[#4.n][occ:1-n] 5 Specialization[#9.n] → HasAttributeType → Type[#4.n][occ:1-n] 6 SpecializingEvent[#1] → HasResourceType → Archetype[#5.n][occ:1-n] 7 Specialization[#9.n] → HasTimeType → TimeOfSpecialization[#7.n][occ:1-n] 8 SpecializingEvent[#1] → HasResourceType → SpecializingTool[#6.n][occ:0-n] 9 Specialization[#9.n] → HasPlaceType → PlaceOfSpecialization[#8.n][occ:1-n] 10 SpecializingEvent[#1] → HasTimeType → TimeOfSpecializing[#7.n][occ:1-n] 11 SpecializingEvent[#1] → HasPlaceType → PlaceOfSpecializing[#8.n][occ:1-n] 12 SpecializingEvent[#1] → HasStateType → Specialization[#9.n][occ:1-n] 13 TimeOfSpecialization[#7.n] → IsA → StartTime
1734	SpecializingTool	Standard Derived	A Tool Used for Specializing.	1 SpecializingTool → IsResourceTypeBegottenBy → Specialize 2 SpecializingTool → IsTypeOf → AscribingTool
1735	StandardizedTerm	Standard Partially Derived	The Value of TermStatus for a Term explicitly defined by the RDD standard.	1 StandardizedTerm → IsAllowedValueOf → TermStatus 2 StandardizedTerm → IsTypeOf → Term
1736	StartTime	Standard Partially Derived	A Time at which a Context begins.	1 StartTime → IsTypeOf → Time
1737	State	Standard Partially Derived	Another Context brought into existence by a Context. Scope of Time Time answers the	1 State → IsStateTypeBegottenBy → Act 2 State → IsTypeOf → Context

			contextual question: "When"?	
1738	StateType	Standard	A Type of State.	1 StateType → IsResourceTypeBegottenBy → BegettingEvent_7 2 StateType → IsTypeOf → BegottenTerm 3 StateType → IsClassOf → State
1739	Status	Standard Partially Derived	An adjectival Qualifier describing the past, present or possible future condition of an Entity as a result of its role as a Type of Agent or Resource.	1 Status → IsTypeOf → Quality
1740	StatusType	Standard	A Type of Status.	1 StatusType → IsResourceTypeBegottenBy → BegettingEvent_6 2 StatusType → IsTypeOf → BegottenTerm 3 StatusType → IsClassOf → Status 4 StatusType → IsTypeOf → QualityType
1741	Synonym	Standard Partially Derived	An AlternativeName for a Term.	1 Headword → Has → Authority 2 Synonym → IsTypeOf → TermName 3 Synonym → IsTypeOf → AlternativeName 4 Synonym → IsNameof → Term 5 Synonym → IsAttributeOf → Headword 6 Synonym → Has → Authority[#1-n] 7 Synonym → IsA → TextualElement
1742	Term	Standard Partially Derived	An RDD semantic element with a defined Meaning and an RddIdentifier.	1 Term → IsTypeOf → Concept 2 Term → Has → RddIdentifier[occ:1] 3 Term → IsA → TermStatus[occ:1] 4 Term → Has → TermDescription[occ:0-n] 5 Term → Has → Headword[occ:0-n] 6 Term → Has → MeaningType[occ:1] 7 Term → Has → Genealogy[occ:1][true:Sometimes] 8 Term → Has → ContextDescription[occ:1][true:Sometimes] 9 Term → Is → ContextType[true:Sometimes]

1743	TermAttribute	Standard Derived	An Attribute of a Term.	1 TermAttribute → IsTypeOf → Attribute 2 TermAttribute → IsAttributeOf → Term
1744	TermDescription	Standard Partially Derived	A natural language statement of the Meaning of a Term.	1 TermDescription → IsTypeOf → Description 2 TermDescription → IsA → TextualElement
1745	TermName	Standard Derived	A Name of a Term.	1 TermName → IsTypeOf → Name 2 TermName → IsNameof → Term
1746	TermSet	Standard Partially Derived	Two or more Terms or TermSets grouped together under an Authority for any purpose.	1 TermSet → IsTypeOf → Set 2 TermSet → HasMember → Term[occ:1-n] 3 TermSet → Has → Authority[occ:1-n]
1747	TermSet_1	Standard		1 TermSet_1 → HasMember → Context 2 TermSet_1 → HasMember → Relationship
1748	TermSet_2	Standard		1 TermSet_2 → HasMember → Computer 2 TermSet_2 → HasMember → Software
1749	TermSet_3	Standard		1 TermSet_3 → HasMember → Act 2 TermSet_3 → HasMember → Context
1750	TermSet_4	Standard		1 TermSet_4 → HasMember → Modify 2 TermSet_4 → HasMember → Adapt
1751	TermSet_5	Standard		1 TermSet_5 → HasMember → Modifier 2 TermSet_5 → HasMember → Adaptor
1752	TermSet_6	Standard		1 TermSet_6 → HasMember → Modification 2 TermSet_6 → HasMember → AdaptingEvent
1753	TermSet_7	Standard		1 TermSet_7 → HasMember → TimeOfModifying

				2 TermSet_7 → HasMember → TimeOfAdapting
1754	TermSet_8	Standard		1 TermSet_8 → HasMember → PlaceOfModifying 2 TermSet_8 → HasMember → PlaceOfAdapting
1755	TermSet_9	Standard		1 TermSet_9 → HasMember → ModifyingTool 2 TermSet_9 → HasMember → AdaptingTool
1756	TermStatus	Standard Partially Derived	A Category of a Term according to its TermAttributes.	1 TermStatus → IsClassOf → Term[occ:1]
1757	TextualElement	Standard Partially Derived	An Attribute of a Term which may be expressed in natural language.	1 TextualElement → IsClassOf → TermAttribute
1758	Time	Standard Partially Derived	The temporal parameters of a Context.	1 Time → IsTimeTypeBegottenBy → Act
1759	TimeOfAbstracting	Standard Derived	A Time of an AbstractingEvent.	1 TimeOfAbstracting → IsTimeTypeBegottenBy → Abstract 2 TimeOfAbstracting → IsTypeOf → TimeOfConceiving 3 TimeOfAbstracting → IsTypeOf → TimeOfExtracting
1760	TimeOfActivating	Standard Derived	A Time of an Activation.	1 TimeOfActivating → IsTimeTypeBegottenBy → Activate 2 TimeOfActivating → IsTypeOf → TimeOfChanging
1761	TimeOfAdapting	Standard Derived	A Time of an AdaptingEvent.	1 TimeOfAdapting → IsTimeTypeBegottenBy → Adapt 2 TimeOfAdapting → IsTypeOf → TimeOfDeriving
1762	TimeOfAggregating	Standard Derived	A Time of an AggregatingEvent.	1 TimeOfAggregating → IsTimeTypeBegottenBy → Aggregate 2 TimeOfAggregating → IsTypeOf → TimeOfDeriving

1763	TimeOfAllowing	Standard Derived	A Time of an AllowingEvent.	1 TimeOfAllowing → IsTimeTypeBegottenBy → Allow 2 TimeOfAllowing → IsTypeOf → TimeOfInteraction
1764	TimeOfAscribedSituation	Standard Derived	A Time during which an AscribedSituation persists.	1 TimeOfAscribedSituation → IsTimeTypeBegottenBy → AscribedSituation 2 TimeOfAscribedSituation → IsTypeOf → TimeOfRelation
1765	TimeOfAscribing	Standard Derived	A Time of an AscribingEvent.	1 TimeOfAscribing → IsTimeTypeBegottenBy → Ascribe 2 TimeOfAscribing → IsTypeOf → TimeOfRelating
1766	TimeOfAsserting	Standard Derived	A Time of an Assertion.	1 TimeOfAsserting → IsTimeTypeBegottenBy → Assert 2 TimeOfAsserting → IsTypeOf → TimeOfDeclaring
1767	TimeOfBegetting	Standard Derived	A Time of a BegettingEvent.	1 TimeOfBegetting → IsTimeTypeBegottenBy → Beget 2 TimeOfBegetting → IsTypeOf → TimeOfOriginating
1768	TimeOfCategorization	Standard Derived	A Time during which a Categorization persists.	1 TimeOfCategorization → IsTimeTypeBegottenBy → Categorization 2 TimeOfCategorization → IsTypeOf → TimeOfAscribedSituation
1769	TimeOfCategorizing	Standard Derived	A Time of a CategorizingEvent.	1 TimeOfCategorizing → IsTimeTypeBegottenBy → Categorize 2 TimeOfCategorizing → IsTypeOf → TimeOfAscribing
1770	TimeOfCausation	Standard Derived	A Time of a Causation.	1 TimeOfCausation → IsTimeTypeBegottenBy → Cause 2 TimeOfCausation → IsTypeOf → TimeOfMaking
1771	TimeOfChanging	Standard Derived	A Time of a ChangingEvent.	1 TimeOfChanging → IsTimeTypeBegottenBy → Change 2 TimeOfChanging → IsTypeOf → TimeOfInteraction 3 TimeOfChanging → HasComponent → TimeOfToolUsage[true:Sometimes]
1772	TimeOfClassification	Standard Derived	A Time during which a Classification persists.	1 TimeOfClassification → IsTimeTypeBegottenBy → Classification 2 TimeOfClassification → IsTypeOf → TimeOfAscribedSituation
1773	TimeOfClassifying	Standard Derived	A Time of a ClassifyingEvent.	1 TimeOfClassifying → IsTimeTypeBegottenBy → Classify 2 TimeOfClassifying → IsTypeOf → TimeOfAscribing

1774	TimeOfConceiving	Standard Derived	A Time of a Conception.	1 TimeOfConceiving → IsTimeTypeBegottenBy → Conceive 2 TimeOfConceiving → IsTypeOf → TimeOfOriginating 3 TimeOfConceiving → HasComponent → TimeOfDeriving[true:Sometimes]
1775	TimeOfCopying TimeOfReplicating	Standard Derived	A Time of a CopyingEvent.	1 TimeOfCopying → IsTimeTypeBegottenBy → Copy 2 TimeOfCopying → IsTypeOf → TimeOfDeriving
1776	TimeOfCreating	Standard Derived	A Time of a CreatingEvent.	1 TimeOfCreating → IsTimeTypeBegottenBy → Create 2 TimeOfCreating → IsTypeOf → TimeOfMaking 3 TimeOfCreating → HasComponent → TimeOfDeriving[true:Sometimes] 4 TimeOfCreating → HasComponent → TimeOfOriginating[true:Sometimes] 5 TimeOfCreating → HasComponent → TimeOfExpression[true:Sometimes] 6 TimeOfCreating → HasComponent → TimeOfAbstracting[true:Sometimes]
1777	TimeOfDeactivating	Standard Derived	A Time of a Deactivation.	1 TimeOfDeactivating → IsTimeTypeBegottenBy → Deactivate 2 TimeOfDeactivating → IsTypeOf → TimeOfChanging
1778	TimeOfDeclaring	Standard Derived	A Time of a Declaration.	1 TimeOfDeclaring → IsTimeTypeBegottenBy → Declare 2 TimeOfDeclaring → IsTypeOf → TimeOfInteraction 3 TimeOfDeclaring → HasComponent → TimeOfToolUsage[true:Sometimes]
1779	TimeOfDenying	Standard Derived	A Time of a Denial.	1 TimeOfDenying → IsTimeTypeBegottenBy → Deny 2 TimeOfDenying → IsTypeOf → TimeOfDeclaring
1780	TimeOfDeriving	Standard Derived	A Time of a DerivingEvent.	1 TimeOfDeriving → IsTimeTypeBegottenBy → Derive 2 TimeOfDeriving → IsTypeOf → TimeOfMaking 3 TimeOfDeriving → IsTypeOf → TimeOfUsing
1781	TimeOfDestroying	Standard Derived	A Time of a Destruction.	1 TimeOfDestroying → IsTimeTypeBegottenBy → Destroy 2 TimeOfDestroying → IsTypeOf → TimeOfInteraction
1782	TimeOfDiminishing	Standard Derived	A Time of a Diminution.	1 TimeOfDiminishing → IsTimeTypeBegottenBy → Diminish 2 TimeOfDiminishing → IsTypeOf → TimeOfModifying

1783	TimeOfDisabling	Standard Derived	A Time of a DisablingEvent.	1 TimeOfDisabling → IsTimeTypeBegottenBy → Disable 2 TimeOfDisabling → IsTypeOf → TimeOfChanging
1784	TimeOfEditing	Standard Derived	A Time of an EditingEvent.	1 TimeOfEditing → IsTimeTypeBegottenBy → Edit 2 TimeOfEditing → IsTypeOf → TimeOfEvent 3 TimeOfEditing → HasComponentFrom → TermSet_7[occ:1-n]
1785	TimeOfEmbedding	Standard Derived	A Time of an EmbeddingEvent.	1 TimeOfEmbedding → IsTimeTypeBegottenBy → Embed 2 TimeOfEmbedding → IsTypeOf → TimeOfIncluding
1786	TimeOfEnabling	Standard Derived	A Time of an EnablingEvent.	1 TimeOfEnabling → IsTimeTypeBegottenBy → Enable 2 TimeOfEnabling → IsTypeOf → TimeOfChanging
1787	TimeOfEnlarging	Standard Derived	A Time of an Enlargement.	1 TimeOfEnlarging → IsTimeTypeBegottenBy → Enlarge 2 TimeOfEnlarging → IsTypeOf → TimeOfModifying
1788	TimeOfEquating	Standard Derived	A Time of an EquatingEvent.	1 TimeOfEquating → IsTimeTypeBegottenBy → Equate 2 TimeOfEquating → IsTypeOf → TimeOfRelating
1789	TimeOfEquation	Standard Derived	A Time during which an Equation persists.	1 TimeOfEquation → IsTimeTypeBegottenBy → Equation 2 TimeOfEquation → IsTypeOf → TimeOfRelation
1790	TimeOfEvaluating	Standard Derived	A Time of an EvaluatingEvent.	1 TimeOfEvaluating → IsTimeTypeBegottenBy → Evaluate 2 TimeOfEvaluating → IsTypeOf → TimeOfAscribing
1791	TimeOfEvaluation	Standard Derived	A Time during which a Evaluation persists.	1 TimeOfEvaluation → IsTimeTypeBegottenBy → Evaluation 2 TimeOfEvaluation → IsTypeOf → TimeOfAscribedSituation
1792	TimeOfEvent	Standard Derived	A Time of an Event.	1 TimeOfEvent → IsTimeTypeBegottenBy → Do 2 TimeOfEvent → IsTypeOf → Time
1793	TimeOfExecuting	Standard Derived	A Time of an Execution.	1 TimeOfExecuting → IsTimeTypeBegottenBy → Execute 2 TimeOfExecuting → IsTypeOf → TimeOfActivating

1794	TimeOfExistence	Standard Derived	A Time of an Existence.	1 TimeOfExistence → IsTimeTypeBegottenBy → Existence 2 TimeOfExistence → IsTypeOf → TimeOfSituation
1795	TimeOfExpression	Standard Derived	A Time of an Expression.	1 TimeOfExpression → IsTimeTypeBegottenBy → Express 2 TimeOfExpression → IsTypeOf → TimeOfMaking 3 TimeOfExpression → HasComponent → TimeOfDeriving[true:Sometimes]
1796	TimeOfExtracting TimeOfExcerpting	Standard Derived	A Time of an ExtractingEvent.	1 TimeOfExtracting → IsTimeTypeBegottenBy → Extract 2 TimeOfExtracting → IsTypeOf → TimeOfDeriving
1797	TimeOfFixing	Standard Derived	A Time of a FixingEvent.	1 TimeOfFixing → IsTimeTypeBegottenBy → Fix 2 TimeOfFixing → IsTypeOf → TimeOfExpression
1798	TimeOfFormalization	Standard Derived	A Time during which a Formalization persists.	1 TimeOfFormalization → IsTimeTypeBegottenBy → Formalization 2 TimeOfFormalization → IsTypeOf → TimeOfQualification
1799	TimeOfFormalizing	Standard Derived	A Time of a FormalizingEvent.	1 TimeOfFormalizing → IsTimeTypeBegottenBy → Formalize 2 TimeOfFormalizing → IsTypeOf → TimeOfQualifying
1800	TimeOfIdentification	Standard Derived	A Time during which an Identification persists.	1 TimeOfIdentification → IsTimeTypeBegottenBy → Identification 2 TimeOfIdentification → IsTypeOf → TimeOfNomination
1801	TimeOfIdentifying	Standard Derived	A Time of an IdentifyingEvent.	1 TimeOfIdentifying → IsTimeTypeBegottenBy → Identify 2 TimeOfIdentifying → IsTypeOf → TimeOfNaming
1802	TimeOfIncluding	Standard Derived	A Time of an IncludingEvent.	1 TimeOfIncluding → IsTimeTypeBegottenBy → Include 2 TimeOfIncluding → IsTypeOf → TimeOfRelating
1803	TimeOfInstalling	Standard Derived	A Time of an InstallingEvent.	1 TimeOfInstalling → IsTimeTypeBegottenBy → Install 2 TimeOfInstalling → IsTypeOf → TimeOfInteraction
1804	TimeOfInteraction	Standard Derived	A Time of an Interaction.	1 TimeOfInteraction → IsTimeTypeBegottenBy → InteractWith 2 TimeOfInteraction → IsTypeOf → TimeOfEvent

1805	TimeOfMaking	Standard Derived	A Time of a MakingEvent.	1 TimeOfMaking → IsTimeTypeBegottenBy → Make 2 TimeOfMaking → IsTypeOf → TimeOfEvent 3 TimeOfMaking → HasComponent → TimeOfToolUsage[true:Sometimes]
1806	TimeOfMeasurement	Standard Derived	A Time during which a Measurement persists.	1 TimeOfMeasurement → IsTimeTypeBegottenBy → Measurement 2 TimeOfMeasurement → IsTypeOf → TimeOfAscribedSituation
1807	TimeOfMeasuring TimeOfQuantifying	Standard Derived	A Time of a MeasuringEvent.	1 TimeOfMeasuring → IsTimeTypeBegottenBy → Measure 2 TimeOfMeasuring → IsTypeOf → TimeOfAscribing
1808	TimeOfModifying	Standard Derived	A Time of a Modification.	1 TimeOfModifying → IsTimeTypeBegottenBy → Modify 2 TimeOfModifying → IsTypeOf → TimeOfChanging
1809	TimeOfMoving	Standard Derived	A Time of a Movement.	1 TimeOfMoving → IsTimeTypeBegottenBy → Move 2 TimeOfMoving → IsTypeOf → TimeOfChanging
1810	TimeOfNaming TimeOfNominating	Standard Derived	A Time of a NamingEvent.	1 TimeOfNaming → IsTimeTypeBegottenBy → Nominate 2 TimeOfNaming → IsTypeOf → TimeOfAscribing
1811	TimeOfNomination	Standard Derived	A Time during which a Nomination persists.	1 TimeOfNomination → IsTimeTypeBegottenBy → Nomination 2 TimeOfNomination → IsTypeOf → TimeOfAscribedSituation
1812	TimeOfOpposing	Standard Derived	A Time of an OpposingEvent.	1 TimeOfOpposing → IsTimeTypeBegottenBy → Oppose 2 TimeOfOpposing → IsTypeOf → TimeOfRelating
1813	TimeOfOpposition	Standard Derived	A Time during which an Opposition persists.	1 TimeOfOpposition → IsTimeTypeBegottenBy → Opposition 2 TimeOfOpposition → IsTypeOf → TimeOfRelation
1814	TimeOfOriginating	Standard Derived	A Time of an OriginatingEvent.	1 TimeOfOriginating → IsTimeTypeBegottenBy → Originate 2 TimeOfOriginating → IsTypeOf → TimeOfMaking
1815	TimeOfPartitioning	Standard Derived	A Time of a PartitioningEvent.	1 TimeOfPartitioning → IsTimeTypeBegottenBy → Partition 2 TimeOfPartitioning → IsTypeOf → TimeOfAscribing

1816	TimeOfPartitionSituation	Standard Derived	A Time during which a PartitionSituation persists.	1 TimeOfPartitionSituation → IsTimeTypeBegottenBy → PartitionSituation 2 TimeOfPartitionSituation → IsTypeOf → TimeOfAscribedSituation
1817	TimeOfPerception	Standard Derived	A Time of a Perception.	1 TimeOfPerception → IsTimeTypeBegottenBy → Perceive 2 TimeOfPerception → IsTypeOf → TimeOfUsing
1818	TimeOfPerforming	Standard Derived	A Time of a PerformingEvent.	1 TimeOfPerforming → IsTimeTypeBegottenBy → Perform 2 TimeOfPerforming → IsTypeOf → TimeOfExpression
1819	TimeOfPermitting	Standard Derived	A Time of a Permission.	1 TimeOfPermitting → IsTimeTypeBegottenBy → Permit 2 TimeOfPermitting → IsTypeOf → TimeOfAllowing
1820	TimeOfPlaying	Standard Derived	A Time of a PlayingEvent.	1 TimeOfPlaying → IsTimeTypeBegottenBy → Play 2 TimeOfPlaying → IsTypeOf → TimeOfTransforming 3 TimeOfPlaying → IsTypeOf → TimeOfPerforming
1821	TimeOfPreventing	Standard Derived	A Time of a Prevention.	1 TimeOfPreventing → IsTimeTypeBegottenBy → Prevent 2 TimeOfPreventing → IsTypeOf → TimeOfInteraction
1822	TimeOfPrinting	Standard Derived	A Time of a PrintingEvent.	1 TimeOfPrinting → IsTimeTypeBegottenBy → Print 2 TimeOfPrinting → IsTypeOf → TimeOfTransforming 3 TimeOfPrinting → IsTypeOf → TimeOfFixing
1823	TimeOfProhibiting	Standard Derived	A Time of a Prohibition.	1 TimeOfProhibiting → IsTimeTypeBegottenBy → Prohibit 2 TimeOfProhibiting → IsTypeOf → TimeOfPreventing
1824	TimeOfQualification	Standard Derived	A Time during which a Qualification persists.	1 TimeOfQualification → IsTimeTypeBegottenBy → Qualification 2 TimeOfQualification → IsTypeOf → TimeOfCategorization
1825	TimeOfQualifying	Standard Derived	A Time of a QualifyingEvent.	1 TimeOfQualifying → IsTimeTypeBegottenBy → Qualify 2 TimeOfQualifying → IsTypeOf → TimeOfCategorizing
1826	TimeOfReading	Standard	A Time of a ReadingEvent.	1 TimeOfReading → IsTimeTypeBegottenBy → Read

		Derived		2 TimeOfReading → IsTypeOf → TimeOfReading
1827	TimeOfRelating	Standard Derived	A Time of a RelatingEvent.	1 TimeOfRelating → IsTimeTypeBegottenBy → Relate 2 TimeOfRelating → IsTypeOf → TimeOfEvent 3 TimeOfRelating → HasComponent → TimeOfToolUsage[true:Sometimes]
1828	TimeOfRelation	Standard Derived	The Time of a Relationship.	1 TimeOfRelation → IsTimeTypeBegottenBy → Relationship 2 TimeOfRelation → IsTypeOf → TimeOfSituation
1829	TimeOfRendering	Standard Derived	A Time of a RenderingEvent.	1 TimeOfRendering → IsTimeTypeBegottenBy → Render 2 TimeOfRendering → IsTypeOf → TimeOfTransforming 3 TimeOfRendering → IsTypeOf → TimeOfExpression
1830	TimeOfSaying TimeOfUttering	Standard Derived	A Time of a SayingEvent.	1 TimeOfSaying → IsTimeTypeBegottenBy → Say 2 TimeOfSaying → IsTypeOf → TimeOfExpression
1831	TimeOfSetting	Standard Derived	A Time of a SettingEvent.	1 TimeOfSetting → IsTimeTypeBegottenBy → MakeSet 2 TimeOfSetting → IsTypeOf → TimeOfAggregating
1832	TimeOfSituation TimeOfPossession	Standard Derived	A Time during which a Situation persists.	1 TimeOfSituation → IsTimeTypeBegottenBy → Situation 2 TimeOfSituation → IsTypeOf → Time
1833	TimeOfSpecialization	Standard Derived	A Time during which a Specialization persists.	1 TimeOfSpecialization → IsTimeTypeBegottenBy → Specialization 2 TimeOfSpecialization → IsTypeOf → TimeOfAscribedSituation
1834	TimeOfSpecializing	Standard Derived	A Time of a SpecializingEvent.	1 TimeOfSpecializing → IsTimeTypeBegottenBy → Specialize 2 TimeOfSpecializing → IsTypeOf → TimeOfAscribing
1835	TimeOfToolUsage	Standard Derived	A Time of a ToolUsage.	1 TimeOfToolUsage → IsTimeTypeBegottenBy → UseTool 2 TimeOfToolUsage → IsTypeOf → TimeOfUsing
1836	TimeOfTransforming	Standard Derived	A Time of aTransformingEvent.	1 TimeOfTransforming → IsTimeTypeBegottenBy → Transform 2 TimeOfTransforming → IsTypeOf → TimeOfAdapting

1837	TimeOfUninstalling	Standard Derived	A Time of an UninstallingEvent.	1 TimeOfUninstalling → IsTimeTypeBegottenBy → Uninstall 2 TimeOfUninstalling → IsTypeOf → TimeOfInteraction
1838	TimeOfUsing	Standard Derived	A Time of a Usage.	1 TimeOfUsing → IsTimeTypeBegottenBy → Use 2 TimeOfUsing → IsTypeOf → TimeOfInteraction 3 TimeOfUsing → HasComponent → TimeOfToolUsage[true:Sometimes]
1839	TimeOfWriting	Standard Derived	A Time of a WritingEvent.	1 TimeOfWriting → IsTimeTypeBegottenBy → Write 2 TimeOfWriting → IsTypeOf → TimeOfDeriving
1840	TimeType	Standard	A Type of Time.	1 TimeType → IsResourceTypeBegottenBy → BegettingEvent_3 2 TimeType → IsTypeOf → BegottenTerm
1841	Tool	Standard	A Resource that is Used to support the execution of another Act.	1 Tool → IsResourceTypeBegottenBy → UseTool 2 Tool → IsTypeOf → UsedResource 3 Tool → IsA → HumanBeing[true:Never]
1842	ToolUsage ToolUsingEvent	Standard Derived	An Event in which a Tool is Used.	1 ToolUsage → IsContextTypeBegottenBy → UseTool 2 ToolUsage → IsTypeOf → Usage <i>ContextDescription</i> 1 ToolUsage[#1] → HasActType → UseTool[#2][occ:1] 2 ToolUsage[#1] → HasAgentType → ToolUser[#3.n][occ:1-n] 3 ToolUsage[#1] → HasResourceType → Tool[#4.n][occ:1-n] 4 ToolUsage[#1] → HasTimeType → TimeOfToolUsage[#5.n][occ:1-n] 5 ToolUsage[#1] → HasPlaceType → PlaceOfToolUsage[#6.n][occ:1-n]
1843	ToolUser	Standard Derived	An Agent that Uses a Resource as a Tool.	1 ToolUser → IsAgentTypeBegottenBy → UseTool 2 ToolUser → IsTypeOf → User
1844	Transfer MoveDigitalResource	Standard Derived	To Move a DigitalResource.	1 Transfer → IsActTypeBegottenBy → Transference 2 Transfer → IsTypeOf → Move

1845	Transference	Standard Partially Derived	An Event in which a DigitalResource is Moved. Scope of Transference Transference describes the context in which Move is applied to DigitalResources in an MPEG-21 REL expression. Transference is typically achieved by Copying and then deleting the original resource. However, a specific process is not mandated provided that when Transfer is complete a resource with the attributes identical to those of the original is at the destination. If copying is involved, then the attribute exception provisions for Copy apply to transfer. The Transfer may be between repositories or from one location to another within a repository.	1 Transference → IsTypeOf → Movement <i>ContextDescription</i> 1 Transference[#1] → HasActType → Transfer[#2.n][occ:1] 2 Transference[#1] → HasAgentType → Mover[#3.n][occ:1-n] 3 Transference[#1] → HasResourceType → MovedResource[#4.n][occ:1-n] 4 MovedResource[#4.n] → IsA → DigitalResource 5 Transference[#1] → HasResourceType → MovingTool[#5.n][occ:0-n] 6 Transference[#1] → HasTimeType → TimeOfMoving[#6.n][occ:1-n] 7 Transference[#1] → HasPlaceType → PlaceOfMoving[#7.n][occ:1-n] 8 Transference[#1] → HasPlaceType → Origin[#8.n][occ:0-n] 9 Origin[#8.n] → IsA → Repository 10 Transference[#1] → HasPlaceType → Destination[#9.n][occ:0-n] 11 Destination[#9.n] → IsA → Repository 12 Origin[#8.n] → IsEqualTo → Destination[#9.n][occ:0-n][true:Never] 13 Transference[#1] → HasPlaceType → PlaceOfMovingThrough[#10.n][occ:0-n] <i>ContextFamily</i> 1 Transference → BegetsActType → Transfer
1846	Transform	Standard Partially Derived	To Adapt a Resource by changing its form but not its content.	1 Transform → IsTypeOf → Adapt <i>ActionFamily</i> 1 Transform → BegetsContextType → TransformingEvent 2 Transform → BegetsAgentType → Transformer 3 Transform → BegetsResourceType → Transformation 4 Transform → BegetsResourceType → SourceOfTransformation 5 Transform → BegetsResourceType → TransformingTool 6 Transform → BegetsTimeType → TimeOfTransforming 7 Transform → BegetsPlaceType → PlaceOfTransforming 8 Transform → BegetsPlaceType → PlaceOfTransformingFrom 9 Transform → BegetsPlaceType → PlaceOfTransformingTo 10 Transform → BegetsStatusType → Transforming 11 Transform → BegetsStatusType → Transformed 12 Transform → BegetsStatusType → BeingTransformed

				13 Transform → BegetsStatusType → Transformable 14 Transform → BegetsStatusType → TransformedFrom 15 Transform → BegetsStatusType → BeingTransformedFrom 16 Transform → BegetsStatusType → TransformableFrom
1847	Transformable	Standard Derived	The potential status of Transformation	1 Transformable → IsStatusTypeBegottenBy → Transform 2 Transformable → IsPotentialStatusOf → Transformation 3 Transformable → IsTypeOf → Adaptable
1848	TransformableFrom	Standard Derived	The potential status of SourceOfTransformation	1 TransformableFrom → IsStatusTypeBegottenBy → Transform 2 TransformableFrom → IsPotentialStatusOf → SourceOfTransformation 3 TransformableFrom → IsTypeOf → AdaptableFrom
1849	Transformation	Standard Derived	A Resource that is Transformed from another Resource.	1 Transformation → IsResourceTypeBegottenBy → Transform 2 Transformation → IsTypeOf → Adaptation
1850	Transformed	Standard Derived	The historic status of Transformation	1 Transformed → IsStatusTypeBegottenBy → Transform 2 Transformed → IsHistoricStatusOf → Transformation 3 Transformed → IsTypeOf → Adapted
1851	TransformedFrom	Standard Derived	The historic status of SourceOfTransformation	1 TransformedFrom → IsStatusTypeBegottenBy → Transform 2 TransformedFrom → IsHistoricStatusOf → SourceOfTransformation 3 TransformedFrom → IsTypeOf → AdaptedFrom
1852	Transformer	Standard Derived	An Agent that Transforms.	1 Transformer → IsAgentTypeBegottenBy → Transform 2 Transformer → IsTypeOf → Adaptor
1853	Transforming	Standard Derived	The current status of Transformer	1 Transforming → IsStatusTypeBegottenBy → Transform 2 Transforming → IsCurrentStatusOf → Transformer 3 Transforming → IsTypeOf → Adapting
1854	TransformingEvent	Standard Derived	An Event in which a Resource is Transformed.	1 TransformingEvent → IsContextTypeBegottenBy → Transform 2 TransformingEvent → IsTypeOf → AdaptingEvent

				<i>ContextDescription</i> 1 TransformingEvent[#1] → HasActType → Transform[#2][occ:1] 2 TransformingEvent[#1] → HasAgentType → Transformer[#3.n][occ:1-n] 3 TransformingEvent[#1] → HasResourceType → Transformation[#4.n][occ:1-n] 4 Transformation → HasPlace → PlaceOfTransformingTo 5 Transformation[#4.n] → Has → Form[#11.n][occ:1-n] 6 TransformingEvent[#1] → HasResourceType → SourceOfTransformation[#5.n][occ:1-n] 7 SourceOfTransformation → HasPlace → PlaceOfTransformingFrom 8 SourceOfTransformation[#5.n] → Has → Form[#12.n][occ:1-n] 9 TransformingEvent[#1] → HasResourceType → TransformingTool[#6.n][occ:0-n] 10 TransformingEvent[#1] → HasTimeType → TimeOfTransforming[#7.n][occ:1-n] 11 TransformingEvent[#1] → HasPlaceType → PlaceOfTransforming[#8.n][occ:1-n] 12 TransformingEvent[#1] → HasPlaceType → PlaceOfTransformingFrom[#9.n][occ:1-n] 13 TransformingEvent[#1] → HasPlaceType → PlaceOfTransformingTo[#10.n][occ:1-n] 14 PlaceOfTransformingTo[#10.n] → IsEqualTo → PlaceOfTransformingFrom[#9.n][occ:1-n][true:Sometimes] 15 Form[#11.n] → IsEqualTo → Form[#12.n][occ:1-n][true:Never]
1855	TransformingTool	Standard Derived	A Tool Used for Transforming something.	1 TransformingTool → IsResourceTypeBegottenBy → Transform 2 TransformingTool → IsTypeOf → AdaptingTool
1856	Transient	Standard Partially Derived	Of an Entity which ceases to exist within a particular context.	1 Transient → IsAllowedValueOf → Durability
1857	True	Standard Partially Derived	Of something that is in accordance with fact or reality.	1 True → IsAllowedValueOf → Veracity 2 True → IsOpposedTo → False 3 True → IsTypeOf → Quality
1858	Type	Standard Partially Derived	A Resource which is a Specialized type of another Resource.	1 Type → IsResourceTypeBegottenBy → Specialize 2 Type → IsTypeOf → Ascription

		Type and Occurrence A Type may decrease but not increase the number of Occurrences of its parents attributes. For example, if a parent attribute occurs 0-n times, the Type's attribute may occur 0 times, or 1-n times, or 2-3 times, or 14 times; but the reverse cannot happen. This follows the inheritance principle that a "may" can be turned to a "must" or a "may not", but the reverse cannot happen. Scope of Type A Type inherits all of the attributes of its Archetype, but narrows at least one of them. This may be done, for example, by a formal change to the attributes of the Archetype (for example, the number of occurrences of an Attribute); a Categorization of an Attribute (for example, Excerpt > IsA > DigitalResource in an ExcerptingEvent); or it may be done by the introduction of new axiomatic meaning into an Attribute (for example, to Adapt is to Derive "by making changes"). These attribute changes are referred to in RDD as "points of specialization". Granularity of Types A Type may contain any number of points of Specialization, but for orderly development of the Dictionary, Specialization is best carried out on one Attribute at a time wherever	
--	--	--	--

			possible.	
1859	Uninstall	Standard Derived	To follow the instructions provided by an UninstallingResource.	1 Uninstall → IsTypeOf → InteractWith 2 Uninstall → IsOpposedTo → Install <i>ContextDescription</i> 1 Uninstall[#1] → HasActType → Uninstall[#2][occ:1] 2 Uninstall[#1] → HasAgentType → Uninstaller[#3.n][occ:1-n] 3 Uninstall[#1] → HasResourceType → UninstallingResource[#4.n][occ:1-n] 4 Uninstall[#1] → HasTimeType → TimeOfUninstalling[#5.n][occ:1-n] 5 Uninstall[#1] → HasPlaceType → PlaceOfUninstalling[#6.n][occ:1-n] <i>ActionFamily</i> 1 Uninstall → BegetsContextType → UninstallingEvent 2 Uninstall → BegetsAgentType → Uninstaller 3 Uninstall → BegetsResourceType → UninstallingResource 4 Uninstall → BegetsTimeType → TimeOfUninstalling 5 Uninstall → BegetsPlaceType → PlaceOfUninstalling 6 Uninstall → BegetsStatusType → Uninstalling 7 Uninstall → BegetsStatusType → UninstalledFrom 8 Uninstall → BegetsStatusType → BeingUninstalledFrom 9 Uninstall → BegetsStatusType → UninstallableFrom
1860	UninstallableFrom	Standard Derived	The potential status of UninstallingResource	1 UninstallableFrom → IsStatusTypeBegottenBy → Uninstall 2 UninstallableFrom → IsPotentialStatusOf → UninstallingResource 3 UninstallableFrom → IsTypeOf → InteractableWith
1861	UninstalledFrom	Standard Derived	The historic status of UninstallingResource	1 UninstalledFrom → IsStatusTypeBegottenBy → Uninstall 2 UninstalledFrom → IsHistoricStatusOf → UninstallingResource 3 UninstalledFrom → IsTypeOf → InteractedWith
1862	Uninstaller	Standard Derived	An Agent that Uninstalls.	1 Uninstaller → IsAgentTypeBegottenBy → Uninstall 2 Uninstaller → IsTypeOf → Interactor
1863	Uninstalling	Standard	The current status of Uninstaller	1 Uninstalling → IsStatusTypeBegottenBy → Uninstall 2 Uninstalling → IsCurrentStatusOf → Uninstaller

		Derived		3 Uninstalling → IsTypeOf → InteractingWith
1864	UninstallingEvent	Standard Derived	An Event in which something is Uninstalled.	1 UninstallingEvent → IsContextTypeBegottenBy → Uninstall 2 UninstallingEvent → IsTypeOf → Interaction
1865	UninstallingResource	Standard Partially Derived	A Resource that provides instructions which when followed result in one or more Resources being Disabled or Deleted.	1 UninstallingResource → IsResourceTypeBegottenBy → Uninstall 2 UninstallingResource → IsTypeOf → Input
1866	UnitOfMeasure	Standard Partially Derived	An element on a scale against which an Entity is Measured.	1 UnitOfMeasure → IsTypeOf → Resource
1867	Usable	Standard Derived	The potential status of UsedResource	1 Usable → IsStatusTypeBegottenBy → Use 2 Usable → IsPotentialStatusOf → UsedResource 3 Usable → IsTypeOf → InteractableWith
1868	Usage UsingEvent	Standard Derived	An Event in which something InteractsWith something else without otherwise changing it.	1 Usage → IsContextTypeBegottenBy → Use 2 Usage → IsTypeOf → Interaction 3 Usage → HasComponent → ToolUsage[true:Sometimes] <i>ContextDescription</i> 1 Usage[#1] → HasActType → Use[#2][occ:1] 2 Usage[#1] → HasAgentType → User[#3.n][occ:1-n] 3 Usage[#1] → HasResourceType → UsedResource[#4.n][occ:1-n] 4 Usage[#1] → HasResourceType → UsingTool[#5.n][occ:0-n] 5 Usage[#1] → HasTimeType → TimeOfUsing[#6.n][occ:1-n] 6 Usage[#1] → HasPlaceType → PlaceOfUsing[#7.n][occ:1-n]
1869	Use	Standard Derived	To InteractWith something without otherwise changing it. Scope of Use Use is defined in opposition to Change and	1 Use → IsTypeOf → InteractWith 2 Use → IsOpposedTo → Change 3 Use → HasComponent → UseTool[true:Sometimes] <i>ActionFamily</i>

			Consume, in that a UsedResource does not have its Attributes changed by the Use (except of course in that it will have a history of Use).	1 Use → BegetsContextType → Usage 2 Use → BegetsAgentType → User 3 Use → BegetsResourceType → UsedResource 4 Use → BegetsResourceType → UsingTool 5 Use → BegetsTimeType → TimeOfUsing 6 Use → BegetsPlaceType → PlaceOfUsing 7 Use → BegetsStatusType → Using 8 Use → BegetsStatusType → Used 9 Use → BegetsStatusType → BeingUsed 10 Use → BegetsStatusType → Usable
1870	Used	Standard Derived	The historic status of UsedResource	1 Used → IsStatusTypeBegottenBy → Use 2 Used → IsHistoricStatusOf → UsedResource 3 Used → IsTypeOf → InteractedWith
1871	UsedResource	Standard	A pre-existing Entity that is InteractedWith but whose Attributes are not otherwise changed.	1 UsedResource → IsResourceTypeBegottenBy → Use 2 UsedResource → IsTypeOf → Input
1872	User	Standard Derived	An Agent that Uses a Resource.	1 User → IsAgentTypeBegottenBy → Use 2 User → IsTypeOf → Interactor 3 User → HasComponent → ToolUser[true:Sometimes]
1873	UseTool	Standard Derived	To Use an Entity to support the execution of another Act.	1 UseTool → IsTypeOf → Use <i>ActionFamily</i> 1 UseTool → BegetsContextType → ToolUsage 2 UseTool → BegetsAgentType → ToolUser 3 UseTool → BegetsResourceType → Tool 4 UseTool → BegetsTimeType → TimeOfToolUsage 5 UseTool → BegetsPlaceType → PlaceOfToolUsage
1874	Using	Standard Derived	The current status of User	1 Using → IsStatusTypeBegottenBy → Use 2 Using → IsCurrentStatusOf → User

				3 Using → IsTypeOf → InteractingWith
1875	UsingTool	Standard Derived	A Tool used in Using something else. Scope of UsingTool Note that a UsingTool is not the UsedResource, but another Resource which is used to help in Using the UsedResource.	1 UsingTool → IsResourceTypeBegottenBy → Use 2 UsingTool → IsTypeOf → Tool
1876	Usually	Standard Partially Derived	Of a Situation that is usually True.	1 Usually → IsAllowedValueOf → Reliability
1877	Utterance LexicalManifestation	Standard Partially Derived	A Manifestation that is Expressed in words.	1 Utterance → IsResourceTypeBegottenBy → Say 2 Utterance → IsTypeOf → Manifestation 3 Utterance → Is → Lexical
1878	Value	Standard Partially Derived	An instance of a Term.	1 Value → IsResourceTypeBegottenBy → Evaluate 2 Value → IsTypeOf → Ascription
1879	Veracity	Standard Partially Derived	The Quality of verisimilitude.	1 Veracity → IsTypeOf → QualityType
1880	Whole PartitionedResource	Standard Partially Derived	A Resource which is Partitioned.	1 Whole → IsResourceTypeBegottenBy → Partition 2 Whole → IsTypeOf → AscribedResource
1881	Writable	Standard Derived	The potential status of DigitalResource	1 Writable → IsStatusTypeBegottenBy → Write 2 Writable → IsPotentialStatusOf → DigitalResource 3 Writable → IsTypeOf → Derivable

1882	Write	Standard Partially Derived	To write a Digital Resource to a Repository. Scope of Write The verb here refers to the primitive computing process, not to the act of writing by a human being. Accordingly its definition is self-referential.	1 Write → IsTypeOf → Derive <i>ActionFamily</i> 1 Write → BegetsContextType → WritingEvent 2 Write → BegetsAgentType → Writer 3 Write → BegetsResourceType → DigitalResource 4 Write → BegetsResourceType → SourceOfDigitalResource 5 Write → BegetsResourceType → WritingTool 6 Write → BegetsTimeType → TimeOfWriting 7 Write → BegetsPlaceType → PlaceOfWriting 8 Write → BegetsPlaceType → PlaceOfWritingFrom 9 Write → BegetsPlaceType → PlaceOfWritingTo 10 Write → BegetsStatusType → Writing 11 Write → BegetsStatusType → Written 12 Write → BegetsStatusType → BeingWritten 13 Write → BegetsStatusType → Writable
1883	Writer	Standard Derived	An Agent that Writes.	1 Writer → IsAgentTypeBegottenBy → Write 2 Writer → IsTypeOf → Deriver
1884	Writing	Standard Derived	The current status of Writer	1 Writing → IsStatusTypeBegottenBy → Write 2 Writing → IsCurrentStatusOf → Writer 3 Writing → IsTypeOf → Deriving
1885	WritingEvent	Standard Derived	An Event in which a Resource is Written.	1 WritingEvent → IsContextTypeBegottenBy → Write 2 WritingEvent → IsTypeOf → DerivingEvent <i>ContextDescription</i> 1 WritingEvent[#1] → HasActType → Write[#2][occ:1] 2 WritingEvent[#1] → HasAgentType → Writer[#3.n][occ:1-n] 3 WritingEvent[#1] → HasResourceType → DigitalResource[#4.n][occ:1-n] 4 DigitalResource → HasPlace → PlaceOfWritingTo 5 WritingEvent[#1] → HasResourceType → SourceOfDigitalResource[#5.n][occ:1-n] 6 SourceOfDigitalResource → HasPlace → PlaceOfWritingFrom 7 WritingEvent[#1] → HasResourceType → WritingTool[#6.n][occ:0-n] 8 WritingEvent[#1] → HasTimeType → TimeOfWriting[#7.n][occ:1-n] 9 WritingEvent[#1] → HasPlaceType → PlaceOfWriting[#8.n][occ:1-n]

				10 WritingEvent[#1] → HasPlaceType → PlaceOfWritingFrom[#9.n][occ:1-n] 11 WritingEvent[#1] → HasPlaceType → PlaceOfWritingTo[#10.n][occ:1-n] 12 PlaceOfWritingTo[#10.n] → IsEqualTo → PlaceOfWritingFrom[#9.n][occ:1-n][true:Sometimes]
1886	WritingTool	Standard Partially Derived	A Tool Used for Writing.	1 WritingTool → IsResourceTypeBegottenBy → Write 2 WritingTool → IsTypeOf → DerivingTool 3 WritingTool → IsAClassFrom → TermSet_2[occ:1]
1887	Written	Standard Derived	The historic status of DigitalResource	1 Written → IsStatusTypeBegottenBy → Write 2 Written → IsHistoricStatusOf → DigitalResource 3 Written → IsTypeOf → Derived

Annex B
(normative)
**Rules and Styles Guidelines for Textual
Elements and Headwords**

B.1 RDD Definitions

B.1.1 Brevity

RDD Definitions shall be as short as possible.

B.1.2 Comments and Examples

Definitions shall not contain comments or examples: these shall be placed in Comments and Examples. Definitions may be clarified or exemplified in Annotations as much as is helpful.

B.1.3 Presentation

RDD Terms referenced in Definitions shall always be given initial capitals.

B.1.4 Self-reference

Because Headwords have no semantic value (B.2), RDD Definitions may be self-referential (e.g. Act “to act”, Write “to write a Resource to a Repository”) where they draw on axioms. Self-reference should be avoided in non-axiomatic definitions.

B.1.5 Axioms

Within a Family of Terms, original semantic material shall only be required to appear in the Definition of the Term that contains it, and shall not be required to be repeated in other Family Terms.

B.1.6 Definitions with Derived Meanings

Definitions of Terms with DerivedMeanings shall be wholly expressed by reference to their sources (e.g. a Copier is “An Agent that Copies”).

B.2 RDD Headwords and Synonyms

Headwords are simply convenient tokens representing Terms and do not convey any inherent meaning. The construction of complex Headwords may follow conventional principles but, with the exception of the constraints below, shall have no normative rules.

B.2.1 Character restrictions

Headwords may contain any Unicode character or numeral.

B.2.2 RDD Headwords containing multiple words or symbols

RDD Headwords shall always be shown as a single string. Separate words shall be indicated by initial capitals (eg TermAttribute). Acronyms may be shown in mixed case to indicate changes in word (eg RddAuthority, not RDDAuthority).

B.2.3 Contextualized Terms

Where a Term is contextualized and no distinctive Headword is introduced, Types shall be shown by the addition of an underscore followed by a number (eg COPY_1, BEGETTINGEVENT_7). Apart from uniqueness no significance shall attach to the number.

B.3 Textual Elements from Authorities other than RDD

Apart from the character restrictions in B.2.1, there shall be no further restrictions on the presentation of TextualElements from Authorities other than RDD.

Annex C
(normative)

**Requirements for the Registration
Authority for the Rights Data Dictionary**




Figure 29 — (informative) RDD Governance Model

C.1 Purpose of the RDD System

The RDD System is comprised of the following three elements:

- 1) The Specifications contained in the RDD Standard
- 2) A Dictionary - the Terms and their TermAttributes defined according to this Specification.
- 3) A Database - the tool containing the Dictionary and supporting its maintenance.

Use of the RDD System will facilitate the accurate exchange and processing of information between interested parties involved in the administration of rights in, and use of, Digital Items, and in particular it is intended to support the MPEG-21 REL.

C.2 Procedure for Registering a Term or TermSet for use within MPEG-21 Framework

To register a Term or TermSet with the MPEG-21 Framework, the provider of the Term or TermSet shall apply to the Registration Authority. Registration forms shall be available from the Registration Authority.

The requester shall provide the registration information specified in C.5. Natural and legal persons are eligible to apply.

C.3 Responsibilities of the Registration Authority

The organization that is nominated as the Registration Authority for ISO/IEC 21000-6 must agree to establish and implement in accordance with this Specification a registration procedure for the assignment of unique identifiers to Terms and TermSets submitted to the RDD System.

C.3.1 Establishment

The Registration Authority shall:

- a) Establish a registration and identification procedure for RDD Terms and TermSets in accordance with JTC1 Directives
- b) Establish administrative procedures for the introduction and mapping of Terms and TermSets in the RDD System.
- c) Establish procedures for the management and coordination of applications for Terms and TermSets that may be made on a sectoral, geographic or linguistic basis, including the appointment (and revocation) of sectoral, geographic or linguistic agencies as necessary.
- d) Establish procedures for the definition of Terms for use in REL expressions
- e) Establish procedures for the recognition and identification of Authorities as defined in the Standard
- f) Establish procedures for formal relationships between the Registration Authority and other Authorities as defined by the Standard
- g) Establish procedures to ensure appropriate access to the RDD System in compliance with Clause 4.18 (access conditions)
- h) Make the Dictionary available upon request to National Bodies of JTC 1 that are members of ISO or IEC, to liaison organizations of ISO or IEC and to any interested party

- i) Establish performance criteria for the operation of the RDD System.

C.3.2 Management and Maintenance

The Registration Authority shall:

- a) Maintain accurate registers of RddIds and their associated Attributes, either in a central database or through an authorized network of distributed databases
- b) Establish administrative procedures for the maintenance (amendment and deletion) of Terms and TermSets within the RDD System.
- c) Establish change control procedures for the management of the Dictionary
- d) Develop documentation for the RDD System
- e) Promote, co-ordinate and supervise the RDD System in compliance with the specifications of ISO/IEC 21000-6
- f) Report its activities to the Secretariats of ISO/IEC JTC1, ITTF and SC29 or their designated representative(s) on an annual basis

C.4 Contact Information for the Registration Authority

To be determined.

C.5 Responsibilities of Parties requesting an RddId

The party registering a Term or TermSet shall:

- a) Apply using the forms and procedures provided for by the Registration Authority;
- b) Provide contact information
- c) Maintain a permanent record of the application form and the notification received from the Registration Authority

C.6 Fees

C.6.1 fees

Subject to approval by JTC1, the Registration Authority may charge fees for the registration of Terms and TermSets on a cost-recovery basis only.

The nominated organization should describe the nature of any anticipated fees or other service charges directly related to the process of RDD registration.

C.7 Required qualifications

The organization nominated as the Registration Authority for RDD must be able to perform the functions specified in this Specification. Therefore, the nominated organization must also have the following specific qualifications:

- a) The organization must have sufficient financial resources and commitment to establish and provide ongoing support for the RDD Registration Authority.
- b) The organization must have a credible plan for the development of the RDD system during its start-up phase and first five years of operation.

C.8 Appeal Procedure for Denied Applications

A Registration Management Group (RMG) shall be formed to have jurisdiction over appeals to denied requests for RddIds for Terms and TermSets. The RMG shall have a membership nominated by P- and L-members of the ISO technical committee responsible for ISO/IEC 21000. It shall have a convener and secretariat nominated from its members. The Registration Authority is entitled to nominate one non-voting observing member.

The responsibilities of the RMG shall be:

- a) To review and act on all appeals within a reasonable time frame;
- b) To inform, in writing, organizations which make an appeal for reconsideration of its petition of the RMG's disposition of the matter;
- c) To review the annual report of the Registration Authority's summary of activities
- d) To supply Member Bodies of ISO and National Committees of IEC with information concerning the scope of operation of the Registration Authority